

Jennifer A Alison

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3358738/jennifer-a-alison-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

79
papers

1,130
citations

19
h-index

31
g-index

92
ext. papers

1,571
ext. citations

3.4
avg, IF

4.49
L-index

#	Paper	IF	Citations
79	Age and Sex Differences in Balance Outcomes among Individuals with Chronic Obstructive Pulmonary Disease (COPD) at Risk of Falls.. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2022 , 19, 166-173	2	1
78	Supportive Care Interventions for People With Cancer Assisted by Digital Technology: Systematic Review. <i>Journal of Medical Internet Research</i> , 2021 , 23, e24722	7.6	1
77	Nighttime features derived from topic models for classification of patients with COPD. <i>Computers in Biology and Medicine</i> , 2021 , 132, 104322	7	2
76	Bilevel Noninvasive Ventilation During Exercise Reduces Dynamic Hyperinflation and Improves Cycle Endurance Time in Severe to Very Severe COPD. <i>Chest</i> , 2021 , 160, 2066-2079	5.3	1
75	Effect of intrapulmonary percussive ventilation on intensive care unit length of stay, the incidence of pneumonia and gas exchange in critically ill patients: A systematic review. <i>PLoS ONE</i> , 2021 , 16, e0255005	3.7	1
74	Use of supplemental oxygen during exercise testing and training for people with chronic obstructive pulmonary disease: a survey of Australian pulmonary rehabilitation programs. <i>Brazilian Journal of Physical Therapy</i> , 2021 , 25, 97-102	3.7	2
73	Inspiratory Muscle Training Improves Inspiratory Muscle Strength and Functional Exercise Capacity in Pulmonary Arterial Hypertension and Chronic Thromboembolic Pulmonary Hypertension: A Pilot Randomised Controlled Study. <i>Heart Lung and Circulation</i> , 2021 , 30, 388-395	1.8	5
72	Feasibility and safety of intrapulmonary percussive ventilation in spontaneously breathing, non-ventilated patients in critical care: A retrospective pilot study. <i>Journal of the Intensive Care Society</i> , 2021 , 22, 111-119	1.6	2
71	Gaps in COPD Guidelines of Low- and Middle-Income Countries: A Systematic Scoping Review. <i>Chest</i> , 2021 , 159, 575-584	5.3	15
70	Community Participation by People with Chronic Obstructive Pulmonary Disease. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2021 , 18, 533-540	2	1
69	Frequency of sharp wound debridement in the management of diabetes-related foot ulcers: exploring current practice. <i>Journal of Foot and Ankle Research</i> , 2021 , 14, 52	3.2	0
68	Telerehabilitation for chronic respiratory disease. <i>The Cochrane Library</i> , 2021 , 1, CD013040	5.2	32
67	Changes in Exercise Capacity and Health-Related Quality of Life at Four and Eight Weeks of a Pulmonary Rehabilitation Program in People with COPD.. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2021 , 1-9	2	0
66	Patterns and Correlates of Sedentary Behaviour Accumulation and Physical Activity in People with Chronic Obstructive Pulmonary Disease: A Cross-Sectional Study. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2020 , 17, 156-164	2	3
65	Validity and Responsiveness of the Glittre-ADL Test without a Backpack in People with Chronic Obstructive Pulmonary Disease. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2020 , 17, 392-400	2	0
64	Bubble-positive expiratory pressure device and sputum clearance in bronchiectasis: A randomised cross-over study. <i>Physiotherapy Research International</i> , 2020 , 25, e1836	1.8	1
63	Exercise-based interventions for Indigenous adults with chronic lung disease in Australia, Canada, New Zealand, and USA: a systematic review. <i>Journal of Thoracic Disease</i> , 2020 , 12, 7442-7453	2.6	1

62	Elicitation interview study to identify salient beliefs about exercise participation in adults with cystic fibrosis. <i>Physiotherapy</i> , 2020 , 107, 286-291	3	1
61	COVID-19 rehabilitation delivered via a telehealth pulmonary rehabilitation model: a case series. <i>Respirology Case Reports</i> , 2020 , 8, e00669	0.9	17
60	Effect of a pulmonary rehabilitation programme of 8 weeks compared to 12 weeks duration on exercise capacity in people with chronic obstructive pulmonary disease (PuRe Duration): protocol for a randomised controlled trial. <i>BMJ Open Respiratory Research</i> , 2020 , 7,	5.6	1
59	Tubing internal diameter affects the pressures and oscillation frequencies generated by the therapist-made bubble-positive expiratory pressure device. <i>Physiotherapy Theory and Practice</i> , 2020 , 36, 333-339	1.5	2
58	Physiotherapy mobility and walking management of uncomplicated coronary artery bypass graft (CABG) surgery patients: a survey of clinicians' perspectives in Australia and New Zealand. <i>Physiotherapy Theory and Practice</i> , 2020 , 36, 226-240	1.5	5
57	Physical activity levels of allied health professionals working in a large Australian metropolitan health district - an observational study. <i>Journal of Multidisciplinary Healthcare</i> , 2019 , 12, 51-62	2.8	3
56	Effects of Ongoing Feedback During a 12-Month Maintenance Walking Program on Daily Physical Activity in People with COPD. <i>Lung</i> , 2019 , 197, 315-319	2.9	3
55	Oxygen compared to air during exercise training in COPD with exercise-induced desaturation. <i>European Respiratory Journal</i> , 2019 , 53,	13.6	24
54	Effects of exercise and airway clearance (positive expiratory pressure) on mucus clearance in cystic fibrosis: a randomised crossover trial. <i>European Respiratory Journal</i> , 2019 , 53,	13.6	10
53	Inter-rater and intra-rater reliability of the Brief-BESTest in people with chronic obstructive pulmonary disease. <i>Clinical Rehabilitation</i> , 2019 , 33, 104-112	3.3	4
52	Feasibility of an Interactive Patient Portal for Monitoring Physical Activity, Remote Symptom Reporting, and Patient Education in Oncology: Qualitative Study. <i>JMIR Cancer</i> , 2019 , 5, e15539	3.2	6
51	Exercise training in COPD with exercise-induced desaturation does improve exercise capacity, irrespective of whether supplemental oxygen or air is provided during training. <i>European Respiratory Journal</i> , 2019 , 54,	13.6	2
50	The minimal detectable difference for endurance shuttle walk test performance in people with COPD on completion of a program of high-intensity ground-based walking. <i>Respiratory Medicine</i> , 2019 , 146, 18-22	4.6	0
49	Low leisure-based sitting time and being physically active were associated with reduced odds of death and diabetes in people with chronic obstructive pulmonary disease: a cohort study. <i>Journal of Physiotherapy</i> , 2018 , 64, 114-120	2.9	9
48	Is there a learning effect when the 6-minute walk test is repeated in people with suspected pulmonary hypertension?. <i>Chronic Respiratory Disease</i> , 2018 , 15, 339-346	3	12
47	Accumulating physical activity in at least 10-minute bouts predicts better lung function after 3-years in adults with cystic fibrosis. <i>ERJ Open Research</i> , 2018 , 4,	3.5	7
46	Determinants of functional, peak and endurance exercise capacity in people with chronic obstructive pulmonary disease. <i>Respiratory Medicine</i> , 2018 , 138, 81-87	4.6	15
45	Effect of Continuous Local Anesthetic in Post-Cardiac Surgery Patients: A Systematic Review. <i>Pain Medicine</i> , 2018 , 19, 1077-1090	2.8	2

44	Shuttle walk tests in people with COPD who demonstrate exercise-induced oxygen desaturation: An analysis of test repeatability and cardiorespiratory responses. <i>Chronic Respiratory Disease</i> , 2018 , 15, 131-137	3	2
43	Telerehabilitation versus traditional centre-based pulmonary rehabilitation for people with chronic respiratory disease: protocol for a randomised controlled trial. <i>BMC Pulmonary Medicine</i> , 2018 , 18, 71	3.5	30
42	An Interactive Web Portal for Tracking Oncology Patient Physical Activity and Symptoms: Prospective Cohort Study. <i>JMIR Cancer</i> , 2018 , 4, e11978	3.2	7
41	Development of a Web Portal for Physical Activity and Symptom Tracking in Oncology Patients: Protocol for a Prospective Cohort Study. <i>JMIR Research Protocols</i> , 2018 , 7, e136	2	1
40	Effect on health-related quality of life of ongoing feedback during a 12-month maintenance walking programme in patients with COPD: a randomized controlled trial. <i>Respirology</i> , 2018 , 23, 60-67	3.6	10
39	Telerehabilitation for chronic respiratory disease. <i>The Cochrane Library</i> , 2018 ,	5.2	4
38	Repeatability of the endurance shuttle walk test in people with chronic obstructive pulmonary disease. <i>Clinical Respiratory Journal</i> , 2017 , 11, 875-880	1.7	
37	Pressures and Oscillation Frequencies Generated by Bubble-Positive Expiratory Pressure Devices. <i>Respiratory Care</i> , 2017 , 62, 444-450	2.1	6
36	Effects of treadmill exercise versus Flutter \square on respiratory flow and sputum properties in adults with cystic fibrosis: a randomised, controlled, cross-over trial. <i>BMC Pulmonary Medicine</i> , 2017 , 17, 14	3.5	25
35	Does continuous infusion of local anaesthesia improve pain control and walking distance after coronary artery bypass graft surgery? A randomised controlled trial. <i>Physiotherapy</i> , 2017 , 103, 407-413	3	1
34	Analysis of nocturnal actigraphic sleep measures in patients with COPD and their association with daytime physical activity. <i>Thorax</i> , 2017 , 72, 694-701	7.3	32
33	Heart Rate Recovery After 6-min Walking Test Predicts Acute Exacerbation in COPD. <i>Lung</i> , 2017 , 195, 463-467	2.9	12
32	Australian and New Zealand Pulmonary Rehabilitation Guidelines. <i>Respirology</i> , 2017 , 22, 800-819	3.6	117
31	Effects of ground-based walking training on daily physical activity in people with COPD: A randomised controlled trial. <i>Respiratory Medicine</i> , 2017 , 132, 139-145	4.6	16
30	Acu-TENS Reduces Breathlessness during Exercise in People with Chronic Obstructive Pulmonary Disease. <i>Evidence-based Complementary and Alternative Medicine</i> , 2017 , 2017, 3649257	2.3	5
29	Key factors influencing allied health research capacity in a large Australian metropolitan health district. <i>Journal of Multidisciplinary Healthcare</i> , 2017 , 10, 277-291	2.8	18
28	Physical activity patterns and clusters in 1001 patients with COPD. <i>Chronic Respiratory Disease</i> , 2017 , 14, 256-269	3	36
27	Pulmonary Rehabilitation With Balance Training for Fall Reduction in Chronic Obstructive Pulmonary Disease: Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2017 , 6, e228	2	5

26	Physical activity levels improve following discharge in people admitted to hospital with an acute exacerbation of chronic obstructive pulmonary disease. <i>Chronic Respiratory Disease</i> , 2016 , 13, 23-32	3	7
25	The validity of a professional competence tool for physiotherapy students in simulation-based clinical education: a Rasch analysis. <i>BMC Medical Education</i> , 2016 , 16, 196	3.3	12
24	Prescribing exercise interventions for patients with chronic conditions. <i>Cmaj</i> , 2016 , 188, 510-518	3.5	73
23	Physical activity participation by adults with cystic fibrosis: An observational study. <i>Respirology</i> , 2016 , 21, 511-8	3.6	22
22	Prescribing Cycle Exercise Intensity Using Moderate Symptom Levels in Chronic Obstructive Pulmonary Disease. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2016 , 36, 195-202	3.6	5
21	Establishing and delivering pulmonary rehabilitation in rural and remote settings: The opinions, attitudes and concerns of health care professionals. <i>Australian Journal of Rural Health</i> , 2016 , 24, 106-14	1.3	6
20	A randomised controlled trial of supplemental oxygen versus medical air during exercise training in people with chronic obstructive pulmonary disease: supplemental oxygen in pulmonary rehabilitation trial (SuppORT) (Protocol). <i>BMC Pulmonary Medicine</i> , 2016 , 16, 25	3.5	13
19	Measurement of daily physical activity using the SenseWear Armband: Compliance, comfort, adverse side effects and usability. <i>Chronic Respiratory Disease</i> , 2016 , 13, 144-54	3	9
18	Acceptability of the aquatic environment for exercise training by people with chronic obstructive pulmonary disease with physical comorbidities: Additional results from a randomised controlled trial. <i>Physiotherapy</i> , 2015 , 101, 187-92	3	19
17	Physical activity in people with asbestos related pleural disease and dust-related interstitial lung disease: An observational study. <i>Chronic Respiratory Disease</i> , 2015 , 12, 291-8	3	5
16	Feasibility and acceptability of an internet-based program to promote physical activity in adults with cystic fibrosis. <i>Respiratory Care</i> , 2015 , 60, 422-9	2.1	25
15	Ground-based walking training improves quality of life and exercise capacity in COPD. <i>European Respiratory Journal</i> , 2014 , 44, 885-94	13.6	45
14	Validation of a multi-sensor armband during free-living activity in adults with cystic fibrosis. <i>Journal of Cystic Fibrosis</i> , 2014 , 13, 347-50	4.1	13
13	Evaluating the need for two incremental shuttle walk tests during a maintenance exercise program in people with COPD. <i>Physiotherapy</i> , 2014 , 100, 123-7	3	2
12	Pulmonary rehabilitation for COPD: are programs with minimal exercise equipment effective?. <i>Journal of Thoracic Disease</i> , 2014 , 6, 1606-14	2.6	25
11	Does delivery of a training program for healthcare professionals increase access to pulmonary rehabilitation and improve outcomes for people with chronic lung disease in rural and remote Australia?. <i>Australian Health Review</i> , 2014 , 38, 387-95	1.8	4
10	A Survey of Opinions and Attitudes Toward Exercise Following a 12-month Maintenance Exercise Program for People with COPD. <i>Cardiopulmonary Physical Therapy Journal</i> , 2013 , 24, 30-35	1	6
9	Water-based exercise in COPD with physical comorbidities: a randomised controlled trial. <i>European Respiratory Journal</i> , 2013 , 41, 1284-91	13.6	75

8	Effects of maintenance programs on exercise capacity and quality of life in chronic obstructive pulmonary disease. <i>Physical Therapy Reviews</i> , 2012 , 17, 335-345	0.7	4
7	Repeatability of the six-minute walk test and relation to physical function in survivors of a critical illness. <i>Physical Therapy</i> , 2012 , 92, 1556-63	3.3	30
6	Shuttle walk tests as outcome measures: Are two incremental shuttle walk tests and two endurance shuttle walk tests necessary?. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2011 , 90, 35-9	2.6	16
5	Effects of exercise on respiratory flow and sputum properties in patients with cystic fibrosis. <i>Chest</i> , 2011 , 139, 870-877	5.3	68
4	Pulmonary rehabilitation in Australia: a national survey. <i>Physiotherapy</i> , 2011 , 97, 284-90	3	41
3	Ground walk training improves functional exercise capacity more than cycle training in people with chronic obstructive pulmonary disease (COPD): a randomised trial. <i>Journal of Physiotherapy</i> , 2010 , 56, 105-12	2.9	53
2	The use of vibration in public hospitals in Australia. <i>Physiotherapy Theory and Practice</i> , 2003 , 19, 87-98	1.5	8
1	Evaluation of exercise training in patients with chronic airway obstruction. <i>Physical Therapy</i> , 1981 , 61, 1273-7	3.3	23