

Shek-Man Yiu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3358862/shek-man-yiu-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

62
papers

1,023
citations

17
h-index

30
g-index

68
ext. papers

1,278
ext. citations

7.2
avg, IF

4.36
L-index

#	Paper	IF	Citations
62	Stepwise Access of Emissive Ir(III) Complexes Bearing a Multi-Dentate Heteroaromatic Chelate: Fundamentals and Applications.. <i>Inorganic Chemistry</i> , 2022 , 61, 4384-4393	5.1	1
61	Efficient Pyrazolo[5,4-f]quinoxaline Functionalized Os(II) Based Emitter with an Electroluminescence Peak Maximum at 811 nm. <i>Chemistry - A European Journal</i> , 2021 , 28, e202103202	4.8	1
60	Luminescent monomeric and dimeric Ru(II) acyclic carbene complexes as selective sensors for NH ₃ /amine vapor and humidity. <i>Chemical Science</i> , 2021 , 12, 14103-14110	9.4	1
59	Slow magnetic relaxation in high-coordinate Co(II) and Fe(II) compounds bearing neutral tetradentate ligands. <i>Dalton Transactions</i> , 2021 , 50, 15327-15335	4.3	1
58	Controlled Activation of Dipicolinyl-Substituted Propargylic Alcohol by Ru(II) and Os(II) for Unprecedented Indolizine-Fused Metallafuran Complexes. <i>Organometallics</i> , 2021 , 40, 2458-2466	3.8	2
57	Catalytic water oxidation by an generated ruthenium nitrosyl complex bearing a bipyridine-bis(alkoxide) ligand. <i>Dalton Transactions</i> , 2021 , 50, 12316-12323	4.3	0
56	Luminescent Neutral Cyclometalated Iridium(III) Complexes Featuring a Cubic Polyhedral Oligomeric Silsesquioxane for Lipid Droplet Imaging and Photocytotoxic Applications. <i>Inorganic Chemistry</i> , 2021 , 60, 11672-11683	5.1	7
55	Synergistical Dipole-Dipole Interaction Induced Self-Assembly of Phenoxazine-Based Hole-Transporting Materials for Efficient and Stable Inverted Perovskite Solar Cells. <i>Angewandte Chemie</i> , 2021 , 133, 20600-20605	3.6	1
54	Synergistical Dipole-Dipole Interaction Induced Self-Assembly of Phenoxazine-Based Hole-Transporting Materials for Efficient and Stable Inverted Perovskite Solar Cells. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 20437-20442	16.4	13
53	Room Temperature Aerobic Peroxidation of Organic Substrates Catalyzed by Cobalt(III) Alkylperoxo Complexes. <i>Journal of the American Chemical Society</i> , 2021 , 143, 14445-14450	16.4	1
52	Structure and Reactivity of a Manganese(VI) Nitrido Complex Bearing a Tetraamido Macrocyclic Ligand. <i>Journal of the American Chemical Society</i> , 2021 , 143, 15863-15872	16.4	1
51	Luminescent rhenium(I) perfluorobiphenyl complexes as site-specific labels for peptides to afford photofunctional bioconjugates. <i>Chemical Communications</i> , 2021 , 57, 11256-11259	5.8	0
50	A New Tetradentate Mixed Aza-Thioether Macrocyclic and Its Complexation Behavior towards Fe(II), Ni(II) and Cu(II) Ions. <i>Molecules</i> , 2020 , 25,	4.8	1
49	Design and Synthesis of Luminescent Bis(isocyanoborato) Rhenate(I) Complexes as a Selective Sensor for Cyanide Anion. <i>Organometallics</i> , 2020 , 39, 2135-2141	3.8	8
48	Tunable Luminescent Properties of Tricyanoosmium Nitrido Complexes Bearing a Chelating O ⁻ N Ligand. <i>Inorganic Chemistry</i> , 2020 , 59, 4406-4413	5.1	7
47	Ru(II)- and Os(II)-Induced Cycloisomerization of Phenol-Tethered Alkyne for Functional Chromene and Chromone Complexes. <i>Organometallics</i> , 2020 , 39, 1299-1309	3.8	5
46	Mechanochemical changes on cyclometalated Ir(III) acyclic carbene complexes [Design and tuning of luminescent mechanochromic transition metal complexes. <i>Inorganic Chemistry Frontiers</i> , 2020 , 7, 786-794	6.8	13

45	Conventional and unconventional alkyne activations by Ru and Os for unprecedented dimetalated quinolinium complexes. <i>Chemical Communications</i> , 2020 , 56, 8908-8911	5.8	4
44	Iron(ii)-induced cycloisomerization of alkynes via "non-vinylidene" pathways for iron(ii)-indolizine and -indolizinone complexes. <i>Chemical Communications</i> , 2020 , 56, 12644-12647	5.8	1
43	Electronic Communication in Luminescent Dicyanorhenate-Bridged Homotrinnuclear Rhenium(I) Complexes. <i>Inorganic Chemistry</i> , 2019 , 58, 6696-6705	5.1	5
42	Phosphonium-Ring-Fused Bicyclic Metallafuran Complexes of Ruthenium and Osmium. <i>Chemistry - A European Journal</i> , 2019 , 25, 9159-9163	4.8	17
41	The Important Role of Coordination Geometry on Photophysical Properties of Blue-Green Emitting Ruthenium(II) Diisocyno Complexes Bearing 2-Benzoxazol-2-ylphenolate. <i>Inorganic Chemistry</i> , 2019 , 58, 11372-11381	5.1	3
40	Selectivity control of CO versus HCOO ⁻ production in the visible-light-driven catalytic reduction of CO ₂ with two cooperative metal sites. <i>Nature Catalysis</i> , 2019 , 2, 801-808	36.5	77
39	Group 4 Post-Metallocenes Supported by [OCH ₂ N,C(aryl)] Auxiliaries Bearing a Seven-Membered Metallacycle: Synthesis, Characterization, and Catalysts for Olefin Polymerization. <i>Organometallics</i> , 2019 , 38, 2963-2971	3.8	3
38	Generation and Reactivity of a One-Electron-Oxidized Manganese(V) Imido Complex with a Tetraamido Macrocyclic Ligand. <i>Chemistry - A European Journal</i> , 2019 , 25, 12895-12899	4.8	9
37	Olefin Polymerization Reactivity of Group 4 Post-Metallocene Catalysts Bearing a Four-Membered C(sp ³)-Donor Chelate Ring. <i>ChemCatChem</i> , 2019 , 11, 628-635	5.2	3
36	Reduction of Ru ²⁺ N to Ru-NH by Cysteine in Aqueous Solution. <i>Inorganic Chemistry</i> , 2018 , 57, 5850-5858	5.1	1
35	Intermediates in the Oxidative Degradation of a Ruthenium-Bound 2,2'-BipyridylPhenoxy Ligand during Catalytic Water Oxidation. <i>ChemCatChem</i> , 2018 , 10, 501-504	5.2	12
34	Ruthenium-indolizinone complexes as a new class of metalated heterocyclic compounds: insight into unconventional alkyne activation pathways, revelation of unexpected electronic properties and exploration of medicinal application. <i>Dalton Transactions</i> , 2018 , 47, 12838-12842	4.3	13
33	Luminescent Charge-Neutral Copper(I) Phenanthroline Complexes with Isocyanoborate Ligand. <i>European Journal of Inorganic Chemistry</i> , 2018 , 2018, 897-903	2.3	14
32	Design of Luminescent Isocyno Rhenium(I) Complexes: Photophysics and Effects of the Ancillary Ligands. <i>Inorganic Chemistry</i> , 2018 , 57, 13963-13972	5.1	10
31	Dual Pathways in the Oxidation of an Osmium(III) Guanidine Complex. Formation of Osmium(VI) Nitrido and Osmium Nitrosyl Complex. <i>Inorganic Chemistry</i> , 2017 , 56, 2022-2028	5.1	9
30	Highly Selective and Efficient Ring Hydroxylation of Alkylbenzenes with Hydrogen Peroxide and an Osmium(VI) Nitrido Catalyst. <i>Angewandte Chemie</i> , 2017 , 129, 12428-12431	3.6	
29	Highly Selective and Efficient Ring Hydroxylation of Alkylbenzenes with Hydrogen Peroxide and an Osmium(VI) Nitrido Catalyst. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 12260-12263	16.4	16
28	Cytotoxic (salen)ruthenium(iii) anticancer complexes exhibit different modes of cell death directed by axial ligands. <i>Chemical Science</i> , 2017 , 8, 6865-6870	9.4	33

27	Oxidation of hydroquinones by a (salen)ruthenium(vi) nitrido complex. <i>Chemical Communications</i> , 2016 , 52, 11430-11433	5.8	6
26	Luminescence behaviour of Pb-based cage-containing and channel-containing porous coordination polymers. <i>Dalton Transactions</i> , 2016 , 45, 16134-16138	4.3	9
25	Luminescent Rhenium(I) Pyridyldiaminocarbene Complexes: Photophysics, Anion-Binding, and CO ₂ -Capturing Properties. <i>Inorganic Chemistry</i> , 2016 , 55, 7969-79	5.1	30
24	Complex MetalOrganic Frameworks from Symmetrically Backfolded Dendrimers. <i>ChemistrySelect</i> , 2016 , 1, 4075-4081	1.8	5
23	Topologically diverse shape-persistent bis-(Zn-salphen) catalysts: efficient cyclic carbonate formation under mild conditions. <i>Chemical Communications</i> , 2016 , 52, 1017-20	5.8	48
22	A Highly Reactive Seven-Coordinate Osmium(V) Oxo Complex: [Os(V)(O)(qpy)(pic)Cl](2+). <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 288-91	16.4	14
21	A Highly Reactive Seven-Coordinate Osmium(V) Oxo Complex: [OsV(O)(qpy)(pic)Cl]2+. <i>Angewandte Chemie</i> , 2016 , 128, 296-299	3.6	5
20	Aerobic Oxidation of an Osmium(III) N-Hydroxyguanidine Complex To Give Nitric Oxide. <i>Inorganic Chemistry</i> , 2016 , 55, 5056-61	5.1	9
19	Mono- and di-bromo platinum(IV) prodrugs via oxidative bromination: synthesis, characterization, and cytotoxicity. <i>Dalton Transactions</i> , 2015 , 44, 19918-26	4.3	20
18	Dual Homogeneous and Heterogeneous Pathways in Photo- and Electrocatalytic Hydrogen Evolution with Nickel(II) Catalysts Bearing Tetradentate Macrocyclic Ligands. <i>ACS Catalysis</i> , 2015 , 5, 356-364	13.1	62
17	Synthesis, characterization, photophysics and electrochemical study of luminescent iridium(III) complexes with isocyanoborate ligands. <i>Dalton Transactions</i> , 2015 , 44, 15135-44	4.3	17
16	Strongly phosphorescent neutral rhenium(i) isocyanoborato complexes: synthesis, characterization, and photophysical, electrochemical, and computational studies. <i>Chemistry - A European Journal</i> , 2015 , 21, 2603-12	4.8	33
15	Multi-targeted organometallic ruthenium(II)-arene anticancer complexes bearing inhibitors of poly(ADP-ribose) polymerase-1: A strategy to improve cytotoxicity. <i>Journal of Inorganic Biochemistry</i> , 2014 , 131, 47-55	4.2	35
14	Platinated benzonaphthyrindone is a stronger inhibitor of poly(ADP-ribose) polymerase-1 and a more potent anticancer agent than is the parent inhibitor. <i>European Journal of Medicinal Chemistry</i> , 2014 , 71, 366-73	6.8	7
13	Acid-induced formation of hydrogen-bonded double helix based on chiral polyphenyl-bridged bis(2,2'-bipyridine) ligands. <i>RSC Advances</i> , 2014 , 4, 14513-14526	3.7	7
12	Synthesis, characterization, and photophysical study of luminescent rhenium(I) diimine complexes with various types of N-heterocyclic carbene ligands. <i>Inorganic Chemistry</i> , 2014 , 53, 3022-31	5.1	37
11	Functionalization of Alkynes by a (Salen)ruthenium(VI) Nitrido Complex. <i>Angewandte Chemie</i> , 2014 , 126, 8603-8606	3.6	4
10	Osmium(VI) nitrido complexes bearingazole heterocycles: a new class of antitumor agents. <i>Chemical Science</i> , 2012 , 3, 1582	9.4	38

9	Syntheses and photophysical studies of new classes of luminescent isocyano rhenium(I) diimine complexes. <i>Coordination Chemistry Reviews</i> , 2012 , 256, 1546-1555	23.2	43
8	Ligand-Accelerated Activation of Strong C-H Bonds of Alkanes by a (Salen)ruthenium(II) Nitrido Complex. <i>Angewandte Chemie</i> , 2012 , 124, 9235-9238	3.6	15
7	Luminescent Rhenium(I) Phenanthroline Complexes with a Benzoxazol-2-ylidene Ligand: Synthesis, Characterization, and Photophysical Study. <i>Organometallics</i> , 2012 , 31, 7074-7084	3.8	36
6	Oxygen evolution from $\text{BF}_3/\text{MnO}_4^-$. <i>Chemical Communications</i> , 2011 , 47, 4159-61	5.8	14
5	Synthesis, Characterization, and Photophysical and Emission Solvatochromic Study of Rhenium(I) Tetra(isocyano) Diimine Complexes. <i>Organometallics</i> , 2011 , 30, 2701-2711	3.8	47
4	Efficient catalytic oxidation of alkanes by Lewis acid/ $[\text{Os}(\text{VI})(\text{N})\text{Cl}_4]^-$ using peroxides as terminal oxidants. Evidence for a metal-based active intermediate. <i>Journal of the American Chemical Society</i> , 2008 , 130, 10821-7	16.4	98
3	Facile N...N coupling of manganese(V) imido species. <i>Journal of the American Chemical Society</i> , 2007 , 129, 803-9	16.4	31
2	FeCl_3 -activated oxidation of alkanes by $[\text{Os}(\text{N})\text{O}_3]^-$. <i>Journal of the American Chemical Society</i> , 2004 , 126, 14921-9	16.4	55
1	Development of Dual Phosphorescent Materials Based on Multiple Stimuli-Responsive Ir(III) Acyclic Carbene Complexes. <i>CCS Chemistry</i> , 2345-2359	7.2	2