Ramanjulu Sunkar

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3359052/ramanjulu-sunkar-publications-by-year.pdf

Version: 2024-04-11

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

90 papers 12,915 42 93 g-index

93 ext. papers ext. citations 6.7 avg, IF 6.63

L-index

#	Paper	IF	Citations
90	Molecular basis of priming-induced acquired tolerance to multiple abiotic stresses in plants Journal of Experimental Botany, 2022,	7	1
89	MicroRNA profiles in Sorghum exposed to individual drought or heat or their combination. <i>Journal of Plant Biochemistry and Biotechnology</i> , 2021 , 30, 848	1.6	1
88	Splice Variants of Superoxide Dismutases in Rice and Their Expression Profiles under Abiotic Stresses. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	2
87	The neglected other half - role of the pistil in plant heat stress responses. <i>Plant, Cell and Environment</i> , 2021 , 44, 2200-2210	8.4	9
86	Characterizing microRNAs and their targets in different organs of Camellia sinensis var. assamica. <i>Genomics</i> , 2021 , 113, 159-170	4.3	4
85	The Effect of Drought on Transcriptome and Hormonal Profiles in Barley Genotypes With Contrasting Drought Tolerance. <i>Frontiers in Plant Science</i> , 2020 , 11, 618491	6.2	12
84	Molecular Characterization of a Date Palm Vascular Highway 1-Interacting Kinase () Under Abiotic Stresses. <i>Genes</i> , 2020 , 11,	4.2	3
83	Epigenetics and epigenomics: underlying mechanisms, relevance, and implications in crop improvement. <i>Functional and Integrative Genomics</i> , 2020 , 20, 739-761	3.8	18
82	Metabolomic analysis of date palm seedlings exposed to salinity and silicon treatments. <i>Plant Signaling and Behavior</i> , 2019 , 14, 1663112	2.5	20
81	Analysis of microRNAs, phased small interfering RNAs and their potential targets in Rosarugosa Thunb. <i>BMC Genomics</i> , 2019 , 19, 983	4.5	10
80	Overexpression of a Gene from Date Palm Confers Abiotic Stress Tolerance to Yeast and. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	26
79	Water-deficit responsive microRNAs in the primary root growth zone of maize. <i>BMC Plant Biology</i> , 2019 , 19, 447	5.3	8
78	Comparative Water Relations of Two Contrasting Date Palm Genotypes under Salinity. <i>International Journal of Agronomy</i> , 2019 , 2019, 1-16	1.9	5
77	An improved method of constructing degradome library suitable for sequencing using Illumina platform. <i>Plant Methods</i> , 2019 , 15, 134	5.8	1
76	Genome-wide identification and comprehensive analysis of microRNAs and phased small interfering RNAs in watermelon. <i>BMC Genomics</i> , 2018 , 19, 111	4.5	11
75	Comparative transcriptome and translatome analysis in contrasting rice genotypes reveals differential mRNA translation in salt-tolerant Pokkali under salt stress. <i>BMC Genomics</i> , 2018 , 19, 935	4.5	27
74	Genotype- and tissue-specific miRNA profiles and their targets in three alfalfa (Medicago sativa L) genotypes. <i>BMC Genomics</i> , 2018 , 19, 913	4.5	10

(2015-2018)

73	MicroRNAs, tasiRNAs, phasiRNAs, and Their Potential Functions in Pineapple. <i>Plant Genetics and Genomics: Crops and Models</i> , 2018 , 167-182	0.2	1
72	Genome-wide expression profiling in leaves and roots of date palm (Phoenix dactylifera L.) exposed to salinity. <i>BMC Genomics</i> , 2017 , 18, 246	4.5	43
71	MicroRNA dynamics in a wild and cultivated species of Convolvulaceae exposed to drought stress. <i>Physiology and Molecular Biology of Plants</i> , 2017 , 23, 291-300	2.8	7
70	Pearl millet genome sequence provides a resource to improve agronomic traits in arid environments. <i>Nature Biotechnology</i> , 2017 , 35, 969-976	44.5	197
69	Small RNA profiles from Panax notoginseng roots differing in sizes reveal correlation between miR156 abundances and root biomass levels. <i>Scientific Reports</i> , 2017 , 7, 9418	4.9	14
68	Determining Glutathione Levels in Plants. <i>Methods in Molecular Biology</i> , 2017 , 1631, 273-277	1.4	12
67	ChIP-Seq Analysis for Identifying Genome-Wide Histone Modifications Associated with Stress-Responsive Genes in Plants. <i>Methods in Molecular Biology</i> , 2017 , 1631, 139-149	1.4	1
66	Isolation of Polysomal RNA for Analyzing Stress-Responsive Genes Regulated at the Translational Level in Plants. <i>Methods in Molecular Biology</i> , 2017 , 1631, 151-161	1.4	1
65	Effect of high temperature on yield associated parameters and vascular bundle development in five potato cultivars. <i>Scientia Horticulturae</i> , 2017 , 225, 134-140	4.1	9
64	MicroRNA expression profiles in the emerging tillers and inflorescence of switchgrass, a major feedstock for biofuel production. <i>Indian Journal of Plant Physiology</i> , 2017 , 22, 558-565		2
63	Zymographic Method for Distinguishing Different Classes of Superoxide Dismutases in Plants. <i>Methods in Molecular Biology</i> , 2017 , 1631, 221-227	1.4	5
62	Characterization of drought- and heat-responsive microRNAs in switchgrass. <i>Plant Science</i> , 2016 , 242, 214-223	5.3	66
61	Identification of microRNAs, phasiRNAs and Their Targets in Pineapple. <i>Tropical Plant Biology</i> , 2016 , 9, 176-186	1.6	18
60	Identification of Reference Genes for Quantitative Real-Time PCR in Date Palm (Phoenix dactylifera L.) Subjected to Drought and Salinity. <i>PLoS ONE</i> , 2016 , 11, e0166216	3.7	18
59	Small RNA profiles in soybean primary root tips under water deficit. <i>BMC Systems Biology</i> , 2016 , 10, 126	3.5	22
58	High throughput sequencing of small RNA component of leaves and inflorescence revealed conserved and novel miRNAs as well as phasiRNA loci in chickpea. <i>Plant Science</i> , 2015 , 235, 46-57	5.3	47
57	The pineapple genome and the evolution of CAM photosynthesis. <i>Nature Genetics</i> , 2015 , 47, 1435-42	36.3	309
56	A genome-wide identification of the miRNAome in response to salinity stress in date palm (Phoenix dactylifera L.). <i>Frontiers in Plant Science</i> , 2015 , 6, 946	6.2	41

55	Genome-wide identification of the Phaseolus vulgaris sRNAome using small RNA and degradome sequencing. <i>BMC Genomics</i> , 2015 , 16, 423	4.5	36
54	Nutrient- and other stress-responsive microRNAs in plants: Role for thiol-based redox signaling. <i>Plant Signaling and Behavior</i> , 2015 , 10, e1010916	2.5	10
53	Identification of conserved and novel microRNAs in Manduca sexta and their possible roles in the expression regulation of immunity-related genes. <i>Insect Biochemistry and Molecular Biology</i> , 2014 , 47, 12-22	4.5	31
52	Analysis of biochemical variations and microRNA expression in wild (Ipomoea campanulata) and cultivated (Jacquemontia pentantha) species exposed to in vivo water stress. <i>Physiology and Molecular Biology of Plants</i> , 2014 , 20, 57-67	2.8	10
51	Genome-wide discovery and analysis of phased small interfering RNAs in Chinese sacred lotus. <i>PLoS ONE</i> , 2014 , 9, e113790	3.7	23
50	Global and local perturbation of the tomato microRNA pathway by a trans-activated DICER-LIKE 1 mutant. <i>Journal of Experimental Botany</i> , 2014 , 65, 725-39	7	20
49	Sex specific expression and distribution of small RNAs in papaya. <i>BMC Genomics</i> , 2014 , 15, 20	4.5	20
48	Redox signaling mediates the expression of a sulfate-deprivation-inducible microRNA395 in Arabidopsis. <i>Plant Journal</i> , 2014 , 77, 85-96	6.9	57
47	Dynamic Regulation of Novel and Conserved miRNAs Across Various Tissues of Diverse Cucurbit Species. <i>Plant Molecular Biology Reporter</i> , 2013 , 31, 335-343	1.7	5
46	Genome-Wide Analysis of MicroRNAs in Sacred Lotus, Nelumbo nucifera (Gaertn). <i>Tropical Plant Biology</i> , 2013 , 6, 117-130	1.6	24
45	Impact of Climate Change on MicroRNA Expression in Plants 2013 , 507-520		1
44	Genome of the long-living sacred lotus (Nelumbo nucifera Gaertn.). <i>Genome Biology</i> , 2013 , 14, R41	18.3	241
43	Global identification of small RNA targets in plants by sequencing sliced ends of messenger RNAs. <i>Methods in Molecular Biology</i> , 2013 , 956, 119-29	1.4	5
42	Characterization of small RNAs and their target genes in wheat seedlings using sequencing-based approaches. <i>Plant Science</i> , 2013 , 203-204, 17-24	5.3	37
41	High-throughput sequence analysis of small RNAs in grapevine (Vitis vinifera L.) affected by grapevine leafroll disease. <i>Molecular Plant Pathology</i> , 2012 , 13, 1060-76	5.7	49
40	Overexpression of miR156 in switchgrass (Panicum virgatum L.) results in various morphological alterations and leads to improved biomass production. <i>Plant Biotechnology Journal</i> , 2012 , 10, 443-52	11.6	226
39	Functions of microRNAs in plant stress responses. <i>Trends in Plant Science</i> , 2012 , 17, 196-203	13.1	702
38	Identification and developmental profiling of conserved and novel microRNAs in Manduca sexta. Insect Biochemistry and Molecular Biology, 2012, 42, 381-95	4.5	49

(2009-2012)

37	Characterization of the small RNA component of leaves and fruits from four different cucurbit species. <i>BMC Genomics</i> , 2012 , 13, 329	4.5	45
36	Cucumis melo microRNA expression profile during aphid herbivory in a resistant and susceptible interaction. <i>Molecular Plant-Microbe Interactions</i> , 2012 , 25, 839-48	3.6	42
35	Asymmetric purine-pyrimidine distribution in cellular small RNA population of papaya. <i>BMC Genomics</i> , 2012 , 13, 682	4.5	19
34	Expression of small RNA in Aphis gossypii and its potential role in the resistance interaction with melon. <i>PLoS ONE</i> , 2012 , 7, e48579	3.7	27
33	Role of microRNAs in Plant Adaptation to Environmental Stresses. <i>Signaling and Communication in Plants</i> , 2012 , 219-232	1	5
32	SeqTar: an effective method for identifying microRNA guided cleavage sites from degradome of polyadenylated transcripts in plants. <i>Nucleic Acids Research</i> , 2012 , 40, e28	20.1	84
31	microRNAs responsive to ozone-induced oxidative stress in Arabidopsis thaliana. <i>Plant Signaling and Behavior</i> , 2012 , 7, 484-91	2.5	26
30	Identification and temporal expression analysis of conserved and novel microRNAs in Sorghum. <i>Genomics</i> , 2011 , 98, 460-8	4.3	56
29	Transcriptome-wide identification of microRNA targets in rice. <i>Plant Journal</i> , 2010 , 62, 742-59	6.9	311
28	Gene regulation during cold stress acclimation in plants. <i>Methods in Molecular Biology</i> , 2010 , 639, 39-55	1.4	257
27	Identification of microRNAs and their targets in switchgrass, a model biofuel plant species. <i>Journal of Plant Physiology</i> , 2010 , 167, 896-904	3.6	58
26	MicroRNAs with macro-effects on plant stress responses. <i>Seminars in Cell and Developmental Biology</i> , 2010 , 21, 805-11	7.5	212
25	Cloning of stress-responsive microRNAs and other small RNAs from plants. <i>Methods in Molecular Biology</i> , 2010 , 639, 239-51	1.4	7
24	Non-coding small RNAs responsive to abiotic stress in wheat (Triticum aestivum L.). <i>Functional and Integrative Genomics</i> , 2010 , 10, 187-90	3.8	62
23	Deep sequencing of small RNA libraries reveals dynamic regulation of conserved and novel microRNAs and microRNA-stars during silkworm development. <i>BMC Genomics</i> , 2010 , 11, 52	4.5	154
22	Sliced microRNA targets and precise loop-first processing of MIR319 hairpins revealed by analysis of the Physcomitrella patens degradome. <i>Rna</i> , 2009 , 15, 2112-21	5.8	136
21	Cloning, characterization and expression analysis of porcine microRNAs. <i>BMC Genomics</i> , 2009 , 10, 65	4.5	84
20	Biotic and abiotic stress down-regulate miR398 expression in Arabidopsis. <i>Planta</i> , 2009 , 229, 1009-14	4.7	309

19	Cloning and characterization of small RNAs from Medicago truncatula reveals four novel legume-specific microRNA families. <i>New Phytologist</i> , 2009 , 184, 85-98	9.8	143
18	Genome-wide identification and analysis of small RNAs originated from natural antisense transcripts in Oryza sativa. <i>Genome Research</i> , 2009 , 19, 70-8	9.7	95
17	Novel and nodulation-regulated microRNAs in soybean roots. <i>BMC Genomics</i> , 2008 , 9, 160	4.5	248
16	Identification of novel and candidate miRNAs in rice by high throughput sequencing. <i>BMC Plant Biology</i> , 2008 , 8, 25	5.3	388
15	In silico identification of conserved microRNAs in large number of diverse plant species. <i>BMC Plant Biology</i> , 2008 , 8, 37	5.3	291
14	The role of microRNAs and other endogenous small RNAs in plant stress responses. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2008 , 1779, 743-8	6	211
13	Micro RNAs and Short-interfering RNAs in Plants. <i>Journal of Integrative Plant Biology</i> , 2007 , 49, 817-826	8.3	67
12	Small RNAs as big players in plant abiotic stress responses and nutrient deprivation. <i>Trends in Plant Science</i> , 2007 , 12, 301-9	13.1	726
11	Posttranscriptional induction of two Cu/Zn superoxide dismutase genes in Arabidopsis is mediated by downregulation of miR398 and important for oxidative stress tolerance. <i>Plant Cell</i> , 2006 , 18, 2051-6.	5 ^{11.6}	937
10	Endogenous siRNAs derived from a pair of natural cis-antisense transcripts regulate salt tolerance in Arabidopsis. <i>Cell</i> , 2005 , 123, 1279-91	56.2	887
9	Drought and Salt Tolerance in Plants. <i>Critical Reviews in Plant Sciences</i> , 2005 , 24, 23-58	5.6	1674
8	Detailed expression analysis of selected genes of the aldehyde dehydrogenase (ALDH) gene superfamily in Arabidopsis thaliana. <i>Plant Molecular Biology</i> , 2005 , 57, 315-32	4.6	105
7	Cloning and characterization of microRNAs from rice. <i>Plant Cell</i> , 2005 , 17, 1397-411	11.6	429
6	Identification and characterization of endogenous small interfering RNAs from rice. <i>Nucleic Acids Research</i> , 2005 , 33, 4443-54	20.1	89
5	Novel and stress-regulated microRNAs and other small RNAs from Arabidopsis. <i>Plant Cell</i> , 2004 , 16, 200) 1 ₁ -:1.6	1475
4	Overexpression of a stress-inducible aldehyde dehydrogenase gene from Arabidopsis thaliana in transgenic plants improves stress tolerance. <i>Plant Journal</i> , 2003 , 35, 452-64	6.9	338
3	Expression of a truncated tobacco NtCBP4 channel in transgenic plants and disruption of the homologous Arabidopsis CNGC1 gene confer Pb2+ tolerance. <i>Plant Journal</i> , 2000 , 24, 533-42	6.9	153
2	A tobacco plasma membrane calmodulin-binding transporter confers Ni2+ tolerance and Pb2+ hypersensitivity in transgenic plants. <i>Plant Journal</i> , 1999 , 20, 171-82	6.9	233

LIST OF PUBLICATIONS

A high resolution single molecule sequencing-based Arabidopsis transcriptome using novel methods of Iso-seq analysis

1