

Hojat Karami

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3361709/publications.pdf>

Version: 2024-02-01

65
papers

1,632
citations

279487

23
h-index

344852

36
g-index

70
all docs

70
docs citations

70
times ranked

1113
citing authors

#	ARTICLE	IF	CITATIONS
1	Flow Direction Algorithm (FDA): A Novel Optimization Approach for Solving Optimization Problems. Computers and Industrial Engineering, 2021, 156, 107224.	3.4	135
2	Prediction of Water Quality Parameters Using ANFIS Optimized by Intelligence Algorithms (Case Study:) Tj ETQq0 0,0 rgBT /Overlock 10 0.9 79	0.9	79
3	Comparative evaluation of intelligent algorithms to improve adaptive neuro-fuzzy inference system performance in precipitation modelling. Journal of Hydrology, 2019, 571, 214-224.	2.3	78
4	A hybrid batâ€‘swarm algorithm for optimizing dam and reservoir operation. Neural Computing and Applications, 2019, 31, 8807-8821.	3.2	68
5	Uncertainty Analysis of Climate Change Impacts on Flood Frequency by Using Hybrid Machine Learning Methods. Water Resources Management, 2021, 35, 199-223.	1.9	68
6	Modeling river water quality parameters using modified adaptive neuro fuzzy inference system. Water Science and Engineering, 2019, 12, 45-54.	1.4	52
7	An improved model based on the support vector machine and cuckoo algorithm for simulating reference evapotranspiration. PLoS ONE, 2019, 14, e0217499.	1.1	51
8	Predicting discharge coefficient of triangular labyrinth weir using extreme learning machine, artificial neural network and genetic programming. Neural Computing and Applications, 2018, 29, 983-989.	3.2	44
9	Reservoir Operation by a New Evolutionary Algorithm: Kidney Algorithm. Water Resources Management, 2018, 32, 4681-4706.	1.9	42
10	Verification of numerical study of scour around spur dikes using experimental data. Water and Environment Journal, 2014, 28, 124-134.	1.0	41
11	Optimal Reservoir Operation Using Bat and Particle Swarm Algorithm and Game Theory Based on Optimal Water Allocation among Consumers. Water Resources Management, 2019, 33, 3071-3093.	1.9	39
12	Integrated support vector regression and an improved particle swarm optimization-based model for solar radiation prediction. PLoS ONE, 2019, 14, e0217634.	1.1	39
13	Optimization of Chain-Reservoirsâ€™ Operation with a New Approach in Artificial Intelligence. Water Resources Management, 2017, 31, 2085-2104.	1.9	38
14	Reducing Irrigation Deficiencies Based Optimizing Model for Multi-Reservoir Systems Utilizing Spider Monkey Algorithm. Water Resources Management, 2018, 32, 2315-2334.	1.9	38
15	Groundwater level prediction in arid areas using wavelet analysis and Gaussian process regression. Engineering Applications of Computational Fluid Mechanics, 2021, 15, 1147-1158.	1.5	36
16	Flood Routing in River Reaches Using a Three-Parameter Muskingum Model Coupled with an Improved Bat Algorithm. Water (Switzerland), 2018, 10, 1130.	1.2	34
17	Prediction of river flow using hybrid neuro-fuzzy models. Arabian Journal of Geosciences, 2018, 11, 1.	0.6	32
18	Investigation of a New Hybrid Optimization Algorithm Performance in the Optimal Operation of Multi-Reservoir Benchmark Systems. Water Resources Management, 2019, 33, 4767-4782.	1.9	31

#	ARTICLE	IF	CITATIONS
19	Reservoir Optimization for Energy Production Using a New Evolutionary Algorithm Based on Multi-Criteria Decision-Making Models. <i>Water Resources Management</i> , 2018, 32, 2539-2560.	1.9	26
20	Bat algorithm for dam reservoir operation. <i>Environmental Earth Sciences</i> , 2018, 77, 1.	1.3	25
21	Optimization of Reservoir Operation using New Hybrid Algorithm. <i>KSCE Journal of Civil Engineering</i> , 2018, 22, 4668-4680.	0.9	25
22	Improved Krill Algorithm for Reservoir Operation. <i>Water Resources Management</i> , 2018, 32, 3353-3372.	1.9	25
23	Design of water supply system from rivers using artificial intelligence to model water hammer. <i>ISH Journal of Hydraulic Engineering</i> , 2020, 26, 153-162.	1.1	25
24	Experimental and Numerical Investigation of the Effect of Different Shapes of Collars on the Reduction of Scour around a Single Bridge Pier. <i>PLoS ONE</i> , 2014, 9, e98592.	1.1	25
25	Novel approaches for air temperature prediction: A comparison of four hybrid evolutionary fuzzy models. <i>Meteorological Applications</i> , 2020, 27, e1817.	0.9	24
26	Development of a Novel Hybrid Optimization Algorithm for Minimizing Irrigation Deficiencies. <i>Sustainability</i> , 2019, 11, 2337.	1.6	23
27	Optimization of energy management and conversion in the water systems based on evolutionary algorithms. <i>Neural Computing and Applications</i> , 2019, 31, 5951-5964.	3.2	23
28	Comparison Between Soft Computing Methods for Prediction of Sediment Load in Rivers: Maku Dam Case Study. <i>Iranian Journal of Science and Technology - Transactions of Civil Engineering</i> , 2019, 43, 93-103.	1.0	22
29	Protective spur dike for scour mitigation of existing spur dikes. <i>Journal of Hydraulic Research/De Recherches Hydrauliques</i> , 2011, 49, 809-813.	0.7	21
30	Investigation of neural network and fuzzy inference neural network and their optimization using meta-algorithms in river flood routing. <i>Natural Hazards</i> , 2018, 94, 1057-1080.	1.6	21
31	A numerical and experimental investigation of the effects of combination of spur dikes in series on a flow field. <i>Journal of the Brazilian Society of Mechanical Sciences and Engineering</i> , 2019, 41, 1.	0.8	20
32	Multi-Reservoir System Optimization Based on Hybrid Gravitational Algorithm to Minimize Water-Supply Deficiencies. <i>Water Resources Management</i> , 2019, 33, 2741-2760.	1.9	20
33	Combination of Group Method of Data Handling (GMDH) and Computational Fluid Dynamics (CFD) for Prediction of Velocity in Channel Intake. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 7521.	1.3	20
34	A hybrid constrained coral reefs optimization algorithm with machine learning for optimizing multi-reservoir systems operation. <i>Journal of Environmental Management</i> , 2021, 286, 112250.	3.8	19
35	Challenge of rainfall network design considering spatial versus spatiotemporal variations. <i>Journal of Hydrology</i> , 2019, 574, 990-1002.	2.3	18
36	Irrigation Management Based on Reservoir Operation with an Improved Weed Algorithm. <i>Water (Switzerland)</i> , 2018, 10, 1267.	1.2	17

#	ARTICLE	IF	CITATIONS
37	Hybrid model of support vector regression and fruitfly optimization algorithm for predicting ski-jump spillway scour geometry. <i>Engineering Applications of Computational Fluid Mechanics</i> , 2021, 15, 272-291.	1.5	17
38	Approaches for Optimizing the Performance of Adaptive Neuro-Fuzzy Inference System and Least-Squares Support Vector Machine in Precipitation Modeling. <i>Journal of Hydrologic Engineering - ASCE</i> , 2021, 26, .	0.8	16
39	Using soft computing and machine learning algorithms to predict the discharge coefficient of curved labyrinth overflows. <i>Engineering Applications of Computational Fluid Mechanics</i> , 2021, 15, 1002-1015.	1.5	15
40	A New Method for Flood Routing Utilizing Four-Parameter Nonlinear Muskingum and Shark Algorithm. <i>Water Resources Management</i> , 2019, 33, 4879-4893.	1.9	14
41	Crow Algorithm for Irrigation Management: A Case Study. <i>Water Resources Management</i> , 2020, 34, 1021-1045.	1.9	14
42	Experimental Investigation of Scour Reduction Around Spur Dikes by Collar Using Taguchi Method. <i>Iranian Journal of Science and Technology - Transactions of Civil Engineering</i> , 2021, 45, 971-983.	1.0	14
43	Scour and three-dimensional flow field measurement around short vertical-wall abutment protected by collar. <i>KSCE Journal of Civil Engineering</i> , 2018, 22, 141-152.	0.9	13
44	The effect of vermiculite and quartz in porous concrete on reducing storm-runoff pollution. <i>ISH Journal of Hydraulic Engineering</i> , 2021, 27, 144-152.	1.1	12
45	Investigation of RS and GIS techniques on MPSIAC model to estimate soil erosion. <i>Natural Hazards</i> , 2018, 91, 221-238.	1.6	11
46	A new hybrid framework based on integration of optimization algorithms and numerical method for estimating monthly groundwater level. <i>Arabian Journal of Geosciences</i> , 2021, 14, 1.	0.6	11
47	Use of multi-criteria decision-making for selecting spillway type and optimizing dimensions by applying the harmony search algorithm: Qeshlagh Dam Case Study. <i>Lakes and Reservoirs: Research and Management</i> , 2019, 24, 66-75.	0.6	10
48	Application of Talc as an Eco-Friendly Additive to Improve the Structural Behavior of Porous Concrete. <i>Iranian Journal of Science and Technology - Transactions of Civil Engineering</i> , 2019, 43, 443-453.	1.0	10
49	Forecasting Daily and Monthly Reference Evapotranspiration in the Aidoghmouth Basin Using Multilayer Perceptron Coupled with Water Wave Optimization. <i>Complexity</i> , 2021, 2021, 1-12.	0.9	10
50	Analysis of hydrological drought characteristics using copula function approach. <i>Paddy and Water Environment</i> , 2018, 16, 153-161.	1.0	9
51	Properties of metakaolin-based green pervious concrete cured in cold and normal weather conditions. <i>European Journal of Environmental and Civil Engineering</i> , 2022, 26, 2074-2087.	1.0	9
52	Modeling sediment transport around a rectangular bridge abutment. <i>Environmental Fluid Mechanics</i> , 2015, 15, 1105-1114.	0.7	8
53	Toward Bridging Future Irrigation Deficits Utilizing the Shark Algorithm Integrated with a Climate Change Model. <i>Applied Sciences (Switzerland)</i> , 2019, 9, 3960.	1.3	8
54	Two Comprehensive and Practical Methods for Simulating Pan Evaporation under Different Climatic Conditions in Iran. <i>Water (Switzerland)</i> , 2021, 13, 2814.	1.2	8

#	ARTICLE	IF	CITATIONS
55	Effects of Width Ratios and Deviation Angles on the Mean Velocity in Inlet Channels Using Numerical Modeling and Artificial Neural Network Modeling. International Journal of Civil Engineering, 2017, 15, 149-161.	0.9	7
56	Revisited rainfall network design: evaluation of heuristic versus entropy theory methods. Arabian Journal of Geosciences, 2018, 11, 1.	0.6	7
57	Treatment of domestic wastewater using the combination of porous concrete and phytoremediation for irrigation. Paddy and Water Environment, 2020, 18, 729-742.	1.0	7
58	Generation of Clean Hydropower Energy in Multi-Reservoir Systems Based on a New Evolutionary Algorithm. Water Resources Management, 2020, 34, 1247-1264.	1.9	7
59	Flood routing by Kidney algorithm and Muskingum model. Natural Hazards, 2018, , 1.	1.6	5
60	Forecasting the discharge capacity of inflatable rubber dams using hybrid machine learning models. Engineering Applications of Computational Fluid Mechanics, 2021, 15, 1761-1774.	1.5	5
61	Experimental and numerical investigation on effect of trash rack on flow properties at power intakes. ZAMM Zeitschrift Fur Angewandte Mathematik Und Mechanik, 2020, 100, e202000017.	0.9	4
62	Nested Augmentation of Rainfall Monitoring Network: Proposing a Hybrid Implementation of Block Kriging and Entropy Theory. Water Resources Management, 2021, 35, 4665-4680.	1.9	4
63	Introducing affordable and accessible physical covers to reduce evaporation from agricultural water reservoirs and pools (field study, statistics, and intelligent methods). Arabian Journal of Geosciences, 2021, 14, 1.	0.6	4
64	Application of Numerical Modeling to Assess Geometry Effect of Racks on Performance of Bottom Intakes. Arabian Journal for Science and Engineering, 2015, 40, 677-684.	1.1	1
65	Prediction of scour pattern around hydraulic structures using geostatistical methods. Arabian Journal of Geosciences, 2019, 12, 1.	0.6	0