## Yongtong Cao

## List of Publications by Citations

Source: https://exaly.com/author-pdf/3362657/yongtong-cao-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

30 180 9 12 g-index

33 259 avg, IF 2.82 L-index

| #  | Paper   | IF  | Citations |
|----|---|-----|-----------|
| 30 | Nosocomial transmission of Clostridium difficile ribotype 027 in a Chinese hospital, 2012-2014, traced by whole genome sequencing. <i>BMC Genomics</i> , <b>2016</b> , 17, 405  | 4.5 | 26        |
| 29 | Serum levels of IL-17 are elevated in patients with acute gouty arthritis. <i>Biochemical and Biophysical Research Communications</i> , <b>2018</b> , 497, 897-902  | 3.4 | 19        |
| 28 | Presepsin as a diagnostic marker for sepsis: evidence from a bivariate meta-analysis. <i>Therapeutics and Clinical Risk Management</i> , <b>2015</b> , 11, 1027-33  | 2.9 | 15        |
| 27 | Associations of urinary polycyclic aromatic hydrocarbons with albuminuria in U.S. adults, NHANES 2003-2014. <i>Ecotoxicology and Environmental Safety</i> , <b>2020</b> , 195, 110445   | 7   | 12        |
| 26 | Characteristics of women infected with human papillomavirus in a tertiary hospital in Beijing China, 2014-2018. <i>BMC Infectious Diseases</i> , <b>2019</b> , 19, 670  | 4   | 12        |
| 25 | Anemia and Iron Status Among Different Body Size Phenotypes in Chinese Adult Population: a Nation-Wide, Health and Nutrition Survey. <i>Biological Trace Element Research</i> , <b>2018</b> , 185, 1-10                                   | 4.5 | 11        |
| 24 | Synergistic Effect of the C677T and G860A Polymorphism on the Increased Risk of Ischemic Stroke in Chinese Type 2 Diabetic Patients. <i>Journal of Diabetes Research</i> , <b>2017</b> , 2017, 6216205                                    | 3.9 | 10        |
| 23 | Independent relationship between serum ferritin levels and dyslipidemia in Chinese adults: A population study. <i>PLoS ONE</i> , <b>2017</b> , 12, e0190310   | 3.7 | 10        |
| 22 | Genetically elevated circulating homocysteine concentrations increase the risk of diabetic kidney disease in Chinese diabetic patients. <i>Journal of Cellular and Molecular Medicine</i> , <b>2019</b> , 23, 2794-2800                   | 5.6 | 9         |
| 21 | Effects of Apolipoprotein E Isoforms in Diabetic Nephropathy of Chinese Type 2 Diabetic Patients.<br>Journal of Diabetes Research, <b>2017</b> , 2017, 3560920  | 3.9 | 8         |
| 20 | Association of R287Q Polymorphism with Diabetic Nephropathy in Chinese Type 2 Diabetic Patients. <i>Journal of Diabetes Research</i> , <b>2018</b> , 2018, 2786470  | 3.9 | 8         |
| 19 | Diagnostic value of interferon-Induced protein of 10kDa for tuberculous pleurisy: A meta-analysis. <i>Clinica Chimica Acta</i> , <b>2017</b> , 471, 143-149   | 6.2 | 7         |
| 18 | The Dose-Response Relationship between Gamma-Glutamyl Transferase and Risk of Diabetes Mellitus Using Publicly Available Data: A Longitudinal Study in Japan. <i>International Journal of Endocrinology</i> , <b>2020</b> , 2020, 5356498 | 2.7 | 7         |
| 17 | Interaction of MTHFR C677T polymorphism with smoking in susceptibility to diabetic nephropathy in Chinese men with type 2 diabetes. <i>Journal of Human Genetics</i> , <b>2019</b> , 64, 23-28  | 4.3 | 6         |
| 16 | Association of body mass index and blood lipid profile with cognitive function in Chinese elderly population based on data from the China Health and Nutrition Survey, 2009-2015. <i>Psychogeriatrics</i> , <b>2020</b> , 20, 663-672     | 1.8 | 4         |
| 15 | Tangshen Formula Attenuates Diabetic Kidney Injury by Imparting Anti-pyroptotic Effects the TXNIP-NLRP3-GSDMD Axis. <i>Frontiers in Pharmacology</i> , <b>2020</b> , 11, 623489   | 5.6 | 4         |
| 14 | Chinese Expert Consensus on the Nucleic Acid Detection of SARS-CoV-2. <i>Annals of Translational Medicine</i> , <b>2020</b> , 8, 1631   | 3.2 | 3         |

## LIST OF PUBLICATIONS

| 13 | Subgroup analysis of the influence of body mass index on the association between serum lipids and cognitive function in Chinese population. <i>Lipids in Health and Disease</i> , <b>2020</b> , 19, 130                          | 4.4 | 2 |  |
|----|--|-----|---|--|
| 12 | Analysis of the relationship between phenotypes and genotypes in 60 Chinese patients with propionic acidemia: a fourteen-year experience at a tertiary hospital <i>Orphanet Journal of Rare Diseases</i> , <b>2022</b> , 17, 135 | 4.2 | 2 |  |
| 11 | Association of Epoxide Hydrolase 2 Gene Arg287Gln with the Risk for Primary Hypertension in Chinese. <i>International Journal of Hypertension</i> , <b>2020</b> , 2020, 2351547  | 2.4 | 1 |  |
| 10 | Susceptibility of and Genetic Polymorphisms to Diabetic Kidney Disease Among Chinese Diabetic Patients. <i>Frontiers in Medicine</i> , <b>2021</b> , 8, 659188   | 4.9 | 1 |  |
| 9  | Association of Apolipoprotein E Polymorphisms and Risks of Ischemic Stroke in Chinese Patients with Type 2 Diabetes Mellitus. <i>Journal of Diabetes Research</i> , <b>2021</b> , 2021, 8816996                                  | 3.9 | 1 |  |
| 8  | Association of AGTR1 A1166C and CYP2C9*3 Gene Polymorphisms with the Antihypertensive Effect of Valsartan <i>International Journal of Hypertension</i> , <b>2022</b> , 2022, 7677252   | 2.4 | 1 |  |
| 7  | A novel method for early detection of colorectal cancer based on detection of methylation of two fragments of syndecan-2 (SDC2) in stool DNA <i>BMC Gastroenterology</i> , <b>2022</b> , 22, 191                                 | 3   | 1 |  |
| 6  | Targeting AraC-Resistant Acute Myeloid Leukemia by Dual Inhibition of CDK9 and Bcl-2: A Systematic Review and Meta-Analysis <i>Journal of Healthcare Engineering</i> , <b>2022</b> , 2022, 2842066                               | 3.7 | O |  |
| 5  | Short-term biological variation and Reference change values of urinary 8-oxo-7,8-dihydro-2Tdeoxyguanosine and 8-oxo-7,8-dihydroguanosine. <i>Journal of Clinical Laboratory Analysis</i> , <b>2020</b> , 34, e23522              | 3   | O |  |
| 4  | Globular adiponectin inhibits osteoblastic differentiation of vascular smooth muscle cells through the PI3K/AKT and Wnt/Eatenin pathway. <i>Journal of Molecular Histology</i> , <b>2021</b> , 52, 1067-1080                     | 3.3 | O |  |
| 3  | Relationship between Body Roundness Index and Risk of Type 2 Diabetes in Japanese Men and Women: A Reanalysis of a Cohort Study <i>International Journal of Endocrinology</i> , <b>2021</b> , 2021, 4535983                      | 2.7 | O |  |
| 2  | A Novel Stool Methylation Test for the Non-Invasive Screening of Gastric and Colorectal Cancer <i>Frontiers in Oncology</i> , <b>2022</b> , 12, 860701   | 5.3 |   |  |
| 1  | The ceRNA Crosstalk between mRNAs and lncRNAs in Diabetes Myocardial Infarction <i>Disease Markers</i> , <b>2022</b> , 2022, 4283534   | 3.2 |   |  |