Aluisio J D Barros

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3364213/aluisio-j-d-barros-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

22,666 378 142 57 h-index g-index citations papers 29,480 7.16 457 5.7 L-index avg, IF ext. citations ext. papers

| # | Paper | IF | Citations |
|-----|--|-------------|-----------|
| 378 | Ethnic inequalities in health intervention coverage among Mexican women at the individual and municipality levels <i>EClinicalMedicine</i> , 2022 , 43, 101228 | 11.3 | |
| 377 | Ethnic inequalities in reproductive, maternal, newborn and child health interventions in Ecuador: A study of the 2004 and 2012 national surveys <i>EClinicalMedicine</i> , 2022 , 45, 101322 | 11.3 | |
| 376 | Children of more empowered women are less likely to be left without vaccination in low- and middle-income countries: A global analysis of 50 DHS surveys <i>Journal of Global Health</i> , 2022 , 12, 04022 | <u>4</u> ·3 | 4 |
| 375 | Association between preterm infant size at 1 year and ADHD later in life: data from 1993 and 2004 Pelotas Birth Cohorts <i>European Child and Adolescent Psychiatry</i> , 2022 , 1 | 5.5 | |
| 374 | COVID-19 and outpatient care: a nationwide household survey <i>Cadernos De Saude Publica</i> , 2022 , 38, e00194121 | 3.2 | 3 |
| 373 | Exploring the potential for a new measure of socioeconomic deprivation status to monitor health inequality <i>International Journal for Equity in Health</i> , 2022 , 21, 56 | 4.6 | О |
| 372 | Effects of early-life poverty on health and human capital in children and adolescents: analyses of national surveys and birth cohort studies in LMICs <i>Lancet, The,</i> 2022 , 399, 1741-1752 | 40 | 4 |
| 371 | Paving the way to understanding female-headed households: Variation in household composition across 103 low- and middle-income countries <i>Journal of Global Health</i> , 2022 , 12, 04038 | 4.3 | 2 |
| 370 | Population-level seropositivity trend for SARS-Cov-2 in Rio Grande do Sul, Brazil. <i>Revista De Saude Publica</i> , 2021 , 55, 78 | 2.4 | 2 |
| 369 | Women R Empowerment as It Relates to Attitudes Towards and Practice of Female Genital Mutilation/Cutting of Daughters: An Ecological Analysis of Demographic and Health Surveys From 12 African Countries <i>Frontiers in Sociology</i> , 2021 , 6, 685329 | 1.7 | О |
| 368 | Assessing the overlap between immunisation and other essential health interventions in 92 low-and middle-income countries using household surveys: opportunities for expanding immunisation and primary health care. <i>EClinicalMedicine</i> , 2021 , 42, 101196 | 11.3 | 4 |
| 367 | Identifying the women most vulnerable to intimate partner violence: A decision tree analysis from 48 low and middle-income countries <i>EClinicalMedicine</i> , 2021 , 42, 101214 | 11.3 | 2 |
| 366 | Climate Change and Child Health Inequality: A Review of Reviews. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18, | 4.6 | 1 |
| 365 | Influence of maternal pre-pregnancy nutritional status on offspring anthropometric measurements and body composition in three Brazilian Birth Cohorts. <i>Public Health Nutrition</i> , 2021 , 24, 882-894 | 3.3 | 1 |
| 364 | Socioeconomic inequalities explain the association between source of drinking water and dental caries in primary dentition. <i>Journal of Dentistry</i> , 2021 , 106, 103584 | 4.8 | О |
| 363 | Harsh parenting and child conduct and emotional problems: parent- and child-effects in the 2004 Pelotas Birth Cohort. <i>European Child and Adolescent Psychiatry</i> , 2021 , 1 | 5.5 | 2 |
| 362 | Heterogeneous contributions of change in population distribution of body mass index to change in obesity and underweight. <i>ELife</i> , 2021 , 10, | 8.9 | 10 |

(2021-2021)

| 361 | Inequalities in antenatal care coverage and quality: an analysis from 63 low and middle-income countries using the ANCq content-qualified coverage indicator. <i>International Journal for Equity in Health</i> , 2021 , 20, 102 | 4.6 | 4 |
|-------------|--|-------------------------------|----|
| 3 60 | Complementary Feeding Practices in 80 Low- and Middle-Income Countries: Prevalence of and Socioeconomic Inequalities in Dietary Diversity, Meal Frequency, and Dietary Adequacy. <i>Journal of Nutrition</i> , 2021 , 151, 1956-1964 | 4.1 | 7 |
| 359 | Chronic non-communicable diseases and COVID-19: EPICOVID-19 Brazil results. <i>Revista De Saude Publica</i> , 2021 , 55, 38 | 2.4 | 4 |
| 358 | High prevalence of symptoms among Brazilian subjects with antibodies against SARS-CoV-2. <i>Scientific Reports</i> , 2021 , 11, 13279 | 4.9 | 4 |
| 357 | Intimate partner violence against adolescents and young women in sub-Saharan Africa: who is most vulnerable?. <i>Reproductive Health</i> , 2021 , 18, 119 | 3.5 | 7 |
| 356 | Finding Children with High Risk of Non-Vaccination in 92 Low- and Middle-Income Countries: A Decision Tree Approach. <i>Vaccines</i> , 2021 , 9, | 5.3 | 7 |
| 355 | COVID-19 and social distancing among children and adolescents in Brazil. <i>Revista De Saude Publica</i> , 2021 , 55, 42 | 2.4 | 3 |
| 354 | Wealth-related inequalities in demand for family planning satisfied among married and unmarried adolescent girls and young women in sub-Saharan Africa. <i>Reproductive Health</i> , 2021 , 18, 116 | 3.5 | 1 |
| 353 | Missed childhood immunizations during the COVID-19 pandemic in Brazil: Analyses of routine statistics and of a national household survey. <i>Vaccine</i> , 2021 , 39, 3404-3409 | 4.1 | 17 |
| 352 | Age patterns in overweight and wasting prevalence of under 5-year-old children from low- and middle-income countries. <i>International Journal of Obesity</i> , 2021 , 45, 2419-2424 | 5.5 | 1 |
| 351 | Disruptive Mood Dysregulation Disorder: Symptomatic and Syndromic Thresholds and Diagnostic Operationalization. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2021 , 60, 286-29 | 9 7 5 ² | 7 |
| 350 | Patterns in Wealth-related Inequalities in 86 Low- and Middle-Income Countries: Global Evidence on the Emergence of Vaccine Hesitancy. <i>American Journal of Preventive Medicine</i> , 2021 , 60, S24-S33 | 6.1 | 6 |
| 349 | First-food systems transformations and the ultra-processing of infant and young child diets: The determinants, dynamics and consequences of the global rise in commercial milk formula consumption. <i>Maternal and Child Nutrition</i> , 2021 , 17, e13097 | 3.4 | 26 |
| 348 | Effect of Correcting the Postnatal Age of Preterm-Born Children on Measures of Associations Between Infant Length-for-Age z Scores and Mid-Childhood Outcomes. <i>American Journal of Epidemiology</i> , 2021 , 190, 477-486 | 3.8 | O |
| 347 | Role of ultra-processed food in fat mass index between 6 and 11 years of age: a cohort study. <i>International Journal of Epidemiology</i> , 2021 , 50, 256-265 | 7.8 | 9 |
| 346 | Analysis of early and late maternal complications associated with delivery using propensity score. <i>Revista Brasileira De Epidemiologia</i> , 2021 , 24, e210027 | 1.3 | |
| 345 | A new content-qualified antenatal care coverage indicator: Development and validation of a score using national health surveys in low- and middle-income countries. <i>Journal of Global Health</i> , 2021 , 11, 04008 | 4.3 | 4 |
| 344 | Cross-Cultural Adaptation and Validation of the Brazilian Portuguese Version of an Observational Measure for Parent-Child Responsive Caregiving. <i>International Journal of Environmental Research and Public Health</i> 2021 18 | 4.6 | 3 |

| 343 | RPS Brazilian Birth Cohorts Consortium (Ribeir® Preto, Pelotas and S® Lu®): history, objectives and methods. <i>Cadernos De Saude Publica</i> , 2021 , 37, e00093320 | 3.2 | 9 |
|-----|---|--------------|-----|
| 342 | Effectiveness of an intervention focusing on diet and walking during pregnancy in the primary health care service. <i>Cadernos De Saude Publica</i> , 2021 , 37, e00010320 | 3.2 | 1 |
| 341 | Prematurity and body composition at 6, 18, and 30 years of age: Pelotas (Brazil) 2004, 1993, and 1982 birth cohorts. <i>BMC Public Health</i> , 2021 , 21, 321 | 4.1 | 2 |
| 340 | All day-long pacifier use and intelligence quotient in childhood: A birth cohort study. <i>Paediatric and Perinatal Epidemiology</i> , 2021 , 35, 511-518 | 2.7 | |
| 339 | Planning for work: Exploring the relationship between contraceptive use and women sector-specific employment in India. <i>PLoS ONE</i> , 2021 , 16, e0248391 | 3.7 | О |
| 338 | Is women ß empowerment associated with coverage of RMNCH interventions in low- and middle-income countries? An analysis using a survey-based empowerment indicator, the SWPER. <i>Journal of Global Health</i> , 2021 , 11, 04015 | 4.3 | 2 |
| 337 | Time-dependent decay of detectable antibodies against SARS-CoV-2: A comparison of ELISA with two batches of a lateral-flow test. <i>Brazilian Journal of Infectious Diseases</i> , 2021 , 25, 101601 | 2.8 | 4 |
| 336 | Assessing Wealth-Related Inequalities in Demand for Family Planning Satisfied in 43 African Countries. <i>Frontiers in Global Women S Health</i> , 2021 , 2, 674227 | 8.4 | 1 |
| 335 | Zero-dose children and the immunisation cascade: Understanding immunisation pathways in low and middle-income countries. <i>Vaccine</i> , 2021 , 39, 4564-4570 | 4.1 | 16 |
| 334 | The challenge of conducting epidemiological research in times of pandemic and denialism: 1-year anniversary of the EPICOVID-19 project in Brazil. <i>International Journal of Epidemiology</i> , 2021 , 50, 1049- | 10752 | О |
| 333 | Modern contraceptive use among women in need of family planning in India: an analysis of the inequalities related to the mix of methods used. <i>Reproductive Health</i> , 2021 , 18, 173 | 3.5 | 3 |
| 332 | Slow Spread of SARS-CoV-2 in Southern Brazil Over a 6-Month Period: Report on 8 Sequential Statewide Serological Surveys Including 35 611 Participants. <i>American Journal of Public Health</i> , 2021 , 111, 1542-1550 | 5.1 | 4 |
| 331 | Estimating the early impact of vaccination against COVID-19 on deaths among elderly people in Brazil: Analyses of routinely-collected data on vaccine coverage and mortality. <i>EClinicalMedicine</i> , 2021 , 38, 101036 | 11.3 | 28 |
| 330 | Delivery channels and socioeconomic inequalities in coverage of reproductive, maternal, newborn, and child health interventions: analysis of 36 cross-sectional surveys in low-income and middle-income countries. <i>The Lancet Global Health</i> , 2021 , 9, e1101-e1109 | 13.6 | 4 |
| 329 | SDG3-related inequalities in womenß, childrenß and adolescentsRhealth: an SDG monitoring baseline for Latin America and the Caribbean using national cross-sectional surveys. <i>BMJ Open</i> , 2021 , 11, e047779 | 3 | O |
| 328 | Are children in female-headed households at a disadvantage? An analysis of immunization coverage and stunting prevalence: in 95 low- and middle-income countries. <i>SSM - Population Health</i> , 2021 , 15, 100 middle-income countries. | 0 888 | 2 |
| 327 | Worldwide trends in hypertension prevalence and progress in treatment and control from 1990 to 2019: a pooled analysis of 1201 population-representative studies with 104 million participants. <i>Lancet, The</i> , 2021 , 398, 957-980 | 40 | 154 |
| 326 | Maternal education and equity in breastfeeding: trends and patterns in 81 low- and middle-income countries between 2000 and 2019. <i>International Journal for Equity in Health</i> , 2021 , 20, 20 | 4.6 | 11 |

| 325 | Trajectories of maternal depressive symptoms and offspring is risk behavior in early adolescence: data from the 2004 Pelotas birth cohort study. <i>BMC Psychiatry</i> , 2021 , 21, 18 | 4.2 | 1 |
|-----|--|------|----|
| 324 | National and subnational coverage and inequalities in reproductive, maternal, newborn, child, and sanitary health interventions in Ecuador: a comparative study between 1994 and 2012. <i>International Journal for Equity in Health</i> , 2021 , 20, 48 | 4.6 | 4 |
| 323 | Prevalence of symptoms of COVID-19 in the state of Rio Grande do Sul: results of a population-based study with 18,000 participants. <i>Revista De Saude Publica</i> , 2021 , 55, 82 | 2.4 | |
| 322 | Geospatial estimation of reproductive, maternal, newborn and child health indicators: a systematic review of methodological aspects of studies based on household surveys. <i>International Journal of Health Geographics</i> , 2020 , 19, 41 | 3.5 | 1 |
| 321 | Height and body-mass index trajectories of school-aged children and adolescents from 1985 to 2019 in 200 countries and territories: a pooled analysis of 2181 population-based studies with 65 million participants. <i>Lancet, The</i> , 2020 , 396, 1511-1524 | 40 | 73 |
| 320 | Introduction to complementary feeding in the first year of life and risk of overweight at 24 months of age: changes from 2004 to 2015 Pelotas (Brazil) Birth Cohorts. <i>British Journal of Nutrition</i> , 2020 , 124, 620-630 | 3.6 | 2 |
| 319 | Validation of maternal recall on exclusive breastfeeding 12 months after childbirth. <i>Public Health Nutrition</i> , 2020 , 23, 2494-2500 | 3.3 | 1 |
| 318 | Intimate partner violence in 46 low-income and middle-income countries: an appraisal of the most vulnerable groups of women using national health surveys. <i>BMJ Global Health</i> , 2020 , 5, e002208 | 6.6 | 44 |
| 317 | The influence of breastfeeding and pacifier use on the association between preterm birth and primary-dentition malocclusion: A population-based birth cohort study. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2020 , 157, 754-763 | 2.1 | 4 |
| 316 | Are the poorest poor being left behind? Estimating global inequalities in reproductive, maternal, newborn and child health. <i>BMJ Global Health</i> , 2020 , 5, e002229 | 6.6 | 10 |
| 315 | Low neurodevelopmental performance and behavioural/emotional problems at 24 and 48 months in Brazilian children exposed to acetaminophen during foetal development. <i>Paediatric and Perinatal Epidemiology</i> , 2020 , 34, 278-286 | 2.7 | 4 |
| 314 | Early childhood suspected developmental delay in 63 low- and middle-income countries: Large within- and between-country inequalities documented using national health surveys. <i>Journal of Global Health</i> , 2020 , 10, 010427 | 4.3 | 16 |
| 313 | Population-based surveys of antibodies against SARS-CoV-2 in Southern Brazil. <i>Nature Medicine</i> , 2020 , 26, 1196-1199 | 50.5 | 97 |
| 312 | Prevalence, mortality and risk factors associated with very low birth weight preterm infants: an analysis of 33 years. <i>Jornal De Pediatria (Versi</i> o Em Portuguii), 2020 , 96, 327-332 | 0.2 | 1 |
| 311 | Changes in Infant and Neonatal Mortality and Associated Factors in Eight Cohorts from Three Brazilian Cities. <i>Scientific Reports</i> , 2020 , 10, 3249 | 4.9 | 6 |
| 310 | Association between ethnicity and under-5 mortality: analysis of data from demographic surveys from 36 low-income and middle-income countries. <i>The Lancet Global Health</i> , 2020 , 8, e352-e361 | 13.6 | 13 |
| 309 | Maternal pregnancy smoking in three Brazilian cities: trends and differences according to education, income, and age. <i>International Journal of Public Health</i> , 2020 , 65, 207-215 | 4 | 4 |
| 308 | Measuring universal health coverage in reproductive, maternal, newborn and child health: An update of the composite coverage index. <i>PLoS ONE</i> , 2020 , 15, e0232350 | 3.7 | 3 |

| 307 | Ethnic inequalities in child stunting and feeding practices: results from surveys in thirteen countries from Latin America. <i>International Journal for Equity in Health</i> , 2020 , 19, 53 | 4.6 | 5 |
|-----|--|------|----|
| 306 | Mean birth weight among term newborns: direction, magnitude and associated factors. <i>Cadernos De Saude Publica</i> , 2020 , 36, e00099419 | 3.2 | O |
| 305 | EPICOVID19 protocol: repeated serological surveys on SARS-CoV-2 antibodies in Brazil. <i>Ciencia E Saude Coletiva</i> , 2020 , 25, 3573-3578 | 2.2 | 9 |
| 304 | Maternal and child health inequalities among migrants: the case of Haiti and the Dominican Republic. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2020 , 44, e144 | 4.1 | 1 |
| 303 | Wealth-related inequalities in the coverage of reproductive, maternal, newborn and child health interventions in 36 countries in the African Region. <i>Bulletin of the World Health Organization</i> , 2020 , 98, 394-405 | 8.2 | 6 |
| 302 | Prevalence of antibodies against SARS-CoV-2 according to socioeconomic and ethnic status in a nationwide Brazilian survey. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2020 , 44, e135 | 4.1 | 18 |
| 301 | SWPER Global: A survey-based womenß empowerment index expanded from Africa to all low- and middle-income countries. <i>Journal of Global Health</i> , 2020 , 10, 020343 | 4.3 | 12 |
| 300 | Ultra-processed food consumption during childhood and asthma in adolescence: Data from the 2004 Pelotas birth cohort study. <i>Pediatric Allergy and Immunology</i> , 2020 , 31, 27-37 | 4.2 | 5 |
| 299 | Infant Formula Consumption Is Positively Correlated with Wealth, Within and Between Countries: A Multi-Country Study. <i>Journal of Nutrition</i> , 2020 , 150, 910-917 | 4.1 | 11 |
| 298 | The emergence of vaccine hesitancy among upper-class Brazilians: Results from four birth cohorts, 1982-2015. <i>Vaccine</i> , 2020 , 38, 482-488 | 4.1 | 22 |
| 297 | Trends in cardiometabolic risk factors in the Americas between 1980 and 2014: a pooled analysis of population-based surveys. <i>The Lancet Global Health</i> , 2020 , 8, e123-e133 | 13.6 | 36 |
| 296 | Early child stimulation and attention-related executive functions at 11 years: 2004 Pelotas birth cohort study. <i>European Child and Adolescent Psychiatry</i> , 2020 , 29, 1265-1276 | 5.5 | 1 |
| 295 | Consumption of breast milk, formula and other non-human milk by children aged under 2 years: analysis of eighty-six low- and middle-income countries. <i>Public Health Nutrition</i> , 2020 , 1-9 | 3.3 | 7 |
| 294 | The impact of womenß empowerment on their childrenß early development in 26 African countries. <i>Journal of Global Health</i> , 2020 , 10, 020406 | 4.3 | 7 |
| 293 | Answer to the Letter "Methodological restrictions within a birth cohort study examining maternal mood symptoms and postpartum depression" by Maduro A et al. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 1687-1688 | 4.5 | |
| 292 | Socio-demographic and economic inequalities in modern contraception in 11 low- and middle-income countries: an analysis of the PMA2020 surveys. <i>Reproductive Health</i> , 2020 , 17, 82 | 3.5 | 6 |
| 291 | Trends and inequalities in unplanned pregnancy in three population-based birth cohorts in Pelotas, Brazil. <i>International Journal of Public Health</i> , 2020 , 65, 1635-1645 | 4 | 4 |
| 290 | Women, children and adolescents in conflict countries: an assessment of inequalities in intervention coverage and survival. <i>BMJ Global Health</i> , 2020 , 5, e002214 | 6.6 | 15 |

| 289 | Large and persistent subnational inequalities in reproductive, maternal, newborn and child health intervention coverage in sub-Saharan Africa. <i>BMJ Global Health</i> , 2020 , 5, e002232 | 6.6 | 10 |
|-----|--|--------------------|-----|
| 288 | SARS-CoV-2 antibody prevalence in Brazil: results from two successive nationwide serological household surveys. <i>The Lancet Global Health</i> , 2020 , 8, e1390-e1398 | 13.6 | 170 |
| 287 | Prevalence, mortality and risk factors associated with very low birth weight preterm infants: an analysis of 33 years. <i>Jornal De Pediatria</i> , 2020 , 96, 327-332 | 2.6 | 8 |
| 286 | Does women age matter in the SDGs era: coverage of demand for family planning satisfied with modern methods and institutional delivery in 91 low- and middle-income countries. <i>Reproductive Health</i> , 2020 , 17, 55 | 3.5 | 1 |
| 285 | Reasons for direct restoration failure from childhood to adolescence: A birth cohort study. <i>Journal of Dentistry</i> , 2019 , 89, 103183 | 4.8 | 9 |
| 284 | Contraceptive use in Latin America and the Caribbean with a focus on long-acting reversible contraceptives: prevalence and inequalities in 23 countries. <i>The Lancet Global Health</i> , 2019 , 7, e227-e23 | 35 ^{13.6} | 53 |
| 283 | Association of risk behaviours, socio-economic characteristics and academic progress in adolescents: an analysis of the 1993 birth cohort in Pelotas, Brazil. <i>International Journal of Adolescence and Youth</i> , 2019 , 24, 474-483 | 3.3 | |
| 282 | How different online recruitment methods impact on recruitment rates for the web-based coortesnaweb project: a randomised trial. <i>BMC Medical Research Methodology</i> , 2019 , 19, 127 | 4.7 | 4 |
| 281 | The role of questionnaire length and reminders frequency on response rates to a web-based epidemiologic study: a randomised trial. <i>International Journal of Social Research Methodology: Theory and Practice</i> , 2019 , 22, 625-635 | 2.8 | 9 |
| 280 | Gender norms and health: insights from global survey data. <i>Lancet, The</i> , 2019 , 393, 2455-2468 | 40 | 98 |
| 279 | Rising rural body-mass index is the main driver of the global obesity epidemic in adults. <i>Nature</i> , 2019 , 569, 260-264 | 50.4 | 278 |
| 278 | Progress and setbacks in socioeconomic inequalities in adolescent health-related behaviours in Brazil: results from three cross-sectional surveys 2009-2015. <i>BMJ Open</i> , 2019 , 9, e025338 | 3 | 6 |
| 277 | Breastfeeding exclusivity and duration: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982-2015. <i>International Journal of Epidemiology</i> , 2019 , 48, i72-i79 | 7.8 | 17 |
| 276 | Stillbirth, newborn and infant mortality: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982-2015. <i>International Journal of Epidemiology</i> , 2019 , 48, i54-i62 | 7.8 | 9 |
| 275 | Trends and inequalities in maternal and child health in a Brazilian city: methodology and sociodemographic description of four population-based birth cohort studies, 1982-2015. <i>International Journal of Epidemiology</i> , 2019 , 48, i4-i15 | 7.8 | 23 |
| 274 | Infant nutrition and growth: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982-2015. <i>International Journal of Epidemiology</i> , 2019 , 48, i80-i88 | 7.8 | 15 |
| 273 | Antenatal care and caesarean sections: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982-2015. <i>International Journal of Epidemiology</i> , 2019 , 48, i37-i45 | 7.8 | 16 |
| 272 | Hospital admissions in the first year of life: inequalities over three decades in a southern Brazilian city. <i>International Journal of Epidemiology</i> , 2019 , 48, i63-i71 | 7.8 | 3 |

| 271 | Maternal reproductive history: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982-2015. <i>International Journal of Epidemiology</i> , 2019 , 48, i16-i25 | 7.8 | 8 |
|-----|---|------|----|
| 270 | Maternal anthropometry: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982-2015. <i>International Journal of Epidemiology</i> , 2019 , 48, i26-i36 | 7.8 | 13 |
| 269 | Income-related inequality and inequity in childrenß health care: A longitudinal analysis using data from Brazil. <i>Social Science and Medicine</i> , 2019 , 224, 127-137 | 5.1 | 6 |
| 268 | Effects of dietary intake patterns from 1 to 4 years on BMI z-score and body shape at age of 6 years: a prospective birth cohort study from Brazil. <i>European Journal of Nutrition</i> , 2019 , 58, 1723-1734 | 5.2 | 2 |
| 267 | Low birthweight and preterm birth: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982-2015. <i>International Journal of Epidemiology</i> , 2019 , 48, i46-i53 | 7.8 | 29 |
| 266 | Unsafe storage of household medicines: results from a cross-sectional study of four-year-olds from the 2004 Pelotas birth cohort (Brazil). <i>BMC Pediatrics</i> , 2019 , 19, 235 | 2.6 | O |
| 265 | Ethnic inequalities and trends in stunting prevalence among Guatemalan children: an analysis using national health surveys 1995-2014. <i>International Journal for Equity in Health</i> , 2019 , 18, 110 | 4.6 | 13 |
| 264 | Socioeconomic factors contributing to under-five mortality in sub-Saharan Africa: a decomposition analysis. <i>BMC Public Health</i> , 2019 , 19, 760 | 4.1 | 45 |
| 263 | The Role of in Shared Susceptibility of Psychiatric Disorders during Childhood: A Population-Based Birth Cohort Study. <i>Genes</i> , 2019 , 10, | 4.2 | 2 |
| 262 | Reasons for nonuse of contraceptive methods by women with demand for contraception not satisfied: an assessment of low and middle-income countries using demographic and health surveys. <i>Reproductive Health</i> , 2019 , 16, 148 | 3.5 | 24 |
| 261 | Time trends in demand for family planning satisfied: analysis of 73 countries using national health surveys over a 24-year period. <i>Journal of Global Health</i> , 2019 , 9, 020423 | 4.3 | 13 |
| 260 | Utilization of the Brazilian public health system by privately insured individuals: a literature review. <i>Cadernos De Saude Publica</i> , 2019 , 35, e00004118 | 3.2 | 2 |
| 259 | Caminhos da internacionalizato dos periticos de satie coletiva. Satie Em Debate, 2019 , 43, 875-882 | 0.2 | |
| 258 | Perceived discrimination south of the equator: Reassessing the Brazilian Explicit Discrimination Scale. <i>Cultural Diversity and Ethnic Minority Psychology</i> , 2019 , 25, 413-423 | 3.2 | 2 |
| 257 | Changes in overall and regional body fatness from childhood to early adolescence. <i>Scientific Reports</i> , 2019 , 9, 1888 | 4.9 | 3 |
| 256 | Analyses of inequalities in RMNCH: rising to the challenge of the SDGs. <i>BMJ Global Health</i> , 2019 , 4, e00 ⁻⁷ | 1895 | 9 |
| 255 | Armed conflicts and national trends in reproductive, maternal, newborn and child health in sub-Saharan Africa: what can national health surveys tell us?. <i>BMJ Global Health</i> , 2019 , 4, e001300 | 6.6 | 19 |
| 254 | Are inequities decreasing? Birth registration for children under five in low-income and middle-income countries, 1999-2016. <i>BMJ Global Health</i> , 2019 , 4, e001926 | 6.6 | 9 |

| 253 | Equitable coverage? The roles of the private and public sectors in providing maternal, newborn and child health interventions in South Asia. <i>BMJ Global Health</i> , 2019 , 4, e001495 | 6.6 | 3 |
|-----|--|-------------|-----|
| 252 | Gestational diabetes mellitus, pre-gestational BMI and offspring BMI z-score during infancy and childhood: 2004 Pelotas Birth Cohort. <i>BMJ Open</i> , 2019 , 9, e024734 | 3 | 2 |
| 251 | Early life risk factors of motor, cognitive and language development: a pooled analysis of studies from low/middle-income countries. <i>BMJ Open</i> , 2019 , 9, e026449 | 3 | 25 |
| 250 | Association between availability of children® book and the literacy-numeracy skills of children aged 36 to 59 months: secondary analysis of the UNICEF Multiple-Indicator Cluster Surveys covering 35 countries. <i>Journal of Global Health</i> , 2019 , 9, 010403 | 4.3 | 8 |
| 249 | Ultra-processed Food Consumption by Pregnant Women: The Effect of an Educational Intervention with Health Professionals. <i>Maternal and Child Health Journal</i> , 2019 , 23, 692-703 | 2.4 | 12 |
| 248 | Body composition using bioelectrical impedance: Development and validation of a predictive equation for fat-free mass in a middle-income country. <i>Clinical Nutrition</i> , 2019 , 38, 2175-2179 | 5.9 | 11 |
| 247 | The Inverse Equity Hypothesis: Analyses of Institutional Deliveries in 286 National Surveys. <i>American Journal of Public Health</i> , 2018 , 108, 464-471 | 5.1 | 53 |
| 246 | Response rate differences between web and alternative data collection methods for public health research: a systematic review of the literature. <i>International Journal of Public Health</i> , 2018 , 63, 765-773 | 4 | 55 |
| 245 | Countdown to 2030: tracking progress towards universal coverage for reproductive, maternal, newborn, and child health. <i>Lancet, The</i> , 2018 , 391, 1538-1548 | 40 | 179 |
| 244 | Measuring womenß empowerment: a need for context and caution - AuthorsReply. <i>The Lancet Global Health</i> , 2018 , 6, e31 | 13.6 | 2 |
| 243 | Absolute income is a better predictor of coverage by skilled birth attendance than relative wealth quintiles in a multicountry analysis: comparison of 100 low- and middle-income countries. <i>BMC Pregnancy and Childbirth</i> , 2018 , 18, 104 | 3.2 | 11 |
| 242 | Demand for family planning satisfied with modern methods among sexually active women in low-and middle-income countries: who is lagging behind?. <i>Reproductive Health</i> , 2018 , 15, 42 | 3.5 | 42 |
| 241 | Within country inequalities in caesarean section rates: observational study of 72 low and middle income countries. <i>BMJ, The</i> , 2018 , 360, k55 | 5.9 | 117 |
| 240 | Contributions of mean and shape of blood pressure distribution to worldwide trends and variations in raised blood pressure: a pooled analysis of 1018 population-based measurement studies with 88.6 million participants. <i>International Journal of Epidemiology</i> , 2018 , 47, 872-883i | 7.8 | 40 |
| 239 | Influence of maternal characteristics and caregiving behaviours on children® caries experience: An intergenerational approach. <i>Community Dentistry and Oral Epidemiology</i> , 2018 , 46, 435-441 | 2.8 | 10 |
| | Ethnic group inacqualities in coverage with conseductive material and skild health interventions | | |
| 238 | Ethnic group inequalities in coverage with reproductive, maternal and child health interventions: cross-sectional analyses of national surveys in 16 Latin American and Caribbean countries. <i>The Lancet Global Health</i> , 2018 , 6, e902-e913 | 13.6 | 29 |
| 238 | cross-sectional analyses of national surveys in 16 Latin American and Caribbean countries. <i>The</i> | 13.6 3.9 | 5 |

235 Impact of Prolonged Breastfeeding on Dental Caries: A Population-Based Birth Cohort Study **2018**, 96-107

| 234 | Questionnaire Breakoff and Item Nonresponse in Web-Based Questionnaires: Multilevel Analysis of Person-Level and Item Design Factors in a Birth Cohort. <i>Journal of Medical Internet Research</i> , 2018 , 20, e11046 | 7.6 | 9 |
|-----|--|------|-----|
| 233 | Is intrauterine exposure to acetaminophen associated with emotional and hyperactivity problems during childhood? Findings from the 2004 Pelotas birth cohort. <i>BMC Psychiatry</i> , 2018 , 18, 368 | 4.2 | 19 |
| 232 | Socioeconomic inequalities in access to skilled birth attendance among urban and rural women in low-income and middle-income countries. <i>BMJ Global Health</i> , 2018 , 3, e000898 | 6.6 | 9 |
| 231 | Persistent Inequalities in Reproductive, Maternal, Newborn, Child, and Adolescent Health in Kenya. JAMA Network Open, 2018 , 1, e185126 | 10.4 | |
| 230 | Hospitalization in the first years of life and development of psychiatric disorders at age 6 and 11: a birth cohort study in Brazil. <i>Cadernos De Saude Publica</i> , 2018 , 34, e00064517 | 3.2 | 1 |
| 229 | Global epidemiology of use of and disparities in caesarean sections. <i>Lancet, The</i> , 2018 , 392, 1341-1348 | 40 | 493 |
| 228 | Measurement of social inequalities in health: concepts and methodological approaches in the Brazilian context. <i>Epidemiologia E Servicos De Saude: Revista Do Sistema Unico De Saude Do Brasil</i> , 2018 , 27, e000100017 | 1.2 | 10 |
| 227 | Effect of a conditional cash transfer program on length-for-age and weight-for-age in Brazilian infants at 24 months using doubly-robust, targeted estimation. <i>Social Science and Medicine</i> , 2018 , 211, 9-15 | 5.1 | 5 |
| 226 | Socioeconomic Inequalities Persist Despite Declining Stunting Prevalence in Low- and Middle-Income Countries. <i>Journal of Nutrition</i> , 2018 , 148, 254-258 | 4.1 | 19 |
| 225 | Factors behind the success story of under-five stunting in Peru: a district ecological multilevel analysis. <i>BMC Pediatrics</i> , 2017 , 17, 29 | 2.6 | 27 |
| 224 | Measuring Socioeconomic Inequalities With Predicted Absolute Incomes Rather Than Wealth Quintiles: A Comparative Assessment Using Child Stunting Data From National Surveys. <i>American Journal of Public Health</i> , 2017 , 107, 550-555 | 5.1 | 28 |
| 223 | The contribution of poor and rural populations to national trends in reproductive, maternal, newborn, and child health coverage: analyses of cross-sectional surveys from 64 countries. <i>The Lancet Global Health</i> , 2017 , 5, e402-e407 | 13.6 | 39 |
| 222 | Maternal depression and bullying victimization among adolescents: Results from the 2004 Pelotas cohort study. <i>Depression and Anxiety</i> , 2017 , 34, 897-907 | 8.4 | 13 |
| 221 | Perinatal and postnatal risk factors for disruptive mood dysregulation disorder at age 11: 2004 Pelotas Birth Cohort Study. <i>Journal of Affective Disorders</i> , 2017 , 215, 263-268 | 6.6 | 18 |
| 220 | Obesity-induced hypoadiponectinaemia: the opposite influences of central and peripheral fat compartments. <i>International Journal of Epidemiology</i> , 2017 , 46, 2044-2055 | 7.8 | 15 |
| 219 | Caesarean section and adiposity at 6, 18 and 30 years of age: results from three Pelotas (Brazil) birth cohorts. <i>BMC Public Health</i> , 2017 , 17, 256 | 4.1 | 16 |
| 218 | Objectively-measured physical activity in children is influenced by social indicators rather than biological lifecourse factors: Evidence from a Brazilian cohort. <i>Preventive Medicine</i> , 2017 , 97, 40-44 | 4.3 | 5 |

(2016-2017)

| 217 | Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128 [®] million children, adolescents, and adults. <i>Lancet, The</i> , 2017 , 390, 2627-2642 | 40 | 2980 |
|-----|---|------|------|
| 216 | Who and where are the uncounted children? Inequalities in birth certificate coverage among children under five years in 94 countries using nationally representative household surveys. International Journal for Equity in Health, 2017, 16, 148 | 4.6 | 28 |
| 215 | Repeat cesarean section in subsequent gestation of women from a birth cohort in Brazil. <i>Reproductive Health</i> , 2017 , 14, 102 | 3.5 | 8 |
| 214 | After 10 years, how do changes in asset ownership affect the Indicador Econmico Nacional?. <i>Revista De Saude Publica</i> , 2017 , 51, 10 | 2.4 | 5 |
| 213 | Gender bias in careseeking practices in 57 low- and middle-income countries. <i>Journal of Global Health</i> , 2017 , 7, 010418 | 4.3 | 19 |
| 212 | Focus and coverage of Bolsa Famíla Program in the Pelotas 2004 birth cohort. <i>Revista De Saude Publica</i> , 2017 , 51, 22 | 2.4 | 7 |
| 211 | A different rhythm of life: sleep patterns in the first 4 years of life and associated sociodemographic characteristics in a large Brazilian birth cohort. <i>Sleep Medicine</i> , 2017 , 37, 77-87 | 4.6 | 17 |
| 210 | The SWPER index for women® empowerment in Africa: development and validation of an index based on survey data. <i>The Lancet Global Health</i> , 2017 , 5, e916-e923 | 13.6 | 133 |
| 209 | Early childhood linear growth faltering in low-income and middle-income countries as a whole-population condition: analysis of 179 Demographic and Health Surveys from 64 countries (1993-2015). <i>The Lancet Global Health</i> , 2017 , 5, e1249-e1257 | 13.6 | 45 |
| 208 | Changes in leisure-time physical activity among Brazilian pregnant women: comparison between two birth cohort studies (2004 - 2015). <i>BMC Public Health</i> , 2017 , 17, 119 | 4.1 | 28 |
| 207 | Impact of Prolonged Breastfeeding on Dental Caries: A Population-Based Birth Cohort Study. <i>Pediatrics</i> , 2017 , 140, | 7.4 | 52 |
| 206 | Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with 19[1] million participants. <i>Lancet, The</i> , 2017 , 389, 37-55 | 40 | 1100 |
| 205 | Mother-child bed-sharing trajectories and psychiatric disorders at the age of 6 years. <i>Journal of Affective Disorders</i> , 2017 , 208, 163-169 | 6.6 | 8 |
| 204 | Metabolic Profiling of Adiponectin Levels in Adults: Mendelian Randomization Analysis. <i>Circulation: Cardiovascular Genetics</i> , 2017 , 10, | | 16 |
| 203 | Is governance, gross domestic product, inequality, population size or country surface area associated with coverage and equity of health interventions? Ecological analyses of cross-sectional surveys from 80 countries. <i>BMJ Global Health</i> , 2017 , 2, e000437 | 6.6 | 11 |
| 202 | Socioeconomic inequalities in skilled birth attendance and child stunting in selected low and middle income countries: Wealth quintiles or deciles?. <i>PLoS ONE</i> , 2017 , 12, e0174823 | 3.7 | 17 |
| 201 | Electronic data collection in epidemiological research. The use of REDCap in the Pelotas birth cohorts. <i>Applied Clinical Informatics</i> , 2016 , 7, 672-81 | 3.1 | 16 |
| 200 | Educational intervention regarding diet and physical activity for pregnant women: changes in knowledge and practices among health professionals. <i>BMC Pregnancy and Childbirth</i> , 2016 , 16, 175 | 3.2 | 19 |

| 199 | Early childhood development: a new challenge for the SDG era. <i>The Lancet Global Health</i> , 2016 , 4, e873- | e183764 | 10 |
|-----|---|---------|------|
| 198 | Intellectual Disability in a Birth Cohort: Prevalence, Etiology, and Determinants at the Age of 4 Years. <i>Public Health Genomics</i> , 2016 , 19, 290-7 | 1.9 | 20 |
| 197 | Dietary intake patterns of children aged 6 years and their association with socioeconomic and demographic characteristics, early feeding practices and body mass index. <i>BMC Public Health</i> , 2016 , 16, 1055 | 4.1 | 35 |
| 196 | Data Resource Profile: WHO Health Equity Monitor (HEM). <i>International Journal of Epidemiology</i> , 2016 , 45, 1404-1405e | 7.8 | 26 |
| 195 | Inequalities in the coverage of place of delivery and skilled birth attendance: analyses of cross-sectional surveys in 80 low and middle-income countries. <i>Reproductive Health</i> , 2016 , 13, 77 | 3.5 | 36 |
| 194 | Monitoring subnational regional inequalities in health: measurement approaches and challenges. <i>International Journal for Equity in Health</i> , 2016 , 15, 18 | 4.6 | 40 |
| 193 | Role of Adiponectin in Coronary Heart Disease Risk: A Mendelian Randomization Study. <i>Circulation Research</i> , 2016 , 119, 491-9 | 15.7 | 57 |
| 192 | Breastfeeding in the 21st century: epidemiology, mechanisms, and lifelong effect. <i>Lancet, The</i> , 2016 , 387, 475-90 | 40 | 2857 |
| 191 | Linear spline multilevel models for summarising childhood growth trajectories: A guide to their application using examples from five birth cohorts. <i>Statistical Methods in Medical Research</i> , 2016 , 25, 1854-1874 | 2.3 | 118 |
| 190 | Countdown to 2015: a decade of tracking progress for maternal, newborn, and child survival. <i>Lancet, The</i> , 2016 , 387, 2049-59 | 40 | 255 |
| 189 | Who Delivers without Water? A Multi Country Analysis of Water and Sanitation in the Childbirth Environment. <i>PLoS ONE</i> , 2016 , 11, e0160572 | 3.7 | 17 |
| 188 | Inequalities in full immunization coverage: trends in low- and middle-income countries. <i>Bulletin of the World Health Organization</i> , 2016 , 94, 794-805B | 8.2 | 86 |
| 187 | Patterns and determinants of antenatal care utilization: analysis of national survey data in seven countdown countries. <i>Journal of Global Health</i> , 2016 , 6, 010404 | 4.3 | 68 |
| 186 | Use of motorcycle in Brazil: users profile, prevalence of use and traffic accidents occurrence - a population-based study. <i>Ciencia E Saude Coletiva</i> , 2016 , 21, 3703-3710 | 2.2 | 11 |
| 185 | Summary indices for monitoring universal coverage in maternal and child health care. <i>Bulletin of the World Health Organization</i> , 2016 , 94, 903-912 | 8.2 | 36 |
| 184 | Setting research priorities to improve global newborn health and prevent stillbirths by 2025. Journal of Global Health, 2016 , 6, 010508 | 4.3 | 38 |
| 183 | Coverage and equity in reproductive and maternal health interventions in Brazil: impressive progress following the implementation of the Unified Health System. <i>International Journal for Equity in Health</i> , 2016 , 15, 149 | 4.6 | 25 |
| 182 | Response by Borges et al to Editorial Regarding Article, "Role of Adiponectin in Coronary Heart Disease Risk: A Mendelian Randomization Study". <i>Circulation Research</i> , 2016 , 119, e127-8 | 15.7 | 3 |

(2015-2016)

| 181 | Examining national and district-level trends in neonatal health in Peru through an equity lens: a success story driven by political will and societal advocacy. <i>BMC Public Health</i> , 2016 , 16 Suppl 2, 796 | 4.1 | 15 |
|-----|---|------|-----|
| 180 | Missed opportunities in full immunization coverage: findings from low- and lower-middle-income countries. <i>Global Health Action</i> , 2016 , 9, 30963 | 3 | 43 |
| 179 | Secular trends in smoking during pregnancy according to income and ethnic group: four population-based perinatal surveys in a Brazilian city. <i>BMJ Open</i> , 2016 , 6, e010127 | 3 | 19 |
| 178 | Body shape and size in 6-year old children: assessment by three-dimensional photonic scanning. <i>International Journal of Obesity</i> , 2016 , 40, 1012-7 | 5.5 | 4 |
| 177 | Child health and nutrition in Peru within an antipoverty political agenda: a Countdown to 2015 country case study. <i>The Lancet Global Health</i> , 2016 , 4, e414-26 | 13.6 | 69 |
| 176 | Stability and change in fruit and vegetable intake of Brazilian adolescents over a 3-year period: 1993 Pelotas Birth Cohort. <i>Public Health Nutrition</i> , 2016 , 19, 386-92 | 3.3 | 3 |
| 175 | State of inequality in diphtheria-tetanus-pertussis immunisation coverage in low-income and middle-income countries: a multicountry study of household health surveys. <i>The Lancet Global Health</i> , 2016 , 4, e617-26 | 13.6 | 49 |
| 174 | Genetic causes of intellectual disability in a birth cohort: a population-based study. <i>American Journal of Medical Genetics, Part A</i> , 2015 , 167, 1204-14 | 2.5 | 28 |
| 173 | Time trends in socio-economic inequalities in stunting prevalence: analyses of repeated national surveys. <i>Public Health Nutrition</i> , 2015 , 18, 2097-104 | 3.3 | 34 |
| 172 | Trajectories of maternal depression and offspring psychopathology at 6 years: 2004 Pelotas cohort study. <i>Journal of Affective Disorders</i> , 2015 , 174, 424-31 | 6.6 | 76 |
| 171 | Exclusive Breastfeeding and Risk of Dental Malocclusion. <i>Pediatrics</i> , 2015 , 136, e60-7 | 7.4 | 31 |
| 170 | Countdown to 2015 and beyond: fulfilling the health agenda for women and children. <i>Lancet, The</i> , 2015 , 385, 466-76 | 40 | 134 |
| 169 | The influence of birth order and number of siblings on adolescent body composition: evidence from a Brazilian birth cohort study. <i>British Journal of Nutrition</i> , 2015 , 114, 118-25 | 3.6 | 13 |
| 168 | Patterns and trends of contraceptive use among sexually active adolescents in Burkina Faso, Ethiopia, and Nigeria: evidence from cross-sectional studies. <i>Global Health Action</i> , 2015 , 8, 29737 | 3 | 28 |
| 167 | Contraceptive use and distribution of high-risk births in Nigeria: a sub-national analysis. <i>Global Health Action</i> , 2015 , 8, 29745 | 3 | 22 |
| 166 | Trends and patterns of modern contraceptive use and relationships with high-risk births and child mortality in Burkina Faso. <i>Global Health Action</i> , 2015 , 8, 29736 | 3 | 13 |
| 165 | Estimating family planning coverage from contraceptive prevalence using national household surveys. <i>Global Health Action</i> , 2015 , 8, 29735 | 3 | 10 |
| 164 | Patterns and trends of postpartum family planning in Ethiopia, Malawi, and Nigeria: evidence of missed opportunities for integration. <i>Global Health Action</i> , 2015 , 8, 29738 | 3 | 35 |

| 163 | Trends in contraceptive use and distribution of births with demographic risk factors in Ethiopia: a sub-national analysis. <i>Global Health Action</i> , 2015 , 8, 29720 | 3 | 8 |
|-----|--|------|-----|
| 162 | Sex differences in the association between foetal growth and child attention at age four: specific vulnerability of girls. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2015 , 56, 1380-8 | 7.9 | 10 |
| 161 | Determinants of out-of-pocket health expenditure on children: an analysis of the 2004 Pelotas Birth Cohort. <i>International Journal for Equity in Health</i> , 2015 , 14, 53 | 4.6 | 13 |
| 160 | Oral mucosal lesionsRimpact on oral health-related quality of life in preschool children. <i>Community Dentistry and Oral Epidemiology</i> , 2015 , 43, 578-85 | 2.8 | 6 |
| 159 | Gestational age and newborn size according to parental social mobility: an intergenerational cohort study. <i>Journal of Epidemiology and Community Health</i> , 2015 , 69, 944-9 | 5.1 | 7 |
| 158 | Prevalence of enuresis and urinary symptoms at age 7 years in the 2004 birth cohort from Pelotas, Brazil. <i>Jornal De Pediatria</i> , 2015 , 91, 52-8 | 2.6 | 15 |
| 157 | Prevalence of enuresis and urinary symptoms at age 7 years in the 2004 birth cohort from Pelotas, Brazil. <i>Jornal De Pediatria (Versi</i> ò Em Portugus), 2015 , 91, 52-58 | 0.2 | |
| 156 | Progress in reducing inequalities in reproductive, maternal, newborn,Rand child health in Latin America and the Caribbean: an unfinished agenda. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2015 , 38, 9-16 | 4.1 | 28 |
| 155 | Prevalence and comorbidity of psychiatric disorders among 6-year-old children: 2004 Pelotas Birth Cohort. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 975-83 | 4.5 | 40 |
| 154 | Every Newborn: progress, priorities, and potential beyond survival. <i>Lancet, The</i> , 2014 , 384, 189-205 | 40 | 959 |
| 153 | The association of birth order with later body mass index and blood pressure: a comparison between prospective cohort studies from the United Kingdom and Brazil. <i>International Journal of Obesity</i> , 2014 , 38, 973-9 | 5.5 | 10 |
| 152 | Socioeconomic inequalities in neonatal mortality are falling: but why?. <i>The Lancet Global Health</i> , 2014 , 2, e122-3 | 13.6 | 8 |
| 151 | Physical activity during pregnancy and offspring neurodevelopment and IQ in the first 4 years of life. <i>PLoS ONE</i> , 2014 , 9, e110050 | 3.7 | 19 |
| 150 | Local distributions of wealth to describe health inequalities in India: a new approach for analyzing nationally representative household survey data, 1992-2008. <i>PLoS ONE</i> , 2014 , 9, e110694 | 3.7 | 15 |
| 149 | Effectiveness of motivational interviewing at improving oral health: a systematic review. <i>Revista De Saude Publica</i> , 2014 , 48, 142-53 | 2.4 | 36 |
| 148 | Age, class and race discrimination: their interactions and associations with mental health among Brazilian university students. <i>Cadernos De Saude Publica</i> , 2014 , 30, 175-86 | 3.2 | 30 |
| 147 | Body composition assessment using DXA in six-year-old children: the 2004 Pelotas Birth Cohort, Rio Grande do Sul State, Brazil. <i>Cadernos De Saude Publica</i> , 2014 , 30, 2123-33 | 3.2 | 7 |
| 146 | Socioeconomic inequality in catastrophic health expenditure in Brazil. <i>Revista De Saude Publica</i> , 2014 , 48, 632-41 | 2.4 | 35 |

| 145 | Early life determinants of low IQ at age 6 in children from the 2004 Pelotas Birth Cohort: a predictive approach. <i>BMC Pediatrics</i> , 2014 , 14, 308 | 2.6 | 21 |
|-----|---|----------------------|-----------------|
| 144 | Increase in child behavior problems among urban Brazilian 4-year olds: 1993 and 2004 Pelotas birth cohorts. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2014 , 55, 1125-34 | 7.9 | 18 |
| 143 | Cohort profile update: 2004 Pelotas (Brazil) Birth Cohort Study. Body composition, mental health and genetic assessment at the 6 years follow-up. <i>International Journal of Epidemiology</i> , 2014 , 43, 1437-1 | 143 ⁸ 7a- | f ⁷⁴ |
| 142 | Dental caries is associated with dental fear in childhood: findings from a birth cohort study. <i>Caries Research</i> , 2014 , 48, 263-70 | 4.2 | 37 |
| 141 | Antenatal and postnatal maternal mood symptoms and psychiatric disorders in pre-school children from the 2004 Pelotas Birth Cohort. <i>Journal of Affective Disorders</i> , 2014 , 164, 112-7 | 6.6 | 30 |
| 140 | The double task of preventing malnutrition and overweight: a quasi-experimental community-based trial. <i>BMC Public Health</i> , 2013 , 13, 212 | 4.1 | 20 |
| 139 | How within-country inequalities and co-coverage may affect LiST estimates of lives saved by scaling up interventions. <i>BMC Public Health</i> , 2013 , 13 Suppl 3, S24 | 4.1 | 5 |
| 138 | Do socioeconomic determinants affect the quality of posterior dental restorations? A multilevel approach. <i>Journal of Dentistry</i> , 2013 , 41, 960-7 | 4.8 | 47 |
| 137 | Prognostic factors for low birthweight repetition in successive pregnancies: a cohort study. <i>BMC Pregnancy and Childbirth</i> , 2013 , 13, 20 | 3.2 | 8 |
| 136 | Measuring coverage in MNCH: total survey error and the interpretation of intervention coverage estimates from household surveys. <i>PLoS Medicine</i> , 2013 , 10, e1001386 | 11.6 | 26 |
| 135 | Trends in caesarean delivery by country and wealth quintile: cross-sectional surveys in southern Asia and sub-Saharan Africa. <i>Bulletin of the World Health Organization</i> , 2013 , 91, 914-922D | 8.2 | 141 |
| 134 | Bed-sharing and risk of hospitalisation due to pneumonia and diarrhoea in infancy: the 2004 Pelotas Birth Cohort. <i>Journal of Epidemiology and Community Health</i> , 2013 , 67, 245-9 | 5.1 | 7 |
| 133 | Measuring coverage in MNCH: determining and interpreting inequalities in coverage of maternal, newborn, and child health interventions. <i>PLoS Medicine</i> , 2013 , 10, e1001390 | 11.6 | 215 |
| 132 | Multilevel analysis of the association between posterior restorations and gingival health in young adults: a population-based birth cohort. <i>Journal of Clinical Periodontology</i> , 2013 , 40, 1126-31 | 7.7 | 11 |
| 131 | Flour fortification with iron has no impact on anaemia in urban Brazilian children ©orrigendum. <i>Public Health Nutrition</i> , 2013 , 16, 188-188 | 3.3 | 1 |
| 130 | Maternal smoking in successive pregnancies and recurrence of low birthweight: the 2004 Pelotas birth cohort study, Brazil. <i>Cadernos De Saude Publica</i> , 2013 , 29, 123-30 | 3.2 | 7 |
| 129 | Desigualdades socioeconîmicas na baixa estatura infantil: a experificia brasileira, 1974-2007. <i>Estudos Avancados</i> , 2013 , 27, 38-49 | 0.6 | 2 |
| 128 | Maternal education inequalities in height growth rates in early childhood: 2004 Pelotas birth cohort study. <i>Paediatric and Perinatal Epidemiology</i> , 2012 , 26, 236-49 | 2.7 | 20 |

| 127 | Equity in maternal, newborn, and child health interventions in Countdown to 2015: a retrospective review of survey data from 54 countries. <i>Lancet, The</i> , 2012 , 379, 1225-33 | 40 | 370 |
|-----|--|-------|-----|
| 126 | Amalgam or composite resin? Factors influencing the choice of restorative material. <i>Journal of Dentistry</i> , 2012 , 40, 703-10 | 4.8 | 49 |
| 125 | How changes in coverage affect equity in maternal and child health interventions in 35 Countdown to 2015 countries: an analysis of national surveys. <i>Lancet, The</i> , 2012 , 380, 1149-56 | 40 | 174 |
| 124 | Gestational age at birth and morbidity, mortality, and growth in the first 4 years of life: findings from three birth cohorts in Southern Brazil. <i>BMC Pediatrics</i> , 2012 , 12, 169 | 2.6 | 17 |
| 123 | Trends in socioeconomic inequalities in anthropometric status in a population undergoing the nutritional transition: data from 1982, 1993 and 2004 Pelotas birth cohort studies. <i>BMC Public Health</i> , 2012 , 12, 511 | 4.1 | 14 |
| 122 | Food intake profiles of children aged 12, 24 and 48 months from the 2004 Pelotas (Brazil) birth cohort: an exploratory analysis using principal components. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012 , 9, 43 | 8.4 | 24 |
| 121 | Time trend of asthma in children and adolescents in Brazil, 1998-2008. <i>Revista De Saude Publica</i> , 2012 , 46, 242-50 | 2.4 | 22 |
| 120 | Reduction of social inequalities in utilization of dental care in Brazil from 1998 to 2008. <i>Revista De Saude Publica</i> , 2012 , 46, 250-8 | 2.4 | 56 |
| 119 | Predictors of dental visits for routine check-ups and for the resolution of problems among preschool children. <i>Revista De Saude Publica</i> , 2012 , 46, 87-97 | 2.4 | 54 |
| 118 | Explicit discrimination and health: development and psychometric properties of an assessment instrument. <i>Revista De Saude Publica</i> , 2012 , 46, 269-78 | 2.4 | 26 |
| 117 | Trends in self-reported arterial hypertension in Brazilian adults: an analysis of data from the Brazilian National Household Sample Survey, 1998-2008. <i>Cadernos De Saude Publica</i> , 2012 , 28, 1599-607 | , 3.2 | 2 |
| 116 | Factors associated to medicine use among children from the 2004 Pelotas Birth Cohort (Brazil). <i>Revista De Saude Publica</i> , 2012 , 46, 487-96 | 2.4 | 3 |
| 115 | Association of socioeconomic position with maternal pregnancy and infant health outcomes in birth cohort studies from Brazil and the UK. <i>Journal of Epidemiology and Community Health</i> , 2012 , 66, 127-35 | 5.1 | 31 |
| 114 | Cesarean section and risk of obesity in childhood, adolescence, and early adulthood: evidence from 3 Brazilian birth cohorts. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 465-70 | 7 | 81 |
| 113 | Reply to H-t Li et al. American Journal of Clinical Nutrition, 2012, 96, 216-216 | 7 | |
| 112 | Association between black stains and dental caries in primary teeth: findings from a Brazilian population-based birth cohort. <i>Caries Research</i> , 2012 , 46, 170-6 | 4.2 | 25 |
| 111 | Use of medicines with unknown fetal risk among parturient women from the 2004 Pelotas Birth Cohort (Brazil). <i>Journal of Pregnancy</i> , 2012 , 2012, 257597 | 2.5 | 6 |
| 110 | Flour fortification with iron has no impact on anaemia in urban Brazilian children. <i>Public Health Nutrition</i> , 2012 , 15, 1796-801 | 3.3 | 33 |

(2011-2012)

| 109 | Seasonality of infant feeding practices in three Brazilian birth cohorts. <i>International Journal of Epidemiology</i> , 2012 , 41, 743-52 | 7.8 | 13 |
|-----|--|-----|-----|
| 108 | Caries is the main cause for dental pain in childhood: findings from a birth cohort. <i>Caries Research</i> , 2012 , 46, 488-95 | 4.2 | 73 |
| 107 | Characteristics of intestinal habits in children younger than 4 years: detecting constipation. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2012 , 55, 451-6 | 2.8 | 17 |
| 106 | Validity of 5-year-old childrenß oral hygiene pattern referred by mothers. <i>Revista De Saude Publica</i> , 2011 , 45, 668-75 | 2.4 | 8 |
| 105 | Avoidable deaths until 48 [corrected] months of age among children from the 2004 Pelotas birth cohort. <i>Revista De Saude Publica</i> , 2011 , 45, 334-42 | 2.4 | 4 |
| 104 | Traffic accidents in Brazil from 1998 to 2010: many changes and few effects. <i>Revista De Saude Publica</i> , 2011 , 45, 949-63 | 2.4 | 64 |
| 103 | Patterns of deliveries in a Brazilian birth cohort: almost universal cesarean sections for the better-off. <i>Revista De Saude Publica</i> , 2011 , 45, 635-43 | 2.4 | 81 |
| 102 | P1-473 Assessing the psychosocial impact of dental outcomes on children and parental quality of life. <i>Journal of Epidemiology and Community Health</i> , 2011 , 65, A198-A198 | 5.1 | |
| 101 | P2-320 Asthma trends in Brazilian children and adolescents: results from the Brazilian National Survey (PNAD/IBGE) 1998\(2008\). Journal of Epidemiology and Community Health, 2011, 65, A311-A311 | 5.1 | |
| 100 | Household expenditures for medicines and the role of free medicines in the Brazilian public health system. <i>American Journal of Public Health</i> , 2011 , 101, 916-21 | 5.1 | 7 |
| 99 | Caesarean sections and risk of wheezing in childhood and adolescence: data from two birth cohort studies in Brazil. <i>Clinical and Experimental Allergy</i> , 2011 , 41, 218-23 | 4.1 | 36 |
| 98 | Childbearing during adolescence and offspring mortality: findings from three population-based cohorts in southern Brazil. <i>BMC Public Health</i> , 2011 , 11, 781 | 4.1 | 18 |
| 97 | Cohort profile: the 2004 Pelotas (Brazil) birth cohort study. <i>International Journal of Epidemiology</i> , 2011 , 40, 1461-8 | 7.8 | 130 |
| 96 | Maternal smoking during pregnancy and offspring growth in childhood: 1993 and 2004 Pelotas cohort studies. <i>Archives of Disease in Childhood</i> , 2011 , 96, 519-25 | 2.2 | 43 |
| 95 | Towards universal health coverage: the role of within-country wealth-related inequality in 28 countries in sub-Saharan Africa. <i>Bulletin of the World Health Organization</i> , 2011 , 89, 881-90 | 8.2 | 60 |
| 94 | How many low birthweight babies in low- and middle-income countries are preterm?. <i>Revista De Saude Publica</i> , 2011 , 45, 607-16 | 2.4 | 20 |
| 93 | Avoidable deaths in the first four years of life among children in the 2004 Pelotas (Brazil) birth cohort study. <i>Cadernos De Saude Publica</i> , 2011 , 27 Suppl 2, S185-97 | 3.2 | 6 |
| 92 | Catastrophic spending on health care in Brazil: private health insurance does not seem to be the solution. <i>Cadernos De Saude Publica</i> , 2011 , 27 Suppl 2, S254-62 | 3.2 | 44 |

| 91 | Standardized phase angle from bioelectrical impedance analysis as prognostic factor for survival in patients with cancer. <i>Supportive Care in Cancer</i> , 2010 , 19, 187-92 | 3.9 | 78 |
|----|--|-----|-----|
| 90 | Risk factors for suspected developmental delay at age 2 years in a Brazilian birth cohort. <i>Paediatric and Perinatal Epidemiology</i> , 2010 , 24, 211-21 | 2.7 | 41 |
| 89 | Natural history of suspected developmental delay between 12 and 24 months of age in the 2004 Pelotas birth cohort. <i>Journal of Paediatrics and Child Health</i> , 2010 , 46, 329-36 | 1.3 | 11 |
| 88 | Avalia B longitudinal do controle esfincteriano em uma coorte de crian B s Brasileiras. <i>Jornal De Pediatria</i> , 2010 , 86, 429-434 | 2.6 | 2 |
| 87 | Medicine use from birth to age two years: the 2004 Pelotas (Brazil) Birth Cohort study. <i>Revista De Saude Publica</i> , 2010 , 44, 591-600 | 2.4 | 16 |
| 86 | Priorities in health: what do they mean to Brazilian adults?. <i>Cadernos De Saude Publica</i> , 2010 , 26, 775-85 | 3.2 | 1 |
| 85 | A community intervention to prevent traffic accidents among bicycle commuters. <i>Revista De Saude Publica</i> , 2010 , 44, 867-75 | 2.4 | 22 |
| 84 | Experiences of discrimination among university students in the city of Rio de Janeiro. <i>Revista De Saude Publica</i> , 2010 , 44, 28-38 | 2.4 | 7 |
| 83 | Oral health follow-up studies in the 1993 Pelotas (Brazil) birth cohort study: methodology and principal results. <i>Cadernos De Saude Publica</i> , 2010 , 26, 1990-9 | 3.2 | 8 |
| 82 | Child development in a birth cohort: effect of child stimulation is stronger in less educated mothers. <i>International Journal of Epidemiology</i> , 2010 , 39, 285-94 | 7.8 | 53 |
| 81 | Socio-economic and ethnic group inequities in antenatal care quality in the public and private sector in Brazil. <i>Health Policy and Planning</i> , 2010 , 25, 253-61 | 3.4 | 86 |
| 80 | Recent trends in maternal, newborn, and child health in Brazil: progress toward Millennium Development Goals 4 and 5. <i>American Journal of Public Health</i> , 2010 , 100, 1877-89 | 5.1 | 76 |
| 79 | Determinants of preterm birth: Pelotas, Rio Grande do Sul State, Brazil, 2004 birth cohort. <i>Cadernos De Saude Publica</i> , 2010 , 26, 185-94 | 3.2 | 23 |
| 78 | Long-lasting maternal depression and child growth at 4 years of age: a cohort study. <i>Journal of Pediatrics</i> , 2010 , 157, 401-6 | 3.6 | 41 |
| 77 | Racial discrimination and health: a systematic review of scales with a focus on their psychometric properties. <i>Social Science and Medicine</i> , 2010 , 70, 1091-9 | 5.1 | 130 |
| 76 | Cycling to work in Brazil: users profile, risk behaviors, and traffic accident occurrence. <i>Accident Analysis and Prevention</i> , 2010 , 42, 1025-30 | 6.1 | 42 |
| 75 | Longitudinal study of sphincter control in a cohort of Brazilian children. <i>Jornal De Pediatria</i> , 2010 , 86, 429-34 | 2.6 | 3 |
| 74 | Narrowing socioeconomic inequality in child stunting: the Brazilian experience, 1974-2007. <i>Bulletin of the World Health Organization</i> , 2010 , 88, 305-11 | 8.2 | 143 |

(2008-2009)

| 73 | Does the way I see you affect the way I see myself? Associations between interviewersRand intervieweesRRolor/raceRin southern Brazil. <i>Cadernos De Saude Publica</i> , 2009 , 25, 2111-24 | 3.2 | 18 |
|----|---|------|----|
| 72 | Differentials and income-related inequalities in maternal depression during the first two years after childbirth: birth cohort studies from Brazil and the UK. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2009 , 5, 12 | 3.2 | 13 |
| 71 | Bed-sharing at 3 months and breast-feeding at 1 year in southern Brazil. <i>Journal of Pediatrics</i> , 2009 , 155, 505-9 | 3.6 | 27 |
| 70 | Late preterm birth is a risk factor for growth faltering in early childhood: a cohort study. <i>BMC Pediatrics</i> , 2009 , 9, 71 | 2.6 | 70 |
| 69 | Inequities in maternal postnatal visits among public and private patients: 2004 Pelotas cohort study. <i>BMC Public Health</i> , 2009 , 9, 335 | 4.1 | 28 |
| 68 | Life course dental caries determinants and predictors in children aged 12 years: a population-based birth cohort. <i>Community Dentistry and Oral Epidemiology</i> , 2009 , 37, 123-33 | 2.8 | 35 |
| 67 | Medicine access and utilization in a population covered by primary health care in Brazil. <i>Health Policy</i> , 2009 , 89, 295-302 | 3.2 | 48 |
| 66 | Physical activity and preterm birth: a literature review. <i>Sports Medicine</i> , 2009 , 39, 961-75 | 10.6 | 34 |
| 65 | Health service use in a population covered by the Estratgia de Sage da Famíla (Family Health Strategy). <i>Revista De Saude Publica</i> , 2009 , 43, 595-603 | 2.4 | 34 |
| 64 | Associated factors and consequences of late preterm births: results from the 2004 Pelotas birth cohort. <i>Paediatric and Perinatal Epidemiology</i> , 2008 , 22, 350-9 | 2.7 | 48 |
| 63 | A descriptive review of the methodologies used in household surveys on medicine utilization. <i>BMC Health Services Research</i> , 2008 , 8, 222 | 2.9 | 22 |
| 62 | Can mothers rely on the Brazilian health system for their deliveries? An assessment of use of the public system and out-of-pocket expenditure in the 2004 Pelotas Birth Cohort Study, Brazil. <i>BMC Health Services Research</i> , 2008 , 8, 57 | 2.9 | 9 |
| 61 | Leisure time physical activity during pregnancy and preterm birth in Brazil. <i>International Journal of Gynecology and Obstetrics</i> , 2008 , 103, 9-15 | 4 | 26 |
| 60 | Out-of-pocket health expenditure in a population covered by the Family Health Program in Brazil. <i>International Journal of Epidemiology</i> , 2008 , 37, 758-65 | 7.8 | 49 |
| 59 | Widening ethnic disparities in infant mortality in southern Brazil: comparison of 3 birth cohorts. <i>American Journal of Public Health</i> , 2008 , 98, 692-68 | 5.1 | 39 |
| 58 | Aquisiß do controle esfincteriano em uma coorte de nascimentos: situaß aos 2 anos de idade. <i>Jornal De Pediatria</i> , 2008 , 84, 455-462 | 2.6 | 16 |
| 57 | Infant malnutrition and obesity in three population-based birth cohort studies in Southern Brazil: trends and differences. <i>Cadernos De Saude Publica</i> , 2008 , 24 Suppl 3, S417-26 | 3.2 | 17 |
| 56 | Increase in preterm births in Brazil: review of population-based studies. <i>Revista De Saude Publica</i> , 2008 , 42, 957-64 | 2.4 | 72 |

| 55 | Preterm births, low birth weight, and intrauterine growth restriction in three birth cohorts in Southern Brazil: 1982, 1993 and 2004. <i>Cadernos De Saude Publica</i> , 2008 , 24 Suppl 3, S390-8 | 3.2 | 55 |
|----|---|-----|-----|
| 54 | Neonatal mortality: description and effect of hospital of birth after risk adjustment. <i>Revista De Saude Publica</i> , 2008 , 42, 1-9 | 2.4 | 52 |
| 53 | Breastfeeding and feeding patterns in three birth cohorts in Southern Brazil: trends and differentials. <i>Cadernos De Saude Publica</i> , 2008 , 24 Suppl 3, S409-16 | 3.2 | 27 |
| 52 | Perinatal mortality in three population-based cohorts from Southern Brazil: trends and differences. <i>Cadernos De Saude Publica</i> , 2008 , 24 Suppl 3, S399-408 | 3.2 | 13 |
| 51 | The use of maternal and child health services in three population-based cohorts in Southern Brazil, 1982-2004. <i>Cadernos De Saude Publica</i> , 2008 , 24 Suppl 3, S427-36 | 3.2 | 24 |
| 50 | Does malocclusion influence the adolescent® satisfaction with appearance? A cross-sectional study nested in a Brazilian birth cohort. <i>Community Dentistry and Oral Epidemiology</i> , 2008 , 36, 137-43 | 2.8 | 40 |
| 49 | Methods used in the 1982, 1993, and 2004 birth cohort studies from Pelotas, Rio Grande do Sul State, Brazil, and a description of the socioeconomic conditions of participantsRfamilies. <i>Cadernos De Saude Publica</i> , 2008 , 24 Suppl 3, S371-80 | 3.2 | 40 |
| 48 | Mothers and their pregnancies: a comparison of three population-based cohorts in Southern Brazil. <i>Cadernos De Saude Publica</i> , 2008 , 24 Suppl 3, S381-9 | 3.2 | 29 |
| 47 | Hospitalizations during infancy in three population-based studies in Southern Brazil: trends and differentials. <i>Cadernos De Saude Publica</i> , 2008 , 24 Suppl 3, S437-43 | 3.2 | 13 |
| 46 | Developmental status at age 12 months according to birth weight and family income: a comparison of two Brazilian birth cohorts. <i>Cadernos De Saude Publica</i> , 2008 , 24 Suppl 3, S444-50 | 3.2 | 30 |
| 45 | Infant mortality in three population-based cohorts in Southern Brazil: trends and differentials. <i>Cadernos De Saude Publica</i> , 2008 , 24 Suppl 3, S451-60 | 3.2 | 16 |
| 44 | O Mestrado do Programa de PE-graduaB em Epidemiologia da UFPel baseado em consEcio de pesquisa: uma experiEicia inovadora. <i>Revista Brasileira De Epidemiologia</i> , 2008 , 11, 133-144 | 1.3 | 23 |
| 43 | Toilet training: methods, parental expectations and associated dysfunctions. <i>Jornal De Pediatria</i> , 2008 , 84, 9-17 | 2.6 | 33 |
| 42 | Treinamento esfincteriano precoce: prevalficia, caracterfiticas materna da crianfi e fatores associados numa coorte de nascimentos. <i>Revista Brasileira De Saude Materno Infantil</i> , 2008 , 8, 103-111 | 0.3 | |
| 41 | Toilet training: situation at 2 years of age in a birth cohort. <i>Jornal De Pediatria</i> , 2008 , 84, 455-62 | 2.6 | 5 |
| 40 | Validation of the Edinburgh Postnatal Depression Scale (EPDS) in a sample of mothers from the 2004 Pelotas Birth Cohort Study. <i>Cadernos De Saude Publica</i> , 2007 , 23, 2577-88 | 3.2 | 144 |
| 39 | Effects of breastfeeding and sucking habits on malocclusion in a birth cohort study. <i>Revista De Saude Publica</i> , 2007 , 41, 343-50 | 2.4 | 82 |
| 38 | Leisure-time physical activity during pregnancy in the 2004 Pelotas Birth Cohort Study. <i>Revista De Saude Publica</i> , 2007 , 41, 173-80 | 2.4 | 57 |

(2004-2007)

| 37 | Infant growth, development and tooth emergence patterns: A longitudinal study from birth to 6 years of age. <i>Archives of Oral Biology</i> , 2007 , 52, 598-606 | 2.8 | 41 |
|----|--|------|-----|
| 36 | The relation between family socioeconomic trajectories from childhood to adolescence and dental caries and associated oral behaviours. <i>Journal of Epidemiology and Community Health</i> , 2007 , 61, 141-5 | 5.1 | 94 |
| 35 | The role of perceived personal barriers to engagement in leisure-time physical activity. <i>American Journal of Public Health</i> , 2007 , 97, 515-9 | 5.1 | 229 |
| 34 | Physical activity and medicine use: evidence from a population-based study. <i>BMC Public Health</i> , 2006 , 6, 224 | 4.1 | 21 |
| 33 | Effects of socioeconomic change from birth to early adulthood on height and overweight. <i>International Journal of Epidemiology</i> , 2006 , 35, 1233-8 | 7.8 | 59 |
| 32 | Deaths and years of life lost due to suboptimal breast-feeding among children in the developing world: a global ecological risk assessment. <i>Public Health Nutrition</i> , 2006 , 9, 673-85 | 3.3 | 78 |
| 31 | Indications and limitations of the use of subjective global assessment in clinical practice: an update. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2006 , 9, 263-9 | 3.8 | 69 |
| 30 | Epidemiologa baica. <i>Cadernos De Saude Publica</i> , 2006 , 22, 228-229 | 3.2 | |
| 29 | SB grandes os desafios para o Sistema Nacional de InformaBs em SaBe. <i>Ciencia E Saude Coletiva</i> , 2006 , 11, 872-874 | 2.2 | |
| 28 | The challenge of reducing neonatal mortality in middle-income countries: findings from three Brazilian birth cohorts in 1982, 1993, and 2004. <i>Lancet, The</i> , 2005 , 365, 847-54 | 40 | 173 |
| 27 | Bioelectrical impedance analysis: population reference values for phase angle by age and sex. <i>American Journal of Clinical Nutrition</i> , 2005 , 82, 49-52 | 7 | 287 |
| 26 | Bioelectrical impedance analysis: population reference values for phase angle by age and sex. <i>American Journal of Clinical Nutrition</i> , 2005 , 82, 49-52 | 7 | 251 |
| 25 | Bioelectrical impedance analysis in clinical practice: a new perspective on its use beyond body composition equations. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2005 , 8, 311-7 | 3.8 | 233 |
| 24 | Social support and infant malnutrition: a case-control study in an urban area of Southeastern Brazil. <i>British Journal of Nutrition</i> , 2005 , 94, 383-9 | 3.6 | 15 |
| 23 | 2H2O turnover method as a means to detect bias in estimations of intake of nonbreast milk liquids in breast-fed infants. <i>European Journal of Clinical Nutrition</i> , 2005 , 59, 93-100 | 5.2 | 34 |
| 22 | Bioelectric impedance and individual characteristics as prognostic factors for post-operative complications. <i>Clinical Nutrition</i> , 2005 , 24, 830-8 | 5.9 | 91 |
| 21 | Generic drugs in Brazil: known by many, used by few. Cadernos De Saude Publica, 2005, 21, 1808-15 | 3.2 | 22 |
| 20 | Breastfeeding patterns and exposure to suboptimal breastfeeding among children in developing countries: review and analysis of nationally representative surveys. <i>BMC Medicine</i> , 2004 , 2, 26 | 11.4 | 54 |

| 19 | Outpatient health service utilization and associated factors: a population-based study. <i>Revista De Saude Publica</i> , 2003 , 37, 372-8 | 2.4 | 41 |
|----|---|-----|------|
| 18 | Can bioelectrical impedance analysis identify malnutrition in preoperative nutrition assessment?. <i>Nutrition</i> , 2003 , 19, 422-6 | 4.8 | 111 |
| 17 | Alternatives for logistic regression in cross-sectional studies: an empirical comparison of models that directly estimate the prevalence ratio. <i>BMC Medical Research Methodology</i> , 2003 , 3, 21 | 4.7 | 2138 |
| 16 | Desigualdades na utilizaß e no acesso a servißs odontolßicos: uma avaliaß em nßel nacional. <i>Ciencia E Saude Coletiva</i> , 2002 , 7, 709-717 | 2.2 | 47 |
| 15 | Fatores de risco para injfias acidentais em pr ⁻ escolares. <i>Jornal De Pediatria</i> , 2002 , 78, 97-104 | 2.6 | 3 |
| 14 | Inequalities in health in Latin America and the Caribbean: descriptive and exploratory results for self-reported health problems and health care in twelve countries. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2002 , 11, 335-55 | 4.1 | 29 |
| 13 | Child-care attendance and common morbidity: evidence of association in the literature and questions of design. <i>Revista De Saude Publica</i> , 1999 , 33, 98-106 | 2.4 | 19 |
| 12 | Preventing acute respiratory infections and diarrhoea in child care centres. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1999 , 88, 1113-8 | 3.1 | 12 |
| 11 | Attendance at day care centers increases the risk of childhood pneumonia among the urban poor in Fortaleza, Brazil. <i>Cadernos De Saude Publica</i> , 1996 , 12, 133-140 | 3.2 | 13 |
| 10 | A Survey-Based Womenß Empowerment Index for Low- and Middle-Income Countries: The SWPER Goes Global. SSRN Electronic Journal, | 1 | 3 |
| 9 | Time-Dependent Decay of Detectable Antibodies Against SARS-CoV-2: A Comparison of ELISA with Two Batches of a Lateral-Flow Test. <i>SSRN Electronic Journal</i> , | 1 | 2 |
| 8 | High prevalence of symptoms among Brazilian subjects with antibodies against SARS-CoV-2: a nationwide household survey | | 1 |
| 7 | Repeated population-based surveys of antibodies against SARS-CoV-2 in Southern Brazil | | 19 |
| 6 | Sensitivity and specificity of a rapid test for assessment of exposure to SARS-CoV-2 in a community-based setting in Brazil | | 10 |
| 5 | Remarkable variability in SARS-CoV-2 antibodies across Brazilian regions: nationwide serological household survey in 27 states | | 38 |
| 4 | Missed childhood immunizations during the COVID-19 pandemic in Brazil: analyses of routine statistics and of a national household survey | | 1 |
| 3 | Estimating the early impact of immunization against COVID-19 on deaths among elderly people in Brazil: analyses of routinely-collected data on vaccine coverage and mortality. | | 8 |
| 2 | Combining serological assays and official statistics to describe the trajectory of the COVID-19 pandemic: results from the EPICOVID19-RS study in Rio Grande do Sul (Southern Brazil) | | 2 |

Learning from success cases: ecological analysis of pathways to universal access to reproductive health care in low- and middle-income countries.. *Gates Open Research*,6, 59

2.4 0