## InÃ<sup>a</sup>s BÃ;rtolo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3364223/publications.pdf Version: 2024-02-01



INÃAS RÃ: DTOLO

#	Article	IF	CITATIONS
1	Anti-HIV-1 Activity of pepRF1, a Proteolysis-Resistant CXCR4 Antagonist Derived from Dengue Virus Capsid Protein. ACS Infectious Diseases, 2021, 7, 6-22.	3.8	3
2	Spiro-β-lactam BSS-730A Displays Potent Activity against HIV and Plasmodium. ACS Infectious Diseases, 2021, 7, 421-434.	3.8	11
3	Synthesis and structure-activity relationships of new chiral spiro-β-lactams highly active against HIV-1 and Plasmodium. European Journal of Medicinal Chemistry, 2021, 219, 113439.	5.5	19
4	Metagenomic sequencing with spiked primer enrichment for viral diagnostics and genomic surveillance. Nature Microbiology, 2020, 5, 443-454.	13.3	114
5	A Prime-Boost Immunization Strategy with Vaccinia Virus Expressing Novel gp120 Envelope Glycoprotein from a CRF02_AG Isolate Elicits Cross-Clade Tier 2 HIV-1 Neutralizing Antibodies. Vaccines, 2020, 8, 171.	4.4	6
6	Pyromellitic dianhydride crosslinked soluble cyclodextrin polymers: Synthesis, lopinavir release from sub-micron sized particles and anti-HIV-1 activity. International Journal of Pharmaceutics, 2020, 583, 119356.	5.2	17
7	Spiro-Lactams as Novel Antimicrobial Agents. Current Topics in Medicinal Chemistry, 2020, 20, 140-152.	2.1	16
8	InÂvitro evaluation of novel reverse transcriptase inhibitors TAF (tenofovir alafenamide) and OBP-601 (2,3-didehydro-3-deoxy-4-ethynylthymidine) against multi-drug resistant primary isolates of HIV-2. Antiviral Research, 2019, 161, 85-89.	4.1	3
9	Noncovalent PEG Coating of Nanoparticle Drug Carriers Improves the Local Pharmacokinetics of Rectal Anti-HIV Microbicides. ACS Applied Materials & Interfaces, 2018, 10, 34942-34953.	8.0	32
10	Evaluation of the fusion inhibitor P3 peptide as a potential microbicide to prevent HIV transmission in women. PLoS ONE, 2018, 13, e0195744.	2.5	6
11	Accidental Father-to-Son HIV-1 Transmission During the Seroconversion Period. AIDS Research and Human Retroviruses, 2018, 34, 857-862.	1.1	6
12	Donor-Recipient Identification in Para- and Poly-phyletic Trees Under Alternative HIV-1 Transmission Hypotheses Using Approximate Bayesian Computation. Genetics, 2017, 207, 1089-1101.	2.9	12
13	Rare HIV-1 Subtype J Genomes and a New H/U/CRF02_AG Recombinant Genome Suggests an Ancient Origin of HIV-1 in Angola. AIDS Research and Human Retroviruses, 2016, 32, 822-828.	1.1	11
14	On the contribution of Angola to the initial spread of HIV-1. Infection, Genetics and Evolution, 2016, 46, 219-222.	2.3	11
15	HIV-1 Diversity, Transmission Dynamics and Primary Drug Resistance in Angola. PLoS ONE, 2014, 9, e113626.	2.5	17
16	Evolution of the human immunodeficiency virus type 2 envelope in the first years of infection is associated with the dynamics of the neutralizing antibody response. Retrovirology, 2013, 10, 110.	2.0	11
17	Predictors of Attrition and Immunological Failure in HIV-1 Patients on Highly Active Antiretroviral Therapy from Different Healthcare Settings in Mozambique. PLoS ONE, 2013, 8, e82718.	2.5	21
18	Baseline susceptibility of primary HIV-2 to entry inhibitors. Antiviral Therapy, 2012, 17, 565-570.	1.0	44

InÃ≜s BÃirtolo

#	ARTICLE	IF	CITATIONS
19	Genetic Diversity and Drug Resistance Profiles in HIV Type 1- and HIV Type 2-Infected Patients from Cape Verde Islands. AIDS Research and Human Retroviruses, 2012, 28, 510-522.	1.1	6
20	Evaluation of the diagnostic performance of the rapid test VIKIA HIV1/2 in a highly complex HIV-1 epidemic. Diagnostic Microbiology and Infectious Disease, 2011, 71, 90-92.	1.8	7
21	Evolutionary and Structural Features of the C2, V3 and C3 Envelope Regions Underlying the Differences in HIV-1 and HIV-2 Biology and Infection. PLoS ONE, 2011, 6, e14548.	2.5	27
22	Origin and Epidemiological History of HIV-1 CRF14_BG. PLoS ONE, 2011, 6, e24130.	2.5	28
23	Rapid clinical progression to AIDS and death in a persistently seronegative HIV-1 infected heterosexual young man. Aids, 2009, 23, 2359-2362.	2.2	12
24	Antiretroviral Drug Resistance Surveillance among Treatment-Naive Human Immunodeficiency Virus Type 1-Infected Individuals in Angola: Evidence for Low Level of Transmitted Drug Resistance. Antimicrobial Agents and Chemotherapy, 2009, 53, 3156-3158.	3.2	20
25	Highly divergent subtypes and new recombinant forms prevail in the HIV/AIDS epidemic in Angola: New insights into the origins of the AIDS pandemic. Infection, Genetics and Evolution, 2009, 9, 672-682.	2.3	44
26	HIV-1 Genetic Diversity and Transmitted Drug Resistance in Health Care Settings in Maputo, Mozambique. Journal of Acquired Immune Deficiency Syndromes (1999), 2009, 51, 323-331.	2.1	25
27	High Genetic Diversity of Human Immunodeficiency Virus Type 1 in Angola. AIDS Research and Human Retroviruses, 2005, 21, 306-310.	1.1	22
28	Seronegative infection and AIDS caused by an A2 subsubtype HIV-1. Aids, 2004, 18, 1071-1074.	2.2	13
29	Evaluation of the Clinical Sensitivities of Three Viral Load Assays with Plasma Samples from a Pediatric Population Predominantly Infected with Human Immunodeficiency Virus Type 1 Subtype G and BG Recombinant Forms. Journal of Clinical Microbiology, 2003, 41, 3361-3367.	3.9	37