

Xiaofang Liu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3364722/publications.pdf>

Version: 2024-02-01

72
papers

7,224
citations

76326

40
h-index

79698

73
g-index

74
all docs

74
docs citations

74
times ranked

6174
citing authors

#	ARTICLE	IF	CITATIONS
1	Anisotropic magnetic liquid metal film for wearable wireless electromagnetic sensing and smart electromagnetic interference shielding. <i>Nano Energy</i> , 2022, 92, 106700.	16.0	108
2	Catalysis stability enhancement of Fe/Co dual-atom site via phosphorus coordination for proton exchange membrane fuel cell. <i>Nano Research</i> , 2022, 15, 3082-3089.	10.4	31
3	Necklace-Like Sn@C Fiber Self-Supporting Electrode for High-Performance Sodium-Ion Battery. <i>Energy Technology</i> , 2022, 10, .	3.8	7
4	Spatial porosity design of Fe-N-C catalysts for high power density PEM fuel cells and detection of water saturation of the catalyst layer by a microwave method. <i>Journal of Materials Chemistry A</i> , 2022, 10, 7764-7772.	10.3	11
5	Environmentally Tough and Stretchable MXene Organohydrogel with Exceptionally Enhanced Electromagnetic Interference Shielding Performances. <i>Nano-Micro Letters</i> , 2022, 14, 77.	27.0	91
6	Improved interfacial performance of carbon fiber/polyetherimide composites by polyetherimide and modified graphene oxide complex emulsion type sizing agent. <i>High Performance Polymers</i> , 2022, 34, 292-309.	1.8	5
7	Iron atom-cluster interactions increase activity and improve durability in Fe-N-C fuel cells. <i>Nature Communications</i> , 2022, 13, .	12.8	159
8	Non-classical hydrogen storage mechanisms other than chemisorption and physisorption. <i>Applied Physics Reviews</i> , 2022, 9, .	11.3	16
9	Hollow double-shell structured Void@SiO ₂ @Co-C composite for broadband electromagnetic wave absorption. <i>Chemical Engineering Journal</i> , 2021, 417, 128093.	12.7	31
10	Carbon Fibers Embedded with Aligned Magnetic Particles for Efficient Electromagnetic Energy Absorption and Conversion. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 5266-5274.	8.0	21
11	Hydrogen storage in incompletely etched multilayer Ti ₂ CT _x at room temperature. <i>Nature Nanotechnology</i> , 2021, 16, 331-336.	31.5	145
12	Parallel-Orientation-Induced Strong Resonances Enable Ni Submicron-Wire Array: an Ultrathin and Ultralight Electromagnetic Wave Absorbing Material. <i>Advanced Electronic Materials</i> , 2021, 7, 2000970.	5.1	10
13	Off/on switchable smart electromagnetic interference shielding aerogel. <i>Matter</i> , 2021, 4, 1735-1747.	10.0	114
14	Hydrogen Passivation of M-N-C (M = Fe, Co) Catalysts for Storage Stability and ORR Activity Improvements. <i>Advanced Materials</i> , 2021, 33, e2103600.	21.0	81
15	Hydrogen Passivation of M-N-C (M = Fe, Co) Catalysts for Storage Stability and ORR Activity Improvements (Adv. Mater. 38/2021). <i>Advanced Materials</i> , 2021, 33, 2170300.	21.0	17
16	Iodine cation bridged graphene sheets with strengthened interface combination for electromagnetic wave absorption. <i>Carbon</i> , 2021, 183, 100-107.	10.3	34
17	OD-1D-2D multidimensionally assembled Co ₉ S ₈ /CNTs/MoS ₂ composites for ultralight and broadband electromagnetic wave absorption. <i>Chemical Engineering Journal</i> , 2021, 423, 130132.	12.7	64
18	The Calculated Dielectric Function and Optical Properties of Bimetallic Alloy Nanoparticles. <i>Journal of Physical Chemistry C</i> , 2020, 124, 2721-2727.	3.1	20

#	ARTICLE	IF	CITATIONS
19	Sodiumphosphinate-assisted synthesis of P-doped FeCo microcubes and their electromagnetic scattering characteristics. <i>Journal of Alloys and Compounds</i> , 2020, 820, 153280.	5.5	9
20	Hierarchical Cobalt Selenides as Highly Efficient Microwave Absorbers with Tunable Frequency Response. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 1222-1231.	8.0	62
21	Stability of PGM-free fuel cell catalysts: Degradation mechanisms and mitigation strategies. <i>Progress in Natural Science: Materials International</i> , 2020, 30, 721-731.	4.4	34
22	Activating microwave absorption performance by reduced graphene oxide-borophene heterostructure. <i>Composites Part A: Applied Science and Manufacturing</i> , 2020, 138, 106033.	7.6	48
23	Recent Advances in Phosphorus-Coordinated Transition Metal Single-Atom Catalysts for Oxygen Reduction Reaction. <i>ChemNanoMat</i> , 2020, 6, 1601-1610.	2.8	14
24	Synergy between metallic components of MoNi alloy for catalyzing highly efficient hydrogen storage of MgH ₂ . <i>Nano Research</i> , 2020, 13, 2063-2071.	10.4	64
25	Carbon black-supported FM-N-C (FM = Fe, Co, and Ni) single-atom catalysts synthesized by the self-catalysis of oxygen-coordinated ferrous metal atoms. <i>Journal of Materials Chemistry A</i> , 2020, 8, 13166-13172.	10.3	27
26	Temperature Impacts on Oxygen Reduction Reaction Measured by the Rotating Disk Electrode Technique. <i>Journal of Physical Chemistry C</i> , 2020, 124, 3069-3079.	3.1	32
27	Boosting electrocatalytic water splitting via metal-metalloid combined modulation in quaternary Ni-Fe-P-B amorphous compound. <i>Nano Research</i> , 2020, 13, 447-454.	10.4	77
28	Rare Earth Single-Atom Catalysts for Nitrogen and Carbon Dioxide Reduction. <i>ACS Nano</i> , 2020, 14, 1093-1101.	14.6	198
29	Sequential Synthesis and Active-Site Coordination Principle of Precious Metal Single-Atom Catalysts for Oxygen Reduction Reaction and PEM Fuel Cells. <i>Advanced Energy Materials</i> , 2020, 10, 2000689.	19.5	92
30	Cathode Local Curvature Affects Lithium Peroxide Growth in Li-O ₂ Batteries. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 35264-35269.	8.0	9
31	Insights into the role of active site density in the fuel cell performance of Co-N-C catalysts. <i>Applied Catalysis B: Environmental</i> , 2019, 256, 117849.	20.2	104
32	Alginate-templated synthesis of CoFe/carbon fiber composite and the effect of hierarchically porous structure on electromagnetic wave absorption performance. <i>Carbon</i> , 2019, 151, 36-45.	10.3	161
33	Fe-N-C electrocatalyst with dense active sites and efficient mass transport for high-performance proton exchange membrane fuel cells. <i>Nature Catalysis</i> , 2019, 2, 259-268.	34.4	958
34	Preparation of Fe-N-C catalysts with Fe _x (x = 1, 3, 4) active sites and comparison of their activities for the oxygen reduction reaction and performances in proton exchange membrane fuel cells. <i>Journal of Materials Chemistry A</i> , 2019, 7, 26147-26153.	10.3	172
35	A layered double hydroxide-derived exchange spring magnet array grown on graphene and its application as an ultrathin electromagnetic wave absorbing material. <i>Journal of Materials Chemistry C</i> , 2019, 7, 12270-12277.	5.5	42
36	Multifunctional Organic-Inorganic Hybrid Aerogel for Self-Cleaning, Heat-Insulating, and Highly Efficient Microwave Absorbing Material. <i>Advanced Functional Materials</i> , 2019, 29, 1807624.	14.9	458

#	ARTICLE	IF	CITATIONS
37	Synthesis and Active Site Identification of Fe ^N -C Single-Atom Catalysts for the Oxygen Reduction Reaction. <i>ChemElectroChem</i> , 2019, 6, 304-315.	3.4	65
38	The Solid-Phase Synthesis of an Fe ^N -C Electrocatalyst for High-Power Proton-Exchange Membrane Fuel Cells. <i>Angewandte Chemie</i> , 2018, 130, 1218-1222.	2.0	57
39	A rationally assembled graphene nanoribbon/graphene framework for high volumetric energy and power density Li-ion batteries. <i>Nanoscale</i> , 2018, 10, 7676-7684.	5.6	18
40	Yolk-shell structured Co-C/Void/Co ₉ S ₈ composites with a tunable cavity for ultrabroadband and efficient low-frequency microwave absorption. <i>Nano Research</i> , 2018, 11, 4169-4182.	10.4	139
41	Design of dual-frequency electromagnetic wave absorption by interface modulation strategy. <i>Chemical Engineering Journal</i> , 2018, 334, 153-161.	12.7	112
42	The Solid-Phase Synthesis of an Fe ^N -C Electrocatalyst for High-Power Proton-Exchange Membrane Fuel Cells. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 1204-1208.	13.8	293
43	Single-Atom to Single-Atom Grafting of Pt ₁ onto Fe ₄ N ₄ Center: Pt ₁ @Fe ₄ N ₄ /C Multifunctional Electrocatalyst with Significantly Enhanced Properties. <i>Advanced Energy Materials</i> , 2018, 8, 1701345.	19.5	371
44	An Efficient Co/C Microwave Absorber with Tunable Co Nanoparticles Derived from a ZnCo Bimetallic Zeolitic Imidazolate Framework. <i>Particle and Particle Systems Characterization</i> , 2018, 35, 1800107.	2.3	47
45	Zigzag carbon as efficient and stable oxygen reduction electrocatalyst for proton exchange membrane fuel cells. <i>Nature Communications</i> , 2018, 9, 3819.	12.8	202
46	Enhanced microwave absorption properties of rod-shaped Fe ₂ O ₃ /Fe ₃ O ₄ /MWCNTs composites. <i>Progress in Natural Science: Materials International</i> , 2018, 28, 288-295.	4.4	50
47	Hierarchical NiCo ₂ O ₄ /Co ₃ O ₄ /NiO porous composite: a lightweight electromagnetic wave absorber with tunable absorbing performance. <i>Journal of Materials Chemistry C</i> , 2017, 5, 3770-3778.	5.5	161
48	Magnetically Aligned Co ^C /MWCNTs Composite Derived from MWCNT-Interconnected Zeolitic Imidazolate Frameworks for a Lightweight and Highly Efficient Electromagnetic Wave Absorber. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 30850-30861.	8.0	282
49	Metal organic framework-derived Fe/carbon porous composite with low Fe content for lightweight and highly efficient electromagnetic wave absorber. <i>Chemical Engineering Journal</i> , 2017, 314, 320-327.	12.7	292
50	Porous CNTs/Co Composite Derived from Zeolitic Imidazolate Framework: A Lightweight, Ultrathin, and Highly Efficient Electromagnetic Wave Absorber. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 34686-34698.	8.0	427
51	Flaky FeSiAl alloy-carbon nanotube composite with tunable electromagnetic properties for microwave absorption. <i>Scientific Reports</i> , 2016, 6, 35377.	3.3	56
52	Clarifying the preferential occupation of Ga ³⁺ ions in YAG:Ce,Ga nanocrystals with various Ga ³⁺ -doping concentrations by nuclear magnetic resonance spectroscopy. <i>Journal of Materials Chemistry C</i> , 2016, 4, 10691-10700.	5.5	20
53	Effects of local structure of Ce ³⁺ ions on luminescent properties of Y ₃ Al ₅ O ₁₂ :Ce nanoparticles. <i>Scientific Reports</i> , 2016, 6, 22238.	3.3	109
54	Enhanced microwave absorption properties of flake-shaped Fe/PCB metallic glass/graphene composites. <i>Composites Part A: Applied Science and Manufacturing</i> , 2016, 89, 33-39.	7.6	72

#	ARTICLE	IF	CITATIONS
55	Graphene-enhanced microwave absorption properties of Fe ₃ O ₄ /SiO ₂ nanorods. <i>Composites Part A: Applied Science and Manufacturing</i> , 2016, 89, 40-46.	7.6	81
56	Study on the phase structures and electrochemical performances of La _{0.6} Gd _{0.2} Mg _{0.2} Ni _{3.15-x} Co _{0.25} Al _{0.1} Mn _x (x=0-0.3) alloys as negative electrode material for nickel/metal hydride batteries. <i>Electrochimica Acta</i> , 2015, 158, 89-95.	5.2	16
57	Corrosion Behavior of Detonation Gun Sprayed Al Coating on Sintered NFeB. <i>Journal of Thermal Spray Technology</i> , 2015, 24, 394-400.	3.1	9
58	Iridium Oxide Nanoparticles and Iridium/Iridium Oxide Nanocomposites: Photochemical Fabrication and Application in Catalytic Reduction of 4-Nitrophenol. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 16738-16749.	8.0	106
59	Flexible nanocomposites with enhanced microwave absorption properties based on Fe ₃ O ₄ /SiO ₂ nanorods and polyvinylidene fluoride. <i>Journal of Materials Chemistry A</i> , 2015, 3, 12197-12204.	10.3	165
60	Stabilization of ultrafine metal nanocatalysts on thin carbon sheets. <i>Nanoscale</i> , 2015, 7, 18320-18326.	5.6	28
61	Modulation of electromagnetic wave absorption by carbon shell thickness in carbon encapsulated magnetite nanoparticles/poly(vinylidene fluoride) composites. <i>Carbon</i> , 2015, 95, 870-878.	10.3	195
62	Size Influence to the High-Frequency Properties of Granular Magnetite Nanoparticles. <i>IEEE Transactions on Magnetics</i> , 2014, 50, 1-4.	2.1	4
63	Cold-Sprayed Al Coating for Corrosion Protection of Sintered NdFeB. <i>Journal of Thermal Spray Technology</i> , 2014, 23, 456-462.	3.1	32
64	The microstructures and electrochemical performances of La _{0.6} Gd _{0.2} Mg _{0.2} Ni _{3.0} Co _{0.5} xAl _x (x) Tj ETQq0 0 0 rgBT /Overlock 10 <i>Journal of Power Sources</i> , 2014, 270, 21-27.	7.8	41
65	The structure and multifunctional behaviors of Mn-ZnO/Mn-ZnS nanocomposites. <i>Ceramics International</i> , 2014, 40, 13847-13854.	4.8	4
66	Magnetic and Microwave Absorption Properties of Core/Shell FeCo-Based Nanocomposites Synthesized by a Simple Wet Chemical Method. <i>IEEE Transactions on Magnetics</i> , 2011, 47, 3456-3459.	2.1	6
67	Synthesis and Physical Properties of Mn Doped ZnO Dilute Magnetic Semiconductor Nanostructures. <i>Journal of Superconductivity and Novel Magnetism</i> , 2011, 24, 699-704.	1.8	12
68	Room-Temperature Ferromagnetism in Cobalt and Aluminum Co-Doping Tin Dioxide Diluted Magnetic Semiconductors. <i>Materials Transactions</i> , 2010, 51, 557-560.	1.2	6
69	Room-temperature spin glass and near band edge properties of highly disorder (FeCo) _{0.03} Zn _{0.97} O and (FeCoNi) _{0.03} Zn _{0.97} O nanorods. <i>Journal of Applied Physics</i> , 2010, 107, 043902.	2.5	2
70	Structure and Room-Temperature Ferromagnetism of Zn-Doped SnO ₂ Nanorods Prepared by Solvothermal Method. <i>Journal of Physical Chemistry C</i> , 2010, 114, 4790-4796.	3.1	125
71	Effects of hydroxyls on the structural and room temperature ferromagnetic properties of Co doped SnO ₂ nanoparticles. <i>Applied Physics A: Materials Science and Processing</i> , 2009, 97, 211-215.	2.3	7
72	Trapping of Ce electrons in band gap and room temperature ferromagnetism of Ce ⁴⁺ doped ZnO nanowires. <i>Journal of Applied Physics</i> , 2009, 106, .	2.5	71