

Classius De Oliveira

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3367516/classius-de-oliveira-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

59
papers

531
citations

15
h-index

19
g-index

61
ext. papers

630
ext. citations

3.5
avg, IF

4.06
L-index

#	Paper	IF	Citations
59	Effects of glyphosate on hepatic tissue evaluating melanomacrophages and erythrocytes responses in neotropical anuran <i>Leptodactylus latinasus</i> . <i>Environmental Science and Pollution Research</i> , 2016 , 23, 9852-61	5.1	39
58	Effects of thermal stress on hepatic melanomacrophages of <i>Eupemphix nattereri</i> (Anura). <i>Anatomical Record</i> , 2014 , 297, 864-75	2.1	30
57	Internal pigment cells respond to external UV radiation in frogs. <i>Journal of Experimental Biology</i> , 2016 , 219, 1378-83	3	26
56	Biomarkers at different levels of organisation after atrazine formulation (SIPTRAN 500SC) exposure in <i>Rhinella schneideri</i> (Anura: Bufonidae) Neotropical tadpoles. <i>Environmental Pollution</i> , 2019 , 244, 733-746	9.3	26
55	Responses of melanocytes and melanomacrophages of <i>Eupemphix nattereri</i> (Anura: Leiuperidae) to α -MSH-melanocyte stimulating hormone and lipopolysaccharides. <i>Zoology</i> , 2013 , 116, 316-24	1.7	23
54	MORPHOLOGICAL OBSERVATIONS ON THE TESTES OF <i>Physalaemus cuvieri</i> (AMPHIBIA, ANURA). <i>Revista Chilena De Anatomía</i> , 2002 , 20,		23
53	Effects of benzo[a]pyrene on the blood and liver of <i>Physalaemus cuvieri</i> and <i>Leptodactylus fuscus</i> (Anura: Leptodactylidae). <i>Environmental Pollution</i> , 2018 , 237, 93-102	9.3	22
52	Pigmentação testicular em <i>Physalaemus nattereri</i> (Steindachner) (Amphibia, Anura) com observações anatômicas sobre o sistema pigmentar extracutâneo. <i>Revista Brasileira De Zoologia</i> , 2005 , 22, 454-460		21
51	Genotoxic Evaluation in Tadpoles Associated with Agriculture in the Central Cerrado, Brazil. <i>Archives of Environmental Contamination and Toxicology</i> , 2019 , 77, 22-28	3.2	17
50	Pigmentation in anuran testes: anatomical pattern and variation. <i>Anatomical Record</i> , 2009 , 292, 178-82	2.1	17
49	Structural characterization of nuclear phenotypes during <i>Scinax fuscovarius</i> spermatogenesis (Anura, Hylidae). <i>Caryologia</i> , 2003 , 56, 75-83		17
48	Melanocytes in the testes of <i>Eupemphix nattereri</i> (Anura, Leiuperidae): histological, stereological, and ultrastructural aspects. <i>Anatomical Record</i> , 2007 , 290, 795-800	2.1	16
47	Flutamide effects on morphology of reproductive organs and liver of Neotropical Anura, <i>Rhinella schneideri</i> . <i>Aquatic Toxicology</i> , 2016 , 176, 181-9	5.1	16
46	Visceral pigmentation in four <i>Dendropsophus</i> species (Anura: Hylidae): Occurrence and comparison. <i>Zoologischer Anzeiger</i> , 2011 , 250, 102-110	1.1	15
45	Histological aspects and structural characteristics of the testes of <i>Dendropsophus minutus</i> (Anura, Hylidae). <i>Micron</i> , 2008 , 39, 1266-70	2.3	15
44	UV-B affects the immune system and promotes nuclear abnormalities in pigmented and non-pigmented bullfrog tadpoles. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2018 , 180, 109-117	6.7	14
43	Lipopolysaccharides induce changes in the visceral pigmentation of <i>Eupemphix nattereri</i> (Anura: Leiuperidae). <i>Zoology</i> , 2011 , 114, 298-305	1.7	14

42	Morfometria testicular durante o ciclo reprodutivo de <i>Dendropsophus minutus</i> (Peters) (Anura, Hylidae). <i>Revista Brasileira De Zoologia</i> , 2007 , 24, 64-70		14
41	Visceral pigmentation in three species of the genus <i>Scinax</i> (Anura: Hylidae): distinct morphological pattern. <i>Anatomical Record</i> , 2012 , 295, 298-306	2.1	11
40	A Comparative Study of the Extracutaneous Pigmentary System in Three Anuran Amphibian Species Evaluated During the Breeding Season. <i>South American Journal of Herpetology</i> , 2009 , 4, 1-8	0.9	11
39	A persistent organic pollutant related with unusual high frequency of hermaphroditism in the neotropical anuran <i>Physalaemus cuvieri</i> Fitzinger, 1826. <i>Environmental Research</i> , 2014 , 132, 6-11	7.9	9
38	Liver anatomy, histochemistry, and ultrastructure of <i>Eupemphix nattereri</i> (Anura: Leiuperidae) during the breeding season. <i>Zoological Science</i> , 2012 , 29, 844-8	0.8	8
37	Response of digestive organs of <i>Hypsiboas albopunctatus</i> (Anura: Hylidae) to benzo[<i>a</i>]pyrene. <i>Amphibia - Reptilia</i> , 2017 , 38, 175-185	1.2	7
36	Environmental correlates of internal coloration in frogs vary throughout space and lineages. <i>Ecology and Evolution</i> , 2017 , 7, 9222-9233	2.8	7
35	Morphological changes of the epididymis and description of the excurrent ducts of <i>Phrynops geoffroanus</i> (Testudines: Chelidae) during the reproductive cycle. <i>Anatomical Record</i> , 2011 , 294, 145-55	2.1	7
34	Nucleolar cycle and chromatoid body formation: is there a relationship between these two processes during spermatogenesis of <i>Dendropsophus minutus</i> (Amphibia, Anura)? <i>Micron</i> , 2011 , 42, 87-96	2.3	7
33	Monitoring the morphological integrity of neotropical anurans. <i>Environmental Science and Pollution Research</i> , 2019 , 26, 2623-2634	5.1	7
32	Sex hormones change visceral pigmentation in <i>Eupemphix nattereri</i> (Anura): effects in testicular melanocytes and hepatic melanomacrophages. <i>Animal Biology</i> , 2015 , 65, 21-32	0.7	6
31	The spleen of <i>Physalaemus nattereri</i> (Amphibia: Anura): morphology, melanomacrophage pigment compounds and responses to melanocyte stimulating hormone. <i>Italian Journal of Zoology</i> , 2016 , 83, 298-305		6
30	Phylogenetic signal and variation of visceral pigmentation in eight anuran families. <i>Zoologica Scripta</i> , 2012 , 41, 547-556	2.5	6
29	Espermiogênese em <i>Eupemphix nattereri</i> (Anura, Leiuperidae): aspectos ultra-estruturais. <i>Iheringia - Serie Zoologia</i> , 2008 , 98, 193-199	0.9	6
28	Idiosyncratic liver pigment alterations of five frog species in response to contrasting land use patterns in the Brazilian Cerrado. <i>PeerJ</i> , 2020 , 8, e9751	3.1	6
27	Hepatotoxicity of the anionic surfactant linear alkylbenzene sulphonate (LAS) in bullfrog tadpoles. <i>Chemosphere</i> , 2021 , 266, 129014	8.4	6
26	Gonadal, body color, and genotoxic alterations in <i>Lithobates catesbeianus</i> tadpoles exposed to nonylphenol. <i>Environmental Science and Pollution Research</i> , 2019 , 26, 22209-22219	5.1	5
25	Morphological and histochemical studies of Bidder's organ in <i>Rhinella schneideri</i> (Amphibia: Anura) males. <i>Italian Journal of Zoology</i> , 2015 , 82, 479-488		5

24	LPS-induced alterations in reproductive organs and liver pigmentation in the toad <i>Rhinella diptycha</i> (Bufonidae). <i>Canadian Journal of Zoology</i> , 2018 , 96, 1336-1345	1.5	5
23	Comparative testis morphology of Neotropical anurans. <i>Zoologischer Anzeiger</i> , 2015 , 257, 29-38	1.1	4
22	Cardiac biomarkers as sensitive tools to evaluate the impact of xenobiotics on amphibians: the effects of anionic surfactant linear alkylbenzene sulfonate (LAS). <i>Ecotoxicology and Environmental Safety</i> , 2018 , 151, 184-190	7	4
21	Morphological effects of bacterial compounds on the testes of <i>Eupemphix nattereri</i> (Anura). <i>Animal Biology</i> , 2014 , 64, 261-275	0.7	4
20	The pioneering use of ISSR (Inter Simple Sequence Repeat) in Neotropical anurans: preliminary assessment of genetic diversity in populations of <i>Physalaemus cuvieri</i> (Amphibia, Leiuperidae). <i>Biological Research</i> , 2013 , 46, 53-7	7.6	4
19	Germ cell dynamics during the annual reproductive cycle of <i>Dendropsophus minutus</i> (Anura: Hylidae). <i>Zoological Science</i> , 2011 , 28, 840-4	0.8	4
18	Testicular morphometric changes in neotropical anurans from agroecosystems. <i>Environmental Pollution</i> , 2021 , 271, 116265	9.3	3
17	Comparative morphology of the digestive tract of two Neotropical tree frogs (Genus <i>Boana</i>). <i>Zoologischer Anzeiger</i> , 2019 , 281, 44-52	1.1	2
16	Morphological, morphometrical and ultrastructural characterization of <i>Phrynops geoffroanus</i> ' (Testudines: Chelidae) blood cells, in different environments. <i>Micron</i> , 2010 , 41, 1005-10	2.3	2
15	Idiosyncratic liver alterations of five frog species to land use changes in the Brazilian Cerrado		2
14	Environmental correlates of internal coloration in frogs vary throughout space and lineages		2
13	Enzymatic, morphological, and genotoxic effects of benzo[a]pyrene in rainbow trout (<i>Oncorhynchus mykiss</i>). <i>Environmental Science and Pollution Research</i> , 2021 , 28, 53926-53935	5.1	2
12	Visceral colouration of <i>Eupemphix nattereri</i> (Anura: Leiuperidae): effects of NDP- β melanocyte stimulating hormone. <i>Italian Journal of Zoology</i> , 2013 , 80, 364-372		1
11	Habitat differences affect the nuclear morphology of the erythrocytes and the hepatic melanin in <i>Leptodactylus fuscus</i> (Anura) in the Brazilian Cerrado savanna. <i>Environmental Science and Pollution Research</i> , 2021 , 28, 60741-60752	5.1	1
10	Hematological parameters of a Neotropical wild frog population, with a phylogenetic perspective on blood cell composition in Anura.. <i>Environmental Epigenetics</i> , 2022 , 68, 361-369	2.4	1
9	Ecotoxicological evaluation of water from the Sorocaba River using an integrated analysis of biochemical and morphological biomarkers in bullfrog tadpoles, <i>Lithobates catesbeianus</i> (). <i>Chemosphere</i> , 2021 , 275, 130000	8.4	1
8	Comparative liver morphology associated with the hepatosomatic index in five Neotropical anuran species. <i>Anatomical Record</i> , 2021 , 304, 860-871	2.1	1
7	Genotoxic and melanic alterations in <i>Lithobates catesbeianus</i> (anura) tadpoles exposed to fipronil insecticide. <i>Environmental Science and Pollution Research</i> , 2021 , 28, 20072-20081	5.1	1

6	How Does Oocyte Uptake Occur? A Macroscopic Study of the Ovarian and Oviductal Modifications for Egg Capture in the Coral-Snake <i>Micrurus corallinus</i> . <i>Anatomical Record</i> , 2018 , 301, 1936-1943	2.1	1
5	Nonylphenol and cyproterone acetate effects in the liver and gonads of <i>Lithobates catesbeianus</i> (Anura) tadpoles and juveniles. <i>Environmental Science and Pollution Research</i> , 2021 , 28, 62593-62604	5.1	0
4	Exposure of <i>Physalaemus cuvieri</i> (Anura) to benzo[a]pyrene and 6-hapthoflavone: Morphofunctional effects on hepatic melanomacrophages and erythrocytes abnormalities. <i>Environmental Pollution</i> , 2021 , 285, 117526	9.3	0
3	Relationship between the nucleolar cycle and chromatoid body formation in the spermatogenesis of <i>Phrynops geoffroanus</i> (Reptilia Testudines). <i>Animal Cells and Systems</i> , 2012 , 16, 104-113	2.3	
2	Variações anatômicas no aparelho reprodutor masculino de <i>Chaunus ornatus</i> (Wied-Neuwied, 1821) (Anura, Bufonidae). <i>Biota Neotropica</i> , 2007 , 7, 43-48		
1	Response of hepatic biomarkers in <i>Physalaemus nattereri</i> (Anura) to different benzo[a]pyrene exposure routes.. <i>Ecotoxicology</i> , 2022 , 31, 516-523	2.9	