

# Eu Chang Hwang

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3368127/eu-chang-hwang-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

182  
papers

1,382  
citations

18  
h-index

26  
g-index

189  
ext. papers

1,691  
ext. citations

3  
avg, IF

4.26  
L-index

#	Paper	IF	Citations
182	Population attributable fractions of modifiable cancer risk factors in Korea: a systematic review protocol.. <i>BMJ Open</i> , <b>2022</b> , 12, e055758	3	1
181	Prognostic Significance of the Neutrophil-Lymphocyte Ratio and Platelet-Lymphocyte Ratio in Neuroendocrine Carcinoma.. <i>Chonnam Medical Journal</i> , <b>2022</b> , 58, 29-36	1.3	
180	Tumor enucleation for the treatment of T1 renal tumors: A systematic review and meta-analysis.. <i>Investigative and Clinical Urology</i> , <b>2022</b> , 63, 126-139	1.9	
179	Clinical Significance of Rab27a as a Urinary Biomarker in Patients With Bladder Cancer. <i>The Korean Journal of Urological Oncology</i> , <b>2022</b> , 20, 52-58	0.1	
178	Diagnostic accuracy of prostate-specific antigen below 4 ng/mL as a cutoff for diagnosing prostate cancer in a hospital setting: A systematic review and meta-analysis.. <i>Investigative and Clinical Urology</i> , <b>2022</b> , 63, 251-261	1.9	
177	Effects of leuprolide acetate on the quality of life of patients with prostate cancer: A prospective longitudinal cohort study. <i>Prostate International</i> , <b>2021</b> , 9, 132-139	3.4	0
176	Intravesical gemcitabine for non-muscle invasive bladder cancer: An abridged Cochrane Review. <i>Investigative and Clinical Urology</i> , <b>2021</b> , 62, 623-630	1.9	0
175	Transurethral Foley catheter misplacement into the upper urinary tract in a patient with a history of lung cancer and chemotherapy: a case report and considerations to keep in mind. <i>Translational Andrology and Urology</i> , <b>2021</b> , 10, 1347-1351	2.3	1
174	Selective serotonin re-uptake inhibitors for premature ejaculation in adult men. <i>The Cochrane Library</i> , <b>2021</b> , 3, CD012799	5.2	1
173	A Retrospective, Multicenter, Long-Term Follow-Up Analysis of the Prognostic Characteristics of Recurring Non-Metastatic Renal Cell Carcinoma After Partial or Radical Nephrectomy. <i>Frontiers in Oncology</i> , <b>2021</b> , 11, 653002	5.3	1
172	Intravesical gemcitabine for non-muscle invasive bladder cancer. <i>The Cochrane Library</i> , <b>2021</b> , 6, CD009294	4.2	3
171	Early experience with Watson for Oncology: a clinical decision-support system for prostate cancer treatment recommendations. <i>World Journal of Urology</i> , <b>2021</b> , 39, 407-413	4	7
170	Impact of short warm ischemic time on longitudinal kidney function and survival rate after partial nephrectomy for renal cell carcinoma in patients with pre-existing chronic kidney disease stage III: A multi-institutional propensity score-matched study. <i>European Journal of Surgical Oncology</i> , <b>2021</b> , 47, 470-476	3.6	0
169	Metastatic renal cell carcinoma to the pancreas: Clinical features and treatment outcome. <i>Journal of Surgical Oncology</i> , <b>2021</b> , 123, 204-213	2.8	5
168	Does multidetector computed tomographic urography (MDCTU) T staging classification correspond with pathologic T staging in upper tract urothelial carcinoma?. <i>International Urology and Nephrology</i> , <b>2021</b> , 53, 69-75	2.3	2
167	Is acute kidney injury after laparoscopic adrenalectomy related to the progression of chronic kidney disease in patients with primary aldosteronism?. <i>Investigative and Clinical Urology</i> , <b>2021</b> , 62, 560-568	1.9	0
166	Targeted therapy response in early versus late recurrence of renal cell carcinoma after surgical treatment: A propensity score-matched study using the Korean Renal Cancer Study Group database. <i>International Journal of Urology</i> , <b>2021</b> , 28, 417-423	2.3	1

165	Prognostic significance of pathologic nodal positivity in non-metastatic patients with renal cell carcinoma who underwent radical or partial nephrectomy. <i>Scientific Reports</i> , <b>2021</b> , 11, 3079	4.9	1
164	Prognostic factors for overall survival in patients with clear cell metastatic renal cell carcinoma: Model development and external validation with Memorial Sloan Kettering Cancer Center model and the international metastatic renal cell carcinoma database consortium model. <i>Medicine (United States)</i> , <b>2021</b> , 100, e26826	1.8	0
163	Care of Voiding Dysfunction in Rehabilitation and Convalescent Hospitals. <i>Urogenital Tract Infection</i> , <b>2021</b> , 16, 32-43	0	
162	Characteristics and Treatment Trends for Emphysematous Pyelonephritis in Korea: A 10-Year Multicenter Retrospective Study. <i>Urogenital Tract Infection</i> , <b>2021</b> , 16, 49-54	0	
161	Comparison of a combined regimen of fosfomycin and ciprofloxacin with ciprofloxacin alone as antimicrobial prophylaxis for transrectal prostate biopsy in the era of high fluoroquinolone-resistant rectal flora. <i>Prostate International</i> , <b>2021</b> , 9, 163-168	3.4	1
160	Does music from noise-canceling headphones have a beneficial effect on men undergoing transrectal ultrasound-guided prostate biopsy?. <i>Prostate International</i> , <b>2021</b> , 9, 145-150	3.4	1
159	Reprint - Ureteral stent vs. no ureteral stent for ureteroscopy in the management of renal and ureteral calculi: A Cochrane review. <i>Canadian Urological Association Journal</i> , <b>2020</b> , 14, 61-68	1.2	2
158	Alpha-blockers after shock wave lithotripsy for renal or ureteral stones in adults. <i>The Cochrane Library</i> , <b>2020</b> , 11, CD013393	5.2	7
157	Intraoperative allogeneic blood transfusion is associated with adverse oncological outcomes in patients with surgically treated non-metastatic clear cell renal cell carcinoma. <i>International Journal of Clinical Oncology</i> , <b>2020</b> , 25, 1551-1561	4.2	0
156	Convective radiofrequency water vapour thermal therapy for lower urinary tract symptoms in men with benign prostatic hyperplasia. <i>The Cochrane Library</i> , <b>2020</b> , 3, CD013251	5.2	10
155	The number of metabolic features as a significant prognostic factor in patients with metastatic renal cell carcinoma. <i>Scientific Reports</i> , <b>2020</b> , 10, 6967	4.9	1
154	Development of the clinical calculator for mortality of patients with metastatic clear cell type renal cell carcinoma: An analysis of patients from Korean Renal Cancer Study Group database. <i>Investigative and Clinical Urology</i> , <b>2020</b> , 61, 260-268	1.9	3
153	The platelet-to-lymphocyte ratio as a significant prognostic factor to predict survival outcomes in patients with synchronous metastatic renal cell carcinoma. <i>Investigative and Clinical Urology</i> , <b>2020</b> , 61, 475-481	1.9	5
152	Performance of the Sysmex UF-1000i System in Screening for Significant Bacteriuria in Patients with Bladder Cancer Who Received Bacillus Calmette-Guérin Treatment. <i>Urogenital Tract Infection</i> , <b>2020</b> , 15, 38-46	0	
151	Korean Translation of the GRADE Series Published in the BMJ, GRADE: Incorporating Considerations of Resources Use into Grading Recommendations (A Secondary Publication). <i>Urogenital Tract Infection</i> , <b>2020</b> , 15, 57-62	0	
150	Rates and Risk Factors of Bacteriuria in Patients with Bladder Cancer Who Underwent Treatment with Bacillus Calmette-Guérin. <i>Urogenital Tract Infection</i> , <b>2020</b> , 15, 47-53	0	0
149	Comparison of surgical outcomes between lateral and posterior approaches for retroperitoneal laparoscopic adrenalectomy: A single surgeon's experience. <i>Investigative and Clinical Urology</i> , <b>2020</b> , 61, 180-187	1.9	2
148	Korean Translation of the GRADE Series Published in the BMJ, Use of GRADE Grid to Reach Decisions on Clinical Practice Guidelines When Consensus Is Elusive (A Secondary Publication). <i>Urogenital Tract Infection</i> , <b>2020</b> , 15, 83-89	0	

147	Targeted therapy for metastatic renal cell carcinoma. <i>The Cochrane Library</i> , <b>2020</b> , 10, CD012796	5.2	13
146	The prognostic role of preoperative serum albumin/globulin ratio in patients with non-metastatic renal cell carcinoma undergoing partial or radical nephrectomy. <i>Scientific Reports</i> , <b>2020</b> , 10, 11999	4.9	5
145	A Low Geriatric Nutritional Risk Index is Associated with Aggressive Pathologic Characteristics and Poor Survival after Nephrectomy in Clear Renal Cell Carcinoma: A Multicenter Retrospective Study. <i>Nutrition and Cancer</i> , <b>2020</b> , 72, 88-97	2.8	8
144	The age-adjusted Charlson comorbidity index as a predictor of overall survival of surgically treated non-metastatic clear cell renal cell carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2020</b> , 146, 187-196	4.9	10
143	Phosphodiesterase inhibitors for lower urinary tract symptoms consistent with benign prostatic hyperplasia. <i>BJU International</i> , <b>2019</b> , 124, 27-34	5.6	4
142	Survival and clinical prognostic factors in metastatic non-clear cell renal cell carcinoma treated with targeted therapy: A multi-institutional, retrospective study using the Korean metastatic renal cell carcinoma registry. <i>Cancer Medicine</i> , <b>2019</b> , 8, 3401-3410	4.8	6
141	Aquablation of the prostate for the treatment of lower urinary tract symptoms in men with benign prostatic hyperplasia. <i>The Cochrane Library</i> , <b>2019</b> , 2, CD013143	5.2	10
140	Introduction to the GRADE Approach for Evidence-Based Clinical Practice Guideline Development. <i>Urogenital Tract Infection</i> , <b>2019</b> , 14, 26	0	
139	Korean Translation of the GRADE Series Published in the BMJ, GRADE: An Emerging Consensus on Rating Quality of Evidence and Strength of Recommendations (A Secondary Publication). <i>Urogenital Tract Infection</i> , <b>2019</b> , 14, 28	0	
138	Lymph-node ratio is an important clinical determinant for selecting the appropriate adjuvant chemotherapy regimen for curative D2-resected gastric cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2019</b> , 145, 2157-2166	4.9	13
137	Retrospective Multicenter Long-Term Follow-up Analysis of Prognostic Risk Factors for Recurrence-Free, Metastasis-Free, Cancer-Specific, and Overall Survival After Curative Nephrectomy in Non-metastatic Renal Cell Carcinoma. <i>Frontiers in Oncology</i> , <b>2019</b> , 9, 859	5.3	13
136	Application of the International Metastatic Renal Cell Carcinoma Database Consortium and Memorial Sloan Kettering Cancer Center Risk Models in Patients with Metastatic Non-Clear Cell Renal Cell Carcinoma: A Multi-Institutional Retrospective Study Using the Korean Metastatic Renal Cell Carcinoma Database. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2019</b> , 145, 7170-7178	5.2	5
135	Trends in clinical, operative, and pathologic characteristics of surgically treated renal mass in a Korean center: A surgical series from 1988 through 2015. <i>Investigative and Clinical Urology</i> , <b>2019</b> , 60, 184-194	1.9	1
134	Korean Translation of the GRADE Series Published in the BMJ, GRADE: Going from Evidence to Recommendations (A Secondary Publication). <i>Urogenital Tract Infection</i> , <b>2019</b> , 14, 99	0	
133	Extended versus standard lymph node dissection for urothelial carcinoma of the bladder in patients undergoing radical cystectomy. <i>The Cochrane Library</i> , <b>2019</b> , 5, CD013336	5.2	4
132	Korean Translation of the GRADE Series Published in the BMJ, GRADE: What Is Quality of Evidence and Why Is It Important to Clinicians? (A Secondary Publication). <i>Urogenital Tract Infection</i> , <b>2019</b> , 14, 64	0	
131	Single-dose intravesical chemotherapy after nephroureterectomy for upper tract urothelial carcinoma. <i>The Cochrane Library</i> , <b>2019</b> , 5, CD013160	5.2	8
130	Current best evidence for prostatic arterial embolization. <i>Current Opinion in Urology</i> , <b>2019</b> , 29, 656-658	2.8	1

129	Re: Maxine Sun, Lorenzo Marconi, Tim Eisen, et al. Adjuvant Vascular Endothelial Growth Factor-targeted Therapy in Renal Cell Carcinoma: A Systematic Review and Pooled Analysis. <i>Eur Urol</i> 2018;74:611-20: Systematic Review Findings on the Role of Adjuvant Vascular Endothelial Growth Factor-targeted Therapy in Renal Cell Carcinoma. <i>European Urology</i> , 2019, 75, e67-e68	10.2	2
128	Effects of Variant Histology on the Oncologic Outcomes of Patients With Upper Urinary Tract Carcinoma After Radical Nephroureterectomy: A Propensity Score-Matched Analysis. <i>Clinical Genitourinary Cancer</i> , 2019, 17, e394-e407	3.3	5
127	Multidetector CT findings differ between surgical grades of pancreatic fistula after pancreaticoduodenectomy. <i>European Radiology</i> , 2019, 29, 2399-2407	8	2
126	Gender- and cholesterol-specific predictive value of body mass index in renal cell carcinoma: A multicenter study. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2019, 15, e36-e42	1.9	2
125	Laparoscopic adrenalectomy using the lateral retroperitoneal approach: Is it a safe and feasible treatment option for pheochromocytomas larger than 6 cm?. <i>International Journal of Urology</i> , 2018, 25, 414-419	2.3	16
124	New alpha blockers to treat male lower urinary tract symptoms. <i>Current Opinion in Urology</i> , 2018, 28, 273-276	2.8	1
123	Renal capsular invasion is a prognostic biomarker in localized clear cell renal cell carcinoma. <i>Scientific Reports</i> , 2018, 8, 202	4.9	8
122	Changeable Conditional Survival Rates and Associated Prognosticators in Patients with Metastatic Renal Cell Carcinoma Receiving First Line Targeted Therapy. <i>Journal of Urology</i> , 2018, 200, 989-995	2.5	7
121	Prostate Cancer Cell-Specific Cytotoxicity of Sub-Micron Potassium Niobate Powder. <i>Journal of Nanoscience and Nanotechnology</i> , 2018, 18, 3141-3147	1.3	1
120	Trial Comparing a Combined Regimen of Amikacin and Ciprofloxacin to Ciprofloxacin Alone as Transrectal Prostate Biopsy Prophylaxis in the Era of High Fluoroquinolone-Resistant Rectal Flora. <i>Journal of Korean Medical Science</i> , 2018, 33, e113	4.7	5
119	Prevalence of fluoroquinolone-resistant rectal flora in patients undergoing transrectal ultrasound-guided prostate needle biopsy: A prospective multicenter study. <i>International Journal of Urology</i> , 2018, 25, 278-283	2.3	16
118	Low preoperative serum cholesterol level is associated with aggressive pathologic features and poor cancer-specific survival in patients with surgically treated renal cell carcinoma. <i>International Journal of Clinical Oncology</i> , 2018, 23, 142-150	4.2	14
117	Single-dose intravesical chemotherapy after nephroureterectomy for upper tract urothelial carcinoma. <i>The Cochrane Library</i> , 2018,	5.2	2
116	Efficacy of First-Line Targeted Therapy in Real-World Korean Patients with Metastatic Renal Cell Carcinoma: Focus on Sunitinib and Pazopanib. <i>Journal of Korean Medical Science</i> , 2018, 33, e325	4.7	9
115	Partial versus Radical Nephrectomy for T1-T2 Renal Cell Carcinoma in Patients with Chronic Kidney Disease Stage III: a Multiinstitutional Analysis of Kidney Function and Survival Rate. <i>Journal of Korean Medical Science</i> , 2018, 33, e277	4.7	3
114	Prognostic Impact of Nutritional Status Assessed by the Controlling Nutritional Status (CONUT) Score in Patients with Surgically Treated Renal Cell Carcinoma. <i>Nutrition and Cancer</i> , 2018, 70, 886-894	2.8	17
113	Suprapubic versus urethral catheter drainage in robotic-assisted laparoscopic prostatectomy: advancing systematic review quality. <i>World Journal of Urology</i> , 2018, 36, 1501-1502	4	2
112	Novel and Emerging Surveillance Markers for Bladder Cancer 2018, 599-612		1

111	Naftopidil for the treatment of lower urinary tract symptoms compatible with benign prostatic hyperplasia. <i>The Cochrane Library</i> , <b>2018</b> , 10, CD007360	5.2	3
110	In silico analysis of the deleterious nsSNPs (missense) in the homeobox domain of human HOXB13 gene responsible for hereditary prostate cancer. <i>Chemical Biology and Drug Design</i> , <b>2017</b> , 90, 188-199	2.9	8
109	The De Ritis (aspartate transaminase/alanine transaminase) ratio as a predictor of oncological outcomes in patients after surgery for upper urinary tract urothelial carcinoma. <i>International Urology and Nephrology</i> , <b>2017</b> , 49, 1383-1390	2.3	16
108	A rare presentation of metastatic prostate cancer, initially a suspect for urothelial cell carcinoma of the ureter: a case report. <i>BMC Urology</i> , <b>2017</b> , 17, 37	2.2	4
107	Clinicopathologic Characteristics and Prognosis of Xp11.2 Translocation Renal Cell Carcinoma: Multicenter, Propensity Score Matching Analysis. <i>Clinical Genitourinary Cancer</i> , <b>2017</b> , 15, e819-e825	3.3	9
106	Computational Modeling of complete HOXB13 protein for predicting the functional effect of SNPs and the associated role in hereditary prostate cancer. <i>Scientific Reports</i> , <b>2017</b> , 7, 43830	4.9	27
105	Generation of potent cytotoxic T lymphocytes against in male patients with non-muscle invasive bladder cancer by dendritic cells loaded with dying T24 bladder cancer cells. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , <b>2017</b> , 43, 615-627	2	4
104	Sex-Specific Prognostic Significance of Obesity in Nonmetastatic Clear-Cell Renal-Cell Carcinoma in Korea: A Large Multicenter Cohort Analysis. <i>Clinical Genitourinary Cancer</i> , <b>2017</b> ,	3.3	6
103	Predictors for Intravesical Recurrence Following Radical Nephroureterectomy for Upper Tract Urothelial Carcinoma: A National Multicenter Analysis. <i>Clinical Genitourinary Cancer</i> , <b>2017</b> , 15, e1055-e1061	3.3	15
102	Disease progression patterns of bevacizumab responders with recurrent malignant gliomas. <i>Oncology Letters</i> , <b>2017</b> , 14, 3529-3535	2.6	2
101	Preoperative cholesterol level as a new independent predictive factor of survival in patients with metastatic renal cell carcinoma treated with cyto-reductive nephrectomy. <i>BMC Cancer</i> , <b>2017</b> , 17, 364	4.8	15
100	Clinical Significance of Subclassification of Papillary Renal Cell Carcinoma: Comparison of Clinicopathologic Parameters and Oncologic Outcomes Between Papillary Histologic Subtypes 1 and 2 Using the Korean Renal Cell Carcinoma Database. <i>Clinical Genitourinary Cancer</i> , <b>2017</b> , 15, e181-e186	3.3	14
99	Novel immunotherapy in metastatic renal cell carcinoma. <i>Investigative and Clinical Urology</i> , <b>2017</b> , 58, 220-227	1.9	13
98	Antibiotic Prophylaxis in Radical Prostatectomy: Comparison of 2-Day and More than 2-Day Prophylaxis. <i>Journal of Korean Medical Science</i> , <b>2017</b> , 32, 1009-1015	4.7	1
97	Impact of preoperative thrombocytosis on prognosis after surgical treatment in pathological T1 and T2 renal cell carcinoma: results of a multi-institutional comprehensive study. <i>Oncotarget</i> , <b>2017</b> , 8, 64449-64458	3.3	5
96	Is preoperative chronic kidney disease status associated with oncologic outcomes in upper urinary tract urothelial carcinoma? A multicenter propensity score-matched analysis. <i>Oncotarget</i> , <b>2017</b> , 8, 66540-66549 <sup>12</sup>	3.3	12
95	The optimal chemotherapeutic regimen in D2-resected locally advanced gastric cancer: a propensity score-matched analysis. <i>Oncotarget</i> , <b>2017</b> , 8, 66559-66568	3.3	3
94	Yes-Associated Protein Expression Is Correlated to the Differentiation of Prostate Adenocarcinoma. <i>Journal of Pathology and Translational Medicine</i> , <b>2017</b> , 51, 365-373	2.9	5

93	Comparison of Synchronous and Metachronous Primary Carcinomas of the Bladder and Prostate. <i>The Korean Journal of Urological Oncology</i> , <b>2017</b> , 15, 44-50	0.1	
92	Infectious Complications after Prostate Biopsy: A Prospective Multicenter Prostate Biopsy Study. <i>Urogenital Tract Infection</i> , <b>2016</b> , 11, 17	0	1
91	Surgical margin does not influence recurrence rate in pT1 clear cell renal cell carcinoma after partial nephrectomy: A multicenter study. <i>Journal of Surgical Oncology</i> , <b>2016</b> , 114, 70-4	2.8	25
90	Neutrophil to Lymphocyte and Platelet to Lymphocyte Ratios Are More Effective than the Fournier's Gangrene Severity Index for Predicting Poor Prognosis in Fournier's Gangrene. <i>Surgical Infections</i> , <b>2016</b> , 17, 217-23	2	8
89	Effect of serum testosterone and percent tumor volume on extra-prostatic extension and biochemical recurrence after laparoscopic radical prostatectomy. <i>Asian Journal of Andrology</i> , <b>2016</b> , 18, 54-9	2.8	1
88	Risk Determination for Localised Renal Cell Carcinomas under 4 cm or Less: A Multi-institutional Analysis. <i>The Korean Journal of Urological Oncology</i> , <b>2016</b> , 14, 138-143	0.1	
87	The establishment of KORCC (Korean Renal Cell Carcinoma) database. <i>Investigative and Clinical Urology</i> , <b>2016</b> , 57, 50-7	1.9	22
86	Modified totally tubeless percutaneous nephrolithotomy: Is it an effective and safe treatment option for renal and upper ureteral stones?. <i>Wideochirurgia I Inne Techniki Maloinwazyjne</i> , <b>2016</b> , 11, 240-246	1.4	2
85	Impact of Glycemic Control and Metformin Use on the Recurrence and Progression of Non-Muscle Invasive Bladder Cancer in Patients with Diabetes Mellitus. <i>Journal of Korean Medical Science</i> , <b>2016</b> , 31, 1464-71	4.7	13
84	Poor Preoperative Glycemic Control Is Associated with Dismal Prognosis after Radical Nephroureterectomy for Upper Tract Urothelial Carcinoma: A Korean Multicenter Study. <i>Cancer Research and Treatment</i> , <b>2016</b> , 48, 1293-1301	5.2	5
83	Prognostic Significance of Preoperative Neutrophil-to-Lymphocyte Ratio in Nonmetastatic Renal Cell Carcinoma: A Large, Multicenter Cohort Analysis. <i>BioMed Research International</i> , <b>2016</b> , 2016, 5634148	3	17
82	Clinical factors associated with postoperative hydronephrosis after ureteroscopic lithotripsy. <i>Investigative and Clinical Urology</i> , <b>2016</b> , 57, 343-50	1.9	5
81	Impact of Young Age at Diagnosis on Survival in Patients with Surgically Treated Renal Cell Carcinoma: a Multicenter Study. <i>Journal of Korean Medical Science</i> , <b>2016</b> , 31, 1976-1982	4.7	18
80	Thalidomide-based induction regimens are as effective as bortezomib-based regimens in elderly patients with multiple myeloma with cereblon expression. <i>Annals of Hematology</i> , <b>2016</b> , 95, 1645-51	3	4
79	Prognostic significance of platelet-lymphocyte ratio in patients receiving first-line tyrosine kinase inhibitors for metastatic renal cell cancer. <i>SpringerPlus</i> , <b>2016</b> , 5, 1889		23
78	Povidone-iodine rectal cleansing and targeted antimicrobial prophylaxis using rectal swab cultures in men undergoing transrectal ultrasound-guided prostate biopsy are associated with reduced incidence of postoperative infectious complications. <i>International Urology and Nephrology</i> , <b>2016</b> , 48, 1763-1770	2.3	15
77	Reproducibility of Leak Point Pressure in Female Stress Urinary Incontinence. <i>Urology Journal</i> , <b>2016</b> , 13, 2697-701	0.9	1
76	Is histological prostate inflammation in an initial prostate biopsy a predictor of prostate cancer on repeat biopsy?. <i>International Urology and Nephrology</i> , <b>2015</b> , 47, 1251-7	2.3	8

75	Antimicrobial susceptibilities of extended-spectrum beta-lactamase-producing <i>Escherichia coli</i> and <i>Klebsiella pneumoniae</i> in health care-associated urinary tract infection: focus on susceptibility to fosfomycin. <i>International Urology and Nephrology</i> , <b>2015</b> , 47, 1059-66	2.3	35
74	The preventive effect of tamsulosin on voiding dysfunction after prostate biopsy: a prospective, open-label, observational study. <i>International Urology and Nephrology</i> , <b>2015</b> , 47, 711-5	2.3	6
73	Prognostic significance of the concomitant existence of lymphovascular and perineural invasion in locally advanced gastric cancer patients who underwent curative gastrectomy and adjuvant chemotherapy. <i>Japanese Journal of Clinical Oncology</i> , <b>2015</b> , 45, 541-6	2.8	18
72	Risk factors for and prophylactic effect of povidone-iodine rectal cleansing on infectious complications after prostate biopsy: a retrospective cohort study. <i>International Urology and Nephrology</i> , <b>2015</b> , 47, 595-601	2.3	15
71	Men with Hypertension are More Likely to Have Severe Lower Urinary Tract Symptoms and Large Prostate Volume. <i>LUTS: Lower Urinary Tract Symptoms</i> , <b>2015</b> , 7, 32-6	1.9	24
70	Prostate-Specific Antigen fluctuation: what does it mean in diagnosis of prostate cancer?. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , <b>2015</b> , 41, 258-64	2	8
69	A novel transurethral resection technique for superficial flat bladder tumor: grasp and bite technique. <i>Korean Journal of Urology</i> , <b>2015</b> , 56, 227-32		5
68	Factors influencing the failure of extracorporeal shock wave lithotripsy with Piezolith 3000 in the management of solitary ureteral stone. <i>Urolithiasis</i> , <b>2014</b> , 42, 263-7	3.2	13
67	Combination of percutaneous radiofrequency ablation and systemic chemotherapy are effective treatment modalities for metachronous liver metastases from gastric cancer. <i>Clinical and Experimental Metastasis</i> , <b>2014</b> , 31, 25-32	4.7	29
66	Prognostic factors for recurrence-free and overall survival after adrenalectomy for metastatic carcinoma: a retrospective cohort pilot study. <i>BMC Urology</i> , <b>2014</b> , 14, 41	2.2	13
65	A prospective Korean multicenter study for infectious complications in patients undergoing prostate surgery: risk factors and efficacy of antibiotic prophylaxis. <i>Journal of Korean Medical Science</i> , <b>2014</b> , 29, 1271-7	4.7	9
64	Application of bone scans for prostate cancer staging: Which guideline shows better result?. <i>Canadian Urological Association Journal</i> , <b>2014</b> , 8, E515-9	1.2	3
63	Pyeloureteritis cystica. <i>Kidney International</i> , <b>2014</b> , 85, 983-4	9.9	3
62	Early pyeloplasty for recovery of parenchymal thickness in children with unilateral ureteropelvic junction obstruction. <i>Urologia Internationalis</i> , <b>2014</b> , 92, 473-6	1.9	9
61	Prevalence of antibiotic-resistant bacteria on rectal swabs and factors affecting resistance to antibiotics in patients undergoing prostate biopsy. <i>Korean Journal of Urology</i> , <b>2014</b> , 55, 201-6		6
60	Predictors of intravesical recurrence after radical nephroureterectomy for upper urinary tract urothelial carcinoma: an inflammation-based prognostic score. <i>Korean Journal of Urology</i> , <b>2014</b> , 55, 453-9		25
59	Is larger tumor size a contraindication to retroperitoneal laparoscopic adrenalectomy?. <i>World Journal of Urology</i> , <b>2014</b> , 32, 723-8	4	11
58	The prognosis of patients less than 40 years with bladder cancer. <i>Journal of Cancer Research and Therapeutics</i> , <b>2014</b> , 10, 710-4	1.2	5



57	Is further evaluation needed for incidental focal uptake in the prostate in 18-fluoro-2-deoxyglucose positron emission tomography-computed tomography images?. <i>Annals of Nuclear Medicine</i> , <b>2013</b> , 27, 140-5	2.5	34
56	A preliminary study of the variability in location of the ureteral orifices with bladder filling by fluoroscopic guidance: the gender difference. <i>International Urology and Nephrology</i> , <b>2013</b> , 45, 639-43	2.3	3
55	Generation of potent cytotoxic T lymphocytes against castration-resistant prostate cancer cells by dendritic cells loaded with dying allogeneic prostate cancer cells. <i>Scandinavian Journal of Immunology</i> , <b>2013</b> , 77, 117-24	3.4	5
54	Preoperative hydronephrosis and diabetes mellitus predict poor prognosis in upper urinary tract urothelial carcinoma. <i>Canadian Urological Association Journal</i> , <b>2013</b> , 7, e215-20	1.2	12
53	Fibroepithelial polyp mimicking a renal pelvis tumor. <i>Korean Journal of Urology</i> , <b>2013</b> , 54, 881-3		
52	Usefulness of the ice-cream cone pattern in computed tomography for prediction of angiomyolipoma in patients with a small renal mass. <i>Korean Journal of Urology</i> , <b>2013</b> , 54, 504-9		14
51	Are more low-risk prostate cancers detected by repeated biopsy? A retrospective pilot study. <i>Korean Journal of Urology</i> , <b>2013</b> , 54, 364-8		1
50	Small renal masses: surgery or surveillance. <i>Korean Journal of Urology</i> , <b>2013</b> , 54, 283-8		9
49	Initial experience of transurethral resection with pediatric resectoscope for incomplete anterior urethral stricture. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , <b>2013</b> , 39, 295; discussion 296	2	
48	Predicting factors for stent failure-free survival in patients with a malignant ureteral obstruction managed with ureteral stents. <i>Korean Journal of Urology</i> , <b>2013</b> , 54, 316-21		13
47	Preoperative hydronephrosis and diabetes mellitus predict poor prognosis in upper urinary tract urothelial carcinoma. <i>Canadian Urological Association Journal</i> , <b>2013</b> , 7, E215-20	1.2	10
46	Renal cell carcinoma with synchronous metastases to the bladder and lung. <i>Case Reports in Clinical Medicine</i> , <b>2013</b> , 02, 97-99	0.1	
45	Effects of alfuzosin with methylprednisolone for spontaneous expulsion and pain control of lower ureteral stone. <i>Urological Research</i> , <b>2012</b> , 40, 605-9		7
44	1367 EPIDIDYMAL ANOMALIES IN CHILDREN WITH CRYPTORCHIDISM OR HYDROCELE. <i>Journal of Urology</i> , <b>2012</b> , 187,	2.5	1
43	Abnormal dimercaptosuccinic Acid scan may be related to persistence of vesicoureteral reflux in children with febrile urinary tract infection. <i>Korean Journal of Urology</i> , <b>2012</b> , 53, 716-20		7
42	Small (. <i>Korean Journal of Urology</i> , <b>2012</b> , 53, 883-6		
41	Expression of caveolin-1 in rat urinary bladder with cyclophosphamide-induced cystitis. <i>International Neurourology Journal</i> , <b>2012</b> , 16, 169-74	2.6	4
40	First-line single-agent chemotherapy for patients with recurrent or metastatic gastric cancer with poor performance status. <i>Experimental and Therapeutic Medicine</i> , <b>2012</b> , 4, 562-568	2.1	6

39	Changes in aquaporin (AQP)2 and AQP3 expression in ovariectomized rat urinary bladder: potential implication of water permeability in urinary bladder. <i>World Journal of Urology</i> , <b>2012</b> , 30, 207-12	4	15
38	Utility of inflammation-based prognostic scoring in patients given systemic chemotherapy first-line for advanced inoperable bladder cancer. <i>Japanese Journal of Clinical Oncology</i> , <b>2012</b> , 42, 955-60	2.8	22
37	Persistent genital swelling after hydrocele ligation in a patient receiving continuous ambulatory peritoneal dialysis. <i>International Neurourology Journal</i> , <b>2012</b> , 16, 51-3	2.6	1
36	Use of the NMP22 BladderChek test in the diagnosis and follow-up of urothelial cancer: a cross-sectional study. <i>Urology</i> , <b>2011</b> , 77, 154-9	1.6	24
35	Effects of androgen on the expression of vascular endothelial growth factor in the penile corpus cavernosum. <i>Urology</i> , <b>2011</b> , 77, 1381-6	1.6	8
34	Testicular catch up growth: the impact of orchiopexy age. <i>Urology</i> , <b>2011</b> , 78, 886-9	1.6	27
33	Comparison of ketoconazole and estramustine for treating patients with castration-resistant prostate cancer. <i>Korean Journal of Urology</i> , <b>2011</b> , 52, 746-51		2
32	Prostate Cancer Can Be Detected Even in Patients with Decreased PSA Less than 2.5 ng/ml after Treatment of Chronic Prostatitis. <i>Korean Journal of Urology</i> , <b>2011</b> , 52, 457-60		8
31	Factors affecting the outcome of extraperitoneal laparoscopic radical prostatectomy: pelvic arch interference and depth of the pelvic cavity. <i>Korean Journal of Urology</i> , <b>2011</b> , 52, 39-43		4
30	Accuracy and factors affecting the outcome of multi-detector computerized tomography urography for bladder tumors in the clinical setting. <i>Korean Journal of Urology</i> , <b>2011</b> , 52, 13-8		1
29	Single scrotal incision orchiopexy for children with palpable low-lying undescended testis: early outcome of a prospective randomized controlled study. <i>Korean Journal of Urology</i> , <b>2011</b> , 52, 637-41		22
28	Impact of diabetes mellitus on recurrence and progression in patients with non-muscle invasive bladder carcinoma: a retrospective cohort study. <i>International Journal of Urology</i> , <b>2011</b> , 18, 769-76	2.3	43
27	Prevalence and medical management of erectile dysfunction in Asia. <i>Asian Journal of Andrology</i> , <b>2011</b> , 13, 543-9	2.8	28
26	Point Aa of the POP-Q system as a predictive value of urethral mobility in women. <i>International Urogynecology Journal</i> , <b>2011</b> , 22, 687-91	2	5
25	Efficacy and safety of combined therapy with tamsulosin and tolterodine in female patients with a maximal flow rate less than 12 ml/s. <i>International Urogynecology Journal</i> , <b>2011</b> , 22, 1287-91	2	15
24	Intracranial metastasis from primary transitional cell carcinoma of female urethra: case report & review of the literature. <i>BMC Cancer</i> , <b>2011</b> , 11, 23	4.8	7
23	Distribution of interstitial cells of Cajal and expression of nitric oxide synthase after experimental bladder outlet obstruction in a rat model of bladder overactivity. <i>Neurourology and Urodynamics</i> , <b>2011</b> , 30, 1639-45	2.3	32
22	Clinical efficacy and safety in children with vesicoureteral reflux of a single injection of two different bulking agents--polydimethylsiloxane (Macroplastique) or dextranomer/hyaluronic acid copolymer (Deflux): a short-term prospective comparative study. <i>Urologia Internationalis</i> , <b>2011</b> , 87, 299-303	1.9	5

21	Effects of estrogens on the expression of caveolin-1 in the urinary bladders of female rats. <i>International Neurourology Journal</i> , <b>2011</b> , 15, 13-8	2.6	5
20	Impact of nocturia on health-related quality of life and medical outcomes study sleep score in men. <i>International Neurourology Journal</i> , <b>2011</b> , 15, 82-6	2.6	19
19	Clinical factors associated with low valsalva leak point pressure among women with stress urinary incontinence. <i>International Neurourology Journal</i> , <b>2011</b> , 15, 211-5	2.6	6
18	Clinical Significance of Transrectal Ultrasonography and Efficacy of Dutasteride Treatment in Patients with Hemospermia. <i>Korean Journal of Andrology</i> , <b>2011</b> , 29, 206		
17	Delayed diagnosis of an intraurethral foreign body causing urosepsis and penile necrosis. <i>Korean Journal of Urology</i> , <b>2010</b> , 51, 149-51		9
16	Extraperitoneal Laparoscopic Radical Prostatectomy: Clinical Experience and Learning Curve with 103 Cases. <i>Chonnam Medical Journal</i> , <b>2010</b> , 46, 170		1
15	Is a decreased serum testosterone level a risk factor for prostate cancer? A cohort study of Korean men. <i>Korean Journal of Urology</i> , <b>2010</b> , 51, 819-23		27
14	Changes in the Management of High Grade Renal Injury and the Usefulness of Nonoperative Management. <i>Chonnam Medical Journal</i> , <b>2010</b> , 46, 99		
13	808 CLINICAL ASPECT OF POST TRUS BIOPSY INFECTION CAUSED BY QUINOLONE-RESISTANT BACTERIA. <i>Journal of Urology</i> , <b>2010</b> , 183,	2.5	2
12	Testicular steroidogenesis is decreased by hyperthermia in old rats. <i>Urologia Internationalis</i> , <b>2010</b> , 84, 347-52	1.9	6
11	Insulin-like growth factor-1 gene delivery may enhance the proliferation of human corpus cavernosal smooth muscle cells. <i>Urology</i> , <b>2010</b> , 76, 511.e5-9	1.6	6
10	The Expression of AQP1 and eNOS in Menopausal Rat Urinary Bladder. <i>International Neurourology Journal</i> , <b>2010</b> , 14, 78-85	2.6	7
9	Age related change of nocturia in women. <i>International Neurourology Journal</i> , <b>2010</b> , 14, 245-9	2.6	11
8	Prostate calculi in cancer and BPH in a cohort of Korean men: Presence of calculi did not correlate with cancer risk. <i>Asian Journal of Andrology</i> , <b>2010</b> , 12, 215-20	2.8	13
7	Metachronous Solitary Contralateral Adrenal Metastasis of Renal Cell Carcinoma. <i>Chonnam Medical Journal</i> , <b>2009</b> , 45, 203		
6	Endometrial stromal sarcoma presenting as prevesical mass mimicking urachal tumor. <i>Journal of Korean Medical Science</i> , <b>2009</b> , 24, 529-31	4.7	7
5	Spontaneous Intraperitoneal Rupture of the Urinary Bladder after Radiotherapy for Cervical Cancer. <i>Journal of the Korean Continence Society</i> , <b>2009</b> , 13, 163		
4	Retrovesical Multilocular Prostatic Cystadenoma Mimicking a Pelvic Cavity Tumor. <i>Korean Journal of Urology</i> , <b>2009</b> , 50, 1262		1

- 3 Usefulness of liquid-based preparation in urine cytology. *International Journal of Urology*, **2007**, 14, 626-9.3 14
- 2 Eosinophilic cystitis causing spontaneous rupture of the urinary bladder in a child. *International Journal of Urology*, **2006**, 13, 449-50 2.3 10
- 1 Post-transplant lymphocele: an unusual cause of acute urinary retention mimicking urethral injury. *International Journal of Urology*, **2006**, 13, 468-70 2.3 7