Robert Laforce Jr

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3368312/robert-laforce-jr-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

29 154 3,395 54 h-index g-index citations papers 4.87 176 4,536 5.1 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
154	Cognitive composites for genetic frontotemporal dementia: GENFI-Cog <i>Alzheimer Research and Therapy</i> , 2022 , 14, 10	9	O
153	Examining empathy deficits across familial forms of frontotemporal dementia within the GENFI cohort <i>Cortex</i> , 2022 , 150, 12-28	3.8	
152	Data-driven staging of genetic frontotemporal dementia using multi-modal MRI <i>Human Brain Mapping</i> , 2022 ,	5.9	1
151	Anomia is present pre-symptomatically in frontotemporal dementia due to MAPT mutations <i>Journal of Neurology</i> , 2022 , 1	5.5	
150	Development of a sensitive trial-ready poly(GP) CSF biomarker assay for -associated frontotemporal dementia and amyotrophic lateral sclerosis <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2022 ,	5.5	2
149	Research Criteria for the Behavioral Variant of Alzheimer Disease: A Systematic Review and Meta-analysis. <i>JAMA Neurology</i> , 2021 ,	17.2	7
148	Conceptual framework for the definition of preclinical and prodromal frontotemporal dementia. <i>Alzheimer</i> and Dementia, 2021 ,	1.2	2
147	Stratifying the Presymptomatic Phase of Genetic Frontotemporal Dementia by Serum NfL and pNfH: A Longitudinal Multicentre Study. <i>Annals of Neurology</i> , 2021 ,	9.4	2
146	A panel of CSF proteins separates genetic frontotemporal dementia from presymptomatic mutation carriers: a GENFI study. <i>Molecular Neurodegeneration</i> , 2021 , 16, 79	19	О
145	18F-MK-6240 tau-PET in genetic frontotemporal dementia. <i>Brain</i> , 2021 ,	11.2	1
144	A data-driven disease progression model of fluid biomarkers in genetic frontotemporal dementia. <i>Brain</i> , 2021 ,	11.2	3
143	MRI data-driven algorithm for the diagnosis of behavioural variant frontotemporal dementia. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2021 ,	5.5	3
142	Plasma Neurofilament Light for Prediction of Disease Progression in Familial Frontotemporal Lobar Degeneration. <i>Neurology</i> , 2021 , 96, e2296-e2312	6.5	12
141	Use of Alzheimer's Disease Cerebrospinal Fluid Biomarkers in A Tertiary Care Memory Clinic. <i>Canadian Journal of Neurological Sciences</i> , 2021 , 1-7	1	1
140	Characterizing the Clinical Features and Atrophy Patterns of -Related Frontotemporal Dementia With Disease Progression Modeling. <i>Neurology</i> , 2021 , 97, e941-e952	6.5	3
139	A Preliminary Look Into the Clinical Evolution of Motor Speech Characteristics in Primary Progressive Apraxia of Speech in QuBec French. <i>American Journal of Speech-Language Pathology</i> , 2021 , 30, 1459-1476	3.1	1
138	The Revised Self-Monitoring Scale detects early impairment of social cognition in genetic frontotemporal dementia within the GENFI cohort. <i>Alzheimera Research and Therapy</i> , 2021 , 13, 127	9	2

(2020-2021)

137	Brain functional network integrity sustains cognitive function despite atrophy in presymptomatic genetic frontotemporal dementia. <i>Alzheimera and Dementia</i> , 2021 , 17, 500-514	1.2	8
136	Apathy in presymptomatic genetic frontotemporal dementia predicts cognitive decline and is driven by structural brain changes. <i>Alzheimer</i> and Dementia, 2021, 17, 969-983	1.2	9
135	Impairment of episodic memory in genetic frontotemporal dementia: A GENFI study. <i>Alzheimero</i> s and Dementia: Diagnosis, Assessment and Disease Monitoring, 2021 , 13, e12185	5.2	1
134	Progression of Behavioral Disturbances and Neuropsychiatric Symptoms in Patients With Genetic Frontotemporal Dementia. <i>JAMA Network Open</i> , 2021 , 4, e2030194	10.4	14
133	Progressive apraxia of speech in Quebec French speakers: A case series. <i>International Journal of Language and Communication Disorders</i> , 2021 , 56, 528-548	2.9	4
132	Early anterior cingulate involvement is seen in presymptomatic MAPT P301L mutation carriers. <i>Alzheimeros Research and Therapy</i> , 2021 , 13, 42	9	4
131	Heterogeneity of repetition abilities in logopenic variant primary progressive aphasia. <i>Dementia E Neuropsychologia</i> , 2021 , 15, 405-412	2.1	2
130	Dissemination in time and space in presymptomatic granulin mutation carriers: a GENFI spatial chronnectome study. <i>Neurobiology of Aging</i> , 2021 , 108, 155-167	5.6	O
129	Differential early subcortical involvement in genetic FTD within the GENFI cohort. <i>NeuroImage: Clinical</i> , 2021 , 30, 102646	5.3	6
128	Disease-related cortical thinning in presymptomatic granulin mutation carriers. <i>NeuroImage: Clinical</i> , 2021 , 29, 102540	5.3	2
127	Recommendations to distinguish behavioural variant frontotemporal dementia from psychiatric disorders. <i>Brain</i> , 2020 , 143, 1632-1650	11.2	68
126	A modified Camel and Cactus Test detects presymptomatic semantic impairment in genetic frontotemporal dementia within the GENFI cohort. <i>Applied Neuropsychology Adult</i> , 2020 , 1-8	1.9	8
125	Plasma glial fibrillary acidic protein is raised in progranulin-associated frontotemporal dementia. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2020 , 91, 263-270	5.5	40
124	Neuronal pentraxin 2: a synapse-derived CSF biomarker in genetic frontotemporal dementia. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2020 , 91, 612-621	5.5	22
123	Validation of the Dpistage Cognitif de Qubec in the Oldest Old. <i>Canadian Geriatrics Journal</i> , 2020 , 23, 283-288	2.8	1
122	Validation of the Dpistage Cognitif de Qubec in the Oldest Old. <i>Canadian Geriatrics Journal</i> , 2020 , 23, 283-288	2.8	
121	Social cognition impairment in genetic frontotemporal dementia within the GENFI cohort. <i>Cortex</i> , 2020 , 133, 384-398	3.8	7
120	The Nonverbal Processing of Actions Is an Area of Relative Strength in the Semantic Variant of Primary Progressive Aphasia. <i>Journal of Speech, Language, and Hearing Research</i> , 2020 , 63, 569-584	2.8	2

119	Age at symptom onset and death and disease duration in genetic frontotemporal dementia: an international retrospective cohort study. <i>Lancet Neurology, The</i> , 2020 , 19, 145-156	24.1	90
118	Comorbid amyloid-фathology affects clinical and imaging features in VCD. <i>Alzheimer</i> s <i>and Dementia</i> , 2020 , 16, 354-364	1.2	3
117	The Use of Random Forests to Identify Brain Regions on Amyloid and FDG PET Associated With MoCA Score. <i>Clinical Nuclear Medicine</i> , 2020 , 45, 427-433	1.7	6
116	CCCDTD5 recommendations on early and timely assessment of neurocognitive disorders using cognitive, behavioral, and functional scales. <i>Alzheimeros and Dementia: Translational Research and Clinical Interventions</i> , 2020 , 6, e12057	6	1
115	The Behavioral/Dysexecutive Variant of Alzheimer's Disease: A Case Series with Clinical, Neuropsychological, and FDG-PET Characterization. <i>Dementia and Geriatric Cognitive Disorders</i> , 2020 , 49, 518-525	2.6	7
114	Early symptoms in symptomatic and preclinical genetic frontotemporal lobar degeneration. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2020 , 91, 975-984	5.5	15
113	Abnormal pain perception is associated with thalamo-cortico-striatal atrophy in expansion carriers in the GENFI cohort. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2020 , 91, 1325-1328	5.5	5
112	Recommendations of the 5th Canadian Consensus Conference on the diagnosis and treatment of dementia. <i>Alzheimer</i> and <i>Dementia</i> , 2020 , 16, 1182-1195	1.2	48
111	Cognitive Profile of the Logopenic Variant of Primary Progressive Aphasia Using the D\(\beta\)istage Cognitif de Qu\(\beta\)ec. Dementia and Geriatric Cognitive Disorders, 2020 , 49, 410-417	2.6	0
110	Posterior Cingulate Cortex Hypometabolism in Non-Amnestic Variants of Alzheimer's Disease. Journal of Alzheimer Disease, 2020 , 77, 1569-1577	4.3	2
109	Analysis of brain atrophy and local gene expression in genetic frontotemporal dementia. <i>Brain Communications</i> , 2020 , 2,	4.5	6
108	Improvement in functional vocabulary and generalization to conversation following a self-administered treatment using a smart tablet in primary progressive aphasia. Neuropsychological Rehabilitation, 2020, 30, 1224-1254	3.1	8
107	The role of semantic memory in the recognition of emotional valence conveyed by written words. <i>Aging, Neuropsychology, and Cognition</i> , 2020 , 27, 270-288	2.1	1
106	Faster Cortical Thinning and Surface Area Loss in Presymptomatic and Symptomatic C9orf72 Repeat Expansion Adult Carriers. <i>Annals of Neurology</i> , 2020 , 88, 113-122	9.4	11
105	Characterization of the phenotype with cognitive impairment and protein mislocalization in SCA34. <i>Neurology: Genetics</i> , 2020 , 6, e403	3.8	11
104	The inner fluctuations of the brain in presymptomatic Frontotemporal Dementia: The chronnectome fingerprint. <i>NeuroImage</i> , 2019 , 189, 645-654	7.9	18
103	Education modulates brain maintenance in presymptomatic frontotemporal dementia. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2019 , 90, 1124-1130	5.5	10
102	Novel CSF biomarkers in genetic frontotemporal dementia identified by proteomics. <i>Annals of Clinical and Translational Neurology</i> , 2019 , 6, 698-707	5.3	25

(2018-2019)

101	Differential language network functional connectivity alterations in Alzheimer's disease and the semantic variant of primary progressive aphasia. <i>Cortex</i> , 2019 , 117, 284-298	3.8	20	
100	White Matter Damage in the Semantic Variant of Primary Progressive Aphasia. <i>Canadian Journal of Neurological Sciences</i> , 2019 , 46, 373-382	1	3	
99	Cerebral perfusion changes in presymptomatic genetic frontotemporal dementia: a GENFI study. <i>Brain</i> , 2019 , 142, 1108-1120	11.2	23	
98	The contribution of semantic memory to the recognition of basic emotions and emotional valence: Evidence from the semantic variant of primary progressive aphasia. <i>Social Neuroscience</i> , 2019 , 14, 705-	716	9	
97	The role of the hippocampus in the semantic variant of primary progressive aphasia: A resting-state fcMRI study. <i>Hippocampus</i> , 2019 , 29, 1127-1132	3.5	6	
96	Serum neurofilament light chain in genetic frontotemporal dementia: a longitudinal, multicentre cohort study. <i>Lancet Neurology, The</i> , 2019 , 18, 1103-1111	24.1	68	
95	Ventricular volume expansion in presymptomatic genetic frontotemporal dementia. <i>Neurology</i> , 2019 , 93, e1699-e1706	6.5	11	
94	White matter hyperintensities in progranulin-associated frontotemporal dementia: A longitudinal GENFI study. <i>NeuroImage: Clinical</i> , 2019 , 24, 102077	5.3	13	
93	Schizophrenia Phenotype Preceding Behavioral Variant Frontotemporal Dementia Related to C9orf72 Repeat Expansion. <i>Cognitive and Behavioral Neurology</i> , 2019 , 32, 120-123	1.6	6	
92	The Use of Random Forests to Classify Amyloid Brain PET. <i>Clinical Nuclear Medicine</i> , 2019 , 44, 784-788	1.7	7	
91	Spatiotemporal analysis for detection of pre-symptomatic shape changes in neurodegenerative diseases: Initial application to the GENFI cohort. <i>NeuroImage</i> , 2019 , 188, 282-290	7.9	10	
90	Functional network resilience to pathology in presymptomatic genetic frontotemporal dementia. <i>Neurobiology of Aging</i> , 2019 , 77, 169-177	5.6	24	
89	Downregulation of exosomal miR-204-5p and miR-632 as a biomarker for FTD: a GENFI study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2018 , 89, 851-858	5.5	24	
88	Poly(GP), neurofilament and grey matter deficits in expansion carriers. <i>Annals of Clinical and Translational Neurology</i> , 2018 , 5, 583-597	5.3	29	
87	Clinical Reasoning: A 66-year-old woman with seizures and progressive right-sided weakness. <i>Neurology</i> , 2018 , 90, e435-e439	6.5		
86	L'apport critique de l'🏿 aluation de la communication dans le diagnostic preoce de l'apraxie primaire progressive de la parole. <i>Canadian Journal on Aging</i> , 2018 , 37, 50-59	1.6	2	
85	Evidence-based Interpretation of Amyloid-IPET Results: A Clinician's Tool. <i>Alzheimer Disease and Associated Disorders</i> , 2018 , 32, 28-34	2.5	21	
84	Object decision test (BORB): normative data for the adult Quebec population and performance in Alzheimer's disease and the semantic variant of primary progressive aphasia. <i>Aging,</i> Neuropsychology, and Cognition, 2018 , 25, 427-442	2.1	3	

83	Comparison of arterial spin labeling registration strategies in the multi-center GENetic frontotemporal dementia initiative (GENFI). <i>Journal of Magnetic Resonance Imaging</i> , 2018 , 47, 131-140	5.6	32
82	Validation of the ƊBistage Cognitif de QuBec: A New Cognitive Screening Tool for Atypical Dementias. <i>Archives of Clinical Neuropsychology</i> , 2018 , 33, 57-65	2.7	7
81	Cognition and anatomy of adult Niemann-Pick disease type C: Insights for the Alzheimer field. <i>Cognitive Neuropsychology</i> , 2018 , 35, 209-222	2.3	11
80	Patterns of gray matter atrophy in genetic frontotemporal dementia: results from the GENFI study. <i>Neurobiology of Aging</i> , 2018 , 62, 191-196	5.6	104
79	Distinct patterns of brain atrophy in Genetic Frontotemporal Dementia Initiative (GENFI) cohort revealed by visual rating scales. <i>Alzheimer Research and Therapy</i> , 2018 , 10, 46	9	24
78	Presymptomatic white matter integrity loss in familial frontotemporal dementia in the GENFI cohort: A cross-sectional diffusion tensor imaging study. <i>Annals of Clinical and Translational Neurology</i> , 2018 , 5, 1025-1036	5.3	29
77	Molecular imaging in dementia: Past, present, and future. Alzheimera and Dementia, 2018, 14, 1522-155	521.2	40
76	Discovery and validation of autosomal dominant Alzheimer's disease mutations. <i>Alzheimer s Research and Therapy</i> , 2018 , 10, 67	9	16
75	Distinct Neuroanatomical Correlates of Neuropsychiatric Symptoms in the Three Main Forms of Genetic Frontotemporal Dementia in the GENFI Cohort. <i>Journal of Alzheimera</i> Disease, 2018 , 65, 147-16	; 4 ∙3	17
		, ,	
74	Progranulin plasma levels predict the presence of GRN mutations in asymptomatic subjects and do not correlate with brain atrophy: results from the GENFI study. <i>Neurobiology of Aging</i> , 2018 , 62, 245.e9-		2 ³ °
74 73	Progranulin plasma levels predict the presence of GRN mutations in asymptomatic subjects and do		2 ⁰
	Progranulin plasma levels predict the presence of GRN mutations in asymptomatic subjects and do not correlate with brain atrophy: results from the GENFI study. <i>Neurobiology of Aging</i> , 2018 , 62, 245.e9-O1-O4-O6: PREDICTION OF ATYPICAL DEMENTIA SUBTYPES USING A NEW COGNITIVE SCREENING		2 ³ ° 7
73	Progranulin plasma levels predict the presence of GRN mutations in asymptomatic subjects and do not correlate with brain atrophy: results from the GENFI study. <i>Neurobiology of Aging</i> , 2018 , 62, 245.e9-O1-O4-O6: PREDICTION OF ATYPICAL DEMENTIA SUBTYPES USING A NEW COGNITIVE SCREENING TOOL, THE DBISTAGE COGNITIF DE QUBEC (DCQ) 2018 , 14, P226-P227 The DBistage Cognitif de QuBec: A New Clinician's Tool for Early Recognition of Atypical	2 ⁵ 45.e1	
73 72	Progranulin plasma levels predict the presence of GRN mutations in asymptomatic subjects and do not correlate with brain atrophy: results from the GENFI study. <i>Neurobiology of Aging</i> , 2018 , 62, 245.e9-O1-O4-O6: PREDICTION OF ATYPICAL DEMENTIA SUBTYPES USING A NEW COGNITIVE SCREENING TOOL, THE DBISTAGE COGNITIF DE QUBEC (DCQ) 2018 , 14, P226-P227 The DBistage Cognitif de QuBec: A New Clinician's Tool for Early Recognition of Atypical Dementia. <i>Dementia and Geriatric Cognitive Disorders</i> , 2018 , 46, 310-321 Prevalence of amyloid-pathology in distinct variants of primary progressive aphasia. <i>Annals of</i>	245.e1	7
73 72 71	Progranulin plasma levels predict the presence of GRN mutations in asymptomatic subjects and do not correlate with brain atrophy: results from the GENFI study. <i>Neurobiology of Aging</i> , 2018 , 62, 245.e9-O1-O4-O6: PREDICTION OF ATYPICAL DEMENTIA SUBTYPES USING A NEW COGNITIVE SCREENING TOOL, THE DBISTAGE COGNITIF DE QUBEC (DCQ) 2018 , 14, P226-P227 The DBistage Cognitif de QuBec: A New Clinician's Tool for Early Recognition of Atypical Dementia. <i>Dementia and Geriatric Cognitive Disorders</i> , 2018 , 46, 310-321 Prevalence of amyloid-Ipathology in distinct variants of primary progressive aphasia. <i>Annals of Neurology</i> , 2018 , 84, 729-740 Uncovering the heterogeneity and temporal complexity of neurodegenerative diseases with	2 ⁴ 5.e1	7
73 72 71 70	Progranulin plasma levels predict the presence of GRN mutations in asymptomatic subjects and do not correlate with brain atrophy: results from the GENFI study. <i>Neurobiology of Aging</i> , 2018 , 62, 245.e9-O1-04-06: PREDICTION OF ATYPICAL DEMENTIA SUBTYPES USING A NEW COGNITIVE SCREENING TOOL, THE DRISTAGE COGNITIF DE QUBEC (DCQ) 2018 , 14, P226-P227 The DBistage Cognitif de QuBec: A New Clinician's Tool for Early Recognition of Atypical Dementia. <i>Dementia and Geriatric Cognitive Disorders</i> , 2018 , 46, 310-321 Prevalence of amyloid-Dathology in distinct variants of primary progressive aphasia. <i>Annals of Neurology</i> , 2018 , 84, 729-740 Uncovering the heterogeneity and temporal complexity of neurodegenerative diseases with Subtype and Stage Inference. <i>Nature Communications</i> , 2018 , 9, 4273 Conception or *conceivation? The processing of derivational morphology in semantic dementia.	2.6 9.4	7 74 125
73 72 71 70 69	Progranulin plasma levels predict the presence of GRN mutations in asymptomatic subjects and do not correlate with brain atrophy: results from the GENFI study. <i>Neurobiology of Aging</i> , 2018 , 62, 245.e9-O1-04-06: PREDICTION OF ATYPICAL DEMENTIA SUBTYPES USING A NEW COGNITIVE SCREENING TOOL, THE DPISTAGE COGNITIF DE QUBEC (DCQ) 2018 , 14, P226-P227 The DPISTAGE COGNITIF DE QUBEC (DCQ) 2018 , 14, P226-P227 The DPISTAGE COGNITIF DE QUBEC: A New Clinician's Tool for Early Recognition of Atypical Dementia. <i>Dementia and Geriatric Cognitive Disorders</i> , 2018 , 46, 310-321 Prevalence of amyloid-Ipathology in distinct variants of primary progressive aphasia. <i>Annals of Neurology</i> , 2018 , 84, 729-740 Uncovering the heterogeneity and temporal complexity of neurodegenerative diseases with Subtype and Stage Inference. <i>Nature Communications</i> , 2018 , 9, 4273 Conception or *conceivation? The processing of derivational morphology in semantic dementia. <i>Aphasiology</i> , 2017 , 31, 166-188 Multicenter Validation of an MMSE-MoCA Conversion Table. <i>Journal of the American Geriatrics</i>	2.6 2.6 9.4 17.4	7 74 125 5

65	Cognitive reserve and TMEM106B genotype modulate brain damage in presymptomatic frontotemporal dementia: a GENFI study. <i>Brain</i> , 2017 , 140, 1784-1791	11.2	31
64	White matter hyperintensities are seen only in mutation carriers in the GENFI cohort. <i>NeuroImage: Clinical</i> , 2017 , 15, 171-180	5.3	43
63	Dysexecutive Symptoms in Primary Progressive Aphasia: Beyond Diagnostic Criteria. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2017 , 30, 151-161	3.8	27
62	Naming unique entities in the semantic variant of primary progressive aphasia and Alzheimer's disease: Towards a better understanding of the semantic impairment. <i>Neuropsychologia</i> , 2017 , 95, 11-20) ^{3.2}	17
61	Massive Bitemporal Hemorrhages in Antineutrophil Cytoplasmic Autoantibodies Vasculitis. <i>Canadian Journal of Neurological Sciences</i> , 2017 , 44, 194-195	1	
60	Memory for emotional images differs according to the presence of depressive symptoms in individuals at risk for dementia. <i>International Psychogeriatrics</i> , 2017 , 29, 673-685	3.4	4
59	Finger-to-Nose Test Findings in Alzheimer's Disease. <i>Journal of Alzheimera Disease</i> , 2017 , 55, 1335-1337	4.3	1
58	Validation and diagnostic accuracy of predictive curves for age-associated longitudinal cognitive decline in older adults. <i>Cmaj</i> , 2017 , 189, E1472-E1480	3.5	10
57	The Role of the Left Anterior Temporal Lobe for Unpredictable and Complex Mappings in Word Reading. <i>Frontiers in Psychology</i> , 2017 , 8, 517	3.4	4
56	Production of morphologically derived words in the semantic variant of primary progressive aphasia: preserved decomposition and composition but impaired validation. <i>Neurocase</i> , 2016 , 22, 170-8	0.8	14
55	Neurofilament light chain: a biomarker for genetic frontotemporal dementia. <i>Annals of Clinical and Translational Neurology</i> , 2016 , 3, 623-36	5.3	163
54	Normative Data for the Montreal Cognitive Assessment in Middle-Aged and Elderly Quebec-French People. <i>Archives of Clinical Neuropsychology</i> , 2016 , 31, 819-826	2.7	66
53	When the Wedding March becomes sad: Semantic memory impairment for music in the semantic variant of primary progressive aphasia. <i>Neurocase</i> , 2016 , 22, 486-495	0.8	6
52	Learning Specificity and Segmentation Strategies: Misconceptions Regarding Computerized-Cognitive Training Programs. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, e123-e	1-2:4	1
51	Amyloid imaging for dementia in Canada. <i>Cmaj</i> , 2016 , 188, 598-602	3.5	
50	Regularity and beyond: Impaired production and comprehension of inflectional morphology in semantic dementia. <i>Brain and Language</i> , 2016 , 155-156, 1-11	2.9	9
49	When the left brain's away, the right will playEmergent artistic proficiency in primary progressive apraxia of speech. <i>Cortex</i> , 2016 , 76, 125-7	3.8	3
48	Clinical Impact of a Second FDG-PET in Atypical/Unclear Dementia Syndromes. <i>Journal of Alzheimer</i> Disease, 2016 , 49, 695-705	4.3	9

47	Untangling Alzheimer's Disease Clinicoanatomical Heterogeneity Through Selective Network Vulnerability - An Effort to Understand a Complex Disease. <i>Current Alzheimer Research</i> , 2016 , 13, 589-9	6 ³	11
46	Computerized vs. Paper-Pencil Assessment of Cognitive Change following Acute Ischemic Stroke. <i>Journal of Neurological Disorders</i> , 2016 , 4, 317		3
45	Creutzfeldt-Jakob Disease-Like Periodic Sharp Wave Complexes in Voltage-Gated Potassium Channel-Complex Antibodies Encephalitis: A Case Report. <i>Journal of Clinical Neurophysiology</i> , 2016 , 33, e1-4	2.2	11
44	Canadian Consensus Guidelines on Use of Amyloid Imaging in Canada: Update and Future Directions from the Specialized Task Force on Amyloid imaging in Canada. <i>Canadian Journal of Neurological Sciences</i> , 2016 , 43, 503-12	1	22
43	Impact of Depressive Symptoms on Memory for Emotional Words in Mild Cognitive Impairment and Late-Life Depression. <i>Journal of Alzheimera</i> Disease, 2016 , 52, 451-62	4.3	13
42	P2-394: Impact of Disclosing Amyloid Status on Caregivers: A Memory Clinic Study 2016 , 12, P796-P796	;	
41	Clinical Utility of Amyloid PET Imaging in the Differential Diagnosis of Atypical Dementias and Its Impact on Caregivers. <i>Journal of Alzheimer Disease</i> , 2016 , 52, 1251-62	4.3	38
40	Lexical decision with pseudohomophones and reading in the semantic variant of primary progressive aphasia: A double dissociation. <i>Neuropsychologia</i> , 2016 , 86, 45-56	3.2	7
39	Language Processes in Delirium and Dementia 2015 , 360-367		5
38	Improving verb anomia in the semantic variant of primary progressive aphasia: the effectiveness of a semantic-phonological cueing treatment. <i>Neurocase</i> , 2015 , 21, 448-56	0.8	20
37	Preservation of lexical-semantic knowledge of adjectives in the semantic variant of primary progressive aphasia: Implications for theoretical models of semantic memory. <i>Journal of Neurolinguistics</i> , 2015 , 34, 1-14	1.9	4
36	FTS-04-03: Clinical utility of amyloid PET in the differential diagnosis of atypical dementias and its impact on caregivers 2015 , 11, P264-P264		
35	P2-197: DBistage cognitif de quBec (DCQ): A novel cognitive screening test for atypical dementias 2015 , 11, P568-P568		1
34	P3-207: Applying growth curvessto age-associated cognitive decline: An innovative method to help determine normal versus abnormal longitudinal cognitive changes in the elderly 2015 , 11, P711-P712		
33	Presymptomatic cognitive and neuroanatomical changes in genetic frontotemporal dementia in the Genetic Frontotemporal dementia Initiative (GENFI) study: a cross-sectional analysis. <i>Lancet Neurology, The</i> , 2015 , 14, 253-62	24.1	328
32	Parallel ICA of FDG-PET and PiB-PET in three conditions with underlying Alzheimer's pathology. <i>NeuroImage: Clinical</i> , 2014 , 4, 508-16	5.3	41
31	Thirty Days without a Bite: Wernicke's Encephalopathy in a Patient with Paranoid Schizophrenia. Journal of Neurological Disorders, 2014 , 2, 182		2
30	Amyloid imaging in atypical dementia. <i>Cmaj</i> , 2014 , 186, 695	3.5	2

29	Clinical reasoning: a puzzling case of amnesia. <i>Neurology</i> , 2014 , 83, e73-6	6.5	2
28	Neurocognitive changes in tertiary neurosyphilis: a retrospective chart review. <i>Canadian Journal of Neurological Sciences</i> , 2014 , 41, 452-8	1	9
27	Early bilateral hippocampal lesions in transient global amnesia: Evidence against delayed ischemia?. <i>International Journal of Case Reports and Images</i> , 2014 , 5, 795-797	1	
26	Behavioral and language variants of frontotemporal dementia: a review of key symptoms. <i>Clinical Neurology and Neurosurgery</i> , 2013 , 115, 2405-10	2	22
25	Neurocognitive deficits and diffusion MR imaging abnormalities in a case of adult-onset autosomal dominant leukodystrophy. <i>Translational Neuroscience</i> , 2013 , 4,	1.2	2
24	Clinical applications of neuroimaging in patients with Alzheimer's disease: a review from the Fourth Canadian Consensus Conference on the Diagnosis and Treatment of Dementia 2012. <i>Alzheimera Research and Therapy</i> , 2013 , 5, S3	9	20
23	Role of emerging neuroimaging modalities in patients with cognitive impairment: a review from the Canadian Consensus Conference on the Diagnosis and Treatment of Dementia 2012. <i>Alzheimeros Research and Therapy</i> , 2013 , 5, S4	9	14
22	Diverging patterns of amyloid deposition and hypometabolism in clinical variants of probable Alzheimer's disease. <i>Brain</i> , 2013 , 136, 844-58	11.2	235
21	Interrater reliability of the new criteria for behavioral variant frontotemporal dementia. <i>Neurology</i> , 2013 , 80, 1973-7	6.5	29
20	Verbal irony comprehension in older adults with amnestic mild cognitive impairment. <i>Neuropsychology</i> , 2013 , 27, 702-12	3.8	15
19	Amyloid imaging in the differential diagnosis of dementia: review and potential clinical applications. <i>Alzheimer Research and Therapy</i> , 2011 , 3, 31	9	67
18	The value of PET in mild cognitive impairment, typical and atypical/unclear dementias: A retrospective memory clinic study. <i>American Journal of Alzheimeros Disease and Other Dementias</i> , 2010 , 25, 324-32	2.5	42
17	Familial Alzheimer disease in Canada. Canadian Journal of Neurological Sciences, 2010, 37, 302-3	1	
16	Cognitive impairment in ARCA-1, a newly discovered pure cerebellar ataxia syndrome. <i>Cerebellum</i> , 2010 , 9, 443-53	4.3	22
15	A novel TYMP mutation in a French Canadian patient with mitochondrial neurogastrointestinal encephalomyopathy. <i>Clinical Neurology and Neurosurgery</i> , 2009 , 111, 691-4	2	13
14	Reversible parinaud syndrome following intraventricular thrombolysis. <i>Canadian Journal of Neurological Sciences</i> , 2009 , 36, 95-7	1	
13	Neuropsychological detection of cognitive impairment: inter-rater agreement and factors affecting clinical decision-making. <i>Journal of the International Neuropsychological Society</i> , 2006 , 12, 72-9	3.1	8
12	Knowledge and fear of developing Alzheimer's disease in a sample of healthy adults. <i>Psychological Reports</i> , 2005 , 96, 204-6	1.6	25

11	Differential role for the striatum and cerebellum in response to novel movements using a motor learning paradigm. <i>Neuropsychologia</i> , 2002 , 40, 512-7	3.2	33
10	Symptom cluster associated with mild traumatic brain injury in university students. <i>Perceptual and Motor Skills</i> , 2001 , 93, 281-8	2.2	16
9	Distinct contribution of the striatum and cerebellum to motor learning. <i>Brain and Cognition</i> , 2001 , 45, 189-211	2.7	75
8	Impaired skill learning in children with heavy prenatal alcohol exposure. <i>Journal of the International Neuropsychological Society</i> , 2001 , 7, 112-4	3.1	6
7	SYMPTOM CLUSTER ASSOCIATED WITH MILD TRAUMATIC BRAIN INJURY IN UNIVERSITY STUDENTS. <i>Perceptual and Motor Skills</i> , 2001 , 93, 281	2.2	8
6	Role of the striatum, cerebellum and frontal lobes in the automatization of a repeated visuomotor sequence of movements. <i>Neuropsychologia</i> , 1998 , 36, 625-41	3.2	177
5	Role of the striatum, cerebellum, and frontal lobes in the learning of a visuomotor sequence. <i>Brain and Cognition</i> , 1997 , 34, 218-45	2.7	234
4	Brain functional network integrity sustains cognitive function despite atrophy in presymptomatic genetic frontotemporal dementia		2
3	Uncovering the heterogeneity and temporal complexity of neurodegenerative diseases with Subtype and Stage Inference		3
2	Spatiotemporal analysis for detection of pre-symptomatic shape changes in neurodegenerative diseases: applied to GENFI study		1
1	Global network structure and local transcriptomic vulnerability shape atrophy in sporadic and genetic behavioral variant frontotemporal dementia		1