

# Ka Sing Wong

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3368540/publications.pdf>

Version: 2024-02-01

457  
papers

23,656  
citations

10986

71  
h-index

13379

130  
g-index

458  
all docs

458  
docs citations

458  
times ranked

20679  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Variants conferring risk of atrial fibrillation on chromosome 4q25. <i>Nature</i> , 2007, 448, 353-357.  | 27.8 | 853       |
| 2  | Stroke and Stroke Care in China. <i>Stroke</i> , 2011, 42, 3651-3654.  | 2.0  | 674       |
| 3  | Large Artery Intracranial Occlusive Disease. <i>Stroke</i> , 2008, 39, 2396-2399.  | 2.0  | 581       |
| 4  | Prevalence and Outcomes of Symptomatic Intracranial Large Artery Stenoses and Occlusions in China. <i>Stroke</i> , 2014, 45, 663-669.  | 2.0  | 492       |
| 5  | Global Burden of Intracranial Atherosclerosis. <i>International Journal of Stroke</i> , 2006, 1, 158-159.  | 5.9  | 488       |
| 6  | Low-Molecular-Weight Heparin for the Treatment of Acute Ischemic Stroke. <i>New England Journal of Medicine</i> , 1995, 333, 1588-1594.  | 27.0 | 471       |
| 7  | One-Year Risk of Stroke after Transient Ischemic Attack or Minor Stroke. <i>New England Journal of Medicine</i> , 2016, 374, 1533-1542.  | 27.0 | 444       |
| 8  | A sequence variant in ZFX3 on 16q22 associates with atrial fibrillation and ischemic stroke. <i>Nature Genetics</i> , 2009, 41, 876-878.   | 21.4 | 434       |
| 9  | Ticagrelor versus Aspirin in Acute Stroke or Transient Ischemic Attack. <i>New England Journal of Medicine</i> , 2016, 375, 35-43.   | 27.0 | 424       |
| 10 | Clopidogrel plus aspirin versus aspirin alone for reducing embolisation in patients with acute symptomatic cerebral or carotid artery stenosis (CLAIR study): a randomised, open-label, blinded-endpoint trial. <i>Lancet Neurology</i> , The, 2010, 9, 489-497. | 10.2 | 372       |
| 11 | Rivaroxaban compared with warfarin in patients with atrial fibrillation and previous stroke or transient ischaemic attack: a subgroup analysis of ROCKET AF. <i>Lancet Neurology</i> , The, 2012, 11, 315-322.   | 10.2 | 310       |
| 12 | Carpal Tunnel Syndrome: Diagnostic Usefulness of Sonography. <i>Radiology</i> , 2004, 232, 93-99.  | 7.3  | 281       |
| 13 | Grading Carotid Stenosis Using Ultrasonic Methods. <i>Stroke</i> , 2012, 43, 916-921.  | 2.0  | 272       |
| 14 | Prognostic Use of Circulating Plasma Nucleic Acid Concentrations in Patients with Acute Stroke. <i>Clinical Chemistry</i> , 2003, 49, 562-569.   | 3.2  | 265       |
| 15 | Mechanisms of acute cerebral infarctions in patients with middle cerebral artery stenosis: A diffusion-weighted imaging and microemboli monitoring study. <i>Annals of Neurology</i> , 2002, 52, 74-81.  | 5.3  | 249       |
| 16 | Use of Transcranial Doppler Ultrasound to Predict Outcome in Patients With Intracranial Large-Artery Occlusive Disease. <i>Stroke</i> , 2000, 31, 2641-2647.   | 2.0  | 246       |
| 17 | Cilostazol as an alternative to aspirin after ischaemic stroke: a randomised, double-blind, pilot study. <i>Lancet Neurology</i> , The, 2008, 7, 494-499.  | 10.2 | 244       |
| 18 | The Validity, Reliability and Clinical Utility of the Hong Kong Montreal Cognitive Assessment (HK-MoCA) in Patients with Cerebral Small Vessel Disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2009, 28, 81-87.                                     | 1.5  | 243       |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Five-Year Risk of Stroke after TIA or Minor Ischemic Stroke. <i>New England Journal of Medicine</i> , 2018, 378, 2182-2190.   | 27.0 | 238       |
| 20 | Cerebral Microbleeds as a Risk Factor for Subsequent Intracerebral Hemorrhages Among Patients With Acute Ischemic Stroke. <i>Stroke</i> , 2003, 34, 2459-2462.  | 2.0  | 235       |
| 21 | The China National Stroke Registry for Patients with Acute Cerebrovascular Events: Design, Rationale, and Baseline Patient Characteristics. <i>International Journal of Stroke</i> , 2011, 6, 355-361.    | 5.9  | 227       |
| 22 | Practice Standards for Transcranial Doppler Ultrasound: Part I—Test Performance. <i>Journal of Neuroimaging</i> , 2007, 17, 11-18.  | 2.0  | 219       |
| 23 | Discriminatory sonographic criteria for the diagnosis of carpal tunnel syndrome. <i>Arthritis and Rheumatism</i> , 2002, 46, 1914-1921.   | 6.7  | 207       |
| 24 | Practice Standards for Transcranial Doppler (TCD) Ultrasound. Part II. Clinical Indications and Expected Outcomes. <i>Journal of Neuroimaging</i> , 2012, 22, 215-224.                                    | 2.0  | 203       |
| 25 | Long-Term Mortality and Recurrent Stroke Risk Among Chinese Stroke Patients With Predominant Intracranial Atherosclerosis. <i>Stroke</i> , 2003, 34, 2361-2366.   | 2.0  | 199       |
| 26 | A randomized controlled trial of surgery vs steroid injection for carpal tunnel syndrome. <i>Neurology</i> , 2005, 64, 2074-2078.   | 1.1  | 192       |
| 27 | Cognitive impairment and functional outcome after stroke associated with small vessel disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2004, 75, 560-566.                              | 1.9  | 187       |
| 28 | Risk vs benefit of anti-thrombotic therapy in ischaemic stroke patients with cerebral microbleeds. <i>Journal of Neurology</i> , 2008, 255, 1679-1686.  | 3.6  | 172       |
| 29 | Montreal Cognitive Assessment 5-Minute Protocol Is a Brief, Valid, Reliable, and Feasible Cognitive Screen for Telephone Administration. <i>Stroke</i> , 2015, 46, 1059-1064.                             | 2.0  | 172       |
| 30 | Is Hypoperfusion an Important Cause of Strokes? If So, How?. <i>Cerebrovascular Diseases</i> , 2006, 21, 145-153.   | 1.7  | 170       |
| 31 | Dual antiplatelet therapy in stroke and ICAS. <i>Neurology</i> , 2015, 85, 1154-1162.   | 1.1  | 158       |
| 32 | Middle Cerebral Artery Atherosclerosis: Histological Comparison between Plaques Associated with and Not Associated with Infarct in a Postmortem Study. <i>Cerebrovascular Diseases</i> , 2008, 25, 74-80. | 1.7  | 152       |
| 33 | Progression of Middle Cerebral Artery Occlusive Disease and Its Relationship With Further Vascular Events After Stroke. <i>Stroke</i> , 2002, 33, 532-536.  | 2.0  | 149       |
| 34 | Prevalence of Sleep-Disordered Breathing and Continuous Positive Airway Pressure Compliance. <i>Chest</i> , 2002, 122, 852-860.   | 0.8  | 146       |
| 35 | Epidemiology of venous thromboembolism in Asian patients undergoing major orthopedic surgery without thromboprophylaxis. The SMART Study. <i>Journal of Thrombosis and Haemostasis</i> , 2005, 3, 28-34.  | 3.8  | 146       |
| 36 | Prevalence of asymptomatic intracranial atherosclerosis in high-risk patients. <i>Neurology</i> , 2007, 68, 2035-2038.  | 1.1  | 144       |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 37 | Rivaroxaban for Stroke Prevention in East Asian Patients From the ROCKET AF Trial. <i>Stroke</i> , 2014, 45, 1739-1747.  | 2.0  | 142       |
| 38 | Quality of Life of Stroke Survivors: A 1-Year Follow-Up Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2006, 87, 1177-1182.  | 0.9  | 141       |
| 39 | Factors Associated With Prehospital Delays in the Presentation of Acute Stroke in Urban China. <i>Stroke</i> , 2012, 43, 362-370.  | 2.0  | 133       |
| 40 | Low-molecular-weight heparin compared with aspirin for the treatment of acute ischaemic stroke in Asian patients with large artery occlusive disease: a randomised study. <i>Lancet Neurology</i> , The, 2007, 6, 407-413.                         | 10.2 | 132       |
| 41 | Incidence of carotid stenosis in nasopharyngeal carcinoma patients after radiotherapy. <i>Cancer</i> , 2001, 92, 2357-2363.  | 4.1  | 130       |
| 42 | Microembolic Signal Predicts Recurrent Cerebral Ischemic Events in Acute Stroke Patients With Middle Cerebral Artery Stenosis. <i>Stroke</i> , 2004, 35, 2832-2836.  | 2.0  | 126       |
| 43 | Efficacy and Safety of Combination Antiplatelet Therapies in Patients With Symptomatic Intracranial Atherosclerotic Stenosis. <i>Stroke</i> , 2011, 42, 2883-2890.   | 2.0  | 126       |
| 44 | Early-onset and delayed-onset poststroke dementia "revisiting the mechanisms. <i>Nature Reviews Neurology</i> , 2017, 13, 148-159.   | 10.1 | 123       |
| 45 | Stroke: Working Toward a Prioritized World Agenda. <i>Stroke</i> , 2010, 41, 1084-1099.  | 2.0  | 122       |
| 46 | The Thrombin Receptor Antagonist for Clinical Event Reduction in Acute Coronary Syndrome (TRAACER) trial: study design and rationale. <i>American Heart Journal</i> , 2009, 158, 327-334.e4.   | 2.7  | 120       |
| 47 | Recurrent stroke risk and cerebral microbleed burden in ischemic stroke and TIA. <i>Neurology</i> , 2016, 87, 1501-1510.   | 1.1  | 120       |
| 48 | Early Dual Versus Mono Antiplatelet Therapy for Acute Non-Cardioembolic Ischemic Stroke or Transient Ischemic Attack. <i>Circulation</i> , 2013, 128, 1656-1666.   | 1.6  | 118       |
| 49 | Risk factors for incident dementia after stroke and transient ischemic attack. <i>Alzheimer's and Dementia</i> , 2015, 11, 16-23.  | 0.8  | 116       |
| 50 | A door-to-door survey of intracranial atherosclerosis in Liangbei County, China. <i>Neurology</i> , 2007, 68, 2031-2034.   | 1.1  | 115       |
| 51 | Impaired cerebral autoregulation: measurement and application to stroke. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2017, 88, 520-531.   | 1.9  | 114       |
| 52 | Targeted use of heparin, heparinoids, or low-molecular-weight heparin to improve outcome after acute ischaemic stroke: an individual patient data meta-analysis of randomised controlled trials. <i>Lancet Neurology</i> , The, 2013, 12, 539-545. | 10.2 | 110       |
| 53 | Extent of white matter lesions is related to acute subcortical infarcts and predicts further stroke risk in patients with first ever ischaemic stroke. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2005, 76, 793-796.               | 1.9  | 109       |
| 54 | Multidrug resistance in epilepsy and polymorphisms in the voltage-gated sodium channel genes SCN1A, SCN2A, and SCN3A: correlation among phenotype, genotype, and mRNA expression. <i>Pharmacogenetics and Genomics</i> , 2008, 18, 989-998.        | 1.5  | 107       |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Botulinum Toxin Injection for Hypertonicity of the Upper Extremity Within 12 Weeks After Stroke. <i>Neurorehabilitation and Neural Repair</i> , 2012, 26, 812-821.   | 2.9 | 106       |
| 56 | Impact of collaterals on the efficacy and safety of endovascular treatment in acute ischaemic stroke: a systematic review and meta-analysis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2016, 87, 537-544. | 1.9 | 106       |
| 57 | Myopathic Changes Associated With Severe Acute Respiratory Syndrome. <i>Archives of Neurology</i> , 2005, 62, 1113.  | 4.5 | 104       |
| 58 | Effect of White Matter Changes on Cognitive Impairment in Patients With Lacunar Infarcts. <i>Stroke</i> , 2004, 35, 1826-1830.   | 2.0 | 95        |
| 59 | Acute basal ganglia infarcts in poststroke fatigue: an MRI study. <i>Journal of Neurology</i> , 2010, 257, 178-182.  | 3.6 | 92        |
| 60 | Prevalence and Risk Factors of Middle Cerebral Artery Stenosis in Asymptomatic Residents in Rongqi County, Guangdong. <i>Cerebrovascular Diseases</i> , 2007, 24, 111-115.   | 1.7 | 91        |
| 61 | Effects of statins on the progression of cerebral white matter lesion. <i>Journal of Neurology</i> , 2009, 256, 750-757.   | 3.6 | 91        |
| 62 | Montreal Cognitive Assessment. <i>Stroke</i> , 2015, 46, 3547-3550.  | 2.0 | 90        |
| 63 | Brain microbleeds, anticoagulation, and hemorrhage risk. <i>Neurology</i> , 2017, 89, 2317-2326.   | 1.1 | 90        |
| 64 | Intracranial Atherosclerosis: From Microscopy to High-Resolution Magnetic Resonance Imaging. <i>Journal of Stroke</i> , 2017, 19, 249-260.   | 3.2 | 90        |
| 65 | Association between ABCB1 C3435T polymorphism and drug-resistant epilepsy in Han Chinese. <i>Epilepsy and Behavior</i> , 2007, 11, 112-117.  | 1.7 | 88        |
| 66 | Guidelines for evaluation and management of cerebral collateral circulation in ischaemic stroke 2017. <i>Stroke and Vascular Neurology</i> , 2018, 3, 117-130.   | 3.3 | 85        |
| 67 | Evaluating Intracranial Atherosclerosis Rather Than Intracranial Stenosis. <i>Stroke</i> , 2014, 45, 645-651.  | 2.0 | 84        |
| 68 | Impact of Collateral Status on Successful Revascularization in Endovascular Treatment: A Systematic Review and Meta-Analysis. <i>Cerebrovascular Diseases</i> , 2016, 41, 27-34.   | 1.7 | 84        |
| 69 | Prevalence of Migraine and Other Headaches in Hong Kong. <i>Neuroepidemiology</i> , 1995, 14, 82-91.   | 2.3 | 83        |
| 70 | Transcranial Doppler Ultrasound for Screening Cerebral Small Vessel Disease. <i>Stroke</i> , 2012, 43, 2791-2793.  | 2.0 | 81        |
| 71 | Chinese Medicine Neuroaid Efficacy on Stroke Recovery. <i>Stroke</i> , 2013, 44, 2093-2100.  | 2.0 | 80        |
| 72 | Frequency and Determinants of Poststroke Dementia in Chinese. <i>Stroke</i> , 2004, 35, 930-935.   | 2.0 | 79        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | The Frequency and Determinants of Calcification in Intracranial Arteries in Chinese Patients Who Underwent Computed Tomography Examinations. <i>Cerebrovascular Diseases</i> , 2006, 21, 91-97. | 1.7 | 73        |
| 74 | Handicap and Its Determinants of Change in Stroke Survivors. <i>Stroke</i> , 2008, 39, 148-153.   | 2.0 | 72        |
| 75 | B Vitamins and Magnetic Resonance Imaging-detected Ischemic Brain Lesions in Patients With Recent Transient Ischemic Attack or Stroke. <i>Stroke</i> , 2012, 43, 3266-3270.                     | 2.0 | 72        |
| 76 | Significance of Good Collateral Compensation in Symptomatic Intracranial Atherosclerosis. <i>Cerebrovascular Diseases</i> , 2012, 33, 517-524.  | 1.7 | 71        |
| 77 | Can the Geriatric Depression Scale detect poststroke depression in Chinese elderly?. <i>Journal of Affective Disorders</i> , 2004, 81, 153-156.   | 4.1 | 70        |
| 78 | Bacterial meningitis in Hong Kong: 10-years' experience. <i>Clinical Neurology and Neurosurgery</i> , 2005, 107, 366-370.   | 1.4 | 70        |
| 79 | Intracranial Artery Calcification: A Newly Identified Risk Factor of Ischemic Stroke. <i>Journal of Neuroimaging</i> , 2007, 17, 300-303.   | 2.0 | 70        |
| 80 | Mutational analysis of 65 Wilson disease patients in Hong Kong Chinese: Identification of 17 novel mutations and its genetic heterogeneity. <i>Journal of Human Genetics</i> , 2008, 53, 55-63. | 2.3 | 69        |
| 81 | Magnetic Resonance Imaging of Plaque Morphology, Burden, and Distribution in Patients With Symptomatic Middle Cerebral Artery Stenosis. <i>Stroke</i> , 2016, 47, 1797-1802.                    | 2.0 | 69        |
| 82 | Comparison of Recovery Patterns and Prognostic Indicators for Ischemic and Hemorrhagic Stroke in China. <i>Stroke</i> , 2010, 41, 1877-1883.  | 2.0 | 68        |
| 83 | Geographic and Sex Difference in the Distribution of Intracranial Atherosclerosis in China. <i>Stroke</i> , 2013, 44, 2109-2114.  | 2.0 | 68        |
| 84 | Plasma DNA as a prognostic marker for stroke patients with negative neuroimaging within the first 24h of symptom onset. <i>Resuscitation</i> , 2006, 68, 71-78.                                 | 3.0 | 67        |
| 85 |   |     |           |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Impact of Anxiety on Health-Related Quality of Life After Stroke: A Cross-Sectional Study. Archives of Physical Medicine and Rehabilitation, 2013, 94, 2535-2541.  | 0.9 | 62        |
| 92  | Delayed-onset dementia after stroke or transient ischemic attack. Alzheimer's and Dementia, 2016, 12, 1167-1176.   | 0.8 | 61        |
| 93  | Poststroke Depression in Chinese Patients: Frequency, Psychosocial, Clinical, and Radiological Determinants. Journal of Geriatric Psychiatry and Neurology, 2005, 18, 45-51.   | 2.3 | 60        |
| 94  | Autonomic Dysfunction Predicts Clinical Outcomes After Acute Ischemic Stroke. Stroke, 2018, 49, 215-218.   | 2.0 | 59        |
| 95  | Clinically underdetected asymptomatic and symptomatic carotid stenosis as a late complication of radiotherapy in Chinese nasopharyngeal carcinoma patients. Head and Neck, 2001, 23, 780-784.                              | 2.0 | 57        |
| 96  | Good collateral circulation predicts favorable outcomes in intravenous thrombolysis: a systematic review and meta-analysis. European Journal of Neurology, 2016, 23, 1738-1749.  | 3.3 | 57        |
| 97  | Middle cerebral artery occlusion after recent mycoplasma pneumoniae infection. Journal of the Neurological Sciences, 1998, 157, 113-115.   | 0.6 | 56        |
| 98  | Mesial Frontal Epilepsy and Ictal Body Turning Along the Horizontal Body Axis. Archives of Neurology, 2008, 65, 71-7.  | 4.5 | 55        |
| 99  | Guidance on home blood pressure monitoring: A statement of the HOPE Asia Network. Journal of Clinical Hypertension, 2018, 20, 456-461.   | 2.0 | 55        |
| 100 | Status epilepticus in Hong Kong Chinese: aetiology, outcome and predictors of death and morbidity. Seizure: the Journal of the British Epilepsy Association, 2003, 12, 478-482.  | 2.0 | 54        |
| 101 | Computational Fluid Dynamics Modeling of Symptomatic Intracranial Atherosclerosis May Predict Risk of Stroke Recurrence. PLoS ONE, 2014, 9, e97531.  | 2.5 | 54        |
| 102 | Optimal Values of Flow Velocity on Transcranial Doppler in Grading Middle Cerebral Artery Stenosis in Comparison With Magnetic Resonance Angiography. Journal of Neuroimaging, 2002, 12, 213-218.                          | 2.0 | 53        |
| 103 | The Validity and Reliability of Chinese Frontal Assessment Battery in Evaluating Executive Dysfunction Among Chinese Patients With Small Subcortical Infarct. Alzheimer Disease and Associated Disorders, 2004, 18, 68-74. | 1.3 | 53        |
| 104 | Frequency and Clinical Determinants of Poststroke Cognitive Impairment in Nondemented Stroke Patients. Journal of Geriatric Psychiatry and Neurology, 2006, 19, 65-71.   | 2.3 | 53        |
| 105 | Secondary Prevention of Ischemic Stroke in Urban China. Stroke, 2010, 41, 967-974.   | 2.0 | 53        |
| 106 | Poststroke fatigue is associated with caudate infarcts. Journal of the Neurological Sciences, 2013, 324, 131-135.  | 0.6 | 53        |
| 107 | Can IQCODE detect poststroke dementia?. International Journal of Geriatric Psychiatry, 2003, 18, 706-710.  | 2.7 | 52        |
| 108 | Hyperhomocysteinemia is associated with volumetric white matter change in patients with small vessel disease. Journal of Neurology, 2006, 253, 441-447.  | 3.6 | 52        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Apolipoprotein E $\epsilon$ 4 Allele Is Associated with Vascular Dementia. <i>Dementia and Geriatric Cognitive Disorders</i> , 2006, 22, 301-305.  | 1.5 | 52        |
| 110 | Is Fatigue Associated With Short-Term Health-Related Quality of Life in Stroke?. <i>Archives of Physical Medicine and Rehabilitation</i> , 2010, 91, 1511-1515.  | 0.9 | 52        |
| 111 | Cerebral Microbleeds and Depression in Lacunar Stroke. <i>Stroke</i> , 2011, 42, 2443-2446.  | 2.0 | 52        |
| 112 | Current Status of Intravenous Thrombolysis for Acute Ischemic Stroke in Asia. <i>International Journal of Stroke</i> , 2011, 6, 523-530.   | 5.9 | 52        |
| 113 | Cortical and frontal atrophy are associated with cognitive impairment in age-related confluent white-matter lesion. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2011, 82, 52-57.            | 1.9 | 52        |
| 114 | External Counterpulsation Augments Blood Pressure and Cerebral Flow Velocities in Ischemic Stroke Patients With Cerebral Intracranial Large Artery Occlusive Disease. <i>Stroke</i> , 2012, 43, 3007-3011. | 2.0 | 52        |
| 115 | Prestroke Statins, Progression of White Matter Hyperintensities, and Cognitive Decline in Stroke Patients with Confluent White Matter Hyperintensities. <i>Neurotherapeutics</i> , 2014, 11, 606-611.      | 4.4 | 51        |
| 116 | Insomnia and health-related quality of life in stroke. <i>Topics in Stroke Rehabilitation</i> , 2015, 22, 201-207.   | 1.9 | 50        |
| 117 | Race-Ethnicity and Cerebral Small Vessel Disease – Comparison between Chinese and White Populations. <i>International Journal of Stroke</i> , 2014, 9, 36-42.  | 5.9 | 49        |
| 118 | Comprehensive Assessment for Autonomic Dysfunction in Different Phases after Ischemic Stroke. <i>International Journal of Stroke</i> , 2013, 8, 645-651.   | 5.9 | 47        |
| 119 | Benefits and Risks of Clopidogrel vs. Aspirin Monotherapy after Recent Ischemic Stroke: A Systematic Review and Meta-Analysis. <i>Cardiovascular Therapeutics</i> , 2019, 2019, 1-12.                      | 2.5 | 47        |
| 120 | Efficacy, safety, and tolerability of pramipexole in untreated and levodopa-treated patients with Parkinson's disease. <i>Journal of the Neurological Sciences</i> , 2003, 216, 81-87.                     | 0.6 | 46        |
| 121 | Paraoxonase 1 gene Q192R polymorphism affects stroke and myocardial infarction risk. <i>Clinical Biochemistry</i> , 2006, 39, 191-195.   | 1.9 | 46        |
| 122 | Pittsburgh compound B binding in poststroke dementia. <i>Journal of the Neurological Sciences</i> , 2010, 290, 135-137.  | 0.6 | 46        |
| 123 | The prognosis of acute symptomatic seizures after ischaemic stroke. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2017, 88, 86-94.  | 1.9 | 46        |
| 124 | Comparison of plasma $\beta$ -globin DNA and S-100 protein concentrations in acute stroke. <i>Clinica Chimica Acta</i> , 2007, 376, 190-196.   | 1.1 | 45        |
| 125 | Preliminary Findings of External Counterpulsation for Ischemic Stroke Patient With Large Artery Occlusive Disease. <i>Stroke</i> , 2008, 39, 1340-1343.  | 2.0 | 45        |
| 126 | Gene-wide tagging study of association between <i>ABCB1</i> polymorphisms and multidrug resistance in epilepsy in Han Chinese. <i>Pharmacogenomics</i> , 2009, 10, 723-732.                                | 1.3 | 45        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Rituximab reduces attacks in Chinese patients with neuromyelitis optica spectrum disorders. <i>Journal of the Neurological Sciences</i> , 2013, 324, 38-39.  | 0.6 | 45        |
| 128 | Autonomic dysfunction in different subtypes of post-acute ischemic stroke. <i>Journal of the Neurological Sciences</i> , 2014, 337, 141-146.   | 0.6 | 45        |
| 129 | Risk Factors of Dilated Virchow-Robin Spaces Are Different in Various Brain Regions. <i>PLoS ONE</i> , 2014, 9, e105505.   | 2.5 | 45        |
| 130 | Clinical and radiologic correlates of insomnia symptoms in ischemic stroke patients. <i>International Journal of Geriatric Psychiatry</i> , 2011, 26, 451-457.   | 2.7 | 44        |
| 131 | Sonographic Characterisation of Radiation-Induced Carotid Artery Stenosis. <i>Cerebrovascular Diseases</i> , 2002, 13, 168-173.  | 1.7 | 43        |
| 132 | Headache in patients with epilepsy: A prospective incidence study. <i>Epilepsia</i> , 2008, 49, 1099-1102.   | 5.1 | 43        |
| 133 | Oral steroid in the treatment of carpal tunnel syndrome. <i>Annals of the Rheumatic Diseases</i> , 2001, 60, 813-814.  | 0.9 | 43        |
| 134 | Impaired neurovascular coupling in ischaemic stroke patients with large or small vessel disease. <i>European Journal of Neurology</i> , 2011, 18, 731-736.   | 3.3 | 42        |
| 135 | The Effectiveness of Dual Antiplatelet Treatment in Acute Ischemic Stroke Patients with Intracranial Arterial Stenosis: A Subgroup Analysis of CLAIR Study. <i>International Journal of Stroke</i> , 2013, 8, 663-668.                   | 5.9 | 42        |
| 136 | Sustaining cerebral perfusion in intracranial atherosclerotic stenosis: The roles of antegrade residual flow and leptomeningeal collateral flow. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2020, 40, 126-134.               | 4.3 | 42        |
| 137 | Carotid Intima-media Thickness in Patients with Head and Neck Irradiation for the Treatment of Nasopharyngeal Carcinoma. <i>Clinical Radiology</i> , 2002, 57, 600-603.  | 1.1 | 41        |
| 138 | High Signal on T1 Sequence of Magnetic Resonance Imaging Confirmed to Be Intraplaque Haemorrhage by Histology in Middle Cerebral Artery. <i>International Journal of Stroke</i> , 2014, 9, E19-E19.                                      | 5.9 | 41        |
| 139 | Prevalence, knowledge, and treatment of transient ischemic attacks in China. <i>Neurology</i> , 2015, 84, 2354-2361.   | 1.1 | 41        |
| 140 | Potential Value of Poststroke Extracranial Arterial Blood Flow Volume in the Prediction of Stroke Functional Outcome. <i>Cerebrovascular Diseases</i> , 2006, 21, 54-59.   | 1.7 | 40        |
| 141 | Microbleeds and post-stroke emotional lability. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2009, 80, 1082-1086.  | 1.9 | 40        |
| 142 | CHinese Medicine NeuroAiD Efficacy on Stroke Recovery - Extension Study (CHIMES-E): A Multicenter Study of Long-Term Efficacy. <i>Cerebrovascular Diseases</i> , 2015, 39, 309-318.  | 1.7 | 40        |
| 143 | Middle Cerebral Artery Stenosis in Type II Diabetic Chinese Patients Is Associated with Conventional Risk Factors but Not with Polymorphisms of the Renin-Angiotensin System Genes. <i>Cerebrovascular Diseases</i> , 2003, 16, 217-223. | 1.7 | 39        |
| 144 | Relationship Between Cerebral Vasomotor Reactivity and White Matter Lesions in Elderly Subjects Without Large Artery Occlusive Disease. <i>Journal of Neuroimaging</i> , 2006, 16, 120-125.  | 2.0 | 39        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Patient-Specific Decision-Making for Warfarin Therapy in Nonvalvular Atrial Fibrillation. <i>Stroke</i> , 2008, 39, 3308-3315.   | 2.0 | 39        |
| 146 | Stroke Mechanisms. <i>Frontiers of Neurology and Neuroscience</i> , 2016, 40, 58-71.   | 2.8 | 39        |
| 147 | Emotional incontinence in Chinese stroke patients. <i>Journal of Neurology</i> , 2004, 251, 865-9.   | 3.6 | 38        |
| 148 | Angioplasty and Stenting of Atherosclerotic Middle Cerebral Arteries with Wingspan: Evaluation of Clinical Outcome, Restenosis, and Procedure Outcome. <i>American Journal of Neuroradiology</i> , 2011, 32, 753-758.                        | 2.4 | 38        |
| 149 | Frequency and determinants of prestroke dementia in a Chinese cohort. <i>Journal of Neurology</i> , 2004, 251, 604-608.  | 3.6 | 37        |
| 150 | Reversible Cerebral Vasoconstriction Syndrome with Posterior Leucoencephalopathy after Oral Contraceptive Pills. <i>Cephalalgia</i> , 2010, 30, 42-45.   | 3.9 | 37        |
| 151 | Use of Oral Anticoagulation among Stroke Patients with Atrial Fibrillation in China: The ChinaQUEST (Quality Evaluation of Stroke Care and Treatment) Registry Study. <i>International Journal of Stroke</i> , 2013, 8, 150-154.             | 5.9 | 37        |
| 152 | Location of Infarcts and Apathy in Ischemic Stroke. <i>Cerebrovascular Diseases</i> , 2013, 35, 566-571.   | 1.7 | 36        |
| 153 | The NINDS-Canadian stroke network vascular cognitive impairment neuropsychology protocols in Chinese. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2013, 84, 499-504.  | 1.9 | 36        |
| 154 | Distal Single Subcortical Infarction Had a Better Clinical Outcome Compared With Proximal Single Subcortical Infarction. <i>Stroke</i> , 2014, 45, 2613-2619.  | 2.0 | 36        |
| 155 | Validity and Reliability of the Neuropsychiatric Inventory Questionnaire Version in Patients With Stroke or Transient Ischemic Attack Having Cognitive Impairment. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2014, 27, 247-252. | 2.3 | 36        |
| 156 | Evolution of intracranial atherosclerotic disease under modern medical therapy. <i>Annals of Neurology</i> , 2015, 77, 478-486.  | 5.3 | 36        |
| 157 | Is Dynamic Cerebral Autoregulation Bilaterally Impaired after Unilateral Acute Ischemic Stroke?. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2017, 26, 1081-1087.  | 1.6 | 36        |
| 158 | Lesion Patterns and Stroke Mechanisms in Concurrent Atherosclerosis of Intracranial and Extracranial Vessels. <i>Stroke</i> , 2009, 40, 3211-3215.   | 2.0 | 35        |
| 159 | Prognosticating acute symptomatic seizures using two different seizure outcomes. <i>Epilepsia</i> , 2010, 51, 1570-1579.   | 5.1 | 35        |
| 160 | Association between temporal lobe P-glycoprotein expression and seizure recurrence after surgery for pharmacoresistant temporal lobe epilepsy. <i>Neurobiology of Disease</i> , 2010, 39, 192-197.   | 4.4 | 35        |
| 161 | Determinants of Quality of Life After Stroke in China. <i>Stroke</i> , 2011, 42, 433-438.  | 2.0 | 35        |
| 162 | Is Pain Associated With Suicidality in Stroke?. <i>Archives of Physical Medicine and Rehabilitation</i> , 2013, 94, 863-866.   | 0.9 | 35        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Evaluation of Carotid Angioplasty and Stenting for Radiation-Induced Carotid Stenosis. <i>Stroke</i> , 2014, 45, 1402-1407.   | 2.0 | 35        |
| 164 | Brainstem infarcts predict REM sleep behavior disorder in acute ischemic stroke. <i>BMC Neurology</i> , 2014, 14, 88.   | 1.8 | 35        |
| 165 | Plaque Volume Measurement by Magnetic Resonance Imaging as an Index of Remodeling of Middle Cerebral Artery: Correlation with Transcranial Color Doppler and Magnetic Resonance Angiography. <i>Cerebrovascular Diseases</i> , 2004, 17, 166-169. | 1.7 | 34        |
| 166 | Single vs. two steroid injections for carpal tunnel syndrome: a randomised clinical trial. <i>International Journal of Clinical Practice</i> , 2005, 59, 1417-1421.   | 1.7 | 34        |
| 167 | Recurrence After a First Untreated Seizure in the Hong Kong Chinese Population. <i>Epilepsia</i> , 2008, 42, 94-97.   | 5.1 | 34        |
| 168 | Gene-wide tagging study of the association between <i>ABCC2</i> , <i>ABCC5</i> and <i>ABCG2</i> genetic polymorphisms and multidrug resistance in epilepsy. <i>Pharmacogenomics</i> , 2011, 12, 319-325.  | 1.3 | 34        |
| 169 | Preliminary findings of the effects of autonomic dysfunction on functional outcome after acute ischemic stroke. <i>Clinical Neurology and Neurosurgery</i> , 2012, 114, 316-320.  | 1.4 | 34        |
| 170 | Perforator stroke after elective stenting of symptomatic intracranial stenosis. <i>Neurology</i> , 2007, 68, 1237-1237.   | 1.1 | 33        |
| 171 | LRRK2 Gly2385Arg mutation and clinical features in a Chinese population with early-onset Parkinson's disease compared to late-onset patients. <i>Journal of Neural Transmission</i> , 2008, 115, 1275-1277.                                       | 2.8 | 33        |
| 172 | Perfusion Augmentation in Acute Stroke Using Mechanical Counter-Pulsation "Phase IIa. <i>Stroke</i> , 2008, 39, 2760-2764.  | 2.0 | 33        |
| 173 | White matter hyperintensities in post-stroke depression: a case control study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2010, 81, 1312-1315.  | 1.9 | 33        |
| 174 | Effects of MLC601 on Early Vascular Events in Patients After Stroke. <i>Stroke</i> , 2013, 44, 3580-3583.   | 2.0 | 33        |
| 175 | Comparison of Newtonian and Non-newtonian Fluid Models in Blood Flow Simulation in Patients With Intracranial Arterial Stenosis. <i>Frontiers in Physiology</i> , 2021, 12, 718540.   | 2.8 | 33        |
| 176 | Emotional incontinence and executive function in ischemic stroke: A case-controlled study. <i>Journal of the International Neuropsychological Society</i> , 2009, 15, 62-68.  | 1.8 | 32        |
| 177 | Association of Frontal Subcortical Circuits Infarcts in Poststroke Depression: A Magnetic Resonance Imaging Study of 591 Chinese Patients With Ischemic Stroke. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2011, 24, 44-49.           | 2.3 | 32        |
| 178 | Low-Molecular-Weight Heparin and Early Neurologic Deterioration in Acute Stroke Caused by Large Artery Occlusive Disease. <i>Archives of Neurology</i> , 2012, 69, 1454.  | 4.5 | 32        |
| 179 | Angioplasty and stenting of intracranial atherosclerosis with the Wingspan system: 1-year clinical and radiological outcome in a single Asian center. <i>Journal of NeuroInterventional Surgery</i> , 2014, 6, 96-102.                            | 3.3 | 32        |
| 180 | Use of Magnetic Resonance Angiography to Predict Long-Term Outcomes of Ischemic Stroke Patients with Concurrent Stenoses in Hong Kong. <i>Cerebrovascular Diseases</i> , 2009, 28, 112-118.   | 1.7 | 31        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | Effects of Statins on Progression of Subclinical Brain Infarct. <i>Cerebrovascular Diseases</i> , 2010, 30, 51-56.  | 1.7 | 31        |
| 182 | Learning curve of Wingspan stenting for intracranial atherosclerosis: single-center experience of 95 consecutive patients. <i>Journal of NeuroInterventional Surgery</i> , 2014, 6, 212-218.  | 3.3 | 31        |
| 183 | Early Identification of High-Risk TIA or Minor Stroke Using Artificial Neural Network. <i>Frontiers in Neurology</i> , 2019, 10, 171.   | 2.4 | 31        |
| 184 | Associations of apolipoprotein E exon 4 and lipoprotein lipase S447X polymorphisms with acute ischemic stroke and myocardial infarction. <i>Clinical Chemistry and Laboratory Medicine</i> , 2006, 44, 274-81.                            | 2.3 | 30        |
| 185 | Plasma level of sICAM-1 is associated with the extent of white matter lesion among asymptomatic elderly subjects. <i>Clinical Neurology and Neurosurgery</i> , 2009, 111, 847-851.  | 1.4 | 30        |
| 186 | An overview of the Guangzhou Biobank Cohort Studyâ€™ Cardiovascular Disease Subcohort (GBCS-CVD): a platform for multidisciplinary collaboration. <i>Journal of Human Hypertension</i> , 2010, 24, 139-150.                               | 2.2 | 30        |
| 187 | Association of a genetic variant in the apolipoprotein A5 gene with the metabolic syndrome in Chinese. <i>Clinical Endocrinology</i> , 2011, 74, 206-213.   | 2.4 | 30        |
| 188 | Operational definitions improve reliability of the age-related white matter changes scale. <i>European Journal of Neurology</i> , 2011, 18, 744-749.  | 3.3 | 30        |
| 189 | Frontal Infarcts and Anxiety in Stroke. <i>Stroke</i> , 2012, 43, 1426-1428.  | 2.0 | 30        |
| 190 | Neuroimaging Determinants of Cognitive Performances in Stroke Associated With Small Vessel Disease. <i>Journal of Neuroimaging</i> , 2005, 15, 129-137.   | 2.0 | 29        |
| 191 | Is Insomnia Associated With Suicidality in Stroke?. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 2025-2027.  | 0.9 | 29        |
| 192 | Absence of Cerebral Microbleeds Predicts Reversion of Vascular â€™Cognitive Impairment No Dementiaâ€™™ in Stroke. <i>International Journal of Stroke</i> , 2011, 6, 498-505.  | 5.9 | 29        |
| 193 | Association between high serum total bilirubin and postâ€™stroke depression. <i>Psychiatry and Clinical Neurosciences</i> , 2013, 67, 259-264.  | 1.8 | 29        |
| 194 | Apathy and Health-Related Quality of Life in Stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014, 95, 857-861.   | 0.9 | 29        |
| 195 | Ticagrelor in Acute Stroke or Transient Ischemic Attack in Asian Patients. <i>Stroke</i> , 2017, 48, 167-173.   | 2.0 | 29        |
| 196 | Rationale and design for the Asia BP@Home study on home blood pressure control status in 12 Asian countries and regions. <i>Journal of Clinical Hypertension</i> , 2018, 20, 33-38.   | 2.0 | 29        |
| 197 | Small subcortical infarct and intracranial large artery disease in Chinese. <i>Journal of the Neurological Sciences</i> , 2003, 216, 55-59.   | 0.6 | 28        |
| 198 | Increasing Severity of Cardiovascular Risk Factors With Increasing Middle Cerebral Artery Stenotic Involvement in Type 2 Diabetic Chinese Patients With Asymptomatic Cerebrovascular Disease. <i>Diabetes Care</i> , 2004, 27, 1121-1126. | 8.6 | 28        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 199 | Determinants of Prestroke Cognitive Impairment in Stroke Associated with Small Vessel Disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2005, 20, 225-230.   | 1.5 | 28        |
| 200 | The clinical course of multiple sclerosis patients in Hong Kong. <i>Journal of the Neurological Sciences</i> , 2008, 268, 78-82.  | 0.6 | 28        |
| 201 | Age and Gender Variations in the Management of Ischaemic Stroke in China. <i>International Journal of Stroke</i> , 2010, 5, 351-359.  | 5.9 | 28        |
| 202 | Is Fatigue Associated With Suicidality in Stroke?. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 1336-1338.   | 0.9 | 28        |
| 203 | Acute Stroke or Transient Ischemic Attack Treated with Aspirin or Ticagrelor and Patient Outcomes (Socrates) Trial: Rationale and Design. <i>International Journal of Stroke</i> , 2015, 10, 1304-1308.                             | 5.9 | 28        |
| 204 | Phase I/II randomized controlled trial of autologous bone marrow-derived mesenchymal stem cell therapy for chronic stroke. <i>World Journal of Stem Cells</i> , 2017, 9, 133.   | 2.8 | 28        |
| 205 | Histological Characteristics of Intracranial Atherosclerosis in a Chinese Population: A Postmortem Study. <i>Frontiers in Neurology</i> , 2017, 8, 488.   | 2.4 | 28        |
| 206 | Stroke Outcome Prediction by Blood Pressure Variability, Heart Rate Variability, and Baroreflex Sensitivity. <i>Stroke</i> , 2020, 51, 1317-1320.   | 2.0 | 28        |
| 207 | Statins for Asymptomatic Middle Cerebral Artery Stenosis: The Regression of Cerebral Artery Stenosis Study. <i>Cerebrovascular Diseases</i> , 2009, 28, 18-25.  | 1.7 | 27        |
| 208 | A single nucleotide polymorphism in APOA5 determines triglyceride levels in Hong Kong and Guangzhou Chinese. <i>European Journal of Human Genetics</i> , 2010, 18, 1255-1260.   | 2.8 | 27        |
| 209 | Low-Molecular-Weight Heparin Versus Aspirin for Acute Ischemic Stroke With Large Artery Occlusive Disease. <i>Stroke</i> , 2012, 43, 346-349.   | 2.0 | 27        |
| 210 | Prediction of Recurrent Stroke or Transient Ischemic Attack After Noncardiogenic Posterior Circulation Ischemic Stroke. <i>Stroke</i> , 2017, 48, 1835-1841.  | 2.0 | 27        |
| 211 | Transcranial Doppler. <i>Frontiers of Neurology and Neuroscience</i> , 2016, 40, 124-140.   | 2.8 | 27        |
| 212 | Magnetic Resonance Angiography Signal Intensity as a Marker of Hemodynamic Impairment in Intracranial Arterial Stenosis. <i>PLoS ONE</i> , 2013, 8, e80124.   | 2.5 | 27        |
| 213 | Use of low-dose low molecular weight heparin in hemodialysis. <i>American Journal of Kidney Diseases</i> , 1996, 28, 721-726.   | 1.9 | 26        |
| 214 | Effects of the Ultrasound Contrast-Enhancing Agent Levovist <sup>®</sup> on the Detection of Intracranial Arteries and Stenoses in Chinese by Transcranial Doppler Ultrasound. <i>Cerebrovascular Diseases</i> , 2002, 14, 105-108. | 1.7 | 26        |
| 215 | Carotid artery dissection after prolonged head tilting while holding a newborn baby to sleep. <i>Neurology</i> , 2004, 62, 1647-1648.   | 1.1 | 26        |
| 216 | Burden of Chinese Stroke Family Caregivers: The Hong Kong Experience. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 1462-1467.  | 0.9 | 26        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 217 | Matrix metalloproteinase 9 mRNA: An early prognostic marker for patients with acute stroke. <i>Clinical Biochemistry</i> , 2012, 45, 352-355.   | 1.9 | 26        |
| 218 | Thrombolysis in the Developing World: Is There a Role for Streptokinase?. <i>International Journal of Stroke</i> , 2013, 8, 560-565.  | 5.9 | 26        |
| 219 | Intracranial arterial stenosis in Caucasian versus Chinese patients with TIA and minor stroke: two contemporaneous cohorts and a systematic review. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2021, 92, 590-597. | 1.9 | 26        |
| 220 | Is Counterpulsation a Potential Therapy for Ischemic Stroke?. <i>Cerebrovascular Diseases</i> , 2008, 26, 97-105.   | 1.7 | 25        |
| 221 | Validation of the ABCD <sup>2</sup> Score to Identify the Patients With High Risk of Late Stroke After a Transient Ischemic Attack or Minor Ischemic Stroke. <i>Stroke</i> , 2010, 41, 1298-1300.                                 | 2.0 | 25        |
| 222 | Cerebral microbleeds and symptom severity of post-stroke depression: A magnetic resonance imaging study. <i>Journal of Affective Disorders</i> , 2011, 129, 354-358.  | 4.1 | 25        |
| 223 | Correlation of Large Artery Intracranial Occlusive Disease With Carotid Intima-Media Thickness and Presence of Carotid Plaque. <i>Stroke</i> , 2013, 44, 68-72.   | 2.0 | 25        |
| 224 | Cost-Effectiveness of Subthalamic Nucleus Deep Brain Stimulation for the Treatment of Advanced Parkinson Disease in Hong Kong: A Prospective Study. <i>World Neurosurgery</i> , 2014, 82, 987-993.                                | 1.3 | 25        |
| 225 | Compensatory patterns of collateral flow in stroke patients with unilateral and bilateral carotid stenosis. <i>BMC Neurology</i> , 2016, 16, 39.  | 1.8 | 25        |
| 226 | Converting MMSE to MoCA and MoCA 5-minute protocol in an educationally heterogeneous sample with stroke or transient ischemic attack. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, 729-734.                   | 2.7 | 25        |
| 227 | Translesional pressure gradient and leptomeningeal collateral status in symptomatic middle cerebral artery stenosis. <i>European Journal of Neurology</i> , 2018, 25, 404-410.  | 3.3 | 25        |
| 228 | Long-term outcome of carpal tunnel syndrome after conservative treatment. <i>International Journal of Clinical Practice</i> , 2004, 58, 337-339.  | 1.7 | 24        |
| 229 | Would Self-Expanding Stent Occlude Middle Cerebral Artery Perforators?. <i>Stroke</i> , 2009, 40, 1910-1912.  | 2.0 | 24        |
| 230 | Gabapentin for the treatment of carpal tunnel syndrome: a randomized controlled trial. <i>European Journal of Neurology</i> , 2011, 18, 726-730.  | 3.3 | 24        |
| 231 | Predictors for cognitive decline in patients with confluent white matter hyperintensities. <i>Alzheimer's and Dementia</i> , 2012, 8, S96-S103.   | 0.8 | 24        |
| 232 | Subcortical white matter infarcts predict 1-year outcome of fatigue in stroke. <i>BMC Neurology</i> , 2014, 14, 234.  | 1.8 | 24        |
| 233 | Albuminuria is a marker of increasing intracranial and extracranial vascular involvement in Type 2 diabetic Chinese patients. <i>Diabetologia</i> , 2004, 47, 1528-1534.  | 6.3 | 23        |
| 234 | Clinical features, topographic patterns on DWI and etiology of thalamic infarcts. <i>Journal of the Neurological Sciences</i> , 2008, 267, 147-153.   | 0.6 | 23        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 235 | Cerebral Microbleeds and Cognitive Function in Ischemic Stroke or Transient Ischemic Attack Patients. <i>Dementia and Geriatric Cognitive Disorders</i> , 2015, 40, 130-136.   | 1.5 | 23        |
| 236 | Clinical Features of Thalamic Stroke. <i>Current Treatment Options in Neurology</i> , 2017, 19, 5.   | 1.8 | 23        |
| 237 | Relationship between the Oxfordshire Community Stroke Project classification and vascular abnormalities in patients with predominantly intracranial atherosclerosis. <i>Journal of the Neurological Sciences</i> , 2003, 207, 65-69.                       | 0.6 | 22        |
| 238 | Methylenetetrahydrofolate reductase gene A222V polymorphism and risk of ischemic stroke. <i>Clinical Chemistry and Laboratory Medicine</i> , 2004, 42, 1370-6.   | 2.3 | 22        |
| 239 | Neuroimaging Predictors of Cognitive Impairment in Confluent White Matter Lesion: Volumetric Analyses of 99 Brain Regions. <i>Dementia and Geriatric Cognitive Disorders</i> , 2008, 25, 67-73.  | 1.5 | 22        |
| 240 | Different Distribution Patterns of Cerebral Microbleeds in Acute Ischemic Stroke Patients with and without Hypertension. <i>European Neurology</i> , 2009, 62, 298-303.  | 1.4 | 22        |
| 241 | Long-Term Prognosis of Chinese Patients with A Lacunar Infarct Associated with Small Vessel Disease: A Five-Year Longitudinal Study. <i>International Journal of Stroke</i> , 2009, 4, 81-88.  | 5.9 | 22        |
| 242 | Executive Dysfunction and Left Frontal White Matter Hyperintensities Are Correlated with Neuropsychiatric Symptoms in Stroke Patients with Confluent White Matter Hyperintensities. <i>Dementia and Geriatric Cognitive Disorders</i> , 2010, 30, 254-260. | 1.5 | 22        |
| 243 | Current management of intracerebral haemorrhage in China: a national, multi-centre, hospital register study. <i>BMC Neurology</i> , 2011, 11, 16.  | 1.8 | 22        |
| 244 | Baseline Characteristics of the 4011 Patients Recruited into the "Efficacy of Nitric Oxide in Stroke" (ENOS) Trial. <i>International Journal of Stroke</i> , 2014, 9, 711-720.   | 5.9 | 22        |
| 245 | Neuropsychiatric Symptom Clusters in Stroke and Transient Ischemic Attack by Cognitive Status and Stroke Subtype: Frequency and Relationships with Vascular Lesions, Brain Atrophy and Amyloid. <i>PLoS ONE</i> , 2016, 11, e0162846.                      | 2.5 | 22        |
| 246 | Postmortem Study of Validation of Low Signal on Fat-Suppressed T1-Weighted Magnetic Resonance Imaging as Marker of Lipid Core in Middle Cerebral Artery Atherosclerosis. <i>Stroke</i> , 2016, 47, 2299-2304.  | 2.0 | 22        |
| 247 | Relations between Recent Past Leisure Activities with Risks of Dementia and Cognitive Functions after Stroke. <i>PLoS ONE</i> , 2016, 11, e0159952.  | 2.5 | 22        |
| 248 | Spiral computed tomography angiography in the assessment of middle cerebral artery occlusive disease.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1995, 59, 537-539.   | 1.9 | 21        |
| 249 | Polymorphisms and Vascular Cognitive Impairment After Ischemic Stroke. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2007, 20, 93-99.   | 2.3 | 21        |
| 250 | Symptomatic Ostial Vertebral Artery Stenosis: Treatment with Drug-eluting Stents" Clinical and Angiographic Results at 1-year Follow-up. <i>Radiology</i> , 2009, 251, 224-232.  | 7.3 | 21        |
| 251 | Frontal lobe atrophy is associated with small vessel disease in ischemic stroke patients. <i>Clinical Neurology and Neurosurgery</i> , 2009, 111, 852-857.   | 1.4 | 21        |
| 252 | Wavelet-denoising of electroencephalogram and the absolute slope method: A new tool to improve electroencephalographic localization and lateralization. <i>Clinical Neurophysiology</i> , 2009, 120, 1273-1281.  | 1.5 | 21        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 253 | Genetic polymorphisms of Chinese patients with ischemic stroke and concurrent stenoses of extracranial and intracranial vessels. <i>Journal of Clinical Neuroscience</i> , 2010, 17, 1244-1247.                                | 1.5 | 21        |
| 254 | Multiple atherosclerosis-related biomarkers associated with short- and long-term mortality after stroke. <i>Clinical Biochemistry</i> , 2012, 45, 1308-1315.   | 1.9 | 21        |
| 255 | Association Between Metabolic Syndrome and Carotid Atherosclerosis: A Community-Based Study in Hong Kong. <i>Metabolic Syndrome and Related Disorders</i> , 2013, 11, 109-114.   | 1.3 | 21        |
| 256 | Angiographic Features, Collaterals, and Infarct Topography of Symptomatic Occlusive Radiation Vasculopathy. <i>Stroke</i> , 2013, 44, 401-406.   | 2.0 | 21        |
| 257 | Abnormal Organization of White Matter Network in Patients with No Dementia after Ischemic Stroke. <i>PLoS ONE</i> , 2013, 8, e81388.   | 2.5 | 21        |
| 258 | In Vitro Assessment of Histology Verified Intracranial Atherosclerotic Disease by 1.5T Magnetic Resonance Imaging. <i>Stroke</i> , 2016, 47, 527-530.  | 2.0 | 21        |
| 259 | Acute dual antiplatelet therapy for minor ischaemic stroke or transient ischaemic attack. <i>BMJ: British Medical Journal</i> , 2019, 364, l895.   | 2.3 | 21        |
| 260 | Screening of Dementia in Stroke Patients With Lacunar Infarcts: Comparison of the Mattis Dementia Rating Scale and the Mini-Mental State Examination. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2005, 18, 3-7.    | 2.3 | 20        |
| 261 | Refractory epilepsy in a Chinese population. <i>Clinical Neurology and Neurosurgery</i> , 2007, 109, 672-675.  | 1.4 | 20        |
| 262 | Middle Cerebral Artery Stenosis Increased the Risk of Vascular Disease Mortality among Type 2 Diabetic Patients. <i>Cerebrovascular Diseases</i> , 2008, 25, 261-267.  | 1.7 | 20        |
| 263 | Poststroke depression in patients with small subcortical infarcts. <i>Clinical Neurology and Neurosurgery</i> , 2009, 111, 256-260.  | 1.4 | 20        |
| 264 | The age-related white matter changes scale correlates with cognitive impairment. <i>European Journal of Neurology</i> , 2010, 17, 1451-1456.   | 3.3 | 20        |
| 265 | Coexisting Small Vessel Disease Predicts Poor Long-Term Outcome in Stroke Patients with Intracranial Large Artery Atherosclerosis. <i>Cerebrovascular Diseases</i> , 2010, 30, 433-439.  | 1.7 | 20        |
| 266 | Cerebral microbleeds and quality of life in acute ischemic stroke. <i>Neurological Sciences</i> , 2011, 32, 449-454.   | 1.9 | 20        |
| 267 | Interobserver Reproducibility of Signal Intensity Ratio on Magnetic Resonance Angiography for Hemodynamic Impact of Intracranial Atherosclerosis. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2013, 22, e615-e619. | 1.6 | 20        |
| 268 | Prediction Factors of Recurrent Ischemic Events in One Year after Minor Stroke. <i>PLoS ONE</i> , 2015, 10, e0120105.  | 2.5 | 20        |
| 269 | Response to thymectomy in Chinese patients with myasthenia gravis. <i>Journal of the Neurological Sciences</i> , 1994, 126, 84-87.   | 0.6 | 19        |
| 270 | Risk of Intracerebral Hemorrhage in Patients With Cerebral Microbleeds Undergoing Endovascular Intervention. <i>Stroke</i> , 2012, 43, 1532-1536.  | 2.0 | 19        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 271 | Prognostic Value of Inflammatory Mediators in 1-Year Outcome of Acute Ischemic Stroke with Middle Cerebral Artery Stenosis. <i>Mediators of Inflammation</i> , 2013, 2013, 1-7.  | 3.0 | 19        |
| 272 | Dual Antiplatelets Reduce Microembolic Signals in Patients with Transient Ischemic Attack and Minor Stroke: Subgroup Analysis of CLAIR Study. <i>International Journal of Stroke</i> , 2014, 9, 127-132.   | 5.9 | 19        |
| 273 | Chinese Consensus Statement on the Evaluation and Intervention of Collateral Circulation for Ischemic Stroke. <i>CNS Neuroscience and Therapeutics</i> , 2014, 20, 202-208.  | 3.9 | 19        |
| 274 | A New Method for Cerebral Arterial Stiffness by Measuring Pulse Wave Velocity Using Transcranial Doppler. <i>Journal of Atherosclerosis and Thrombosis</i> , 2016, 23, 1004-1010.  | 2.0 | 19        |
| 275 | Impact of Applying NINDS-AIREN Criteria of Probable Vascular Dementia to Clinical and Radiological Characteristics of a Stroke Cohort with Dementia. <i>Cerebrovascular Diseases</i> , 2004, 18, 98-103.   | 1.7 | 18        |
| 276 | Efficacy of Dual Antiplatelet Therapy in Cerebrovascular Disease as Demonstrated by a Decline in Microembolic Signals. <i>Cerebrovascular Diseases</i> , 2006, 21, 242-246.  | 1.7 | 18        |
| 277 | The Significance of Microembolic Signals and New Cerebral Infarcts on the Progression of Neurological Deficit in Acute Stroke Patients with Large Artery Stenosis. <i>Cerebrovascular Diseases</i> , 2010, 29, 424-430.  | 1.7 | 18        |
| 278 | Evaluation of Age-Related White Matter Changes Using Transcranial Doppler Ultrasonography. <i>Journal of Neuroimaging</i> , 2013, 23, 53-57.   | 2.0 | 18        |
| 279 | Burden of Intracranial Steno-Occlusive Lesions on Initial Computed Tomography Angiography Predicts Poor Outcome in Patients With Acute Stroke. <i>Stroke</i> , 2013, 44, 1310-1316.  | 2.0 | 18        |
| 280 | Sex Differences in Epidemiology and Risk Factors of Acute Coronary Syndrome in Chinese Patients with Type 2 Diabetes: A Long-Term Prospective Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0122031.  | 2.5 | 18        |
| 281 | Thrombotic thrombocytopenic purpura with concomitant small- and large-vessel thrombosis, atypical posterior reversible encephalopathy syndrome and cerebral microbleeds. <i>Oxford Medical Case Reports</i> , 2015, 2015, 179-182.   | 0.4 | 18        |
| 282 | Apathy and suicide-related ideation 3 months after stroke: a cross-sectional study. <i>BMC Neurology</i> , 2015, 15, 60.   | 1.8 | 18        |
| 283 | High Blood Pressure Increases the Risk of Poor Outcome at Discharge and 12-month Follow-up in Patients with Symptomatic Intracranial Large Artery Stenosis and Occlusions: Subgroup analysis of the CICAS Study. <i>CNS Neuroscience and Therapeutics</i> , 2015, 21, 530-535. | 3.9 | 18        |
| 284 | Differences in Characteristics and Outcomes Between Asian and Non-Asian Patients in the TIA Registry.org. <i>Stroke</i> , 2017, 48, 1779-1787.   | 2.0 | 18        |
| 285 | Limb girdle myasthenia with digenic RAPSN and a novel disease gene AK9 mutations. <i>European Journal of Human Genetics</i> , 2017, 25, 192-199.   | 2.8 | 18        |
| 286 | Estimating current and long-term risks of coronary artery in silico by fractional flow reserve, wall shear stress and low-density lipoprotein filtration rate. <i>Biomedical Physics and Engineering Express</i> , 2018, 4, 025006.  | 1.2 | 18        |
| 287 | Diagnosing peripheral neuropathy in South-East Asia: A focus on diabetic neuropathy. <i>Journal of Diabetes Investigation</i> , 2020, 11, 1097-1103.   | 2.4 | 18        |
| 288 | Acute Encephalopathy Associated with Influenza A Infection in Adults. <i>Emerging Infectious Diseases</i> , 2010, 16, 139-142.   | 4.3 | 18        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 289 | Variability and Validity of a Simple Visual Rating Scale in Grading White Matter Changes on Magnetic Resonance Imaging. <i>Journal of Neuroimaging</i> , 2003, 13, 255-258.   | 2.0 | 17        |
| 290 | Topographic Patterns of Small Subcortical Infarcts Associated with MCA Stenosis: A Diffusion-Weighted MRI Study. <i>Journal of Neuroimaging</i> , 2006, 16, 266-271.  | 2.0 | 17        |
| 291 | PARK2 mutations and clinical features in a Chinese population with early-onset Parkinson's disease. <i>Journal of Neural Transmission</i> , 2008, 115, 715-719.   | 2.8 | 17        |
| 292 | Anxiety Disorders in Chinese Patients with Parkinson'S Disease. <i>International Journal of Psychiatry in Medicine</i> , 2010, 40, 97-107.  | 1.8 | 17        |
| 293 | Failure to detect association between polymorphisms of the sodium channel gene <i>SCN1A</i> and febrile seizures in Chinese patients with epilepsy. <i>Epilepsia</i> , 2010, 51, 1878-1881.   | 5.1 | 17        |
| 294 | Health-related quality of life in the family caregivers of stroke survivors. <i>International Journal of Rehabilitation Research</i> , 2010, 33, 232-237.   | 1.3 | 17        |
| 295 | A polymorphism in transforming growth factor- $\beta$ 1 is associated with carotid plaques and increased carotid intima-media thickness in older Chinese men: The Guangzhou Biobank Cohort Study-Cardiovascular Disease Subcohort. <i>Atherosclerosis</i> , 2011, 214, 391-396. | 0.8 | 17        |
| 296 | Signal Intensity Ratio as a Novel Measure of Hemodynamic Significance for Intracranial Atherosclerosis. <i>International Journal of Stroke</i> , 2013, 8, E46-E46.  | 5.9 | 17        |
| 297 | Serotonin receptor 2C gene polymorphism associated with post-stroke depression in Chinese patients. <i>Genetics and Molecular Research</i> , 2013, 12, 1546-1553.   | 0.2 | 17        |
| 298 | Cerebral Microbleeds as a Predictor of 1-Year Outcome of Poststroke Depression. <i>Stroke</i> , 2014, 45, 77-81.  | 2.0 | 17        |
| 299 | Diminished Signal Intensities Distal to Intracranial Arterial Stenosis on Time-of-Flight MR Angiography Might Indicate Delayed Cerebral Perfusion. <i>Cerebrovascular Diseases</i> , 2016, 42, 232-239.   | 1.7 | 17        |
| 300 | White Matter Hyperintensity Predicts the Risk of Incident Cognitive Decline in Community Dwelling Elderly. <i>Journal of Alzheimer's Disease</i> , 2018, 61, 1333-1341.   | 2.6 | 17        |
| 301 | Validity and reliability of two alternate versions of the Montreal Cognitive Assessment (Hong Kong) Tj ETQq1 1 0.784314 rgBT/Overlo   | 2.5 | 17        |
| 302 | Early computed tomography features in extensive middle cerebral artery territory infarct: prediction of survival. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2005, 76, 354-357.   | 1.9 | 16        |
| 303 | Association of Erectile Dysfunction With Cardiovascular Risk Factors and Increasing Existing Vascular Disease in Male Chinese Type 2 Diabetic Patients. <i>Diabetes Care</i> , 2005, 28, 2051-2053.   | 8.6 | 16        |
| 304 | Is the Measurement of Cerebral Microembolic Signals a Good Surrogate Marker for Evaluating the Efficacy of Antiplatelet Agents in the Prevention of Stroke?. <i>European Neurology</i> , 2005, 53, 132-139.   | 1.4 | 16        |
| 305 | Apolipoprotein E $\epsilon$ 4 allele is associated with the volume of white matter changes in patients with lacunar infarcts. <i>European Journal of Neurology</i> , 2006, 13, 1216-1220.   | 3.3 | 16        |
| 306 | Rivastigmine in Chinese patients with subcortical vascular dementia. <i>Neuropsychiatric Disease and Treatment</i> , 2007, Volume 3, 943-948.   | 2.2 | 16        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 307 | Frequency and predictors of proxy-confirmed post-stroke cognitive complaints in lacunar stroke patients without major depression. <i>International Journal of Geriatric Psychiatry</i> , 2011, 26, 1144-1151.   | 2.7 | 16        |
| 308 | Have Medical Therapy and Stenting Been Fairly Compared? A Repercussion upon Termination of Recruitment in the SAMMPRIS Trial. <i>International Journal of Stroke</i> , 2011, 6, 312-314.  | 5.9 | 16        |
| 309 | Factors Associated with Severity of Leukoaraiosis in First-ever Lacunar Stroke and Atherosclerotic Ischemic Stroke Patients. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2014, 23, 2862-2868.   | 1.6 | 16        |
| 310 | Intracranial atherosclerosis: From anatomy to pathophysiology. <i>International Journal of Stroke</i> , 2017, 12, 236-245.  | 5.9 | 16        |
| 311 | Age-specific trends of atrial fibrillation-related ischaemic stroke and transient ischaemic attack, anticoagulant use and risk factor profile in Chinese population: a 15-year study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2017, 88, 744-748. | 1.9 | 16        |
| 312 | Correlation of Adventitial Vasa Vasorum with Intracranial Atherosclerosis: A Postmortem Study. <i>Journal of Stroke</i> , 2018, 20, 342-349.  | 3.2 | 16        |
| 313 | Electrophysiological, clinical and epidemiological study of Guillain-Barré Syndrome in Hong Kong Chinese. <i>Journal of Clinical Neuroscience</i> , 2005, 12, 134-136.  | 1.5 | 15        |
| 314 | Management of Patients with Symptomatic Intracranial Atherosclerosis. <i>International Journal of Stroke</i> , 2006, 1, 20-25.  | 5.9 | 15        |
| 315 | Long-Term Outcomes of Ischemic Stroke Patients with Concurrent Intracranial and Extracranial Stenoses and Ischemic Heart Disease. <i>Cerebrovascular Diseases</i> , 2010, 29, 236-241.  | 1.7 | 15        |
| 316 | Anxiety symptoms in patients with frontal lobe epilepsy versus generalized epilepsy. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2012, 21, 457-460.   | 2.0 | 15        |
| 317 | Cerebral Microbleeds and Fatigue in Stroke. <i>European Neurology</i> , 2014, 71, 213-216.  | 1.4 | 15        |
| 318 | Prognostic Factors and Treatment Effect in the CHIMES Study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2015, 24, 823-827.   | 1.6 | 15        |
| 319 | Epidemiology. <i>Frontiers of Neurology and Neuroscience</i> , 2016, 40, 34-46.   | 2.8 | 15        |
| 320 | Association between Leukoaraiosis and Symptomatic Intracranial Large Artery Stenoses and Occlusions: the Chinese Intracranial Atherosclerosis (CICAS) Study. , 2018, 9, 1074.   |     | 15        |
| 321 | Optimal values of flow velocity on transcranial Doppler in grading middle cerebral artery stenosis in comparison with magnetic resonance angiography. , 2002, 12, 213-8.  |     | 15        |
| 322 | Comparing Mattis Dementia Rating Scale " initiation / perseveration subset and frontal assessment battery in stroke associated with small vessel disease. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2007, 29, 160-169.                          | 1.3 | 14        |
| 323 | Total Cerebral Blood Flow Estimated by Color Velocity Imaging Quantification Ultrasound: A Predictor for Recurrent Stroke?. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2007, 27, 850-856.   | 4.3 | 14        |
| 324 | Neuroimaging predictors for depressive symptoms in cerebral small vessel disease. <i>International Journal of Geriatric Psychiatry</i> , 2010, 25, 1039-1043.   | 2.7 | 14        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 325 | A Sequential Comparison on the Risk of Haemorrhage with Different Sizes of Biopsy Needles for Stereotactic Brain Biopsy. <i>Stereotactic and Functional Neurosurgery</i> , 2014, 92, 160-169.  | 1.5 | 14        |
| 326 | Ictal high-frequency oscillations and hyperexcitability in refractory epilepsy. <i>Clinical Neurophysiology</i> , 2015, 126, 2049-2057.  | 1.5 | 14        |
| 327 | Hemodynamic Impact of Systolic Blood Pressure and Hematocrit Calculated by Computational Fluid Dynamics in Patients with Intracranial Atherosclerosis. <i>Journal of Neuroimaging</i> , 2016, 26, 331-338.   | 2.0 | 14        |
| 328 | Enhancing cerebral perfusion with external counterpulsation after ischaemic stroke: how long does it last?. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2016, 87, 531-536.  | 1.9 | 14        |
| 329 | High Extent of Intracranial Carotid Artery Calcification Is Associated with Downstream Microemboli in Stroke Patients. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2017, 26, 442-447.  | 1.6 | 14        |
| 330 | Risk of intracerebral haemorrhage in Chinese patients with atrial fibrillation on warfarin with cerebral microbleeds: the IPAAC-Warfarin study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2019, 90, 428-435.                        | 1.9 | 14        |
| 331 | Cavernous Sinus Syndrome Secondary to Tuberculous Meningitis. <i>European Neurology</i> , 2002, 47, 125-126.   | 1.4 | 13        |
| 332 | Reducing Stroke Risk in Hypertensive Patients: Asian Consensus Conference Recommendations. <i>International Journal of Stroke</i> , 2006, 1, 150-157.  | 5.9 | 13        |
| 333 | Detection of the Siphon Internal Carotid Artery Stenosis: Transcranial Doppler versus Digital Subtraction Angiography. <i>Journal of Neuroimaging</i> , 2010, 20, 234-239.   | 2.0 | 13        |
| 334 | Pilot Study of New Diagnostic Criteria for Middle Cerebral Artery Stenosis by Transcranial Doppler. <i>Journal of Neuroimaging</i> , 2010, 20, 122-129.  | 2.0 | 13        |
| 335 | Angioplasty and Stenting for Intracranial Atherosclerotic Stenosis With Nitinol Stent. <i>Operative Neurosurgery</i> , 2012, 70, ons104-ons113.  | 0.8 | 13        |
| 336 | Autonomic dysfunction in ischemic stroke with carotid stenosis. <i>Acta Neurologica Scandinavica</i> , 2012, 126, 122-128.   | 2.1 | 13        |
| 337 | Chinese Medicine NeuroAiD Efficacy Stroke Recovery - Extension Study (CHIMES-E Study): An Observational Multicenter Study to Investigate the Longer-Term Efficacy of NeuroAiD in Stroke Recovery. <i>Cerebrovascular Diseases</i> , 2013, 35, 18-22. | 1.7 | 13        |
| 338 | Increasing pressure of external counterpulsation augments blood pressure but not cerebral blood flow velocity in ischemic stroke. <i>Journal of Clinical Neuroscience</i> , 2014, 21, 1148-1152.   | 1.5 | 13        |
| 339 | Symptomatic Patients Remain at Substantial Risk of Arterial Disease Complications Before and After Endarterectomy or Stenting. <i>Stroke</i> , 2017, 48, 1005-1010.  | 2.0 | 13        |
| 340 | Correlation of non-vitamin K antagonist oral anticoagulant exposure and cerebral microbleeds in Chinese patients with atrial fibrillation. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2018, 89, 680-686.                             | 1.9 | 13        |
| 341 | Effect of Combined Treatment with MLC601 (NeuroAiDTM) and Rehabilitation on Post-Stroke Recovery: The CHIMES and CHIMES-E Studies. <i>Cerebrovascular Diseases</i> , 2018, 46, 82-88.  | 1.7 | 13        |
| 342 | Neuroimaging Determinants of Cognitive Performances in Stroke Associated With Small Vessel Disease. , 2005, 15, 129-137.   |     | 13        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 343 | Characteristics of Microembolic Signals Detected Near Their Origins in Middle Cerebral Artery Stenoses. <i>Journal of Neuroimaging</i> , 2003, 13, 124-132.   | 2.0 | 12        |
| 344 | Topiramate and asymptomatic ocular angle narrowing: a prospective pilot study. <i>Eye</i> , 2009, 23, 2079-2081.  | 2.1 | 12        |
| 345 | Management of Cholesterol to Reduce the Burden of Stroke in Asia: Consensus Statement. <i>International Journal of Stroke</i> , 2010, 5, 209-216.   | 5.9 | 12        |
| 346 | Ethnic Influences on Neurovascular Coupling. <i>Stroke</i> , 2010, 41, 383-384.   | 2.0 | 12        |
| 347 | Predictors of the depressive symptomatology of the family caregivers of Chinese stroke patients in Hong Kong. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2012, 19, 285-293.              | 2.1 | 12        |
| 348 | Factors Associated with Severity on Admission and In-Hospital Mortality after Primary Intracerebral Hemorrhage in China. <i>International Journal of Stroke</i> , 2013, 8, 73-79.                       | 5.9 | 12        |
| 349 | Computational fluid dynamics of computed tomography angiography to detect the hemodynamic impact of intracranial atherosclerotic stenosis. <i>Neurovascular Imaging</i> , 2015, 1, .                    | 2.4 | 12        |
| 350 | Poststroke agitation and aggression and social quality of life: a case control study. <i>Topics in Stroke Rehabilitation</i> , 2017, 24, 126-133.   | 1.9 | 12        |
| 351 | Qualitative Evaluation of a High-Resolution 3D Multi-Sequence Intracranial Vessel Wall Protocol at 3 Tesla MRI. <i>PLoS ONE</i> , 2016, 11, e0160781.   | 2.5 | 12        |
| 352 | Long-Term Risk of Cardiovascular Disease among Type 2 Diabetic Patients with Asymptomatic Intracranial Atherosclerosis: A Prospective Cohort Study. <i>PLoS ONE</i> , 2014, 9, e106623.                 | 2.5 | 11        |
| 353 | Obesity is associated with better survival and functional outcome after acute intracerebral hemorrhage. <i>Journal of the Neurological Sciences</i> , 2016, 370, 140-144.                               | 0.6 | 11        |
| 354 | Noninvasive fractional flow in intracranial atherosclerotic stenosis: Reproducibility, limitations, and perspectives. <i>Journal of the Neurological Sciences</i> , 2017, 381, 150-152.                 | 0.6 | 11        |
| 355 | Hemodynamic Significance of Middle Cerebral Artery Stenosis Associated With the Severity of Ipsilateral White Matter Changes. <i>Frontiers in Neurology</i> , 2020, 11, 214.                            | 2.4 | 11        |
| 356 | Guidance on the management of familial hypercholesterolaemia in Hong Kong: an expert panel consensus viewpoint. <i>Hong Kong Medical Journal</i> , 2018, 24, 408-415.                                   | 0.1 | 11        |
| 357 | The Scoring Scheme of the Informant Questionnaire on Cognitive Decline in the Elderly Needs Revision: Results of Rasch Analysis. <i>Dementia and Geriatric Cognitive Disorders</i> , 2004, 18, 250-256. | 1.5 | 10        |
| 358 | Health-Related Quality of Life in Patients With Poststroke Emotional Incontinence. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 1659-1662.                                       | 0.9 | 10        |
| 359 | Cognitive and functional impairments in ischemic stroke patients with concurrent small vessel and large artery disease. <i>Clinical Neurology and Neurosurgery</i> , 2011, 113, 612-616.                | 1.4 | 10        |
| 360 | Pontine Microbleeds and Depression in Stroke. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2014, 27, 159-164.   | 2.3 | 10        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 361 | The impact of pain on health-related quality of life 3 months after stroke. Topics in Stroke Rehabilitation, 2015, 22, 194-200.   | 1.9 | 10        |
| 362 | Impact of intracranial artery calcification on cerebral hemodynamic changes. Neuroradiology, 2018, 60, 357-363.   | 2.2 | 10        |
| 363 | Impact of Side Branches on the Computation of Fractional Flow in Intracranial Arterial Stenosis Using the Computational Fluid Dynamics Method. Journal of Stroke and Cerebrovascular Diseases, 2018, 27, 44-52.         | 1.6 | 10        |
| 364 | The executive clock drawing task (CLOX) is a poor screening test for executive dysfunction in Chinese elderly patients with subcortical ischemic vascular disease. Journal of Clinical Neuroscience, 2004, 11, 493-497. | 1.5 | 9         |
| 365 | Diagnostic Accuracy of MRI for Middle Cerebral Artery Stenosis: A Postmortem Study. Journal of Neuroimaging, 2006, 16, 318-322.   | 2.0 | 9         |
| 366 | Association of Smoking with Increasing Vascular Involvement in Type 2 Diabetic Chinese Patients. Experimental and Clinical Endocrinology and Diabetes, 2006, 114, 301-305.  | 1.2 | 9         |
| 367 | Hyperhomocysteinemia is a risk factor of middle cerebral artery stenosis. Journal of Neurology, 2007, 254, 364-367.   | 3.6 | 9         |
| 368 | Atherosclerotic Vascular Disease Rather than Metabolic Syndrome Predicts Ischemic Stroke in Diabetic Patients. Cerebrovascular Diseases, 2010, 30, 374-379.   | 1.7 | 9         |
| 369 | Cerebral Microbleeds and Suicidality in Stroke. Psychosomatics, 2012, 53, 439-445.  | 2.5 | 9         |
| 370 | Persistent Benign Oligemia Causes CT Perfusion Mismatch in Patients with Intracranial Large Artery Occlusive Disease during Subacute Stroke. CNS Neuroscience and Therapeutics, 2013, 19, 635-637.                      | 3.9 | 9         |
| 371 | Hemodynamic effect of external counterpulsation is a different measure of impaired cerebral autoregulation from vasoreactivity to breath-holding. European Journal of Neurology, 2014, 21, 326-331.                     | 3.3 | 9         |
| 372 | External Counterpulsation Reduces Beat-to-Beat Blood Pressure Variability When Augmenting Blood   |     |           |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 379 | Cortical Microinfarcts in Patients with Middle Cerebral Artery Stenosis. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2017, 26, 1760-1765.   | 1.6  | 8         |
| 380 | Biomarkers, Natural Course and Prognosis. <i>Frontiers of Neurology and Neuroscience</i> , 2016, 40, 93-108.  | 2.8  | 8         |
| 381 | Neuroticism and Fatigue 3 Months After Ischemic Stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017, 98, 716-721.  | 0.9  | 8         |
| 382 | Location of Acute Infarcts and Agitation and Aggression in Stroke. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2017, 29, 172-178.  | 1.8  | 8         |
| 383 | Plaque morphology in acute symptomatic intracranial atherosclerotic disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2021, 92, 370-376.  | 1.9  | 8         |
| 384 | Optimal Values of Flow Velocity on Transcranial Doppler in Grading Middle Cerebral Artery Stenosis in Comparison With Magnetic Resonance Angiography. , 2002, 12, 213-219.  |      | 8         |
| 385 | Prolonged Perfusion Predicts Recurrent Ischemic Stroke but not Transient Ischemic Attack in Patients with Symptomatic Intracranial Stenosis. <i>Current Neurovascular Research</i> , 2017, 14, 149-157.   | 1.1  | 8         |
| 386 | Variability and validity of a simple visual rating scale in grading white matter changes on magnetic resonance imaging. , 2003, 13, 255-8.  |      | 8         |
| 387 | Low-molecular-weight heparin and thromboembolism in pregnancy. <i>Lancet, The</i> , 1999, 353, 932.   | 13.7 | 7         |
| 388 | Development and Implementation of Stroke Guidelines: The WSO Guidelines Subcommittee Takes the First Step (Part one of a Two-Part Series on the Work of the WSO Stroke Guidelines Subcommittee). <i>International Journal of Stroke</i> , 2011, 6, 155-158.                           | 5.9  | 7         |
| 389 | Presence of anterior temporal artery associates with good outcome in acute atherosclerotic M1-middle cerebral artery occlusion. <i>Neuroradiology</i> , 2014, 56, 1023-1030.  | 2.2  | 7         |
| 390 | Current Status of Endovascular Procedures in Management of Ischemic Stroke in China. <i>CNS Neuroscience and Therapeutics</i> , 2014, 20, 483-484.  | 3.9  | 7         |
| 391 | Predictors of neurological deterioration during hospitalization: results from the Chinese Intracranial Atherosclerosis (CICAS) Study. <i>Neurological Research</i> , 2015, 37, 385-390.   | 1.3  | 7         |
| 392 | Volumetric magnetic resonance imaging correlates of the National Institute of Neurological Disorders and Stroke's Canadian Stroke Network vascular cognitive impairment neuropsychology protocols. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2015, 37, 1004-1012. | 1.3  | 7         |
| 393 | Sex Differences Do Not Exist in Outcomes among Stroke Patients with Intracranial Atherosclerosis in China: Subgroup Analysis from the Chinese Intracranial Atherosclerosis Study. <i>Neuroepidemiology</i> , 2017, 48, 48-54.   | 2.3  | 7         |
| 394 | Transcranial Doppler evaluation of microembolism immediately after direct-current cardioversion for atrial fibrillation in anticoagulated patients. <i>American Journal of Cardiology</i> , 1999, 84, 937-938.  | 1.6  | 6         |
| 395 | Clinical and electrophysiological features in Chinese patients with Kennedy's disease. <i>Clinical Neurology and Neurosurgery</i> , 2004, 106, 309-312.   | 1.4  | 6         |
| 396 | Frequency of Microemboli Signal in Stroke Patients Treated with Low Molecular Weight Heparin or Aspirin. <i>Journal of Neuroimaging</i> , 2010, 20, 118-121.  | 2.0  | 6         |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 397 | White matter hyperintensities and quality of life in acute lacunar stroke. <i>Neurological Sciences</i> , 2013, 34, 1347-1353.  | 1.9  | 6         |
| 398 | Predictors of good functional outcome in counterpulsation-treated recent ischaemic stroke patients. <i>BMJ Open</i> , 2013, 3, e002932.   | 1.9  | 6         |
| 399 | A retrospective pilot study of correlation of cerebral augmentation effects of external counterpulsation with functional outcome after acute ischaemic stroke. <i>BMJ Open</i> , 2015, 5, e009233.  | 1.9  | 6         |
| 400 | Risk Factors of Cerebral Microbleeds in Strictly Deep or Lobar Brain Regions Differed. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2015, 24, 24-30.   | 1.6  | 6         |
| 401 | Is the future of symptomatic intracranial atherosclerotic stenosis management promising?. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2020, 91, 122-124.   | 1.9  | 6         |
| 402 | Putaminal and thalamic hemorrhage in ethnic Chinese living in Hong Kong. <i>World Neurosurgery</i> , 1996, 46, 441-445.   | 1.3  | 5         |
| 403 | LOW-molecular-weight heparin and serum potassium. <i>Lancet, The</i> , 1997, 350, 664.  | 13.7 | 5         |
| 404 | Influence of Emergency Room Fee on Acute Stroke Presentation in a Public Hospital in Hong Kong. <i>Neuroepidemiology</i> , 2004, 23, 123-128.   | 2.3  | 5         |
| 405 | Assessment of hyperacute stroke like symptoms by diffusion-weighted images. <i>Clinical Imaging</i> , 2005, 29, 6-9.  | 1.5  | 5         |
| 406 | ACE inhibitor use and the long-term risk of renal failure in diabetics. <i>Kidney International</i> , 2006, 70, 1376-1377.  | 5.2  | 5         |
| 407 | Stroke Caused by Small Vessel Occlusion in a Patient Taking Etoricoxib and Thalidomide. <i>Journal of Neuroimaging</i> , 2007, 17, 87-88.   | 2.0  | 5         |
| 408 | A case-controlled study of cognitive progression in Chinese lacunar stroke patients. <i>Clinical Neurology and Neurosurgery</i> , 2008, 110, 649-656.   | 1.4  | 5         |
| 409 | Reevaluating the Transcranial Doppler Criteria for Estimation of Anterior Circulation Artery Stenosis. <i>Journal of Ultrasound in Medicine</i> , 2012, 31, 1187-1191.  | 1.7  | 5         |
| 410 | CHIMES-I: Sub-Group Analyzes of the Effects of NeuroAiD According to Baseline Brain Imaging Characteristics among Patients Randomized in the CHIMES Study. <i>International Journal of Stroke</i> , 2013, 8, 491-494.                       | 5.9  | 5         |
| 411 | Significance of Raised Flow Velocity in Basilar Artery in Patients with Acute Ischemic Stroke: Focal Stenosis, Coexistent Stenosis, and Collateral Flow. <i>Journal of Neuroimaging</i> , 2015, 25, 922-926.                                | 2.0  | 5         |
| 412 | Adding computed tomography and transcranial Doppler findings to the ABCD <sup>2</sup> score to predict long-term risk of stroke after transient ischaemic attack or minor stroke. <i>European Journal of Neurology</i> , 2015, 22, 520-526. | 3.3  | 5         |
| 413 | Discrepant relationships between admission blood pressure and mortality in different stroke subtypes. <i>Journal of the Neurological Sciences</i> , 2017, 383, 47-51.   | 0.6  | 5         |
| 414 | Long-Term Evolutionary Change in the Lumen of Intracranial Atherosclerotic Stenosis Following Angioplasty and Stenting. <i>Operative Neurosurgery</i> , 2018, 14, 128-138.  | 0.8  | 5         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 415 | External counterpulsation enhances neuroplasticity to promote stroke recovery. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2019, 90, 361-363.   | 1.9  | 5         |
| 416 | Vagus nerve stimulation for seizure control: Local experience. <i>Journal of Clinical Neuroscience</i> , 1998, 5, 294-297.   | 1.5  | 4         |
| 417 | A woman with swollen legs. <i>Lancet, The</i> , 2002, 359, 402.  | 13.7 | 4         |
| 418 | THE NIH REGISTRY ON USE OF THE WINGSPAN STENT FOR SYMPTOMATIC 70%–99% INTRACRANIAL ARTERIAL STENOSIS. <i>Neurology</i> , 2008, 71, 1124-1125.  | 1.1  | 4         |
| 419 | Thrombolysis with alteplase for acute ischemic stroke: safe and effective outside the 3-hour time window?. <i>Nature Clinical Practice Neurology</i> , 2009, 5, 70-71.   | 2.5  | 4         |
| 420 | Association Between the Apolipoprotein E Gene Polymorphism and Atherosclerotic Middle Cerebral Artery Stenosis. <i>Neurologist</i> , 2018, 23, 47-50.  | 0.7  | 4         |
| 421 | Variability and Validity of a Simple Visual Rating Scale in Grading White Matter Changes on Magnetic Resonance Imaging. , 2003, 13, 255-258.   |      | 4         |
| 422 | Hyperintense Middle Cerebral Artery Sign Using MRI. <i>Clinical Radiology</i> , 2003, 58, 542-544.   | 1.1  | 3         |
| 423 | Hospital Arrival after Acute Stroke: Any Better after 10 Years?. <i>Cerebrovascular Diseases</i> , 2004, 17, 346-346.  | 1.7  | 3         |
| 424 | Hyperacute Extensive Middle Cerebral Artery Territory Infarcts. <i>Journal of Computer Assisted Tomography</i> , 2004, 28, 650-653.  | 0.9  | 3         |
| 425 | Emboic Doppler Ultrasound Signal Detection Using Continuous Wavelet Transform to Detect Multiple Vascular Emboli. <i>Journal of Neuroimaging</i> , 2008, 18, 388-395.  | 2.0  | 3         |
| 426 | Influence of angiotensin-converting enzyme insertion/deletion polymorphism on nitric oxide production in hypertensives and hypercholesterolaemics. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2011, 36, 187-193. | 1.5  | 3         |
| 427 | Intravenous alteplase for Chinese patients with stroke and borderline eligibility. <i>Journal of Clinical Neuroscience</i> , 2012, 19, 1383-1386.  | 1.5  | 3         |
| 428 | Case Report: A 70-Year-Old Man with Undiagnosed Factor VII Deficiency Presented with Acute Ischemic Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2013, 22, e664-e666.                                     | 1.6  | 3         |
| 429 | Comparative Effects of Antihypertensive Drugs on Stroke Outcome in China. <i>International Journal of Stroke</i> , 2014, 9, 113-118.   | 5.9  | 3         |
| 430 | Cerebral perfusion difference between hemispheres with symptomatic and asymptomatic intracranial arterial stenosis. <i>International Journal of Stroke</i> , 2017, 12, NP19-NP20.  | 5.9  | 3         |
| 431 | BO Images Obtained From Diffusion-Weighted Echo Planar Sequences for the Detection of Intracerebral Bleeds. , 2003, 13, 99-105.  |      | 3         |
| 432 | Atrophy of the left dorsolateral prefrontal cortex is associated with poor performance in verbal fluency in elderly poststroke women. <i>Neural Regeneration Research</i> , 2013, 8, 346-56.                                 | 3.0  | 3         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 433 | Cerebral microembolism detected by transcranial Doppler during percutaneous transvenous mitral commissurotomy. <i>American Journal of Cardiology</i> , 1995, 75, 189-190.  | 1.6  | 2         |
| 434 | Predictors for cortical gray matter volume in stroke patients with confluent white matter changes. <i>Journal of the Neurological Sciences</i> , 2014, 338, 169-173.   | 0.6  | 2         |
| 435 | The contemporary management of intracranial atherosclerotic disease. <i>Expert Review of Neurotherapeutics</i> , 2016, 16, 701-709.  | 2.8  | 2         |
| 436 | High-resolution magnetic resonance vessel wall imaging of chronic intracranial internal carotid artery occlusion. <i>Journal of Neuroradiology</i> , 2018, 45, 336-337.  | 1.1  | 2         |
| 437 | An Index From Transcranial Doppler Signals for Evaluation of Stroke Rehabilitation Using External Counterpulsation. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2021, 29, 1487-1493. | 4.9  | 2         |
| 438 | Abstract 158: Magnetic Resonance Angiography Signal Intensity as a Marker of Hemodynamic Impairment in Intracranial Arterial Stenosis. <i>Stroke</i> , 2013, 44, .   | 2.0  | 2         |
| 439 | Simple partial status epilepticus in Chinese adults. <i>Journal of Clinical Neuroscience</i> , 2005, 12, 902-904.  | 1.5  | 1         |
| 440 | Organized Stroke Care Must Include the Emergency Department. <i>Stroke</i> , 2006, 37, 1652-1652.  | 2.0  | 1         |
| 441 | Antiplatelet therapy contributes to acute deterioration of intracerebral hemorrhage. <i>Neurology</i> , 2006, 66, 1610-1611.   | 1.1  | 1         |
| 442 | A young man who kept falling over. <i>Lancet, The</i> , 2008, 372, 418.  | 13.7 | 1         |
| 443 | Neurosonological Examinations of Transient Ischemic Attack. <i>Frontiers of Neurology and Neuroscience</i> , 2014, 33, 123-134.  | 2.8  | 1         |
| 444 | Moyamoya disease in a patient with neuromyelitis optica. <i>Oxford Medical Case Reports</i> , 2014, 2014, 13-15.   | 0.4  | 1         |
| 445 | Using the Full Span of the SPAN-100 Index to Predict Functional Outcome in the CHIMES Study. <i>International Journal of Stroke</i> , 2015, 10, E21-E21.   | 5.9  | 1         |
| 446 | Herbs and Rehabilitation after Stroke Study: A Multi-center, Double-blinded, Randomized Trial in Hong Kong. <i>Journal of Stroke</i> , 2016, 18, 361-363.  | 3.2  | 1         |
| 447 | An improved spherical coordinate system applied in oculomotor system-the possibility for rapid strabismus diagnosis. , 2016, , .   |      | 1         |
| 448 | Benign Oligemia in Subacute Stage Is Associated with Borderzone Infarction in Stroke Patients Caused by Intracranial Large Artery Disease. <i>European Neurology</i> , 2017, 77, 80-86.                              | 1.4  | 1         |
| 449 | Intracranial Atherosclerosis Coexisting With White Matter Hyperintensities May Predict Unfavorable Functional Outcome in Patients With Acute Cerebral Ischemia. <i>Frontiers in Neurology</i> , 2020, 11, 609607.    | 2.4  | 1         |
| 450 | Pathophysiology and Mechanisms Whereby Hypertension May Cause Stroke. , 2011, , 77-94.   |      | 0         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 451 | Response to Letter Regarding Article, "Early Dual Versus Mono Antiplatelet Therapy for Acute Non-Cardioembolic Ischemic Stroke or Transient Ischemic Attack: An Updated Systematic Review and Meta-Analysis". <i>Circulation</i> , 2014, 130, e74. | 1.6 | 0         |
| 452 | Combined external counterpulsation and endovascular stenting treatment for symptomatic vertebrobasilar artery stenosis: two case reports. <i>Oxford Medical Case Reports</i> , 2015, 2015, 333-336.  | 0.4 | 0         |
| 453 | Asian and Oceanian Congress of Neurology 2014: Intraregional and interregional synergy. <i>Neurology</i> , 2015, 84, 1269-1271.  | 1.1 | 0         |
| 454 | The potential synergism by combining external counterpulsation with intermittent theta burst stimulation in post-stroke motor function recovery. <i>Medical Hypotheses</i> , 2016, 93, 140-142.  | 1.5 | 0         |
| 455 | Evaluation of Age-Related White Matter Changes Using Transcranial Doppler Ultrasonography. , 2011, , no-no.  |     | 0         |
| 456 | Intracranial Collateral Flow Estimated by Color Velocity Imaging Quantification Ultrasound: A Protector of Recurrent Stroke in Patient with Carotid Stenosis?. <i>Current Neurovascular Research</i> , 2016, 13, 283-288.                          | 1.1 | 0         |
| 457 | Characteristics of Microembolic Signals Detected Near Their Origins in Middle Cerebral Artery Stenoses. , 2003, 13, 124-132.   |     | 0         |