T H Lam

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3369506/publications.pdf

Version: 2024-02-01

342 papers 12,175 citations

50170 46 h-index 94 g-index

352 all docs 352 docs citations

352 times ranked

19627 citing authors

#	Article	IF	CITATIONS
1	Body-mass index and all-cause mortality: individual-participant-data meta-analysis of 239 prospective studies in four continents. Lancet, The, 2016, 388, 776-786.	6.3	1,793
2	Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with $19 \hat{A} \cdot 1$ million participants. Lancet, The, 2017, 389, 37-55.	6.3	1,667
3	Three versions of Perceived Stress Scale: validation in a sample of Chinese cardiac patients who smoke. BMC Public Health, 2010, 10, 513.	1.2	388
4	Wearing face masks in the community during the COVID-19 pandemic: altruism and solidarity. Lancet, The, 2022, 399, e39-e40.	6.3	309
5	Cohort Profile: The Guangzhou Biobank Cohort Study, a Guangzhou–Hong Kong–Birmingham collaboration. International Journal of Epidemiology, 2006, 35, 844-852.	0.9	194
6	The battle against nasopharyngeal cancer. Radiotherapy and Oncology, 2012, 104, 272-278.	0.3	191
7	Association between simple anthropometric indices and cardiovascular risk factors. International Journal of Obesity, 2001, 25, 1689-1697.	1.6	167
8	Mortality and smoking in Hong Kong: case-control study of all adult deaths in 1998. BMJ: British Medical Journal, 2001, 323, 361-361.	2.4	162
9	Satellite-Based Estimates of Long-Term Exposure to Fine Particles and Association with Mortality in Elderly Hong Kong Residents. Environmental Health Perspectives, 2015, 123, 1167-1172.	2.8	148
10	Cancer Mortality Risks from Long-term Exposure to Ambient Fine Particle. Cancer Epidemiology Biomarkers and Prevention, 2016, 25, 839-845.	1.1	147
11	Smoking, passive smoking and histological types in lung cancer in Hong Kong Chinese women. British Journal of Cancer, 1987, 56, 673-678.	2.9	119
12	Electronic Cigarette Use and Respiratory Symptoms in Chinese Adolescents in Hong Kong. JAMA Pediatrics, 2016, 170, 89.	3.3	114
13	The prevalence of diabetes, association with cardiovascular risk factors and implications of diagnostic criteria (ADA 1997 and WHO 1998) in a 1996 community-based population study in Hong Kong Chinese. Diabetic Medicine, 2000, 17, 741-745.	1.2	113
14	Social Distancing Compliance under COVID-19 Pandemic and Mental Health Impacts: A Population-Based Study. International Journal of Environmental Research and Public Health, 2020, 17, 6692.	1.2	111
15	Social Determinants of Health Information Seeking among Chinese Adults in Hong Kong. PLoS ONE, 2013, 8, e73049.	1.1	108
16	Using WhatsApp and Facebook Online Social Groups for Smoking Relapse Prevention for Recent Quitters: A Pilot Pragmatic Cluster Randomized Controlled Trial. Journal of Medical Internet Research, 2015, 17, e238.	2.1	106
17	How, When and Why People Seek Health Information Online: Qualitative Study in Hong Kong. Interactive Journal of Medical Research, 2017, 6, e24.	0.6	101
18	Adherence to nicotine replacement therapy versus quitting smoking among Chinese smokers: a preliminary investigation. Psychopharmacology, 2005, 177, 400-408.	1.5	97

#	Article	IF	Citations
19	Short version of the Smartphone Addiction Scale in Chinese adults: Psychometric properties, sociodemographic, and health behavioral correlates. Journal of Behavioral Addictions, 2018, 7, 1157-1165.	1.9	91
20	Perspectives on family health, happiness and harmony (3H) among Hong Kong Chinese people: a qualitative study. Health Education Research, 2012, 27, 767-779.	1.0	89
21	Exome-wide association analysis reveals novel coding sequence variants associated with lipid traits in Chinese. Nature Communications, 2015, 6, 10206.	5.8	86
22	Egg consumption and the risk of cardiovascular disease and all-cause mortality: Guangzhou Biobank Cohort Study and meta-analyses. European Journal of Nutrition, 2019, 58, 785-796.	1.8	86
23	Timing of pubertal maturation and heterosexual behavior among Hong Kong Chinese adolescents. Archives of Sexual Behavior, 2002, 31, 359-366.	1.2	84
24	Mental health crisis under COVID-19 pandemic in Hong Kong, China. International Journal of Infectious Diseases, 2020, 100, 431-433.	1.5	83
25	C-Reactive Protein Predicts the Deterioration of Glycemia in Chinese Subjects With Impaired Glucose Tolerance. Diabetes Care, 2003, 26, 2323-2328.	4.3	82
26	Screening for depression with the Patient Health Questionnaire-2 (PHQ-2) among the general population in Hong Kong. Journal of Affective Disorders, 2011, 134, 444-447.	2.0	81
27	Elevated Circulating Adipocyteâ€Fatty Acid Binding Protein Levels Predict Incident Cardiovascular Events in a Communityâ€Based Cohort: A 12â€Year Prospective Study. Journal of the American Heart Association, 2013, 2, e004176.	1.6	81
28	Metabolic syndrome increases all-cause and vascular mortality: the Hong Kong Cardiovascular Risk Factor Study. Clinical Endocrinology, 2007, 66, 666-671.	1.2	78
29	Psychometric Evaluation of the Chinese Version of the Subjective Happiness Scale: Evidence from the Hong Kong FAMILY Cohort. International Journal of Behavioral Medicine, 2014, 21, 646-652.	0.8	77
30	Associations of diabetes mellitus with site-specific cancer mortality in the Asia-Pacific region. Annals of Oncology, 2011, 22, 730-738.	0.6	75
31	Socioeconomic status in relation to cardiovascular disease and cause-specific mortality: a comparison of Asian and Australasian populations in a pooled analysis. BMJ Open, 2015, 5, e006408-e006408.	0.8	71
32	Health App Possession Among Smartphone or Tablet Owners in Hong Kong: Population-Based Survey. JMIR MHealth and UHealth, 2017, 5, e77.	1.8	67
33	Prevalence and determinants of SARS-CoV-2 vaccine hesitancy in Hong Kong: A population-based survey. Vaccine, 2021, 39, 3602-3607.	1.7	66
34	Dietary intake and practices in the Hong Kong Chinese population. Journal of Epidemiology and Community Health, 1998, 52, 631-637.	2.0	60
35	Evaluation of Moderate Alcohol Use and Cognitive Function Among Men Using a Mendelian Randomization Design in the Guangzhou Biobank Cohort Study. American Journal of Epidemiology, 2012, 175, 1021-1028.	1.6	59
36	The CHADS2 and CHA2DS2-VASc scores predict adverse vascular function, ischemic stroke and cardiovascular death in high-risk patients without atrial fibrillation: Role of incorporating PR prolongation. Atherosclerosis, 2014, 237, 504-513.	0.4	59

#	Article	IF	Citations
37	Relationship Between the Metabolic Syndrome and the Development of Hypertension in the Hong Kong Cardiovascular Risk Factor Prevalence Study-2 (CRISPS2). American Journal of Hypertension, 2008, 21, 17-22.	1.0	58
38	Cohort Profile: FAMILY Cohort. International Journal of Epidemiology, 2017, 46, e1-e1.	0.9	58
39	Exposure to health misinformation about COVID-19 and increased tobacco and alcohol use: a population-based survey in Hong Kong. Tobacco Control, 2021, 30, 696-699.	1.8	57
40	Prevalence and correlates of smoking and sexual activity among Hong Kong adolescents. Journal of Adolescent Health, 2001, 29, 352-358.	1.2	56
41	Breakfast skipping and change in body mass index in young children. International Journal of Obesity, 2011, 35, 899-906.	1.6	55
42	Socioeconomic Disparities in eHealth Literacy and Preventive Behaviors During the COVID-19 Pandemic in Hong Kong: Cross-sectional Study. Journal of Medical Internet Research, 2021, 23, e24577.	2.1	54
43	Rates of Cesarean Births in Hong Kong: 1987-1999. Birth, 2001, 28, 166-172.	1.1	53
44	Sleep Duration and Memory in the Elderly Chinese: Longitudinal Analysis of the Guangzhou Biobank Cohort Study. Sleep, 2014, 37, 1737-1744.	0.6	53
45	Central obesity predicts the worsening of glycemia in southern Chinese. International Journal of Obesity, 2001, 25, 1789-1793.	1.6	52
46	The relationship between fibrinogen and other coronary heart disease risk factors in a Chinese population. Atherosclerosis, 1999, 143, 405-413.	0.4	51
47	Leisure time physical activity and mortality in hong kong: case-control study of all adult deaths in 1998. Annals of Epidemiology, 2004, 14, 391-398.	0.9	50
48	Depressive symptoms and smoking among Hong Kong Chinese adolescents. Addiction, 2005, 100, 1003-1011.	1.7	50
49	Genetic risk of extranodal natural killer T-cell lymphoma: a genome-wide association study in multiple populations. Lancet Oncology, The, 2020, 21, 306-316.	5.1	49
50	Chat-based instant messaging support integrated with brief interventions for smoking cessation: a community-based, pragmatic, cluster-randomised controlled trial. The Lancet Digital Health, 2019, 1, e183-e192.	5.9	48
51	Smoking, Quitting, and Mortality in a Chinese Cohort of Retired Men. Annals of Epidemiology, 2002, 12, 316-320.	0.9	47
52	Respiratory symptoms due to active and passive smoking in junior secondary school students in Hong Kong. International Journal of Epidemiology, 1998, 27, 41-48.	0.9	46
53	Health information exposure from information and communication technologies and its associations with health behaviors: Population-based survey. Preventive Medicine, 2018, 113, 140-146.	1.6	45
54	Smoking and depressive symptoms in Chinese elderly in Hong Kong. Acta Psychiatrica Scandinavica, 2004, 110, 195-200.	2.2	43

#	Article	IF	CITATIONS
55	Structure and validity of Family Harmony Scale: An instrument for measuring harmony Psychological Assessment, 2016, 28, 307-318.	1.2	42
56	Clustering of risk factors and the risk of incident cardiovascular disease in Asian and Caucasian populations: results from the Asia Pacific Cohort Studies Collaboration. BMJ Open, 2018, 8, e019335.	0.8	42
57	Hong Kong Chinese community leaders' perspectives on family health, happiness and harmony: a qualitative study. Health Education Research, 2011, 26, 664-674.	1.0	41
58	Intervention With Brief Cessation Advice Plus Active Referral for Proactively Recruited Community Smokers. JAMA Internal Medicine, 2017, 177, 1790.	2.6	40
59	C-reactive protein as a predictor of hypertension in the Hong Kong Cardiovascular Risk Factor Prevalence Study (CRISPS) cohort. Journal of Human Hypertension, 2012, 26, 108-116.	1.0	38
60	A block randomized controlled trial of a brief smoking cessation counselling and advice through short message service on participants who joined the Quit to Win Contest in Hong Kong. Health Education Research, 2015, 30, 609-621.	1.0	38
61	Depressive Symptoms Among Hong Kong Adolescents: Relation to Atypical Sexual Feelings and Behaviors, Gender Dissatisfaction, Pubertal Timing, and Family and Peer Relationships. Archives of Sexual Behavior, 2004, 33, 487-496.	1,2	37
62	Smoking and nasopharyngeal carcinoma mortality: a cohort study of 101,823 adults in Guangzhou, China. BMC Cancer, 2015, 15, 906.	1.1	37
63	Fibrinogen, other cardiovascular risk factors and diabetes mellitus in Hong Kong: a community with high prevalence of Type 2 diabetes mellitus and impaired glucose tolerance. Diabetic Medicine, 2000, 17, 798-806.	1,2	36
64	Lymphocyte DNA damage in elevator manufacturing workers in Guangzhou, China. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2002, 515, 147-157.	0.9	36
65	Liver enzymes and incident diabetes in China: a prospective analysis of 10â€764 participants in the Guangzhou Biobank Cohort Study. Journal of Epidemiology and Community Health, 2015, 69, 1040-1044.	2.0	36
66	Electronic cigarette use among adolescents: a cross-sectional study in Hong Kong. BMC Public Health, 2016, 16, 202.	1.2	36
67	Online Social Support for the Prevention of Smoking Relapse: A Content Analysis of the WhatsApp and Facebook Social Groups. Telemedicine Journal and E-Health, 2017, 23, 507-516.	1.6	36
68	Lifestyle and socioeconomic correlates of breakfast skipping in Hong Kong primary 4 schoolchildren. Preventive Medicine, 2011, 52, 250-3.	1.6	35
69	Sociodemographic risk factors of alcohol drinking in Hong Kong adolescents. Journal of Epidemiology and Community Health, 2016, 70, 374-379.	2.0	35
70	Testâ€"retest reliability and validity of a single-item Self-reported Family Happiness Scale in Hong Kong Chinese: findings from Hong Kong Jockey Club FAMILY Project. Quality of Life Research, 2019, 28, 535-543.	1.5	35
71	Association of Individual Health Literacy with Preventive Behaviours and Family Well-Being during COVID-19 Pandemic: Mediating Role of Family Information Sharing. International Journal of Environmental Research and Public Health, 2020, 17, 8838.	1.2	35
72	Perceived Benefits and Harms of the COVID-19 Pandemic on Family Well-Being and Their Sociodemographic Disparities in Hong Kong: A Cross-Sectional Study. International Journal of Environmental Research and Public Health, 2021, 18, 1217.	1.2	35

#	Article	IF	CITATIONS
73	Using Information and Communication Technologies for Family Communication and Its Association With Family Well-Being in Hong Kong: FAMILY Project. Journal of Medical Internet Research, 2015, 17, e207.	2.1	35
74	The association of problematic smartphone use with family well-being mediated by family communication in Chinese adults: A population-based study. Journal of Behavioral Addictions, 2019, 8, 412-419.	1.9	34
75	Fear of COVID-19 and its associations with perceived personal and family benefits and harms in Hong Kong. Translational Behavioral Medicine, 2021, 11, 793-801.	1.2	34
76	Mortality attributable to cigarette smoking in China. JAMA - Journal of the American Medical Association, 1997, 278, 1505-8.	3.8	34
77	Mask wearing to complement social distancing and save lives during COVID-19. International Journal of Tuberculosis and Lung Disease, 2020, 24, 556-558.	0.6	33
78	Exploring Community Smokers' Perspectives for Developing a Chat-Based Smoking Cessation Intervention Delivered Through Mobile Instant Messaging: Qualitative Study. JMIR MHealth and UHealth, 2019, 7, e11954.	1.8	32
79	Perceptions and use of e-cigarettes among young adults in Hong Kong. BMC Public Health, 2019, 19, 1123.	1.2	31
80	Sleep quality and cognitive impairment in older Chinese: Guangzhou Biobank Cohort Study. Age and Ageing, 2020, 49, 119-124.	0.7	31
81	Problematic Smartphone Use and Mental Health in Chinese Adults: A Population-Based Study. International Journal of Environmental Research and Public Health, 2020, 17, 844.	1.2	31
82	Public opinion on smoke-free policies in restaurants and predicted effect on patronage in Hong Kong. Tobacco Control, 2002, 11, 195-200.	1.8	30
83	Smoking and sexual dysfunction in Chinese males: findings from men's health survey. International Journal of Impotence Research, 2006, 18, 364-369.	1.0	30
84	Dose-Response Relation Between Physical Activity and Cognitive Function: Guangzhou Biobank Cohort Study. Annals of Epidemiology, 2011, 21, 857-863.	0.9	30
85	The tobacco endgame in Hong Kong: public support for a total ban on tobacco sales. Tobacco Control, 2015, 24, 162-167.	1.8	30
86	Dietary Intake of Anti-Oxidant Vitamins A, C, and E Is Inversely Associated with Adverse Cardiovascular Outcomes in Chinese—A 22-Years Population-Based Prospective Study. Nutrients, 2018, 10, 1664.	1.7	30
87	Electronic cigarette use and its association with smoking in Hong Kong Chinese adolescents. Addictive Behaviors, 2015, 50, 124-127.	1.7	29
88	Happy Family Kitchen II: A Cluster Randomized Controlled Trial of a Community-Based Family Intervention for Enhancing Family Communication and Well-being in Hong Kong. Frontiers in Psychology, 2016, 7, 638.	1.1	29
89	Combined Use of Serum Adiponectin and Tumor Necrosis Factor-Alpha Receptor 2 Levels Was Comparable to 2-Hour Post-Load Glucose in Diabetes Prediction. PLoS ONE, 2012, 7, e36868.	1.1	28
90	Association of adiposity with pulmonary function in older Chinese: Guangzhou Biobank Cohort Study. Respiratory Medicine, 2017, 132, 102-108.	1.3	27

#	Article	IF	CITATIONS
91	Sharing Family Life Information Through Video Calls and Other Information and Communication Technologies and the Association With Family Well-Being: Population-Based Survey. JMIR Mental Health, 2017, 4, e57.	1.7	27
92	Happy Family Kitchen: A community-based research for enhancing family communication and well-being in Hong Kong Journal of Family Psychology, 2016, 30, 752-762.	1.0	26
93	Short Sleep Duration and Insomnia Symptoms were Associated with Lower Happiness Levels in Chinese Adults in Hong Kong. International Journal of Environmental Research and Public Health, 2019, 16, 2079.	1.2	26
94	Reported alcohol drinking and mental health problems in Hong Kong Chinese adolescents. Drug and Alcohol Dependence, 2016, 164, 47-54.	1.6	25
95	Smoking and serum vitamin D in older Chinese people: cross-sectional analysis based on the Guangzhou Biobank Cohort Study. BMJ Open, 2016, 6, e010946.	0.8	25
96	Cohort Profile: Hong Kong Department of Health Elderly Health Service Cohort. International Journal of Epidemiology, 2016, 45, 64-72.	0.9	25
97	Electronic cigarette awareness and use among adults in Hong Kong. Addictive Behaviors, 2016, 52, 34-38.	1.7	25
98	Electronic cigarette marketing tactics in mainland China. Tobacco Control, 2017, 26, 230-232.	1.8	25
99	Family-Based Smoking Cessation Intervention for Smoking Fathers and Nonsmoking Mothers with a Child: A Randomized Controlled Trial. Journal of Pediatrics, 2017, 182, 260-266.e4.	0.9	25
100	Effectiveness of a Brief Self-determination Theory–Based Smoking Cessation Intervention for Smokers at Emergency Departments in Hong Kong. JAMA Internal Medicine, 2020, 180, 206.	2.6	25
101	Digital Inequalities of Family Life Information Seeking and Family Well-Being Among Chinese Adults in Hong Kong: A Population Survey. Journal of Medical Internet Research, 2014, 16, e227.	2.1	25
102	An evaluation of the psychometric properties of the Smoking Self-Efficacy Questionnaire (SEQ-12) among Chinese cardiac patients who smoke. Nicotine and Tobacco Research, 2008, 10, 1311-1318.	1.4	24
103	Adolescent testosterone, muscle mass and glucose metabolism: evidence from the †Children of 1997†birth cohort in Hong Kong. Diabetic Medicine, 2015, 32, 505-512.	1.2	24
104	Mendelian randomization estimates of alanine aminotransferase with cardiovascular disease: Guangzhou Biobank Cohort study. Human Molecular Genetics, 2017, 26, ddw396.	1.4	24
105	White blood cell count and all-cause and cause-specific mortality in the Guangzhou biobank cohort study. BMC Public Health, 2018, 18, 1232.	1.2	24
106	Heated tobacco products use in Chinese adults in Hong Kong: a population-based cross-sectional study. Tobacco Control, 2020, 29, tobaccocontrol-2018-054719.	1.8	24
107	Smoking and high-risk sexual behavior among young adults in Hong Kong. Journal of Behavioral Medicine, 2001, 24, 503-518.	1.1	23
108	Fish Consumption and Mortality in Hong Kong Chineseâ€"the LIMOR Study. Annals of Epidemiology, 2011, 21, 164-169.	0.9	23

#	Article	IF	Citations
109	Very brief physician advice and supplemental proactive telephone calls to promote smoking reduction and cessation in Chinese male smokers with no intention to quit: a randomized trial. Addiction, 2017, 112, 2032-2040.	1.7	23
110	Mortality in relation to changes in physical activity in middle-aged to older Chinese: An 8-year follow-up of the Guangzhou Biobank Cohort Study. Journal of Sport and Health Science, 2021, 10, 430-438.	3.3	23
111	Did the tobacco industry inflate estimates of illicit cigarette consumption in Asia? An empirical analysis. Tobacco Control, 2015, 24, e161-e167.	1.8	22
112	Brief Advice on Smoking Reduction Versus Abrupt Quitting for Smoking Cessation in Chinese Smokers: A Cluster Randomized Controlled Trial. Nicotine and Tobacco Research, 2017, 20, 67-72.	1.4	22
113	Early childhood exposure to secondhand smoke and behavioural problems in preschoolers. Scientific Reports, 2018, 8, 15434.	1.6	22
114	Association Between Metabolic Syndrome and Carotid Atherosclerosis: A Community-Based Study in Hong Kong. Metabolic Syndrome and Related Disorders, 2013, 11, 109-114.	0.5	21
115	Smoking among Hong Kong Chinese women: behavior, attitudes and experience. BMC Public Health, 2015, 15, 183.	1.2	21
116	Effectiveness of a small cash incentive on abstinence and use of cessation aids for adult smokers: A randomized controlled trial. Addictive Behaviors, 2017, 66, 17-25.	1.7	21
117	Fibrinogen, angina and coronary heart disease in a Chinese population. Atherosclerosis, 2000, 149, 443-449.	0.4	20
118	Parental emotional management benefits family relationships: A randomized controlled trial in Hong Kong, China. Behaviour Research and Therapy, 2015, 71, 115-124.	1.6	20
119	A nurse-delivered brief health education intervention to improve pneumococcal vaccination rate among older patients with chronic diseases: A cluster randomized controlled trial. International Journal of Nursing Studies, 2015, 52, 317-324.	2.5	20
120	Age at menarche and cardiovascular risk factors using Mendelian randomization in the Guangzhou Biobank Cohort Study. Preventive Medicine, 2017, 101, 142-148.	1.6	20
121	Adolescent Support for Tobacco Control Policies and Associations with Tobacco Denormalization Beliefs and Harm Perceptions. International Journal of Environmental Research and Public Health, 2019, 16, 147.	1.2	20
122	Effectiveness of smoking reduction intervention for hardcore smokers. Tobacco Induced Diseases, 2015, 13, 9.	0.3	19
123	Secondhand Smoke From Multiple Sources, Thirdhand Smoke and Respiratory Symptoms in Hong Kong Adolescents. Nicotine and Tobacco Research, 2018, 20, ntw302.	1.4	19
124	Brief intervention to promote smoking cessation and improve glycemic control in smokers with type 2 diabetes: a randomized controlled trial. Scientific Reports, 2017, 7, 45902.	1.6	19
125	Exome-chip association analysis reveals an Asian-specific missense variant in PAX4 associated with type 2 diabetes in Chinese individuals. Diabetologia, 2017, 60, 107-115.	2.9	19
126	Helping cancer patients quit smoking using brief advice based on risk communication: A randomized controlled trial. Scientific Reports, 2018, 8, 2712.	1.6	19

#	Article	IF	Citations
127	Adolescent Smoking in Hong Kong: Prevalence, Psychosocial Correlates, and Prevention. Journal of Adolescent Health, 2019, 64, S19-S27.	1.2	19
128	A polygenic risk score for nasopharyngeal carcinoma shows potential for risk stratification and personalized screening. Nature Communications, 2022, 13, 1966.	5.8	19
129	Identification of factors differentially associated with isolated impaired fasting glucose and isolated post-load impaired glucose tolerance: the Hong Kong Cardiovascular Risk Factor Study. European Journal of Endocrinology, 2006, 155, 623-632.	1.9	18
130	Exposure to secondhand smoke from neighbours and respiratory symptoms in never-smoking adolescents in Hong Kong: a cross-sectional study. BMJ Open, 2015, 5, e008607.	0.8	18
131	Public Support for Electronic Cigarette Regulation in Hong Kong: A Population-Based Cross-Sectional Study. International Journal of Environmental Research and Public Health, 2017, 14, 709.	1.2	18
132	Increasing socioeconomic disparities in sedentary behaviors in Chinese children. BMC Public Health, 2019, 19, 754.	1.2	18
133	Family E-Chat Group Use Was Associated with Family Wellbeing and Personal Happiness in Hong Kong Adults amidst the COVID-19 Pandemic. International Journal of Environmental Research and Public Health, 2021, 18, 9139.	1.2	18
134	PASSIVE SMOKING AND CORONARY HEART DISEASE: A BRIEF REVIEW. Clinical and Experimental Pharmacology and Physiology, 1997, 24, 993-996.	0.9	17
135	Prediction of 4-year incident diabetes in older Chinese: Recalibration of the Framingham diabetes score on Guangzhou Biobank Cohort Study. Preventive Medicine, 2014, 69, 63-68.	1.6	17
136	Adiposity and incident diabetes within 4 years of followâ€up: the Guangzhou Biobank Cohort Study. Diabetic Medicine, 2017, 34, 1400-1406.	1.2	17
137	Electronic cigarette use is not associated with quitting of conventional cigarettes in youth smokers. Pediatric Research, 2017, 82, 14-18.	1.1	17
138	A community based intervention program to enhance neighborhood cohesion: The Learning Families Project in Hong Kong. PLoS ONE, 2017, 12, e0182722.	1.1	17
139	Stage of change for general health promotion action and health-related lifestyle practices in Chinese adults. Preventive Medicine, 2004, 38, 302-308.	1.6	16
140	Secondhand Smoke Exposure and Maternal Action to Protect Children from Secondhand Smoke: Preand Post-Smokefree Legislation in Hong Kong. PLoS ONE, 2014, 9, e105781.	1.1	16
141	Mediation of Short and Longer Term Effects of an Intervention Program to Enhance Resilience in Immigrants from Mainland China to Hong Kong. Frontiers in Psychology, 2015, 6, 1769.	1.1	16
142	Learning to drink: How Chinese adolescents make decisions about the consumption (or not) of alcohol. International Journal of Drug Policy, 2015, 26, 1231-1237.	1.6	16
143	STROBE-Long-Term Exposure to Ambient Fine Particulate Air Pollution and Hospitalization Due to Peptic Ulcers. Medicine (United States), 2016, 95, e3543.	0.4	16
144	Effects of Zero-time Exercise on inactive adults with insomnia disorder: a pilot randomized controlled trial. Sleep Medicine, 2018, 52, 118-127.	0.8	16

#	Article	IF	CITATIONS
145	The reliability and validity of the Chinese Short Warwick-Edinburgh Mental Well-being Scale in the general population of Hong Kong. Quality of Life Research, 2019, 28, 2813-2820.	1.5	16
146	Mendelian Randomization Focused Analysis of Vitamin D on the Secondary Prevention of Ischemic Stroke. Stroke, 2021, 52, 3926-3937.	1.0	16
147	Smoking and mortality in 81 344 drivers in Guangzhou, China. Occupational and Environmental Medicine, 2002, 59, 135-138.	1.3	15
148	Family Smoking, Exposure to Secondhand Smoke at Home and Family Unhappiness in Children. International Journal of Environmental Research and Public Health, 2015, 12, 14557-14570.	1.2	15
149	E-Cigarette Awareness, Perceptions and Use among Community-Recruited Smokers in Hong Kong. PLoS ONE, 2015, 10, e0141683.	1.1	15
150	The association of pulmonary function with carotid atherosclerosis in older Chinese: Guangzhou Biobank Cohort Study-CVD Subcohort. Atherosclerosis, 2015, 243, 469-476.	0.4	15
151	Is Traditional Chinese Exercise Associated With Lower Mortality Rates in Older People? Evidence From a Prospective Chinese Elderly Cohort Study in Hong Kong. American Journal of Epidemiology, 2016, 183, 36-45.	1.6	15
152	Happy Family Kitchen: Behavioral Outcomes of a Brief Community-Based Family Intervention in Hong Kong. Journal of Child and Family Studies, 2017, 26, 2852-2864.	0.7	15
153	An Evaluation of the Youth Quitline Service Young HongÂKongÂSmokers. Journal of Adolescent Health, 2017, 60, 584-591.	1.2	15
154	Genetic Regulation of Pigment Epithelium-Derived Factor (PEDF): An Exome-Chip Association Analysis in Chinese Subjects With Type 2 Diabetes. Diabetes, 2019, 68, 198-206.	0.3	15
155	Effects of simple active referrals of different intensities on smoking abstinence and smoking cessation services attendance: a clusterâ€randomized clinical trial. Addiction, 2020, 115, 1902-1912.	1.7	15
156	Association of Mobile Instant Messaging Chat Group Participation With Family Functioning and Well-Being: Population-Based Cross-sectional Study. Journal of Medical Internet Research, 2021, 23, e18876.	2.1	15
157	Diet synergies and mortalityâ€"a population-based caseâ€"control study of 32 462 Hong Kong Chinese older adults. International Journal of Epidemiology, 2006, 35, 418-426.	0.9	14
158	Pro-Inflammatory Adipokines as Predictors of Incident Cancers in a Chinese Cohort of Low Obesity Prevalence in Hong Kong. PLoS ONE, 2013, 8, e78594.	1.1	14
159	Secondhand smoke exposure (SHS) and health-related quality of life (HRQoL) in Chinese never smokers in Hong Kong. BMJ Open, 2015, 5, e007694.	0.8	14
160	Effectiveness of additional follow-up telephone counseling in a smoking cessation clinic in Beijing and predictors of quitting among Chinese male smokers. BMC Public Health, 2015, 16, 63.	1.2	14
161	Stage of obesity epidemic model: Learning from tobacco control and advocacy for a framework convention on obesity control. Journal of Diabetes, 2018, 10, 564-571.	0.8	14
162	A Brief Smoking Cessation Advice by Youth Counselors for the Smokers in the Hong Kong Quit to Win Contest 2010: a Cluster Randomized Controlled Trial. Prevention Science, 2018, 19, 209-219.	1.5	14

#	Article	IF	Citations
163	A study protocol for a randomised controlled trial evaluating the use of information communication technology (WhatsApp/WeChat) to deliver brief motivational interviewing (i-BMI) in promoting smoking cessation among smokers with chronic diseases. BMC Public Health, 2019, 19, 1083.	1.2	14
164	Adiposity and mortality in older Chinese: an 11-year follow-up of the Guangzhou Biobank Cohort Study. Scientific Reports, 2020, 10, 1924.	1.6	14
165	Vascular protective effects of statin-related increase in serum 25-hydroxyvitamin D among high-risk cardiac patients. Journal of Cardiovascular Medicine, 2015, 16, 51-58.	0.6	13
166	Stress across the life course and depression in a rapidly developing population: the Guangzhou Biobank Cohort Study. International Journal of Geriatric Psychiatry, 2016, 31, 629-637.	1.3	13
167	A Mendelian randomization study of testosterone and cognition in men. Scientific Reports, 2016, 6, 21306.	1.6	13
168	Happy Family Kitchen II: a cluster randomized controlled trial of a community-based positive psychology family intervention for subjective happiness and health-related quality of life in Hong Kong. Trials, 2016, 17, 367.	0.7	13
169	Waterpipe smoking among secondary school students in Hong Kong. International Journal of Public Health, 2016, 61, 427-434.	1.0	13
170	Liver enzymes as mediators of association between obesity and diabetes: the Guangzhou Biobank Cohort Study. Annals of Epidemiology, 2017, 27, 204-207.	0.9	13
171	The relationship of waterpipe use with cigarette smoking susceptibility and nicotine dependence: A cross-sectional study among Hong Kong adolescents. Addictive Behaviors, 2017, 64, 123-128.	1.7	13
172	Unite for a Framework Convention for Alcohol Control. Lancet, The, 2019, 393, 1778-1779.	6.3	13
173	School-level electronic cigarette use prevalence and student-level tobacco use intention and behaviours. Scientific Reports, 2019, 9, 1690.	1.6	13
174	Let us not forget the mask in our attempts to stall the spread of COVID-19. International Journal of Tuberculosis and Lung Disease, 2020, 24, 364-366.	0.6	13
175	Self-Reported Screen Time on Social Networking Sites Associated With Problematic Smartphone Use in Chinese Adults: A Population-Based Study. Frontiers in Psychiatry, 2020, 11, 614061.	1.3	13
176	Alcohol Use and Gamma-Glutamyltransferase Using a Mendelian Randomization Design in the Guangzhou Biobank Cohort Study. PLoS ONE, 2015, 10, e0137790.	1.1	13
177	An evaluation study of a gender-specific smoking cessation program to help Hong Kong Chinese women quit smoking. BMC Public Health, 2015, 15, 986.	1.2	12
178	Genetically predicted testosterone and electrocardiographic QT interval duration in Chinese: a Mendelian randomization analysis in the Guangzhou Biobank Cohort Study. International Journal of Epidemiology, 2015, 44, 613-620.	0.9	12
179	Genetically deprived vitamin D exposure predisposes to atrial fibrillation. Europace, 2017, 19, iv25-iv31.	0.7	12
180	Comparison of two approaches in achieving smoking abstinence among patients in an outpatient clinic: A Phase 2 randomized controlled trial. Patient Education and Counseling, 2018, 101, 885-893.	1.0	12

#	Article	IF	CITATIONS
181	Delivery of a Nicotine Replacement Therapy Sample at Outdoor Smoking Hotspots for Promoting Quit Attempts: A Pilot Randomized Controlled Trial. Nicotine and Tobacco Research, 2020, 22, 1468-1475.	1.4	12
182	Smoking and nasopharyngeal cancer: individual data meta-analysis of six prospective studies on 334Â935 men. International Journal of Epidemiology, 2021, 50, 975-986.	0.9	12
183	Changes in Individual Weight Status Based on Body Mass Index and Waist Circumference in Hong Kong Chinese. PLoS ONE, 2015, 10, e0119827.	1.1	12
184	Smoking and Secondhand Smoke Exposure at Home Were Associated with Poor Perceived Family Well-Being: Findings of FAMILY Project. PLoS ONE, 2016, 11, e0161761.	1.1	12
185	Passive smoking and respiratory symptoms in primary school children in Hong Kong. Human and Experimental Toxicology, 1999, 18, 218-223.	1.1	11
186	Smoking, Alcohol Drinking and Non-Fatal Coronary Heart Disease in Hong Kong Chinese,. Annals of Epidemiology, 2002, 12, 560-567.	0.9	11
187	Providing Smoking Cessation Services and Its Relationship with Knowledge and Attitudes: A Comparison of the Guangzhou and Hong Kong Nurses. Journal of Comparative Asian Development, 2009, 8, 179-205.	0.4	11
188	Genetically predicted $17\hat{l}^2$ -estradiol and systemic inflammation in women: a separate-sample Mendelian randomisation analysis in the Guangzhou Biobank Cohort Study. Journal of Epidemiology and Community Health, 2014, 68, 780-785.	2.0	11
189	Evaluation of Moderate Alcohol Use With QT Interval and Heart Rate Using Mendelian Randomization Analysis Among Older Southern Chinese Men in the Guangzhou Biobank Cohort Study. American Journal of Epidemiology, 2015, 182, 320-327.	1.6	11
190	Brief advice and active referral for smoking cessation services among community smokers: a study protocol for randomized controlled trial. BMC Public Health, 2016, 16, 387.	1.2	11
191	The impact of body mass index on the associations of lipids with the risk of coronary heart disease in the Asia Pacific region. Preventive Medicine Reports, 2016, 3, 79-82.	0.8	11
192	An Exome-Chip Association Analysis in Chinese Subjects Reveals a Functional Missense Variant of <i>GCKR</i> That Regulates FGF21 Levels. Diabetes, 2017, 66, 1723-1728.	0.3	11
193	Feasibility, Efficacy, and Cost Analysis of Promoting Smoking Cessation at Outdoor Smoking "Hotspots― A Pre-Post Study. Nicotine and Tobacco Research, 2018, 20, 1519-1524.	1.4	11
194	Favourable Perceptions of Electronic Cigarettes Relative to Cigarettes and the Associations with Susceptibility to Electronic Cigarette Use in Hong Kong Chinese Adolescents. International Journal of Environmental Research and Public Health, 2018, 15, 54.	1.2	11
195	Perceived family relationship quality and use of poly-tobacco products during early and late adolescence. Addictive Behaviors, 2018, 85, 38-42.	1.7	11
196	Use of Internet Viral Marketing to Promote Smoke-Free Lifestyles among Chinese Adolescents. PLoS ONE, 2014, 9, e99082.	1.1	11
197	Associations of Electronic Device Use Before and After Sleep With Psychological Distress Among Chinese Adults in Hong Kong: Cross-Sectional Study. JMIR Mental Health, 2020, 7, e15403.	1.7	11
198	Changes in tobacco use at the early stage of the COVID-19 pandemic: Results of four cross-sectional surveys in Hong Kong. Tobacco Induced Diseases, 2022, 20, 1-9.	0.3	11

#	Article	IF	CITATIONS
199	Associations of Delay in Doctor Consultation With COVID-19 Related Fear, Attention to Information, and Fact-Checking. Frontiers in Public Health, 2021, 9, 797814.	1.3	11
200	Sex differences in body satisfaction, feeling fat and pressure to diet among Chinese adolescents in Hong Kong. European Eating Disorders Review, 2002, 10, 347-358.	2.3	10
201	Misconceptions about smoking in patients with type 2 diabetes mellitus: a qualitative analysis. Journal of Clinical Nursing, 2015, 24, 2545-2553.	1.4	10
202	Glycaemia is associated with cognitive impairment in older adults: the Guangzhou Biobank Cohort Study. Age and Ageing, 2015, 44, 65-71.	0.7	10
203	Evaluation of Automatically Assigned Job-Specific Interview Modules. Annals of Occupational Hygiene, 2016, 60, 885-899.	1.9	10
204	Associations of perceived interparental relationship, family harmony and family happiness with smoking intention in never-smoking Chinese children and adolescents: a cross-sectional study. BMJ Open, 2017, 7, e017523.	0.8	10
205	A Community-Based Intervention Program to Enhance Family Communication and Family Well-being: The Learning Families Project in Hong Kong. Frontiers in Public Health, 2017, 5, 257.	1.3	10
206	Association between employer's knowledge and attitude towards smoking cessation and voluntary promotion in workplace: a survey study. Tobacco Induced Diseases, 2017, 15, 44.	0.3	10
207	High relative risk of all-cause mortality attributed to smoking in China: Guangzhou Biobank Cohort Study. PLoS ONE, 2018, 13, e0196610.	1.1	10
208	Digital inequalities in health information seeking behaviors and experiences in the age of web 2.0: A population-based study in Hong Kong. PLoS ONE, 2021, 16, e0249400.	1.1	10
209	Associations of COVID-19 online information sources and information overload with psychological distress symptoms: a population-based study. Translational Behavioral Medicine, 2021, 11, 1330-1338.	1.2	10
210	Positive perceptions of electronic cigarettes relative to combustible cigarettes are associated with weaker support for endgame policies on combustible cigarettes: A population-based cross-sectional study in Hong Kong. Tobacco Induced Diseases, 2019, 17, 61.	0.3	10
211	High Perceived Susceptibility to and Severity of COVID-19 in Smokers Are Associated with Quitting-Related Behaviors. International Journal of Environmental Research and Public Health, 2021, 18, 10894.	1.2	10
212	Exposure to and actions against passive smoking in non-smoking pregnant women in Guangzhou, China. Acta Obstetricia Et Gynecologica Scandinavica, 2000, 79, 947-952.	1.3	9
213	Voluntary HIV antibody testing amongst youth in Hong Kong. International Journal of STD and AIDS, 2003, 14, 132-138.	0.5	9
214	The effectiveness of positive psychology interventions in enhancing positive behaviors and family relationships in Hong Kong: A community-based participatory research project. Journal of Positive Psychology, 2016, 11, 70-84.	2.6	9
215	Childhood secondhand smoke exposure and pregnancy loss in never smokers: the Guangzhou Biobank Cohort Study. Tobacco Control, 2017, 26, 697-702.	1.8	9
216	Associations of unhappiness with sociodemographic factors and unhealthy behaviours in Chinese adolescents. European Journal of Public Health, 2017, 27, 518-524.	0.1	9

#	Article	IF	Citations
217	An Evaluation of a Train-the-Trainer Workshop for Social Service Workers to Develop Community-Based Family Interventions. Frontiers in Public Health, 2017, 5, 141.	1.3	9
218	Exploratory study on the relationship between smoking and other risk behaviours among young smokers. Journal of Clinical Nursing, 2018, 27, 2859-2867.	1.4	9
219	Family Meal Practices and Well-Being in Hong Kong: The Mediating Effect of Family Communication. Journal of Family Issues, 2018, 39, 3835-3856.	1.0	9
220	Does Electronic Cigarette Use Predict Abstinence from Conventional Cigarettes among Smokers in Hong Kong?. International Journal of Environmental Research and Public Health, 2018, 15, 400.	1.2	9
221	Milk Consumption Across Life Periods in Relation to Lower Risk of Nasopharyngeal Carcinoma: A Multicentre Case-Control Study. Frontiers in Oncology, 2019, 9, 253.	1.3	9
222	Development and feasibility of a brief Zeroâ€time Exercise intervention to reduce sedentary behaviour and enhance physical activity: A pilot trial. Health and Social Care in the Community, 2019, 27, e233-e245.	0.7	9
223	Effectiveness of WhatsApp online group discussion for smoking relapse prevention: protocol for a pragmatic randomized controlled trial. Addiction, 2020, 115, 1777-1785.	1.7	9
224	A "Community Fit―Community-Based Participatory Research Program for Family Health, Happiness, and Harmony: Design and Implementation. JMIR Research Protocols, 2015, 4, e126.	0.5	9
225	Correlates of Pro-Drinking Practices in Drinking Parents of Adolescents in Hong Kong. PLoS ONE, 2015, 10, e0119554.	1.1	8
226	Hong Kong Chinese Adolescents' Self-Reported Smoking and Perceptions of Parenting Styles. International Journal of Behavioral Medicine, 2015, 22, 268-275.	0.8	8
227	The effect of a very brief smoking-reduction intervention in smokers who have no intention to quit: Study protocol for a randomized controlled trial. BMC Public Health, 2015, 15, 418.	1.2	8
228	Development and Evaluation of a Train-the-Trainer Workshop for Hong Kong Community Social Service Agency Staff. Frontiers in Public Health, 2017, 5, 15.	1.3	8
229	Age at menarche and depressive symptoms in older Southern Chinese women: A Mendelian randomization study in the Guangzhou Biobank Cohort Study. Psychiatry Research, 2018, 259, 32-35.	1.7	8
230	Paternal smoking and maternal protective behaviors at home on infant's saliva cotinine levels. Pediatric Research, 2018, 83, 936-942.	1.1	8
231	Test-retest reliability of a computer-assisted self-administered questionnaire on early life exposure in a nasopharyngeal carcinoma case-control study. Scientific Reports, 2018, 8, 7052.	1.6	8
232	Relationship between pulmonary function and peripheral vascular function in older Chinese: Guangzhou biobank cohort study-CVD. BMC Pulmonary Medicine, 2018, 18, 74.	0.8	8
233	Tobacco Industry Denormalization Beliefs in Hong Kong Adolescents. Nicotine and Tobacco Research, 2019, 21, 949-954.	1.4	8
234	Effect of prepaid and promised financial incentive on follow-up survey response in cigarette smokers: a randomized controlled trial. BMC Medical Research Methodology, 2019, 19, 138.	1.4	8

#	Article	IF	CITATIONS
235	Threeâ€component nonâ€invasive risk score for undiagnosed diabetes in Chinese people: Development, validation and longitudinal evaluation. Journal of Diabetes Investigation, 2020, 11, 341-348.	1.1	8
236	Process Evaluation and Experience Sharing on Utilizing Information Communication Technologies and Digital Games in a Large Community Family Health Event: Hong Kong Jockey Club SMART Family-Link Project. Frontiers in Public Health, 2020, 8, 579773.	1.3	8
237	Skipping Breakfast and Eating Breakfast Away From Home Were Prospectively Associated With Emotional and Behavioral Problems in 115,217 Chinese Adolescents. Journal of Epidemiology, 2022, 32, 551-558.	1.1	8
238	Fruit and Vegetable Consumption and Cardiovascular Risk Factors in Older Chinese: The Guangzhou Biobank Cohort Study. PLoS ONE, 2015, 10, e0135380.	1.1	8
239	Recommendations on prevention and screening for colorectal cancer in Hong Kong. Hong Kong Medical Journal, 2018, 24, 521-526.	0.1	8
240	A Phenomenological Study on the Positive and Negative Experiences of Chinese International University Students From Hong Kong Studying in the U.K. and U.S. in the Early Stage of the COVID-19 Pandemic. Frontiers in Psychiatry, 2021, 12, 738474.	1.3	8
241	Irritant contact dermatitis due to Indian God lotion (). Contact Dermatitis, 2001, 45, 237-237.	0.8	7
242	Milk consumption in relation to incidence of nasopharyngeal carcinoma in 48 countries/regions. BMC Cancer, 2015, 15, 994.	1.1	7
243	Genetically Predicted Testosterone and Systemic Inflammation in Men: A Separate-Sample Mendelian Randomization Analysis in Older Chinese Men. PLoS ONE, 2015, 10, e0126442.	1.1	7
244	Helping cancer patients quit smoking by increasing their risk perception: a study protocol of a cluster randomized controlled trial. BMC Cancer, 2015, 15, 490.	1.1	7
245	Development and Two-Year Follow-Up Evaluation of a Training Workshop for the Large Preventive Positive Psychology Happy Family Kitchen Project in Hong Kong. PLoS ONE, 2016, 11, e0147712.	1.1	7
246	Genetically predicted 17beta-estradiol and cardiovascular risk factors in women: a Mendelian randomization analysis using young women in Hong Kong and older women in the Guangzhou Biobank Cohort Study. Annals of Epidemiology, 2016, 26, 171-175.	0.9	7
247	Proactive and Brief Smoking Cessation Intervention for Smokers at Outdoor Smoking "Hotspots―in Hong Kong. Journal of Cancer Education, 2018, 33, 365-370.	0.6	7
248	Training to implement a community program has positive effects on health promoters: JC FAMILY Project. Translational Behavioral Medicine, 2018, 8, 838-850.	1.2	7
249	Happy Family Kitchen Movement: A Cluster Randomized Controlled Trial of a Community-Based Family Holistic Health Intervention in Hong Kong. Journal of Happiness Studies, 2020, 21, 15-36.	1.9	7
250	Solar Ultraviolet Radiation and Vitamin D Deficiency on Epstein-Barr Virus Reactivation: Observational and Genetic Evidence From a Nasopharyngeal Carcinoma-Endemic Population. Open Forum Infectious Diseases, 2020, 7, ofaa426.	0.4	7
251	The mediating role of inflammation in the association between cigarette smoking and intima-media thickness. Medicine (United States), 2020, 99, e19207.	0.4	7
252	Brief mindfulness training for smoking cessation in Chinese women in workplaces: A pilot randomized controlled trial. Addictive Behaviors, 2021, 113, 106677.	1.7	7

#	Article	IF	Citations
253	Mobile Chat Messaging for Preventing Smoking Relapse Amid the COVID-19 Pandemic: A Pilot Randomized Controlled Trial. Nicotine and Tobacco Research, 2023, 25, 291-297.	1.4	7
254	Determinants of normoglycemia and contribution to cardiovascular risk factors in a Chinese population: The Hong Kong Cardiovascular Risk Factor Study. Journal of Endocrinological Investigation, 2006, 29, 528-535.	1.8	6
255	A Study of Violence Among Hong Kong Young Adults and Associated Substance Use, Risky Sexual Behaviors, and Pregnancy. Violence and Victims, 2016, 31, 985-996.	0.4	6
256	Alcohol sensitivity, alcohol use and high-sensitivity C-reactive protein in older Chinese men: The Guangzhou Biobank Cohort Study. Alcohol, 2016, 57, 41-48.	0.8	6
257	Changes in adiposity in an older <scp>C</scp> hinese population in rapid economic transition. Obesity, 2016, 24, 2217-2223.	1.5	6
258	Depressive Symptoms Delayed Quit Attempts and Shortened Abstinence in Young Smokers of the Hong Kong Youth Quitline. Nicotine and Tobacco Research, 2016, 18, 251-258.	1.4	6
259	Underage drinking, group identity and access to alcohol: a qualitative study of Chinese youths. Health Education Research, 2017, 32, 269-278.	1.0	6
260	Exposure to secondhand smoke and risk of peripheral arterial disease in southern Chinese non-smokers: The Guangzhou Biobank Cohort Study-Cardiovascular Disease Sub-cohort. Vascular, 2017, 25, 283-289.	0.4	6
261	Mortality reduction from quitting smoking in Hong Kong: population-wide proportional mortality study. International Journal of Epidemiology, 2018, 47, 752-759.	0.9	6
262	Parental smoking, rejection of parental smoking, and smoking susceptibility and behaviors in Hong Kong adolescents. Addictive Behaviors, 2018, 82, 19-22.	1.7	6
263	Proactive outreach smoking cessation program for Chinese employees in China. Archives of Environmental and Occupational Health, 2018, 73, 67-78.	0.7	6
264	Smoking behaviours of Hong Kong Chinese hospitalised patients and predictors of smoking abstinence after discharge: a cross-sectional study. BMJ Open, 2018, 8, e023965.	0.8	6
265	Recruitment and Lessons Learned from a Community-Based Intervention Program: The Learning Families Project in Hong Kong. Frontiers in Public Health, 2018, 6, 16.	1.3	6
266	Comparing different intensities of active referral to smoking cessation services in promoting smoking cessation among community smokers: a study protocol of a cluster randomized controlled trial. BMC Public Health, 2018, 18, 830.	1.2	6
267	Addiction in China: towards a research agenda for the next 5Âyears. Addiction, 2019, 114, 1911-1914.	1.7	6
268	All-cause and cause-specific mortality from restrictive and obstructive spirometric patterns in Chinese adults with and without dyspnea: Guangzhou Biobank Cohort Study. Respiratory Medicine, 2019, 151, 66-80.	1.3	6
269	Economic Costs Attributable to Smoking in Hong Kong in 2011: A Possible Increase From 1998. Nicotine and Tobacco Research, 2019, 21, 505-512.	1.4	6
270	Mobile chat-based support plus nicotine replacement therapy sampling to promote smoking cessation for community smokers: A randomized controlled trial. Tobacco Induced Diseases, 2021, 19, 1-13.	0.3	6

#	Article	IF	Citations
271	Alcohol drinking, especially light drinking, and depressive symptoms in adolescents. Drug and Alcohol Dependence, 2021, 227, 108932.	1.6	6
272	Recommendations on prevention and screening for breast cancer in Hong Kong. Hong Kong Medical Journal, 2018, 24, 298-306.	0.1	6
273	Mendelian randomization analysis of vitamin D in the secondary prevention of hypertensive-diabetic subjects: role of facilitating blood pressure control. Genes and Nutrition, 2022, 17, 1.	1.2	6
274	Mental health and work stress: a comparison of response patterns in executives and clerical workers in Hong Kong. Journal of Occupational Medicine, 1987, 29, 892-7.	0.3	6
275	Association of Hand Grip Strength with Mild Cognitive Impairment in Middle-Aged and Older People in Guangzhou Biobank Cohort Study. International Journal of Environmental Research and Public Health, 2022, 19, 6464.	1.2	6
276	Passive Smoking in Perspective. Medical Toxicology and Adverse Drug Experience, 1989, 4, 153-162.	0.8	5
277	Childhood Passive Smoking Exposure and Age at Menarche in Chinese Women Who Had Never Smoked: The Guangzhou Biobank Cohort Study. PLoS ONE, 2015, 10, e0130429.	1.1	5
278	Motivating smokers at outdoor public smoking hotspots to have a quit attempt with a nicotine replacement therapy sample: study protocol for a randomized controlled trial. Trials, 2016, 17, 355.	0.7	5
279	Genetically predicted 17beta-estradiol, cognitive function and depressive symptoms in women: A Mendelian randomization in the Guangzhou Biobank Cohort Study. Preventive Medicine, 2016, 88, 80-85.	1.6	5
280	Environment-wide association study to identify factors associated with hematocrit: evidence from the Guangzhou Biobank Cohort Study. Annals of Epidemiology, 2016, 26, 638-642.e2.	0.9	5
281	Reactions to Thirdhand Smoke are Associated with Openness to Smoking in Young Never Smoking Children. Journal of Community Health, 2016, 41, 461-467.	1.9	5
282	Effectiveness of varenicline and counselling for smoking cessation in an observational cohort study in China. BMJ Open, 2016, 6, e009381.	0.8	5
283	Happy Family Kitchen II: Participants' Perspectives of a Community-based Family Intervention. Journal of Child and Family Studies, 2018, 27, 1629-1639.	0.7	5
284	Helping hospitalized smokers in Hong Kong quit smoking by understanding their risk perception, behaviour, and attitudes related to smoking. Journal of Advanced Nursing, 2019, 75, 2167-2177.	1.5	5
285	Chat-based instant messaging support combined with brief smoking cessation interventions for Chinese community smokers in Hong Kong: Rationale and study protocol for a pragmatic, cluster-randomized controlled trial. Contemporary Clinical Trials, 2019, 77, 70-75.	0.8	5
286	A descriptive study of a Smoke-free Teens Programme to promote smoke-free culture in schools and the community in Hong Kong. BMC Public Health, 2019, 19, 23.	1.2	5
287	Association of fish consumption with risk of all-cause and cardiovascular disease mortality: an 11-year follow-up of the Guangzhou Biobank Cohort Study. European Journal of Clinical Nutrition, 2022, 76, 389-396.	1.3	5
288	Factor Structure and Psychometric Properties of the Family Communication Scale in the Chinese Population. Frontiers in Psychology, 2021, 12, 736514.	1.1	5

#	Article	IF	CITATIONS
289	Effect of a workplace mobile phoneâ€based instant messaging intervention on smoking cessation: a clusterâ€randomized controlled trial. Addiction, 2022, 117, 1758-1767.	1.7	5
290	Analysis of some individual risk factors for decompression sickness in Hong Kong. Undersea Biomedical Research, 1989, 16, 283-92.	0.1	5
291	A Population Study on COVID-19 Information Sharing: Sociodemographic Differences and Associations with Family Communication Quality and Well-Being in Hong Kong. International Journal of Environmental Research and Public Health, 2022, 19, 3577.	1.2	5
292	Associations of Face-to-Face and Instant Messaging Family Communication and Their Contents With Family Wellbeing and Personal Happiness Amidst the COVID-19 Pandemic. Frontiers in Psychiatry, 2022, 13, 780714.	1.3	5
293	Patterns of Perceived Harms and Benefits of the COVID-19 Outbreak in Hong Kong Adults: A Latent Profile Analysis. International Journal of Environmental Research and Public Health, 2022, 19, 4352.	1.2	5
294	Smoking and Exposure to Occupational Hazards in 8,304 Workers in Guangzhou, China. Occupational Medicine, 1996, 46, 351-355.	0.8	4
295	Nicotine replacement therapy to aid gradual cessation in smokers with no intention to quit: Association between reduction quantity and later abstinence. Preventive Medicine Reports, 2015, 2, 196-201.	0.8	4
296	Cross-sectional study on parental pro-drinking practices and adolescent alcohol drinking in Hong Kong. BMJ Open, 2016, 6, e009804.	0.8	4
297	Commentary: Fundamental limitations of meta-analysis of cohort studies, epidemiological challenges and the stage of obesity epidemic. International Journal of Epidemiology, 2016, 46, dyw309.	0.9	4
298	Smoking and Mortality in Tianjin, China: A Death Registry–Based Case-Control Study, 2010–2014. Preventing Chronic Disease, 2018, 15, E104.	1.7	4
299	Brief handgrip and isometric exercise intervention for smoking cessation: A pilot randomized trial. Addictive Behaviors, 2020, 100, 106119.	1.7	4
300	Cohort Profile: The Hong Kong Cardiovascular Risk Factor Prevalence Study (CRISPS) and the follow-up studies. International Journal of Epidemiology, 2021, 50, 1069-1069h.	0.9	4
301	Manifestations and treatment of 793 cases of decompression sickness in a compressed air tunneling project in Hong Kong. Undersea Biomedical Research, 1988, 15, 377-88.	0.1	4
302	Framingham risk score for predicting cardiovascular disease in older adults in Hong Kong. Hong Kong Medical Journal, 2018, 24 Suppl 4, 8-11.	0.1	4
303	Dysbaric osteonecrosis in a compressed air tunnelling project in Hong Kong. Occupational Medicine, 1992, 42, 23-29.	0.8	3
304	Commentary: Adolescent smoking, school leavers, youth smoking prevention and the WHO Framework Convention on Tobacco Control. International Journal of Epidemiology, 2004, 33, 1110-1111.	0.9	3
305	Impact of Secondhand Smoke Exposure on Smoking Cessation inÂCardiac Patients. Journal of the American College of Cardiology, 2015, 66, 592-593.	1.2	3
306	Can randomized controlled trials be conducted inÂcommunity social service settings?. Public Health, 2015, 129, 601-603.	1.4	3

#	Article	IF	Citations
307	Development of a community-based network to promote smoking cessation among female smokers in Hong Kong. BMC Public Health, 2017, 17, 311.	1.2	3
308	Genetic scores for BMI related to metabolically unhealthy obesity in an older Chinese population. Clinical Endocrinology, 2019, 91, 759-769.	1.2	3
309	Nut Consumption and Cardiovascular Risk in Older Chinese: The Guangzhou Biobank Cohort Study. PLoS ONE, 2015, 10, e0137178.	1.1	3
310	Pedometry and 'peer support' in older Chinese adults: a 12-month cluster randomised controlled trial. Hong Kong Medical Journal, 2014, 20, 11-4.	0.1	3
311	P2-395 Socioeconomic influences at different life stages on self-rated health in Guangzhou, China. Journal of Epidemiology and Community Health, 2011, 65, A331-A331.	2.0	2
312	Exploring Community Stakeholders' Perceptions of the Enhancing Family Well-being Project in Hong Kong: A Qualitative Study. Frontiers in Public Health, 2017, 5, 106.	1.3	2
313	Living with Smoker(s) and Smoking Cessation in Chinese Adult Smokers: Cross-Sectional and Prospective Evidence from Hong Kong Population Health Survey. International Journal of Environmental Research and Public Health, 2018, 15, 74.	1.2	2
314	Epidemiology and Population Screening. , 2019, , 65-84.		2
315	Polytobacco product use among current cigarette smokers in Hong Kong, China: results from population surveys (2015–17). BMC Public Health, 2021, 21, 307.	1.2	2
316	Exploring perspectives for developing an adaptive chat-based smoking cessation intervention among continuing smokers in Hong Kong: Community-based, qualitative study. Tobacco Induced Diseases, 2021, 19, .	0.3	2
317	Dose-Response Reduction in Risk of Nasopharyngeal Carcinoma From Smoking Cessation: A Multicenter Case-Control Study in Hong Kong, China. Frontiers in Oncology, 2021, 11, 699241.	1.3	2
318	Development and evaluation of a training workshop for lay health promoters to implement a community-based intervention program in a public low rent housing estate: The Learning Families Project in Hong Kong. PLoS ONE, 2017, 12, e0183636.	1.1	2
319	Pro-smoking responses and attitudes due to point-of-sale tobacco displays in never smokers: A cross-sectional study in Hong Kong. Tobacco Induced Diseases, 2018, 16, 32.	0.3	2
320	An Internet-Based Intervention to Promote Alcohol-Related Attitudinal and Behavioral Change Among Adolescents: Protocol of a Cluster Randomized Controlled Trial. JMIR Research Protocols, 2016, 5, e103.	0.5	2
321	Smoking reduction intervention for smokers not willing to quit smoking: a randomised controlled trial. Hong Kong Medical Journal, 2012, 18 Suppl 3, 4-8.	0.1	2
322	Effect of lifestyle factors on risk of mortality associated with influenza in elderly people. Hong Kong Medical Journal, 2014, 20 Suppl 6, 16-9.	0.1	2
323	Low-Carbohydrate Diets and Mortality in Older Asian People: A 15-Year Follow-Up from a Prospective Cohort Study. Nutrients, 2022, 14, 1406.	1.7	2
324	Quitting trajectories of Chinese women smokers following telephone smoking cessation counselling: A longitudinal study. Journal of Clinical Nursing, 2020, 29, 556-566.	1.4	1

#	Article	IF	CITATIONS
325	The Association Between Electronic Device Use During Family Time and Family Well-Being: Population-Based Cross-Sectional Study. Journal of Medical Internet Research, 2020, 22, e20529.	2.1	1
326	An Internet Quiz Game Intervention for Adolescent Alcohol Drinking: A Clustered RCT. Pediatrics, 2021, 148, .	1.0	1
327	Prevalence and characteristics of hardcore smokers in Hong Kong. Hong Kong Medical Journal, 2017, 23 Suppl 2, 4-9.	0.1	1
328	Adolescent alcohol drinking in Hong Kong: a school-based survey. Hong Kong Medical Journal, 2019, 25 Suppl 3, 13-15.	0.1	1
329	Development and Evaluation of an Innovative Web-Based Training, Learning, and Sharing Platform for Social Workers (Hong Kong Jockey Club SMART Family-Link Project): Mixed Methods Evaluation Study. JMIR Formative Research, 2022, 6, e32894.	0.7	1
330	Frequency and accuracy of weight comments by others, and the association with weight misperception among Hong Kong adolescents. Nature Precedings, 2009, , .	0.1	0
331	P1-4 ALDH2 is a valid instrument for mendelian randomisation studies in alcohol epidemiologythe Guangzhou Biobank Cohort Study. Journal of Epidemiology and Community Health, 2011, 65, A68-A68.	2.0	0
332	P2-132 Intergenerational influences on diabetes in a developing population: the Guangzhou Biobank Cohort Study. Journal of Epidemiology and Community Health, 2011, 65, A257-A257.	2.0	0
333	P2-309 Impact of excess weight on the relationship between blood pressure and cardiovascular disease: the Asia Pacific Cohort Studies Collaboration. Journal of Epidemiology and Community Health, 2011, 65, A307-A308.	2.0	0
334	SP1-79 Birth order, gestational age and birth weight and the age at onset of puberty: evidence from Hong Kong's "Children of 1997" birth cohort. Journal of Epidemiology and Community Health, 2011, 65, A396-A396.	2.0	0
335	P2-133 Muscle mass is associated with diabetes in a developing population: the Guangzhou Biobank Cohort Study. Journal of Epidemiology and Community Health, 2011, 65, A257-A257.	2.0	0
336	P1-550 Self-rated health and mortality in a prospective Chinese elderly cohort. Journal of Epidemiology and Community Health, 2011, 65, A219-A219.	2.0	0
337	Leg length is associated with lower values of inflammatory markers in older Chinese: The Guangzhou Biobank Cohort Study. Annals of Human Biology, 2015, 42, 144-150.	0.4	0
338	Population-based mammography screening programme should be rigorously evaluated. Hong Kong Medical Journal, 2018, 24, 428-428.	0.1	0
339	Will heated tobacco products be banned in Hong Kong?. International Journal of Tuberculosis and Lung Disease, 2021, 25, 956-958.	0.6	0
340	The public health harm of tobacco and its prevention in Hong Kong. Hong Kong Medical Journal, 1998, 4, 405-410.	0.1	0
341	A brief, tailored smoking cessation intervention for smokers with diabetes mellitus in Hong Kong. Hong Kong Medical Journal, 2017, 23 Suppl 2, 10-11.	0.1	0
342	Worsening trends in self-rated health and correlates in Chinese adolescents in Hong Kong: a population-based panel study from 1999/2000 to 2014/15. BMJ Open, 2022, 12, e055842.	0.8	0