

Bui Huu Tai

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3369696/publications.pdf>

Version: 2024-02-01

168
papers

2,230
citations

257450

24
h-index

361022

35
g-index

168
all docs

168
docs citations

168
times ranked

2845
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | New sesquiterpene and flavone arabinofuranoside derivative from the leaves of <i>Fissistigma bicolor</i> . Natural Product Research, 2023, 37, 305-312. | 1.8 | 4 |
| 2 | Two new norlignans from the aerial parts of <i>Pouzolzia sanguinea</i> (Blume) Merr. Natural Product Research, 2022, 36, 157-164. | 1.8 | 6 |
| 3 | Cannadicas A and B: two new oligosaccharide esters from the roots of <i>Canna indica</i> L. Natural Product Research, 2022, 36, 3559-3566. | 1.8 | 2 |
| 4 | Dihydrostilbene glycosides from <i>Camellia sinensis</i> var. <i>assamica</i> and their cytotoxic activity. Natural Product Research, 2022, 36, 3931-3937. | 1.8 | 2 |
| 5 | Four new aaptamine alkaloids from marine sponge <i>Aaptos aaptos</i> . Natural Product Research, 2022, 36, 5022-5031. | 1.8 | 9 |
| 6 | Hippotulosas A-D: four new sesterterpenes from marine sponge <i>Hippospongia fistulosa</i> Lendenfeld, 1889. Natural Product Research, 2022, 36, 5247-5254. | 1.8 | 4 |
| 7 | Oleanane-type triterpene saponins from <i>Aralia armata</i> leaves and their cytotoxic activity. Natural Product Research, 2022, 36, 142-149. | 1.8 | 10 |
| 8 | Five new <i>seco</i> - <i>cladane</i> -type diterpenoids from <i>Caesalpinia latisiliqua</i> . Magnetic Resonance in Chemistry, 2022, 60, 469-475. | 1.9 | 0 |
| 9 | Charantoside L, A New Cucurbitane-Type Glycoside from <i>Momordica charantia</i> L. with α -Glucosidase Inhibitory Activities. Natural Product Communications, 2022, 17, 1934578X2110689. | 0.5 | 0 |
| 10 | Rhabdastrenones A-D from the sponge <i>Rhabdastrella globostellata</i> . RSC Advances, 2022, 12, 10646-10652. | 3.6 | 5 |
| 11 | Halipanasterol, a New Sterol Isolated From the Marine Sponge <i>Halichondria panicea</i> . Natural Product Communications, 2022, 17, 1934578X2210880. | 0.5 | 1 |
| 12 | Strychnovanosides A - C, Three New Lignan Glycosides from <i>Strychnos vanprukii</i> . Natural Product Communications, 2022, 17, 1934578X2210961. | 0.5 | 1 |
| 13 | Lignans and Other Compounds From the Roots of <i>Pandanus tonkinensis</i> and Their Lipid Peroxidation Inhibitory Activity. Natural Product Communications, 2022, 17, 1934578X2210883. | 0.5 | 0 |
| 14 | 20(22) <i>Z</i> and 20(22) <i>E</i> Dammarane Saponins From the Roots of <i>Panax pseudoginseng</i> Wall.. Natural Product Communications, 2022, 17, 1934578X2210990. | 0.5 | 0 |
| 15 | Pregnane glycosides from <i>Gymnema inodorum</i> and their α -glucosidase inhibitory activity. Natural Product Research, 2021, 35, 2157-2163. | 1.8 | 19 |
| 16 | New lupane-type and ursane-type triterpene saponins from the leaves of <i>Trevesia palmata</i> . Natural Product Research, 2021, 35, 3285-3292. | 1.8 | 2 |
| 17 | Chemical constituents from <i>Schisandra sphenanthera</i> and their cytotoxic activity. Natural Product Research, 2021, 35, 3360-3369. | 1.8 | 14 |
| 18 | Triterpenoid glycosides from the rhizomes of <i>Allium ascalonicum</i> and their anoctamin-1 inhibitory activity. Natural Product Research, 2021, 35, 4338-4346. | 1.8 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Chemical Constituents of the Marine Sponge <i>Aaptos aaptos</i> (Schmidt, 1864) and Their Cytotoxic Activity. <i>Natural Product Communications</i> , 2021, 16, 1934578X2199334. | 0.5 | 1 |
| 20 | Saurobaccosides A - C: three new glycosides from <i>Sauropus bacciformis</i> with their cytotoxic activity. <i>Natural Product Research</i> , 2021, , 1-15. | 1.8 | 4 |
| 21 | New Truxinic and Truxillic Acid Sucrose Diesters From the Leaves of <i>Trigonostemon honbaensis</i> . <i>Natural Product Communications</i> , 2021, 16, 1934578X2199914. | 0.5 | 0 |
| 22 | Panabipinoside A and panabipinoside B, two new oleanane triterpenoid saponins from the roots of <i>Panax bipinnatifidus</i> with nitric oxide inhibitory activity. <i>Journal of Chemical Research</i> , 2021, 45, 850-855. | 1.3 | 0 |
| 23 | Four new triterpene glycosides from the aerial parts of <i>Chenopodium album</i> and their cytotoxic activity. <i>Phytochemistry Letters</i> , 2021, 44, 7-13. | 1.2 | 2 |
| 24 | New merosquiterpenes from the Vietnamese sponge <i>Hippospongia fistulosa</i> and their cytotoxic activity. <i>Phytochemistry Letters</i> , 2021, 44, 115-119. | 1.2 | 3 |
| 25 | New nitric oxide inhibitory p-coumaroyl flavone glycosides from <i>Fissistigma bicolor</i> . <i>Phytochemistry Letters</i> , 2021, 44, 169-172. | 1.2 | 3 |
| 26 | Guaianolide sesquiterpenes and benzoate esters from the aerial parts of <i>Siegesbeckia orientalis</i> L. and their xanthine oxidase inhibitory activity. <i>Phytochemistry</i> , 2021, 190, 112889. | 2.9 | 12 |
| 27 | A New $\hat{2}$ -Carboline Alkaloid From the Aerial Part of <i>Hedyotis capitellata</i> . <i>Natural Product Communications</i> , 2021, 16, 1934578X2110477. | 0.5 | 1 |
| 28 | Three new muurolane-type sesquiterpene glycosides from the whole plants of <i>Balanophora fungosa</i> subsp. <i>indica</i> . <i>Natural Product Research</i> , 2020, 34, 2964-2970. | 1.8 | 8 |
| 29 | Cytotoxic sesquiterpene glucosides from <i>Fissistigma pallens</i> . <i>Phytochemistry</i> , 2020, 172, 112255. | 2.9 | 7 |
| 30 | New 3,4-seco-diterpene and coumarin derivative from the leaves of <i>Trigonostemon flavidus</i> Gagnep. <i>Natural Product Research</i> , 2020, , 1-12. | 1.8 | 1 |
| 31 | A New Phenylethanoid Glycoside From the Leaves of <i>Rosmarinus officinalis</i> With Nitric Oxide Inhibitory Activity. <i>Natural Product Communications</i> , 2020, 15, 1934578X2096908. | 0.5 | 3 |
| 32 | Enantiomeric chromene derivatives with anticancer effects from <i>Mallotus apelta</i> . <i>Bioorganic Chemistry</i> , 2020, 104, 104268. | 4.1 | 9 |
| 33 | Araliachinoside A: A New Triterpene Glycoside From <i>Aralia chinensis</i> Leaves. <i>Natural Product Communications</i> , 2020, 15, 1934578X2095275. | 0.5 | 0 |
| 34 | Five New Pregnane Glycosides from <i>Gymnema sylvestre</i> and Their $\hat{\pm}$ -Glucosidase and $\hat{\pm}$ -Amylase Inhibitory Activities. <i>Molecules</i> , 2020, 25, 2525. | 3.8 | 13 |
| 35 | Flavonoids from <i>Camellia sinensis</i> . <i>Vietnam Journal of Chemistry</i> , 2020, 58, 40-44. | 0.8 | 1 |
| 36 | Four new sucrose diesters of substituted truxinic acids from <i>Trigonostemon honbaensis</i> with their anoctamin-1 inhibitory activity. <i>Bioorganic Chemistry</i> , 2020, 102, 104058. | 4.1 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Four new pregnane glycosides from <i>Gymnema latifolium</i> and their α -glucosidase and α -amylase inhibitory activities. <i>Natural Product Research</i> , 2020, 35, 1-8. | 1.8 | 3 |
| 38 | 13(18)-Ene ursan glycosides from <i>Allium ascalonicum</i> . <i>Vietnam Journal of Chemistry</i> , 2020, 58, 50-56. | 0.8 | 1 |
| 39 | Polyoxygenated polyketides from the marine-derived fungus <i>Aspergillus micronesiensis</i> . <i>Vietnam Journal of Chemistry</i> , 2019, 57, 654-660. | 0.8 | 2 |
| 40 | Three new flavonol glycosides from <i>Fissistigma pallens</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2019, 83, 2177-2182. | 1.3 | 3 |
| 41 | Prenylated flavonoids and other constituents from <i>Macaranga indica</i> . <i>Natural Product Research</i> , 2019, 35, 1-8. | 1.8 | 9 |
| 42 | Three New Constituents From the Parasitic Plant <i>Balanophora laxiflora</i> . <i>Natural Product Communications</i> , 2019, 14, 1934578X1984995. | 0.5 | 3 |
| 43 | Pregnane glycosides from <i>Gymnema sylvestre</i> . <i>Vietnam Journal of Chemistry</i> , 2019, 57, 208-212. | 0.8 | 2 |
| 44 | The chemical constituents and biological activity of some sponges in Northern Vietnam: A review. <i>Vietnam Journal of Chemistry</i> , 2019, 57, 261-271. | 0.8 | 8 |
| 45 | Sesquiterpenes from <i>Fissistigma pallens</i> (Fin. & Gagn.) Merr.. <i>Vietnam Journal of Chemistry</i> , 2019, 57, 552-557. | 0.8 | 3 |
| 46 | Steroidal sterols from <i>Allium ascalonicum</i> . <i>Vietnam Journal of Chemistry</i> , 2019, 57, 777-783. | 0.8 | 1 |
| 47 | Oleananesaponins from <i>Gymnema sylvestre</i> . <i>Vietnam Journal of Chemistry</i> , 2019, 57, 39-45. | 0.8 | 0 |
| 48 | Study on water soluble constituents from <i>Gomphrena celosioides</i> . <i>Vietnam Journal of Chemistry</i> , 2019, 57, 229-233. | 0.8 | 2 |
| 49 | Macrocyclic bis-quinolizidine alkaloids from <i>Xestospongia muta</i> . <i>Natural Product Research</i> , 2019, 33, 400-406. | 1.8 | 14 |
| 50 | A new naphthoquinone analogue and antiviral constituents from the root of <i>Rhinacanthus nasutus</i> . <i>Natural Product Research</i> , 2019, 33, 360-366. | 1.8 | 22 |
| 51 | Labdane-type diterpenoids from <i>Vitex limonifolia</i> and their antiviral activities. <i>Journal of Natural Medicines</i> , 2018, 72, 290-297. | 2.3 | 12 |
| 52 | Two New Steroidal Saponins from <i>Solanum procumbens</i> . <i>Natural Product Communications</i> , 2018, 13, 1934578X1801301. | 0.5 | 0 |
| 53 | New Acetylated Terpenoids from Sponge <i>Rhabdastrella providentiae</i> Inhibit NO Production in LPS Stimulated BV2 Cells. <i>Natural Product Communications</i> , 2018, 13, 1934578X1801300. | 0.5 | 5 |
| 54 | Chemical Constituents of <i>Vitex trifolia</i> Leaves. <i>Natural Product Communications</i> , 2018, 13, 1934578X1801300. | 0.5 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Two New Steroidal Alkaloid Saponins from the Whole Plants of <i>Solanum nigrum</i> . Natural Product Communications, 2018, 13, 1934578X1801301. | 0.5 | 6 |
| 56 | New Acetylated Saponins from the Leaves of <i>Trevesia palmata</i> . Natural Product Communications, 2018, 13, 1934578X1801300. | 0.5 | 0 |
| 57 | Iridoid Glycosides and Phenolic Glycosides from <i>Buddleja asiatica</i> with Anti-inflammatory and Cytoprotective Activities. Natural Product Communications, 2018, 13, 1934578X1801300. | 0.5 | 3 |
| 58 | Rhabdaprovidines D, Four New 6,6,5-Tricyclic Terpenoids from the Vietnamese Sponge <i>Rhabdastrella providentiae</i> . Natural Product Communications, 2018, 13, 1934578X1801301. | 0.5 | 5 |
| 59 | Phenolic glycosides from the aerial parts of <i>Buddleja macrostachya</i> Benth.. Vietnam Journal of Chemistry, 2018, 56, 466-472. | 0.8 | 0 |
| 60 | Secondary metabolites from the marine-derived fungus <i>Paraconiothyrium</i> sp. VK-13. Vietnam Journal of Chemistry, 2018, 56, 434-439. | 0.8 | 3 |
| 61 | Macrolide and phenolic metabolites from the marine-derived fungus <i>Paraconiothyrium</i> sp. VK-13 with anti-inflammatory activity. Journal of Antibiotics, 2018, 71, 826-830. | 2.0 | 28 |
| 62 | Antioxidant and Anti-Osteoporosis Activities of Chemical Constituents of the Stems of <i>Zanthoxylum piperitum</i> . Molecules, 2018, 23, 457. | 3.8 | 10 |
| 63 | Sesquiterpene derivatives from marine sponge <i>Smenospongia cerebriformis</i> and their anti-inflammatory activity. Bioorganic and Medicinal Chemistry Letters, 2017, 27, 1525-1529. | 2.2 | 25 |
| 64 | Steroidal saponins from <i>Datura metel</i> . Steroids, 2017, 121, 1-9. | 1.8 | 15 |
| 65 | Two new guaiane sesquiterpenes from <i>Datura metel</i> L. with anti-inflammatory activity. Phytochemistry Letters, 2017, 19, 231-236. | 1.2 | 11 |
| 66 | Anti-inflammatory coumarins from <i>Paramignya trimera</i> . Pharmaceutical Biology, 2017, 55, 1195-1201. | 2.9 | 23 |
| 67 | Chemical Components from <i>Phaeanthus vietnamensis</i> and Their Inhibitory NO Production in BV2 Cells. Chemistry and Biodiversity, 2017, 14, e1700013. | 2.1 | 17 |
| 68 | Oleanane-type Saponins from <i>Glochidion hirsutum</i> and Their Cytotoxic Activities. Chemistry and Biodiversity, 2017, 14, e1600445. | 2.1 | 2 |
| 69 | A new saponin from <i>Acanthopanax koreanum</i> with anti-inflammatory activity. Archives of Pharmacal Research, 2017, 40, 311-317. | 6.3 | 8 |
| 70 | Prenylated isoflavones from <i>Cudrania tricuspidata</i> inhibit NO production in RAW 264.7 macrophages and suppress HL-60 cells proliferation. Journal of Asian Natural Products Research, 2017, 19, 510-518. | 1.4 | 10 |
| 71 | Naphtoquinones and Sesquiterpene Cyclopentenones from the Sponge <i>Smenospongia cerebriformis</i> with Their Cytotoxic Activity. Chemical and Pharmaceutical Bulletin, 2017, 65, 589-592. | 1.3 | 12 |
| 72 | Sesquiterpene Quinones and Diterpenes from <i>Smenospongia cerebriformis</i> and Their Cytotoxic Activity. Natural Product Communications, 2017, 12, 1934578X1701200. | 0.5 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Phenolic Components from the Aerial Parts of <i>Agrimonia pilosa</i> . <i>Natural Product Communications</i> , 2017, 12, 1934578X1701200. | 0.5 | 1 |
| 74 | New Alkaloids and Anti-inflammatory Constituents from the Leaves of <i>Antidesma ghaesembilla</i> . <i>Natural Product Communications</i> , 2017, 12, 1934578X1701200. | 0.5 | 2 |
| 75 | Bioactive Secondary Metabolites from the Aerial Parts of <i>Buddleja macrostachya</i> . <i>Natural Product Communications</i> , 2017, 12, 1934578X1701201. | 0.5 | 0 |
| 76 | Proliferation Effects on Hair Growth of Compounds Isolated from the Bark of <i>Dalbergia oliveri</i> . <i>Natural Product Communications</i> , 2017, 12, 1934578X1701201. | 0.5 | 1 |
| 77 | A New Picrotoxane Sesquiterpene Glucoside from <i>Dendrobium nobile</i> . <i>Natural Product Communications</i> , 2017, 12, 1934578X1701201. | 0.5 | 1 |
| 78 | Constituents from <i>Ircinia echinata</i> and their Antiproliferative Effect on Six Human Cancer Cell Strains. <i>Letters in Organic Chemistry</i> , 2017, 14, . | 0.5 | 5 |
| 79 | Sesquiterpene Quinones and Diterpenes from <i>Smenospongia cerebriformis</i> and Their Cytotoxic Activity. <i>Natural Product Communications</i> , 2017, 12, 477-478. | 0.5 | 5 |
| 80 | Bis-sesquiterpene from the Marine Sponge <i>Dysidea fragilis</i> . <i>Natural Product Communications</i> , 2016, 11, 1934578X1601100. | 0.5 | 4 |
| 81 | Tirucallane Glycoside from the Leaves of <i>Antidesma bunius</i> and Inhibitory NO Production in BV2 Cells and RAW264.7 Macrophages. <i>Natural Product Communications</i> , 2016, 11, 1934578X1601100. | 0.5 | 5 |
| 82 | New Phenolic Glycosides from <i>Physalis angulata</i> . <i>Natural Product Communications</i> , 2016, 11, 1934578X1601101. | 0.5 | 1 |
| 83 | New naphthalene derivatives and isoquinoline alkaloids from <i>Ancistrocladus cochinchinensis</i> with their anti-proliferative activity on human cancer cells. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2016, 26, 3913-3917. | 2.2 | 13 |
| 84 | Spirostanol saponins from <i>Tacca vietnamensis</i> and their anti-inflammatory activity. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2016, 26, 3780-3784. | 2.2 | 5 |
| 85 | Megastigmane Glycosides from <i>Docynia indica</i> and Their Anti-inflammatory Activities. <i>Helvetica Chimica Acta</i> , 2016, 99, 681-686. | 1.6 | 9 |
| 86 | New Lignans from <i>Antidesma hainanensis</i> ; Inhibit NO Production in BV2 Microglial Cells. <i>Chemical and Pharmaceutical Bulletin</i> , 2016, 64, 1707-1712. | 1.3 | 13 |
| 87 | Alkylphloroglucinol derivatives and triterpenoids with soluble epoxide hydrolase inhibitory activity from <i>Callistemon citrinus</i> . <i>FÄ-toterapÄ-t</i> , 2016, 109, 39-44. | 2.2 | 19 |
| 88 | Identification of six new lupane-type triterpenoids from <i>Acanthopanax koreanum</i> leaves and their tyrosinase inhibitory activities. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2016, 26, 1061-1067. | 2.2 | 10 |
| 89 | Inhibition of soluble epoxide hydrolase activity by compounds isolated from the aerial parts of <i>Glycosmis stenocarpa</i> . <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2016, 31, 640-644. | 5.2 | 21 |
| 90 | Paratrimerins A and B, Two New Dimeric Monoterpene-Linked Coumarin Glycosides from the Roots and Stems of <i>Paramignya trimera</i> ; <i>Chemical and Pharmaceutical Bulletin</i> , 2015, 63, 945-949. | 1.3 | 25 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | ¹ H and ¹³ C NMR assignments of sesquiterpenes from <i>Dysidea fragilis</i> . Magnetic Resonance in Chemistry, 2015, 53, 1057-1060. | 1.9 | 6 |
| 92 | Soluble Epoxide Hydrolase Inhibitory Constituents from <i>Selaginella tamariscina</i> . Bulletin of the Korean Chemical Society, 2015, 36, 300-304. | 1.9 | 9 |
| 93 | Soluble Epoxide Hydrolase Inhibitory Activity of Selaginellin Derivatives from <i>Selaginella tamariscina</i> . Molecules, 2015, 20, 21405-21414. | 3.8 | 20 |
| 94 | Damarane-type Saponins from <i>Gynostemma Longipes</i> and their Cytotoxic Activity. Natural Product Communications, 2015, 10, 1934578X1501000. | 0.5 | 1 |
| 95 | Oleanane-type saponins from <i>Glochidion glomerulatum</i> and their cytotoxic activities. Phytochemistry, 2015, 116, 213-220. | 2.9 | 21 |
| 96 | Chemical constituents of <i>Triticum aestivum</i> and their effects on adipogenic differentiation of 3T3-L1 preadipocytes. Archives of Pharmacal Research, 2015, 38, 1011-1018. | 6.3 | 20 |
| 97 | Chemical constituents from <i>Kandelia candel</i> with their inhibitory effects on pro-inflammatory cytokines production in LPS-stimulated bone marrow-derived dendritic cells (BMDCs). Bioorganic and Medicinal Chemistry Letters, 2015, 25, 1412-1416. | 2.2 | 16 |
| 98 | The Anti-Osteoporosis and Antioxidant Activities of Chemical Constituents from <i>Chrysanthemum indicum</i> Flowers. Phytotherapy Research, 2015, 29, 540-548. | 5.8 | 19 |
| 99 | Chemical constituents of <i>Trichosanthes kirilowii</i> and their cytotoxic activities. Archives of Pharmacal Research, 2015, 38, 1443-1448. | 6.3 | 31 |
| 100 | Synthesis of Chromonylthiazolidines and Their Cytotoxicity to Human Cancer Cell Lines. Molecules, 2015, 20, 1151-1160. | 3.8 | 26 |
| 101 | Chemical constituents of the <i>Annona glabra</i> fruit and their cytotoxic activity. Pharmaceutical Biology, 2015, 53, 1602-1607. | 2.9 | 22 |
| 102 | Chemical constituents of <i>Milusa balansae</i> leaves and inhibition of nitric oxide production in lipopolysaccharide-induced RAW 264.7 cells. Bioorganic and Medicinal Chemistry Letters, 2015, 25, 3859-3863. | 2.2 | 21 |
| 103 | Anti-inflammatory components of <i>Chrysanthemum indicum</i> flowers. Bioorganic and Medicinal Chemistry Letters, 2015, 25, 266-269. | 2.2 | 65 |
| 104 | ¹ H and ¹³ C NMR assignments of tricanguinas A-B, coumarin monoterpenes from <i>Trichosanthes anguina</i> L. Magnetic Resonance in Chemistry, 2015, 53, 178-180. | 1.9 | 1 |
| 105 | New ent-kauranes from the fruits of <i>Annona glabra</i> and their inhibitory nitric oxide production in LPS-stimulated RAW264.7 macrophages. Bioorganic and Medicinal Chemistry Letters, 2015, 25, 254-258. | 2.2 | 20 |
| 106 | In vitro evaluation of the antioxidant and cytotoxic activities of constituents of the mangrove <i>Lumnitzera racemosa</i> Willd.. Archives of Pharmacal Research, 2015, 38, 446-455. | 6.3 | 18 |
| 107 | Cytotoxic Constituents from Vietnamese Marine Sponge <i>Haliclona oculata</i> (Linnaeus, 1759). Letters in Organic Chemistry, 2015, 12, 708-712. | 0.5 | 7 |
| 108 | Triterpene Saponins from the Sea Cucumber <i>Stichopus chloronotus</i> . Natural Product Communications, 2014, 9, 1934578X1400900. | 0.5 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Anti-influenza Sesquiterpene from the Roots of <i>Reynoutria japonica</i> . <i>Natural Product Communications</i> , 2014, 9, 1934578X1400900. | 0.5 | 4 |
| 110 | Murolane-type sesquiterpenes from marine sponge <i>Dysidea cinerea</i> . <i>Magnetic Resonance in Chemistry</i> , 2014, 52, 51-56. | 1.9 | 22 |
| 111 | Anti-inflammatory components of <i>Euphorbia humifusa</i> Willd.. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014, 24, 1895-1900. | 2.2 | 49 |
| 112 | Inhibition of NF- κ B transcriptional activation in HepG2 cells by diterpenoids from the soft coral <i>Sinularia maxima</i> . <i>Archives of Pharmacal Research</i> , 2014, 37, 706-712. | 6.3 | 13 |
| 113 | Evaluation of the anti-osteoporosis and antioxidant activities of phenolic compounds from <i>Euphorbia maculata</i> . <i>Journal of the Korean Society for Applied Biological Chemistry</i> , 2014, 57, 573-579. | 0.9 | 9 |
| 114 | A new phenylpropanoid and an alkylglycoside from <i>Piper retrofractum</i> leaves with their antioxidant and β -glucosidase inhibitory activity. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014, 24, 4120-4124. | 2.2 | 28 |
| 115 | Alterations of contractions and L-type Ca ²⁺ currents by murrayafoline-A in rat ventricular myocytes. <i>European Journal of Pharmacology</i> , 2014, 740, 81-87. | 3.5 | 4 |
| 116 | A New Phenolic Component from <i>Triticum aestivum</i> Sprouts and its Effects on LPS-stimulated Production of Nitric oxide and TNF- α in RAW 264.7 Cells. <i>Phytotherapy Research</i> , 2014, 28, 1064-1070. | 5.8 | 26 |
| 117 | Five new quassinoids and cytotoxic constituents from the roots of <i>Eurycoma longifolia</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014, 24, 3835-3840. | 2.2 | 38 |
| 118 | Rat intestinal sucrase inhibition of constituents from the roots of <i>Rosa rugosa</i> Thunb.. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014, 24, 1192-1196. | 2.2 | 25 |
| 119 | Vasorelaxing Activity of Two Coumarins from <i>Murraya paniculata</i> Leaves. <i>Biological and Pharmaceutical Bulletin</i> , 2014, 37, 694-697. | 1.4 | 16 |
| 120 | NF- κ B Activation and PPAR Transactivational Effects of a New Aliphatic Acid Amide from Pericarps of <i>Zanthoxylum piperitum</i> . <i>Bulletin of the Korean Chemical Society</i> , 2014, 35, 2361-2366. | 1.9 | 17 |
| 121 | Synthesis of novel derivatives of murrayafoline A and their inhibitory effect on LPS-stimulated production of pro-inflammatory cytokines in bone marrow-derived dendritic cells. <i>Archives of Pharmacal Research</i> , 2013, 36, 832-839. | 6.3 | 16 |
| 122 | Inhibitory effects of oleanane-type triterpenes and saponins from the stem bark of <i>Kalopanax pictus</i> on LPS-stimulated pro-inflammatory cytokine production in bone marrow-derived dendritic cells. <i>Archives of Pharmacal Research</i> , 2013, 36, 327-334. | 6.3 | 8 |
| 123 | Pyrrrole and furan oligoglycosides from the starfish <i>Asterina batheri</i> and their inhibitory effect on the production of pro-inflammatory cytokines in lipopolysaccharide-stimulated bone marrow-derived dendritic cells. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013, 23, 1823-1827. | 2.2 | 16 |
| 124 | Cytotoxic Compounds from <i>Brucea mollis</i> . <i>Scientia Pharmaceutica</i> , 2013, 81, 819-831. | 2.0 | 8 |
| 125 | Anti-inflammatory and PPAR Transactivational Properties of Flavonoids from the Roots of <i>Sophora flavescens</i> . <i>Phytotherapy Research</i> , 2013, 27, 1300-1307. | 5.8 | 22 |
| 126 | Bisembranoids from the Marine Sponge <i>Petrosia Nigricans</i> . <i>Natural Product Communications</i> , 2013, 8, 1934578X1300800. | 0.5 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | New Butenolide and Pentenolide from <i>Dysidea cinerea</i> . Natural Product Communications, 2013, 8, 1934578X1300801. | 0.5 | 0 |
| 128 | New butenolide and pentenolide from <i>Dysidea cinerea</i> . Natural Product Communications, 2013, 8, 1751-2. | 0.5 | 3 |
| 129 | Diterpenoids from the Soft Coral <i>Sinularia maxima</i> ; and Their Inhibitory Effects on Lipopolysaccharide-Stimulated Production of Pro-inflammatory Cytokines in Bone Marrow-Derived Dendritic Cells. Chemical and Pharmaceutical Bulletin, 2012, 60, 1581-1589. | 1.3 | 31 |
| 130 | Labdane-Type Diterpenoids from the Rhizomes of <i>Hedychium coronarium</i> Inhibit Lipopolysaccharide-Stimulated Production of Pro-inflammatory Cytokines in Bone Marrow-Derived Dendritic Cells. Chemical and Pharmaceutical Bulletin, 2012, 60, 246-250. | 1.3 | 27 |
| 131 | Plantagiolides I and J, Two New Withanolide Glucosides from <i>Tacca plantaginea</i> ; with Nuclear Factor- κ B Inhibitory and Peroxisome Proliferator-Activated Receptor Transactivational Activities. Chemical and Pharmaceutical Bulletin, 2012, 60, 1494-1501. | 1.3 | 17 |
| 132 | Anti-inflammatory and PPAR Transactivational Effects of Components from the Stem Bark of <i>Ginkgo biloba</i> . Journal of Agricultural and Food Chemistry, 2012, 60, 2815-2824. | 5.2 | 23 |
| 133 | Xanthine oxidase inhibitory activity of constituents of <i>Cinnamomum cassia</i> twigs. Bioorganic and Medicinal Chemistry Letters, 2012, 22, 4625-4628. | 2.2 | 37 |
| 134 | Diarylheptanoid glycosides from <i>Tacca plantaginea</i> and their effects on NF- κ B activation and PPAR transcriptional activity. Bioorganic and Medicinal Chemistry Letters, 2012, 22, 6681-6687. | 2.2 | 7 |
| 135 | Inhibitory effect on TNF- α -induced IL-8 secretion in HT-29 cell line by glyceroglycolipids from the leaves of <i>Ficus microcarpa</i> . Archives of Pharmacal Research, 2012, 35, 2135-2142. | 6.3 | 18 |
| 136 | Inhibition of Nuclear Transcription Factor- κ B and Activation of Peroxisome Proliferator-Activated Receptors in HepG2 Cells by Cucurbitane-Type Triterpene Glycosides from <i>Momordica charantia</i> . Journal of Medicinal Food, 2012, 15, 369-377. | 1.5 | 23 |
| 137 | Cytotoxic oleane-type triterpene saponins from <i>Glochidion eriocarpum</i> . Archives of Pharmacal Research, 2012, 35, 19-26. | 6.3 | 21 |
| 138 | Antioxidative and anti-inflammatory effect of quercetin and its glycosides isolated from mampat (<i>Cratoxylum formosum</i>). Food Science and Biotechnology, 2012, 21, 587-595. | 2.6 | 65 |
| 139 | Anti-inflammatory and PPAR transactivational effects of secondary metabolites from the roots of <i>Asarum sieboldii</i> . Bioorganic and Medicinal Chemistry Letters, 2012, 22, 2527-2533. | 2.2 | 45 |
| 140 | Chemical Constituents of the <i>Ficus elastica</i> Leaves and Their Antioxidant Activities. Bulletin of the Korean Chemical Society, 2012, 33, 3461-3464. | 1.9 | 19 |
| 141 | α -Glucosidase Inhibitors from the Roots of <i>Sophora flavescens</i> . Bulletin of the Korean Chemical Society, 2012, 33, 1791-1793. | 1.9 | 10 |
| 142 | A new flavan-3-ol and the anti-inflammatory effect of flavonoids from the fruit peels of <i>Wisteria floribunda</i> . Journal of Asian Natural Products Research, 2011, 13, 1061-1068. | 1.4 | 6 |
| 143 | An evaluation of the RNase H inhibitory effects of Vietnamese medicinal plant extracts and natural compounds. Pharmaceutical Biology, 2011, 49, 1046-1051. | 2.9 | 9 |
| 144 | Phenylpropanoids from the leaves of <i>Acanthopanax koreanum</i> and their antioxidant activity. Journal of Asian Natural Products Research, 2011, 13, 56-61. | 1.4 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Oleanane-type triterpene saponins from the bark of <i>Aralia elata</i> and their NF- κ B inhibition and PPAR activation signal pathway. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011, 21, 6143-6147. | 2.2 | 39 |
| 146 | Chemical constituents of the rhizomes of <i>Hedychium coronarium</i> and their inhibitory effect on the pro-inflammatory cytokines production LPS-stimulated in bone marrow-derived dendritic cells. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011, 21, 7460-7465. | 2.2 | 45 |
| 147 | Effect of triterpenes and triterpene saponins from the stem bark of <i>Kalopanax pictus</i> on the transactivational activities of three PPAR subtypes. <i>Carbohydrate Research</i> , 2011, 346, 2567-2575. | 2.3 | 22 |
| 148 | Buddlejasaponins from the flowers of <i>Buddleja officinalis</i> . <i>Chemistry of Natural Compounds</i> , 2011, 47, 467-469. | 0.8 | 4 |
| 149 | Inhibitory activity of <i>Plantago major</i> L. on angiotensin I-converting enzyme. <i>Archives of Pharmacal Research</i> , 2011, 34, 419-423. | 6.3 | 12 |
| 150 | Anti-inflammatory activity on LPS-stimulated dendritic cells of lupanetype triterpenoids from the leaves of <i>Acanthopanax koreanum</i> . <i>Archives of Pharmacal Research</i> , 2011, 34, 1593-1598. | 6.3 | 20 |
| 151 | Cytotoxic and anti-inflammatory cembranoids from the Vietnamese soft coral <i>Lobophytum laevigatum</i> . <i>Bioorganic and Medicinal Chemistry</i> , 2011, 19, 2625-2632. | 3.0 | 40 |
| 152 | Antioxidant activity of a new C-glycosylflavone from the leaves of <i>Ficus microcarpa</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011, 21, 633-637. | 2.2 | 28 |
| 153 | A new ursane-type triterpenoid glycoside from <i>Centella asiatica</i> leaves modulates the production of nitric oxide and secretion of TNF- α in activated RAW 264.7 cells. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011, 21, 1777-1781. | 2.2 | 53 |
| 154 | A new iridoid and effect on the rat aortic vascular smooth muscle cell proliferation of isolated compounds from <i>Buddleja officinalis</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011, 21, 3462-3466. | 2.2 | 24 |
| 155 | Anti-inflammatory and PPAR Subtypes Transactivational Activities of Phenolics and Lignans from the Stem Bark of <i>Kalopanax pictus</i> . <i>Bulletin of the Korean Chemical Society</i> , 2011, 32, 4049-4054. | 1.9 | 4 |
| 156 | Chemical Components from the Fruit Peels of <i>Wisteria floribunda</i> and their Effects on Rat Aortic Vascular Smooth Muscle Cells. <i>Bulletin of the Korean Chemical Society</i> , 2011, 32, 2079-2082. | 1.9 | 2 |
| 157 | A New Monoterpenoid Glycoside from <i>Myrica esculenta</i> and the Inhibition of Angiotensin I-Converting Enzyme. <i>Chemical and Pharmaceutical Bulletin</i> , 2010, 58, 1408-1410. | 1.3 | 23 |
| 158 | New Pyrano-Pyrone from <i>Goniotalamus tamirensis</i> Enhances the Proliferation and Differentiation of Osteoblastic MC3T3-E1 Cells. <i>Chemical and Pharmaceutical Bulletin</i> , 2010, 58, 521-525. | 1.3 | 28 |
| 159 | α -Glucosidase Inhibition Properties of Cucurbitane-Type Triterpene Glycosides from the Fruits of <i>Momordica charantia</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2010, 58, 720-724. | 1.3 | 72 |
| 160 | Cucurbitane-type triterpene glycosides from the fruits of <i>Momordica charantia</i> . <i>Magnetic Resonance in Chemistry</i> , 2010, 48, 392-396. | 1.9 | 11 |
| 161 | Structure-activity relationship of lupane-triterpene glycosides from <i>Acanthopanax koreanum</i> on spleen lymphocyte IL-2 and IFN- γ . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010, 20, 4927-4931. | 2.2 | 22 |
| 162 | Inhibitory Effects of Indirubin Derivatives on the Growth of HL-60 Leukemia Cells. <i>Natural Product Communications</i> , 2010, 5, 1934578X1000500. | 0.5 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Studies on the acetylation and NMR reassignment of indirubin derivatives. <i>Natural Product Research</i> , 2010, 24, 99-105. | 1.8 | 10 |
| 164 | Dammarane-Type Saponins from the Flower Buds of <i>Panax ginseng</i> and Their Intracellular Radical Scavenging Capacity. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 868-874. | 5.2 | 53 |
| 165 | Phenylpropanoid glycosides from <i>Heterosmilax erythrantha</i> and their antioxidant activity. <i>Archives of Pharmacal Research</i> , 2009, 32, 1373-1377. | 6.3 | 16 |
| 166 | C29 sterols with a cyclopropane ring at C-25 and 26 from the Vietnamese marine sponge <i>lanthella</i> sp. and their anticancer properties. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009, 19, 4584-4588. | 2.2 | 35 |
| 167 | Chrysoeriol isolated from the leaves of <i>Eurya ciliata</i> stimulates proliferation and differentiation of osteoblastic MC3T3-E1 cells. <i>Journal of Asian Natural Products Research</i> , 2009, 11, 817-823. | 1.4 | 25 |
| 168 | Total Peroxynitrite Scavenging Capacity of Phenylethanoid and Flavonoid Glycosides from the Flowers of <i>Buddleja officinalis</i> . <i>Biological and Pharmaceutical Bulletin</i> , 2009, 32, 1952-1956. | 1.4 | 32 |