

# Simona Sarzi-Braga

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/337059/publications.pdf>

Version: 2024-02-01

39  
papers

1,257  
citations

430754

18  
h-index

395590

33  
g-index

40  
all docs

40  
docs citations

40  
times ranked

2023  
citing authors

#	ARTICLE	IF	CITATIONS
1	Common, low-frequency, rare, and ultra-rare coding variants contribute to COVID-19 severity. <i>Human Genetics</i> , 2022, 141, 147-173.	1.8	22
2	Association of Toll-like receptor 7 variants with life-threatening COVID-19 disease in males: findings from a nested case-control study. <i>ELife</i> , 2021, 10, .	2.8	145
3	Protective Role of a TMPRSS2 Variant on Severe COVID-19 Outcome in Young Males and Elderly Women. <i>Genes</i> , 2021, 12, 596.	1.0	39
4	C9orf72 Intermediate Repeats Confer Genetic Risk for Severe COVID-19 Pneumonia Independently of Age. <i>International Journal of Molecular Sciences</i> , 2021, 22, 6991.	1.8	12
5	Delphi consensus recommendations on how to provide cardiovascular rehabilitation in the COVID-19 era. <i>European Journal of Preventive Cardiology</i> , 2021, 28, 541-557.	0.8	20
6	From geriatric cardiology to "cardio-geriatric"™ prevention and rehabilitation: Need for a new core curriculum?. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 550-552.	0.8	1
7	Psychomotor speed as a predictor of functional status in older chronic heart failure (CHF) patients attending cardiac rehabilitation. <i>PLoS ONE</i> , 2020, 15, e0235570.	1.1	7
8	Residential cardiac rehabilitation (rCR) derived survival predictors in patients after transcatheter aortic valve replacement (TAVR): a retrospective multicenter study. <i>European Heart Journal</i> , 2020, 41, .	1.0	0
9	Exercise Prescription in Patients with Different Combinations of Cardiovascular Disease Risk Factors: A Consensus Statement from the EXPERT Working Group. <i>Sports Medicine</i> , 2018, 48, 1781-1797.	3.1	126
10	Relationship among body mass index, NT-proBNP, and mortality in decompensated chronic heart failure. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2017, 46, 172-177.	0.8	4
11	The European Association of Preventive Cardiology Exercise Prescription in Everyday Practice and Rehabilitative Training (EXPERT) tool: A digital training and decision support system for optimized exercise prescription in cardiovascular disease. Concept, definitions and construction methodology. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 1017-1031.	0.8	141
12	Exercise-based cardiac rehabilitation in cardiac resynchronization therapy recipients: A primer for practicing clinicians. <i>Monaldi Archives for Chest Disease</i> , 2017, 87, 791.	0.3	10
13	Altered fasting glycemia in cardiac patients during in-hospital rehabilitation. <i>Journal of Cardiovascular Medicine</i> , 2017, 18, 625-630.	0.6	2
14	Incremental utility of prognostic variables at discharge for risk prediction in hospitalized patients with acutely decompensated chronic heart failure. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2016, 45, 212-219.	0.8	2
15	Prognostic impact of comorbidities in hospitalized patients with acute exacerbation of chronic heart failure. <i>European Journal of Internal Medicine</i> , 2016, 34, 63-67.	1.0	18
16	Predicting Short-Term Mortality in Advanced Decompensated Heart Failure – Role of the Updated Acute Decompensated Heart Failure/N-Terminal Pro-B-Type Natriuretic Peptide Risk Score. <i>Circulation Journal</i> , 2015, 79, 1076-1083.	0.7	15
17	Prospective Use of Microvolt T-Wave Alternans Testing to Guide Primary Prevention Implantable Cardioverter Defibrillator Therapy. <i>Circulation Journal</i> , 2015, 79, 1912-1919.	0.7	11
18	The ADHF/NT-proBNP risk score to predict 1-year mortality in hospitalized patients with advanced decompensated heart failure. <i>Journal of Heart and Lung Transplantation</i> , 2014, 33, 404-411.	0.3	21

#	ARTICLE	IF	CITATIONS
19	Clinical utility of N-terminal pro-B-type natriuretic peptide for risk stratification of patients with acute decompensated heart failure. Derivation and validation of the ADHF/NT-proBNP risk score. <i>International Journal of Cardiology</i> , 2013, 168, 2120-2126.	0.8	58
20	Preoperative n-3 Polyunsaturated Fatty Acids Are Associated With a Decrease in the Incidence of Early Atrial Fibrillation Following Cardiac Surgery. <i>Angiology</i> , 2010, 61, 643-650.	0.8	54
21	Proportion of patients needing an implantable cardioverter defibrillator on the basis of current guidelines: impact on healthcare resources in Italy and the USA. Data from the ALPHA study registry. <i>Europace</i> , 2010, 12, 1105-1111.	0.7	14
22	Components of arterial systolic pressure and RR-interval oscillation spectra in a case of baroreflex failure, a human open-loop model of vascular control. <i>Journal of Human Hypertension</i> , 2010, 24, 417-426.	1.0	10
23	Predictors of Mortality and Hospitalization for Cardiac Causes in Patients with Heart Failure and Nonischemic Heart Disease: A Subanalysis of the ALPHA Study. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2009, 32, S214-8.	0.5	10
24	Right Ventricular Pressure Changes During Induced Ventricular Tachycardias Predict Clinical Symptoms of Cerebral Hypoperfusion: Implications for a Reduction of Unnecessary, Painful ICD Shocks. <i>Journal of Cardiovascular Electrophysiology</i> , 2009, 20, 299-306.	0.8	0
25	Plasma B-type natriuretic peptide predicts atrial fibrillation during rehabilitation after cardiac surgery. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2008, 15, 460-466.	3.1	5
26	Atrial fibrillation in heart failure patients: Prevalence in daily practice and effect on the severity of symptoms. Data from the ALPHA study registry. <i>European Journal of Heart Failure</i> , 2007, 9, 502-509.	2.9	78
27	Exercise Oscillatory Ventilation May Predict Sudden Cardiac Death in Heart Failure Patients. <i>Journal of the American College of Cardiology</i> , 2007, 50, 299-308.	1.2	110
28	An unusual case presenting with hypertensive crisis. <i>Internal and Emergency Medicine</i> , 2007, 2, 29-32.	1.0	0
29	Noninvasive Risk Stratification of Sudden Death: T-Wave Alternans. , 2007, , 179-189.		0
30	Mixed cranial nerve neuroma revealing itself as baroreflex failure. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2006, 130, 57-60.	1.4	2
31	Baroreflex sensitivity normalization after cardiac resynchronization therapy. <i>International Journal of Cardiology</i> , 2006, 109, 118-120.	0.8	17
32	Laughter-induced syncope. <i>Lancet, The</i> , 2005, 366, 426.	6.3	22
33	T wave alternans is a predictor of death in patients with congestive heart failure. <i>International Journal of Cardiology</i> , 2004, 93, 31-38.	0.8	25
34	Sleep apnoea in ischaemic heart disease: differences between acute and chronic coronary syndromes. <i>Heart</i> , 1999, 82, 343-347.	1.2	41
35	Effects of oral pirenzepine on heart rate variability and baroreceptor reflex sensitivity after acute myocardial infarction. <i>Journal of the American College of Cardiology</i> , 1995, 25, 915-921.	1.2	20
36	Effect of thrombolysis on heart rate variability and life-threatening ventricular arrhythmias in survivors of acute myocardial infarction. <i>Journal of the American College of Cardiology</i> , 1994, 23, 19-26.	1.2	26

#	ARTICLE	IF	CITATIONS
37	Prediction of late arrhythmic events after acute myocardial infarction from combined use of noninvasive prognostic variables and inducibility of sustained monomorphic ventricular tachycardia. American Journal of Cardiology, 1993, 71, 1131-1141.	0.7	113
38	Influence of transdermal scopolamine on cardiac sympathovagal interaction after acute myocardial infarction. American Journal of Cardiology, 1993, 72, 384-392.	0.7	52
39	Positive affect as a predictor of non-pharmacological adherence in older Chronic Heart Failure (CHF) patients undergoing cardiac rehabilitation. Psychology, Health and Medicine, 0, , 1-15.	1.3	4