

# Guillaume Duhamel

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/337260/publications.pdf>

Version: 2024-02-01

55  
papers

2,502  
citations

236833

25  
h-index

197736

49  
g-index

56  
all docs

56  
docs citations

56  
times ranked

3202  
citing authors

#	ARTICLE	IF	CITATIONS
1	A strategy to reduce the sensitivity of inhomogeneous magnetization transfer (ihMT) imaging to radiofrequency transmit field variations at 3 T. <i>Magnetic Resonance in Medicine</i> , 2022, 87, 1346-1359.	1.9	6
2	T <sub>1</sub> -weighted ihMT imaging – Part II. Investigating the long- and short-T <sub>2</sub> components correlation with myelin content. Comparison with R <sub>1</sub> and the macromolecular proton fraction. <i>Magnetic Resonance in Medicine</i> , 2022, 87, 2329-2346.	1.9	8
3	T <sub>1</sub> -weighted ihMT imaging – Part I. Isolation of long- and short-T <sub>2</sub> components by T <sub>1</sub> -filtering. <i>Magnetic Resonance in Medicine</i> , 2022, 87, 2313-2328.	1.9	6
4	Brain grey matter perfusion in primary progressive multiple sclerosis: Mild decrease over years and regional associations with cognition and hand function. <i>European Journal of Neurology</i> , 2022, 29, 1741-1752.	1.7	5
5	Characterization of the cortical myeloarchitecture with inhomogeneous magnetization transfer imaging (ihMT). <i>NeuroImage</i> , 2021, 225, 117442.	2.1	17
6	MRI assessment of multiple dipolar relaxation time ( $T_{jETQq000rgBT}$ ) /Overlock 10 Tf 50 557 Td (xmlns:mml="http://www. components in biological tissues interpreted with a generalized inhomogeneous magnetization transfer (ihMT) model. <i>Journal of Magnetic Resonance</i> , 2020, 311, 106668.	1.2	19
7	Sensitivity of the Inhomogeneous Magnetization Transfer Imaging Technique to Spinal Cord Damage in Multiple Sclerosis. <i>American Journal of Neuroradiology</i> , 2020, 41, 929-937.	1.2	16
8	Three-dimensional inhomogeneous magnetization transfer with rapid gradient-echo (3D ihMTRAGE) imaging. <i>Magnetic Resonance in Medicine</i> , 2020, 84, 2964-2980.	1.9	13
9	Validating the sensitivity of inhomogeneous magnetization transfer (ihMT) MRI to myelin with fluorescence microscopy. <i>NeuroImage</i> , 2019, 199, 289-303.	2.1	49
10	Evaluation of the Sensitivity of Inhomogeneous Magnetization Transfer (ihMT) MRI for Multiple Sclerosis. <i>American Journal of Neuroradiology</i> , 2018, 39, 634-641.	1.2	42
11	Whole brain inhomogeneous magnetization transfer (ihMT) imaging: Sensitivity enhancement within a steady-state gradient echo sequence. <i>Magnetic Resonance in Medicine</i> , 2018, 79, 2607-2619.	1.9	36
12	Low duty-cycle pulsed irradiation reduces magnetization transfer and increases the inhomogeneous magnetization transfer effect. <i>Journal of Magnetic Resonance</i> , 2018, 296, 60-71.	1.2	25
13	Magnetization transfer from inhomogeneously broadened lines (ihMT): Improved imaging strategy for spinal cord applications. <i>Magnetic Resonance in Medicine</i> , 2017, 77, 581-591.	1.9	27
14	Optimization of inhomogeneous magnetization transfer (ihMT) MRI contrast for preclinical studies using dipolar relaxation time ( $T_{jETQq000rgBT}$ ) filtering. <i>NMR in Biomedicine</i> , 2017, 30, e3706.	1.6	30
15	In vivo measurement of a new source of contrast, the dipolar relaxation time, $T_{jETQq000rgBT}$ , using a modified inhomogeneous magnetization transfer (ihMT) sequence. <i>Magnetic Resonance in Medicine</i> , 2017, 78, 1362-1372.	1.9	31
16	Region-specific impairment of the cervical spinal cord (SC) in amyotrophic lateral sclerosis: A preliminary study using SC templates and quantitative MRI (diffusion tensor imaging/inhomogeneous) $T_{jETQq000rgBT}$ /Overlock 10 T	1.7	27
17	Fast measurement of the quadriceps femoris muscle transverse relaxation time at high magnetic field using segmented echo-planar imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2017, 45, 356-368.	1.9	4
18	Hypoperfusion of the thalamus is associated with disability in relapsing remitting multiple sclerosis. <i>Journal of Neuroradiology</i> , 2017, 44, 158-164.	0.6	34

#	ARTICLE	IF	CITATIONS
19	Minimizing the effects of magnetization transfer asymmetry on inhomogeneous magnetization transfer (ihMT) at ultra-high magnetic field (11.75ÅT). <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2016, 29, 699-709.	1.1	19
20	Tract-specific and age-related variations of the spinal cord microstructure: a multi-parametric MRI study using diffusion tensor imaging (DTI) and inhomogeneous magnetization transfer (ihMT). <i>NMR in Biomedicine</i> , 2016, 29, 817-832.	1.6	60
21	Fast imaging strategies for mouse kidney perfusion measurement with pseudocontinuous arterial spin labeling (pCASL) at ultra high magnetic field (11.75 tesla). <i>Journal of Magnetic Resonance Imaging</i> , 2015, 42, 999-1008.	1.9	11
22	Heterogeneity of Muscle Damage Induced by Electrostimulation. <i>Medicine and Science in Sports and Exercise</i> , 2015, 47, 166-175.	0.2	16
23	Magnetization transfer from inhomogeneously broadened lines (ihMT): Experimental optimization of saturation parameters for human brain imaging at 1.5 Tesla. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 2111-2121.	1.9	43
24	Magnetization transfer from inhomogeneously broadened lines: A potential marker for myelin. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 614-622.	1.9	116
25	Localized Metabolic and T2 Changes Induced by Voluntary and Evoked Contractions. <i>Medicine and Science in Sports and Exercise</i> , 2015, 47, 921-930.	0.2	19
26	Myeloid HIFs Are Dispensable for Resolution of Inflammation during Skeletal Muscle Regeneration. <i>Journal of Immunology</i> , 2015, 194, 3389-3399.	0.4	21
27	Interpretation of magnetization transfer from inhomogeneously broadened lines (ihMT) in tissues as a dipolar order effect within motion restricted molecules. <i>Journal of Magnetic Resonance</i> , 2015, 260, 67-76.	1.2	62
28	Time Course of Central and Peripheral Alterations after Isometric Neuromuscular Electrical Stimulation-Induced Muscle Damage. <i>PLoS ONE</i> , 2014, 9, e107298.	1.1	19
29	High-resolution mouse kidney perfusion imaging by pseudocontinuous arterial spin labeling at 11.75T. <i>Magnetic Resonance in Medicine</i> , 2014, 71, 1186-1196.	1.9	16
30	High-field (11.75T) multimodal MR imaging of exercising hindlimb mouse muscles using a noninvasive combined stimulation and force measurement device. <i>NMR in Biomedicine</i> , 2014, 27, 870-879.	1.6	5
31	In vivo short TE localized <sup>1</sup> H MR spectroscopy of mouse cervical spinal cord at very high magnetic field (11.75 T). <i>Magnetic Resonance in Medicine</i> , 2013, 69, 1226-1232.	1.9	3
32	Multimodal MRI and 31P-MRS Investigations of the ACTA1(Asp286Gly) Mouse Model of Nemaline Myopathy Provide Evidence of Impaired In Vivo Muscle Function, Altered Muscle Structure and Disturbed Energy Metabolism. <i>PLoS ONE</i> , 2013, 8, e72294.	1.1	15
33	Pseudocontinuous arterial spin labeling at very high magnetic field (11.75 T) for high-resolution mouse brain perfusion imaging. <i>Magnetic Resonance in Medicine</i> , 2012, 67, 1225-1236.	1.9	21
34	Spinal Cord MR of Rodent Models. <i>Methods in Molecular Biology</i> , 2011, 771, 355-383.	0.4	3
35	Cerebral Perfusion MRI in Mice. <i>Methods in Molecular Biology</i> , 2011, 771, 117-138.	0.4	3
36	Echo planar diffusion tensor imaging of the mouse spinal cord at thoracic and lumbar levels: A feasibility study. <i>Magnetic Resonance in Medicine</i> , 2010, 63, 1125-1134.	1.9	6

#	ARTICLE	IF	CITATIONS
37	Mouse lumbar and cervical spinal cord blood flow measurements by arterial spin labeling: Sensitivity optimization and first application. <i>Magnetic Resonance in Medicine</i> , 2009, 62, 430-439.	1.9	27
38	Spinal cord blood flow measurement by arterial spin labeling. <i>Magnetic Resonance in Medicine</i> , 2008, 59, 846-854.	1.9	38
39	Experimental comparison of four FAIR arterial spin labeling techniques for quantification of mouse cerebral blood flow at 4.7T. <i>NMR in Biomedicine</i> , 2008, 21, 781-792.	1.6	28
40	Short-scan-time multi-slice diffusion MRI of the mouse cervical spinal cord using echo planar imaging. <i>NMR in Biomedicine</i> , 2008, 21, 868-877.	1.6	14
41	In vivo mouse spinal cord imaging using echo-planar imaging at 11.75 T. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2007, 20, 169-173.	1.1	14
42	Combined T2* and T1 measurements for improved perfusion and permeability studies in high field using dynamic contrast enhancement. <i>European Radiology</i> , 2006, 16, 2083-2091.	2.3	67
43	Measurement of arterial input functions for dynamic susceptibility contrast magnetic resonance imaging using echoplanar images: Comparison of physical simulations with in vivo results. <i>Magnetic Resonance in Medicine</i> , 2006, 55, 514-523.	1.9	44
44	Efficiency of inversion pulses for background suppressed arterial spin labeling. <i>Magnetic Resonance in Medicine</i> , 2005, 54, 366-372.	1.9	233
45	Imaging Experimental Cerebral Malaria In Vivo: Significant Role of Ischemic Brain Edema. <i>Journal of Neuroscience</i> , 2005, 25, 7352-7358.	1.7	151
46	Arterial spin labeling blood flow magnetic resonance imaging for the characterization of metastatic renal cell carcinoma. <i>Academic Radiology</i> , 2005, 12, 347-357.	1.3	108
47	Laser-Polarized Xenon Nuclear Magnetic Resonance, a Potential Tool for Brain Perfusion Imaging: Measurement of the Xenon T1 In Vivo. <i>Methods in Enzymology</i> , 2004, 385, 149-165.	0.4	3
48	MR Imaging Relaxation Times of Abdominal and Pelvic Tissues Measured in Vivo at 3.0 T: Preliminary Results. <i>Radiology</i> , 2004, 230, 652-659.	3.6	693
49	Method to determine in vivo the relaxation time T1 of hyperpolarized xenon in rat brain. <i>Magnetic Resonance in Medicine</i> , 2003, 49, 1014-1018.	1.9	22
50	Evaluation of systematic quantification errors in velocity-selective arterial spin labeling of the brain. <i>Magnetic Resonance in Medicine</i> , 2003, 50, 145-153.	1.9	65
51	Global and Regional Cerebral Blood Flow Measurements Using NMR of Injected Hyperpolarized Xenon-129. <i>Academic Radiology</i> , 2002, 9, S498-S500.	1.3	30
52	Rat lung MRI using low-temperature prepolarized helium-3. <i>Magnetic Resonance in Medicine</i> , 2001, 45, 1130-1133.	1.9	3
53	Xenon-129 MR imaging and spectroscopy of rat brain using arterial delivery of hyperpolarized xenon in a lipid emulsion. <i>Magnetic Resonance in Medicine</i> , 2001, 46, 208-212.	1.9	65
54	In vivo 129Xe NMR in rat brain during intra-arterial injection of hyperpolarized 129Xe dissolved in a lipid emulsion. <i>Comptes Rendus De L'Académie Des Sciences Série 3, Sciences De La Vie</i> , 2000, 323, 529-536.	0.8	27

#	ARTICLE	IF	CITATIONS
55	Low-temperature polarized helium-3 for MRI applications. <i>Magnetic Resonance in Medicine</i> , 1999, 41, 1084-1087.	1.9	6