

Trine Thilsing, Dvm

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3372988/publications.pdf>

Version: 2024-02-01

39
papers

398
citations

759055

12
h-index

839398

18
g-index

42
all docs

42
docs citations

42
times ranked

707
citing authors

#	ARTICLE	IF	CITATIONS
1	Non-participation in a targeted prevention program aimed at lifestyle-related diseases: a questionnaire-based assessment of patient-reported reasons. <i>BMC Public Health</i> , 2022, 22, 970.	1.2	3
2	A cohort study of cucumber greenhouse workers' exposure to microorganisms as measured using NGS and MALDI-TOF MS and biomarkers of systemic inflammation. <i>Environmental Research</i> , 2021, 192, 110325.	3.7	11
3	The Association between Maternal Experiences of Interpersonal Discrimination and Adverse Birth Outcomes: A Systematic Review of the Evidence. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 1465.	1.2	39
4	Involving people with type 2 diabetes in facilitating participation in a cardiovascular screening programme. <i>Health Expectations</i> , 2021, 24, 880-891.	1.1	3
5	Effects of a Co-Design-Based Invitation Strategy on Participation in a Preventive Health Check Program: Randomized Controlled Trial. <i>JMIR Public Health and Surveillance</i> , 2021, 7, e25617.	1.2	6
6	Religiosity and Health-Related Risk Behaviours in a Secular Culture—Is there a Correlation?. <i>Journal of Religion and Health</i> , 2020, 59, 2381-2396.	0.8	20
7	Patient preferences for preventive health checks in Danish general practice: a discrete choice experiment among patients at high risk of noncommunicable diseases. <i>Family Practice</i> , 2020, 37, 689-694.	0.8	1
8	Does GP empathy influence patient enablement and success in lifestyle change among high risk patients?. <i>BMC Family Practice</i> , 2020, 21, 159.	2.9	0
9	High Variability in Implementation of Selective-Prevention Services for Cardiometabolic Diseases in Five European Primary Care Settings. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 9080.	1.2	0
10	Health professionals' perceptions of weight loss programmes and recommendations for future implementation: a qualitative study. <i>BMJ Open</i> , 2020, 10, e039667.	0.8	7
11	Changes in Health-Risk Behavior, Body Mass Index, Mental Well-Being, and Risk Status Following Participation in a Stepwise Web-Based and Face-to-Face Intervention for Prevention of Lifestyle-Related Diseases: Nonrandomized Follow-Up Cohort Study. <i>JMIR Public Health and Surveillance</i> , 2020, 6, e16083.	1.2	2
12	Selective prevention of cardiometabolic diseases: activities and attitudes of general practitioners across Europe. <i>European Journal of Public Health</i> , 2019, 29, 88-93.	0.1	31
13	Step-wise approach to prevention of chronic diseases in the Danish primary care sector with the use of a personal digital health profile and targeted follow-up – an assessment of attendance. <i>BMC Public Health</i> , 2019, 19, 1092.	1.2	19
14	What should selective cardiometabolic prevention programmes in European primary care look like? A consensus-based design by the SPIMEU group. <i>European Journal of General Practice</i> , 2019, 25, 101-108.	0.9	4
15	An evidence-based toolbox for the design and implementation of selective-prevention primary-care initiatives targeting cardio-metabolic disease. <i>Preventive Medicine Reports</i> , 2019, 16, 100979.	0.8	5
16	P.2.38...Occupational exposure and incidence of asthma based on prescription of drugs. <i>Occupational and Environmental Medicine</i> , 2019, 76, A97.1-A97.	1.3	0
17	Should social disconnectedness be included in primary-care screening for cardiometabolic disease? A systematic review of the relationship between everyday stress, social connectedness, and allostatic load. <i>PLoS ONE</i> , 2019, 14, e0226717.	1.1	28
18	Response to letter to editor – Only ITT analysis provides information about the actual effects of a health policy. <i>Journal of Clinical Epidemiology</i> , 2019, 107, 124-125.	2.4	0

#	ARTICLE	IF	CITATIONS
19	Digital Recruitment and Acceptance of a Stepwise Model to Prevent Chronic Disease in the Danish Primary Care Sector: Cross-Sectional Study. <i>Journal of Medical Internet Research</i> , 2019, 21, e11658.	2.1	11
20	Title is missing!. , 2019, 14, e0226717.		0
21	Title is missing!. , 2019, 14, e0226717.		0
22	Title is missing!. , 2019, 14, e0226717.		0
23	Title is missing!. , 2019, 14, e0226717.		0
24	Risk factors for incident asthma and COPD in a cohort of young adults. <i>Clinical Respiratory Journal</i> , 2018, 12, 1021-1029.	0.6	6
25	Dietary Intake of Flavonoids and Ventilatory Function in European Adults: A GA2LEN Study. <i>Nutrients</i> , 2018, 10, 95.	1.7	26
26	Targeted prevention in primary care aimed at lifestyle-related diseases: a study protocol for a non-randomised pilot study. <i>BMC Family Practice</i> , 2018, 19, 124.	2.9	21
27	A third perspective on the effects of general health checks may provide a less biased estimate (letter) Tj ETQq1 1 0.784314 rgBT /Ove	2.4	4
28	Association of osteoarthritis risk factors with knee and hip pain in a population-based sample of 29-59-year olds in Denmark: a cross-sectional analysis. <i>BMC Musculoskeletal Disorders</i> , 2018, 19, 300.	0.8	15
29	Determinants of persistent asthma in young adults. <i>European Clinical Respiratory Journal</i> , 2018, 5, 1478593.	0.7	6
30	A novel approach to population-based risk stratification, comprising individualized lifestyle intervention in Danish general practice to prevent chronic diseases: Results from a feasibility study. <i>Health Informatics Journal</i> , 2017, 23, 249-259.	1.1	9
31	Is fruit and vegetable intake associated with asthma or chronic rhino-sinusitis in European adults? Results from the Global Allergy and Asthma Network of Excellence (GA2LEN) Survey. <i>Clinical and Translational Allergy</i> , 2017, 7, 3.	1.4	16
32	P284- Gender, occupation, and prescription of medicine for asthma. , 2016, , .		0
33	Occupational exposure levels of bioaerosol components are associated with serum levels of the acute phase protein Serum Amyloid A in greenhouse workers. <i>Environmental Health</i> , 2016, 15, 9.	1.7	20
34	Dust, Endotoxin, Fungi, and Bacteria Exposure as Determined by Work Task, Season, and Type of Plant in a Flower Greenhouse. <i>Annals of Occupational Hygiene</i> , 2015, 59, 142-57.	1.9	20
35	Do patients with chronic rhinosinusitis benefit from consultation with an ENT-doctor?. <i>Acta Oto-Laryngologica</i> , 2015, 135, 706-712.	0.3	1
36	Fungi, Î2-Glucan, and Bacteria in Nasal Lavage of Greenhouse Workers and Their Relation to Occupational Exposure. <i>Annals of Occupational Hygiene</i> , 2013, 57, 1030-40.	1.9	8

#	ARTICLE	IF	CITATIONS
37	Factors influencing quality of life in asthmatics – a case-control study. Clinical Respiratory Journal, 2013, 7, 288-296.	0.6	10
38	Type 1 sensitisation against a <i>Steinerema feltiae</i> product. BMJ Case Reports, 2012, 2012, bcr2012006279-bcr2012006279.	0.2	5
39	Chronic rhinosinusitis and occupational risk factors among 20- to 75-year-old Danes – A GA ² LEN-based study. American Journal of Industrial Medicine, 2012, 55, 1037-1043.	1.0	41