

# Akbar Karegar

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3373250/publications.pdf>

Version: 2024-02-01

46  
papers

309  
citations

1040056

9  
h-index

996975

15  
g-index

46  
all docs

46  
docs citations

46  
times ranked

193  
citing authors

#	ARTICLE	IF	CITATIONS
1	Intraspecific variations of morphometric indices of some species of the genus <i>Ditylenchus</i> Filipjev, 1936 (Nematoda: Anguinidae) in relation to diet and temperature. <i>Zootaxa</i> , 2022, 5125, 451-482.	0.5	0
2	Characterisation of <i>Ditylenchus paraoncogenus</i> n. sp. (Nematoda: Anguinidae), a new stem nematode parasitising tumble thistle. <i>Nematology</i> , 2022, 24, 1-18.	0.6	0
3	Biocontrol potential of bacterial isolates from vermicompost and earthworm against the root-knot nematode <i>Meloidogyne javanica</i> infecting tomato plants. <i>Egyptian Journal of Biological Pest Control</i> , 2021, 31, .	1.8	6
4	<i>Ottolenchus sinipersici</i> n. sp. (Rhabditida: Tylenchidae) from the Persian Gulf mangrove forests, Iran. <i>Nematology</i> , 2021, 24, 241-255.	0.6	1
5	Early transcriptional responses to soybean cyst nematode HG Type 0 show genetic differences among resistant and susceptible soybeans. <i>Theoretical and Applied Genetics</i> , 2020, 133, 87-102.	3.6	17
6	Population dynamics of <i>Scutylenechus rugosus</i> under cultivation of maize and wheat and survival in dry fallow conditions. <i>Nematology</i> , 2020, 22, 1079-1089.	0.6	0
7	<p><strong>Molecular phylogeny of <em>Diphtherophora</em> de Man, 1880 (Nematoda:) Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.5	0
8	Morphological and molecular data of two species of the rare genera <i>Thada</i> Thorne, 1941 and <i>Tenunemellus</i> Siddiqi, 1986 (Nematoda: Tylenchidae) from Iran. <i>Journal of Helminthology</i> , 2020, 94, e149.	1.0	2
9	<p><strong>New and known species of <em>Nothotylenechus</em> Thorne, 1941 (Nematoda:) Tj ETQq1 1 0.784314 rgBT /Overlock	0.5	3
10	Description and molecular phylogeny of <i>Mesocriconema abolafiai</i> n. sp. (Nematoda: Criconematidae) from Iran. <i>Journal of Nematology</i> , 2020, 52, 1-17.	0.9	1
11	Morphological and molecular characterisation of <i>Helicotylenechus ciceri</i> n. sp. and <i>H. scoticus</i> Boag & Jairajpuri, 1985 (Nematoda:ÂHoplolaimidae) from Iran. <i>Nematology</i> , 2020, 22, 611-626.	0.6	1
12	Genetic intraspecific diversity of <i>Meloidogyne javanica</i> parasitizing vegetables in southern Iran. <i>Journal of Nematology</i> , 2020, 52, 1-13.	0.9	10
13	Description of <i>Ditylenchus paraparvus</i> n. sp. from Iran with an updated list of <i>Ditylenchus</i> Filipjev, 1936 (Nematoda: Anguinidae). <i>Zootaxa</i> , 2019, 4651, zootaxa.4651.1.6.	0.5	7
14	An updated and annotated checklist of the Tylenchulidae (Nematoda: Criconematoidea) of Iran. <i>Zootaxa</i> , 2019, 4545, 205-229.	0.5	2
15	Phylogenetic relationships of <i>Cacopaurus pestis</i> Thorne, 1943 within representatives of the Tylenchulidae Skarbilovich, 1947 as inferred from ITS and D2-D3 expansion segments of 28S-rRNA sequences. <i>Nematology</i> , 2019, 21, 971-994.	0.6	9
16	Morphological characterization of <i>Trichotylenechus gorganiensis</i> n. sp. (Nematoda: Dolichodoridae) and photomicrographs of several other species of the subfamily Telotylenechinae Siddiqi, 1960. <i>Zootaxa</i> , 2018, 4526, 447.	0.5	0
17	Host suitability of common agricultural crops to <i>Scutylenechus rugosus</i> (Siddiqi, 1963) Siddiqi, 1979 in Iran, withÂaÂfocusÂonÂwheatÂandÂmaize. <i>Nematology</i> , 2018, 20, 33-42.	0.6	1
18	Disruption of the Pathogenicity and Sex Ratio of the Beet Cyst Nematode <i>Heterodera schachtii</i> by Host-Delivered RNA Interference. <i>Molecular Plant-Microbe Interactions</i> , 2018, 31, 1337-1346.	2.6	2

#	ARTICLE	IF	CITATIONS
19	A new and four known species of Diphtherophora (Nematoda: Diphtherophoridae) from Iran, with a diagnostic compendium of its species. <i>Zootaxa</i> , 2017, 4365, 311.	0.5	1
20	Disparate gain and loss of parasitic abilities among nematode lineages. <i>PLoS ONE</i> , 2017, 12, e0185445.	2.5	50
21	Comparative morphology of the anterior end of selected taxa of Merliniidae Siddiqi, 1971 (Nematoda: Tylenchoidea) genera. <i>Zootaxa</i> , 2017, 4300, .	0.5	6
22	Numerical Taxonomy Helps Identification of Merliniidae and Telotylenchidae (Nematoda: Tylenchoidea) from Iran. <i>Journal of Nematology</i> , 2017, 49, 207-222.	0.9	2
23	Morphological and molecular characterization of <i>Pratylenchoides persicus</i> n. sp. (Nematoda: Tylenchoidea) from Iran. <i>Nematology</i> , 2015, 17, 169-177.	0.5	4
24	Morphological and molecular data support the monophyletic nature of the genus <i>Pratylenchoides Winslow</i> , 1958 (Nematoda: Merliniidae) and reveal its intrageneric structuring. <i>Nematology</i> , 2016, 18, 1165-1183.	0.6	5
25	One new and three known species of <i>Geocenamus</i> Thorne & Malek, 1968 (Nematoda: Tylenchoidea) from Iran. <i>Nematology</i> , 2015, 17, 169-177.	0.5	6
26	Description of <i>Ektaphelenchoides caspiensis</i> n. sp. (Nematoda: Ektaphelenchinae) from Iran. <i>Nematology</i> , 2015, 17, 169-177.	0.6	11
27	An updated and annotated checklist of the Dolichodoridae (Nematoda: Tylenchoidea) of Iran. <i>Zootaxa</i> , 2014, 3784, 445-68.	0.5	10
28	Description of <i>Amplimerlinius uramanatiensis</i> sp. n. (Nematoda: Merliniidae) and observations on three other species of the genus from Iran. <i>Zootaxa</i> , 2014, 3869, 17-32.	0.5	8
29	Contribution to the study of the genus <i>Paratylenchus</i> Micoletzky, 1922 sensu lato (Nematoda: Tylenchulidae). <i>Zootaxa</i> , 2014, 3841, 151.	0.5	33
30	Contribution to a revision of the genus <i>Pratylenchoides</i> Winslow, 1958 (Nematoda: Merliniidae), with redescription of <i>P. erzurumensis</i> Akse, 1977 from Iran. <i>Zootaxa</i> , 2014, 3900, 339-69.	0.5	11
31	Description of <i>Helicotylenchus persiaensis</i> sp. n. (Nematoda: Tylenchoidea) from Iran. <i>Nematology</i> , 2015, 17, 169-177.	0.5	4
32	Phylogenetic relationships of Telotylenchidae Siddiqi, 1960 and Merliniidae Siddiqi, 1971 (Nematoda: Tylenchoidea) sequences. <i>Nematology</i> , 2014, 16, 863-877.	0.6	18
33	<i>Devibursaphelenchus kheirii</i> sp. n. (Nematoda: Ektaphelenchinae) from Iran with remarks on <i>Devibursaphelenchus Kakuliya</i> , 1967. <i>Nematology</i> , 2014, 16, 1069-1078.	0.6	13
34	<i>Paratylenchus conicephalus</i> sp. n. from Iran with notes on <i>P. similis</i> Khan, Prasad & Mathur, 1967 (Nematoda: Paratylenchinae). <i>Nematology</i> , 2011, 13, 529-537.	0.6	2
35	<i>Neolobocriconema iranense</i> sp. n. (Nematoda: Criconematidae) from Iran. <i>Nematology</i> , 2010, 12, 791-797.	0.6	2
36	Additional data on some poorly known species of <i>Criconemoides</i> Taylor, 1936 (Nematoda: Criconematidae) from Iran. <i>Nematology</i> , 2010, 12, 791-797.	0.6	4

#	ARTICLE	IF	CITATIONS
37	Xiphinema iranicum n. sp. (Nematoda: Longidoridae) from north-western Iran. Nematology, 2009, 11, 11-21.	0.6	9
38	Paratylenchus paraperaticus sp. n. (Tylenchida: Tylenchulidae) found in the rhizosphere of walnut trees in Hamadan province, Iran. Nematology, 2009, 11, 641-647.	0.6	8
39	Trichodorus arasbaranensis n. sp. (Nematoda: Trichodoridae) from a natural forest in Arasbaran, north-west Iran. Nematology, 2009, 11, 243-252.	0.6	8
40	Longidorus kheirii n. sp. (Nematoda: Longidoridae) from Iran. Systematic Parasitology, 2008, 71, 199-211.	1.1	16
41	SOME TYLENCHIDS ASSOCIATED WITH PISTACHIO AND ALMOND TREES IN IRAN. Acta Horticulturae, 2006, , 659-666.	0.2	6
42	Descriptions of Filenchus Paravesiculosus Sp. N. and Three Other Species of the Genus Filenchus AndrÁjssy, 1954 (Nemata: Tylenchidae) From Iran. Nematologica, 1998, 44, 225-239.	0.2	0
43	The Genus Basiria Siddiqi, 1959 (Nematoda: Tylenchidae) I. Introduction and Species With Two Lateral Lines. Nematologica, 1997, 43, 327-339.	0.2	3
44	The Genus Basiria Siddiqi, 1959 (Nematoda: Tylenchidae) Iii. Species With Four Lateral Lines and Posterior Median Bulb. Nematologica, 1997, 43, 407-429.	0.2	2
45	The Genus Neopsilenchus Thorne & Malek, 1968 (Nematoda: Tylenchidae). Nematologica, 1997, 43, 307-326.	0.2	2
46	The Genus Basiria Siddiqi, 1959 (Nematoda: Tylenchidae) Ii. Species With Four Lateral Lines and Anterior Median Bulb. Nematologica, 1997, 43, 383-406.	0.2	3