Torben Sigsgaard

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3374207/torben-sigsgaard-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 316
 10,405
 47
 89

 papers
 citations
 h-index
 g-index

 377
 12,487
 6
 5.84

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper	IF	Citations
316	Long-term exposure to low ambient air pollution concentrations and mortality among 28 million people: results from seven large European cohorts within the ELAPSE project <i>Lancet Planetary Health, The</i> , 2022 , 6, e9-e18	9.8	10
315	Nitrate in drinking water and risk of birth defects: Findings from a cohort study of over one million births in Denmark <i>Lancet Regional Health - Europe, The</i> , 2022 , 14, 100286		O
314	Community-based management of chronic obstructive pulmonary disease in Nepal D esigning and implementing a training program for Female Community Health Volunteers. <i>PLOS Global Public Health</i> , 2022 , 2, e0000253		
313	Aero-Allergen Sensitization in the General Population: Longitudinal Analyses of the LEAD (Lung Heart Social Body) Study <i>Journal of Asthma and Allergy</i> , 2022 , 15, 461-473	3.1	0
312	Nitrate in Drinking Water and Time to Pregnancy or Medically Assisted Reproduction in Women and Men: A Nationwide Cohort Study in the Danish National Birth Cohort <i>Clinical Epidemiology</i> , 2022 , 14, 475-487	5.9	O
311	Long-term exposure to low-level air pollution and incidence of asthma: the ELAPSE project. <i>European Respiratory Journal</i> , 2021 , 57, 2003099	13.6	10
310	Long-term exposure to low-level air pollution and incidence of asthma: the ELAPSE project. <i>European Respiratory Journal</i> , 2021 , 57,	13.6	5
309	Dust exposure and the impact on hospital readmission of farming and wood industry workers for asthma and chronic obstructive pulmonary disease (COPD). <i>Scandinavian Journal of Work, Environment and Health</i> , 2021 , 47, 163-168	4.3	
308	Indoor home environments of Danish children and the socioeconomic position and health of their parents: A descriptive study <i>Environment International</i> , 2021 , 160, 107059	12.9	2
307	Dust exposure and the impact on hospital readmission of farming and wood industry workers for asthma and chronic obstructive pulmonary disease (COPD). <i>Scandinavian Journal of Work, Environment and Health</i> , 2021 , 47, 163-168	4.3	0
306	Maternal preconception occupational exposure to cleaning products and disinfectants and offspring asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2021 ,	11.5	4
305	The Effect of Seasonal Priming on Specific Inhalation Challenges With Birch and Grass Allergen Among Persons With Allergic Rhinitis <i>Frontiers in Allergy</i> , 2021 , 2, 737799	O	
304	Rhino Conjunctivitis and Asthma Among Seafood Processing Workers in Greenland. A Cross-Sectional Study <i>Frontiers in Allergy</i> , 2021 , 2, 747011	O	2
303	A life course approach to understanding associations between natural environments and mental well-being for the Danish blood donor cohort. <i>Health and Place</i> , 2021 , 72, 102678	4.6	1
302	Long-Term Exposure to Fine Particle Elemental Components and Natural and Cause-Specific Mortality-a Pooled Analysis of Eight European Cohorts within the ELAPSE Project. <i>Environmental Health Perspectives</i> , 2021 , 129, 47009	8.4	14
301	Health-Related Quality of Life of People Living with COPD in a Semiurban Area of Western Nepal: A Community-Based Study. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2021 , 18, 349-356	2	
300	Long-term air pollution and road traffic noise exposure and COPD: the Danish Nurse Cohort. <i>European Respiratory Journal</i> , 2021 , 58,	13.6	2

(2021-2021)

299	Technical standards in allergen exposure chambers worldwide - an EAACI Task Force Report. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021 , 76, 3589-3612	9.3	5
298	Wood Dust Exposure Levels and Respiratory Symptoms 6 Years Apart: An Observational Intervention Study Within the Danish Furniture Industry. <i>Annals of Work Exposures and Health</i> , 2021 , 65, 1029-1039	2.4	1
297	Long-term exposure to ambient air pollution and road traffic noise and asthma incidence in adults: The Danish Nurse cohort. <i>Environment International</i> , 2021 , 152, 106464	12.9	5
296	Acute health effects from exposure to indoor ultrafine particles-A randomized controlled crossover study among young mild asthmatics. <i>Indoor Air</i> , 2021 , 31, 1993-2007	5.4	5
295	Gender differences in respiratory health outcomes among farming cohorts around the globe: findings from the AGRICOH consortium. <i>Journal of Agromedicine</i> , 2021 , 26, 97-108	1.9	9
294	Does parental farm upbringing influence the risk of asthma in offspring? A three-generation study. <i>International Journal of Epidemiology</i> , 2021 , 49, 1874-1882	7.8	3
293	Parental occupational exposure pre- and post-conception and development of asthma in offspring. <i>International Journal of Epidemiology</i> , 2021 , 49, 1856-1869	7.8	8
292	A prospective study on the role of smoking, environmental tobacco smoke, indoor painting and living in old or new buildings on asthma, rhinitis and respiratory symptoms. <i>Environmental Research</i> , 2021 , 192, 110269	7.9	3
291	Long-term low-level ambient air pollution exposure and risk of lung cancer - A pooled analysis of 7 European cohorts. <i>Environment International</i> , 2021 , 146, 106249	12.9	24
290	Long-term exposure to low-level air pollution and incidence of chronic obstructive pulmonary disease: The ELAPSE project. <i>Environment International</i> , 2021 , 146, 106267	12.9	19
289	Lifelong exposure to air pollution and greenness in relation to asthma, rhinitis and lung function in adulthood. <i>Environment International</i> , 2021 , 146, 106219	12.9	17
288	Urban Health and Wellbeing. <i>Urban Book Series</i> , 2021 , 259-280	0.3	O
287	Organophosphate and carbamate insecticide exposure is related to lung function change among smallholder farmers: a prospective study. <i>Thorax</i> , 2021 ,	7.3	3
286	Prenatal Exposure to Nitrate from Drinking Water and Markers of Fetal Growth Restriction: A Population-Based Study of Nearly One Million Danish-Born Children. <i>Environmental Health Perspectives</i> , 2021 , 129, 27002	8.4	5
285	Cumulative Occupational Exposures and Lung-Function Decline in Two Large General-Population Cohorts. <i>Annals of the American Thoracic Society</i> , 2021 , 18, 238-246	4.7	2
284	Long-term exposure to fine particle elemental components and lung cancer incidence in the ELAPSE pooled cohort. <i>Environmental Research</i> , 2021 , 193, 110568	7.9	10
283	Modeling multi-level survival data in multi-center epidemiological cohort studies: Applications from the ELAPSE project. <i>Environment International</i> , 2021 , 147, 106371	12.9	4
282	Combinations of self-reported rhinitis, conjunctivitis, and asthma predicts IgE sensitization in more than 25,000 Danes. <i>Clinical and Translational Allergy</i> , 2021 , 11, e12013	5.2	3

281	Community-based intervention for prevention and management of chronic obstructive pulmonary disease in Nepal (COBIN-P trial): study protocol for a cluster-randomized controlled trial. <i>Trials</i> , 2021 , 22, 474	2.8	1	
2 80	Impact of the spirometric definition on comorbidities in chronic obstructive pulmonary disease. <i>Respiratory Medicine</i> , 2021 , 184, 106399	4.6	1	
279	Long-term exposure to air pollution and liver cancer incidence in six European cohorts. <i>International Journal of Cancer</i> , 2021 , 149, 1887-1897	7.5	2	
278	Atopic respiratory diseases and IgE sensitization are associated with leukocyte subset concentrations in 14,440 blood donors. <i>Clinica Chimica Acta</i> , 2021 , 520, 139-146	6.2	1	
277	Long-term exposure to low-level ambient air pollution and incidence of stroke and coronary heart disease: a pooled analysis of six European cohorts within the ELAPSE project. <i>Lancet Planetary Health, The</i> , 2021 , 5, e620-e632	9.8	18	
276	Long term exposure to low level air pollution and mortality in eight European cohorts within the ELAPSE project: pooled analysis. <i>BMJ, The</i> , 2021 , 374, n1904	5.9	11	
275	Exposure to nitrate from drinking water and the risk of childhood cancer in Denmark. <i>Environment International</i> , 2021 , 155, 106613	12.9	6	
274	Trace elements in drinking water and the incidence of attention-deficit hyperactivity disorder. Journal of Trace Elements in Medicine and Biology, 2021 , 68, 126828	4.1	O	
273	Cancer incidence in agricultural workers: Findings from an international consortium of agricultural cohort studies (AGRICOH). <i>Environment International</i> , 2021 , 157, 106825	12.9	5	
272	Long-term exposure to air pollution and mortality in the Danish population a nationwide study. <i>EClinicalMedicine</i> , 2020 , 28, 100605	11.3	16	
271	Associations between growing up in natural environments and subsequent psychiatric disorders in Denmark. <i>Environmental Research</i> , 2020 , 188, 109788	7.9	16	
270	Household dampness and microbial exposure related to allergy and respiratory health in Danish adults. <i>European Clinical Respiratory Journal</i> , 2020 , 7, 1706235	2	4	
269	Body mass index and weight change are associated with adult lung function trajectories: the prospective ECRHS study. <i>Thorax</i> , 2020 , 75, 313-320	7.3	20	
268	Trihalomethanes in Drinking Water and Bladder Cancer Burden in the European Union. Environmental Health Perspectives, 2020 , 128, 17001	8.4	46	
267	The impact of occupational and other environmental exposures on the aetiology of COPD, bronchitis and bronchiolitis 2020 , 86-103			
266	An RCT of acute health effects in COPD-patients after passive vape exposure from e-cigarettes. European Clinical Respiratory Journal, 2020 , 8, 1861580	2	2	
265	Association Between Childhood Green Space, Genetic Liability, and the Incidence of Schizophrenia. <i>Schizophrenia Bulletin</i> , 2020 , 46, 1629-1637	1.3	12	
264	Emissions and source allocation of carbonaceous air pollutants from wood stoves in developed countries: A review. <i>Atmospheric Pollution Research</i> , 2020 , 11, 234-251	4.5	13	

(2019-2020)

263	Prevalence of allergic sensitization to storage mites in Northern Europe. <i>Clinical and Experimental Allergy</i> , 2020 , 50, 372-382	4.1	9
262	Airborne Cladosporium and Alternaria spore concentrations through 26 years in Copenhagen, Denmark. <i>Aerobiologia</i> , 2020 , 36, 141-157	2.4	9
261	Respiratory diseases and allergy in farmers working with livestock: a EAACI position paper. <i>Clinical and Translational Allergy</i> , 2020 , 10, 29	5.2	11
260	Low serum DHEA-S is associated with impaired lung function in women. <i>EClinicalMedicine</i> , 2020 , 23, 10	03893	4
259	Effects of particulate matter on atherosclerosis: a link via high-density lipoprotein (HDL) functionality?. <i>Particle and Fibre Toxicology</i> , 2020 , 17, 36	8.4	4
258	Prevalence of Chronic Obstructive Pulmonary Disease and its Associated Factors in Nepal: Findings from a Community-based Household Survey. <i>International Journal of COPD</i> , 2020 , 15, 2319-2331	3	8
257	Associations of Preconception Exposure to Air Pollution and Greenness with Offspring Asthma and Hay Fever. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	9
256	Air pollution and family related determinants of asthma onset and persistent wheezing in children: nationwide case-control study. <i>BMJ, The</i> , 2020 , 370, m2791	5.9	21
255	Archaea and Bacteria Exposure in Danish Livestock Farmers. <i>Annals of Work Exposures and Health</i> , 2019 , 63, 965-974	2.4	2
254	The Occupational Burden of Nonmalignant Respiratory Diseases. An Official American Thoracic Society and European Respiratory Society Statement. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2019 , 199, 1312-1334	10.2	129
253	Snoring and nocturnal reflux: association with lung function decline and respiratory symptoms. <i>ERJ Open Research</i> , 2019 , 5,	3.5	4
252	Dose-response curves for co-exposure inhalation challenges with ozone and pollen allergen. <i>European Respiratory Journal</i> , 2019 , 54,	13.6	1
251	Regional variation in airborne Alternaria spore concentrations in Denmark through 2012 2015 seasons: the influence of meteorology and grain harvesting. <i>Aerobiologia</i> , 2019 , 35, 533-551	2.4	9
250	Dampness, mould, onset and remission of adult respiratory symptoms, asthma and rhinitis. <i>European Respiratory Journal</i> , 2019 , 53,	13.6	15
249	Agreement of offspring-reported parental smoking status: the RHINESSA generation study. <i>BMC Public Health</i> , 2019 , 19, 94	4.1	13
248	Effects of smoking bans on passive smoking exposure at work and at home. The European Community respiratory health survey. <i>Indoor Air</i> , 2019 , 29, 670-679	5.4	11
247	Determinants of fractional exhaled nitric oxide in healthy men and women from the European Community Respiratory Health Survey III. <i>Clinical and Experimental Allergy</i> , 2019 , 49, 969-979	4.1	12
	Immunological methods for diagnosis and monitoring of IgE-mediated allergy caused by industrial		

245	Asthma and selective migration from farming environments in a three-generation cohort study. <i>European Journal of Epidemiology</i> , 2019 , 34, 601-609	12.1	5
244	Lithium in drinking water associated with adverse mental health effects. <i>Schizophrenia Research</i> , 2019 , 210, 313-315	3.6	4
243	Nitrosatable drug exposure during pregnancy and risk of stillbirth. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 1204-1210	2.6	3
242	Grain harvesting as a local source of Cladosporium spp. in Denmark. <i>Aerobiologia</i> , 2019 , 35, 373-378	2.4	4
241	Association of Childhood Exposure to Nitrogen Dioxide and Polygenic Risk Score for Schizophrenia With the Risk of Developing Schizophrenia. <i>JAMA Network Open</i> , 2019 , 2, e1914401	10.4	17
240	Occupational exposures and incidence of chronic bronchitis and related symptoms over two decades: the European Community Respiratory Health Survey. <i>Occupational and Environmental Medicine</i> , 2019 , 76, 222-229	2.1	13
239	Second-hand smoke exposure in adulthood and lower respiratory health during 20 year follow up in the European Community Respiratory Health Survey. <i>Respiratory Research</i> , 2019 , 20, 33	7.3	14
238	O3A.6 Recent organic dust exposure and prognosis of asthma and chronic obstructive lung disease (COPD). A nationwide register based follow-up study. <i>Occupational and Environmental Medicine</i> , 2019 , 76, A23.1-A23	2.1	
237	Are there the regional differences in the association between long-term exposure to PM2.5 and all-cause natural mortality in Denmark? The Danish Nurse Cohort study. <i>Environmental Epidemiology</i> , 2019 , 3, 375	0.2	
236	Prenatal exposure to nitrates in drinking water and low birthweight. <i>Environmental Epidemiology</i> , 2019 , 3, 77	0.2	
235	A nationwide follow-up study of occupational organic dust exposure and risk of chronic obstructive pulmonary disease (COPD). <i>Occupational and Environmental Medicine</i> , 2019 , 76, 105-113	2.1	11
234	The LEAD (Lung, Heart, Social, Body) Study: Objectives, Methodology, and External Validity of the Population-Based Cohort Study. <i>Journal of Epidemiology</i> , 2019 , 29, 315-324	3.4	15
233	Cleaning at Home and at Work in Relation to Lung Function Decline and Airway Obstruction. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2018 , 197, 1157-1163	10.2	46
232	Nitrate in drinking water and colorectal cancer risk: A nationwide population-based cohort study. <i>International Journal of Cancer</i> , 2018 , 143, 73-79	7.5	121
231	Multiancestry association study identifies new asthma risk loci that colocalize with immune-cell enhancer marks. <i>Nature Genetics</i> , 2018 , 50, 42-53	36.3	246
230	Occupational exposures and 20-year incidence of COPD: the European Community Respiratory Health Survey. <i>Thorax</i> , 2018 , 73, 1008-1015	7-3	41
229	Risk factors for incident asthma and COPD in a cohort of young adults. <i>Clinical Respiratory Journal</i> , 2018 , 12, 1021-1029	1.7	6
228	High exposure to endotoxin in farming is associated with less new-onset pollen sensitisation. Occupational and Environmental Medicine, 2018, 75, 139-147	2.1	9

227	Pig FarmersRHomes Harbor More Diverse Airborne Bacterial Communities Than Pig Stables or Suburban Homes. <i>Frontiers in Microbiology</i> , 2018 , 9, 870	5.7	22
226	Adult farming exposure does not protect against sensitization to the storage mite Lepidoglyphus destructor. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018 , 73, 2234-2237	9.3	7
225	Diagnosis, monitoring and prevention of exposure-related non-communicable diseases in the living and working environment: DiMoPEx-project is designed to determine the impacts of environmental exposure on human health. <i>Journal of Occupational Medicine and Toxicology</i> , 2018 , 13, 6	2.7	22
224	Determinants of persistent asthma in young adults. European Clinical Respiratory Journal, 2018, 5, 1478	35 <u>9</u> 3	3
223	Ammonia, ammonium, and the risk of asthma: A register-based casedontrol study in Danish children. <i>Environmental Epidemiology</i> , 2018 , 2, e019	0.2	5
222	Self-reported intake of fruit and vegetables and risk of chronic obstructive pulmonary disease: A nation-wide twin study. <i>Respiratory Medicine</i> , 2018 , 144, 16-21	4.6	8
221	New-onset COPD and Decline in Lung Function Among Wood Dust-Exposed Workers: Re-analysis of a 6-year Follow-up Study. <i>Annals of Work Exposures and Health</i> , 2018 , 62, 1064-1076	2.4	3
220	Inhalation of House Dust and Ozone Alters Systemic Levels of Endothelial Progenitor Cells, Oxidative Stress, and Inflammation in Elderly Subjects. <i>Toxicological Sciences</i> , 2018 , 163, 353-363	4.4	12
219	Occupational lung diseases: from old and novel exposures to effective preventive strategies. Lancet Respiratory Medicine,the, 2017 , 5, 445-455	35.1	58
218	Allergen exposure chambers: harmonizing current concepts and projecting the needs for the future - an EAACI Position Paper. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2017 , 72, 1035-	1042	58
217	A joint ERS/ATS policy statement: what constitutes an adverse health effect of air pollution? An analytical framework. <i>European Respiratory Journal</i> , 2017 , 49,	13.6	230
216	Clinical markers of asthma and IgE assessed in parents before conception predict asthma and hayfever in the offspring. <i>Clinical and Experimental Allergy</i> , 2017 , 47, 627-638	4.1	9
215	The effect of organic dust exposure on long-term change in lung function: a systematic review and meta-analysis. <i>Occupational and Environmental Medicine</i> , 2017 , 74, 531-542	2.1	18
214	Environmental Effects of Intensive Livestock Farming. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2017 , 196, 1092-1093	10.2	3
213	Drinking water nitrate estimation at household-level in Danish population-based long-term epidemiologic studies. <i>Journal of Geochemical Exploration</i> , 2017 , 183, 178-186	3.8	13
212	Wood Dust in Joineries and Furniture Manufacturing: An Exposure Determinant and Intervention Study. <i>Annals of Work Exposures and Health</i> , 2017 , 61, 416-428	2.4	8
211	A systematic review of occupational exposure to coal dust and the risk of interstitial lung diseases. <i>European Clinical Respiratory Journal</i> , 2017 , 4, 1264711	2	22
210	Lung function discordance in monozygotic twins and associated differences in blood DNA methylation. <i>Clinical Epigenetics</i> , 2017 , 9, 132	7.7	15

209	No apparent transmission of livestock-associated methicillin-resistant CC398 in a survey of staff at a regional Danish hospital. <i>Antimicrobial Resistance and Infection Control</i> , 2017 , 6, 126	6.2	3
208	Indicators of residential traffic exposure: Modelled NOX, traffic proximity, and self-reported exposure in RHINE III. <i>Atmospheric Environment</i> , 2017 , 167, 416-425	5.3	5
207	Current and new challenges in occupational lung diseases. European Respiratory Review, 2017, 26,	9.8	39
206	Exposure to Inhalable Dust, Endotoxin, and Total Volatile Organic Carbons on Dairy Farms Using Manual and Automated Feeding Systems. <i>Annals of Work Exposures and Health</i> , 2017 , 61, 344-355	2.4	10
205	The impact of different spirometric definitions on the prevalence of airway obstruction and their association with respiratory symptoms. <i>ERJ Open Research</i> , 2017 , 3,	3.5	9
204	Re-examining the association between residential exposure to magnetic fields from power lines and childhood asthma in the Danish National Birth Cohort. <i>PLoS ONE</i> , 2017 , 12, e0177651	3.7	
203	Father senvironment before conception and asthma risk in his children: a multi-generation analysis of the Respiratory Health In Northern Europe study. <i>International Journal of Epidemiology</i> , 2017 , 46, 235	5 ⁷ 2 ⁸ 45	47
202	P096 Statistical modelling and development of a quantitative job exposure matrix for wood dust in the wood manufacturing industry 2016 ,		3
201	A clear urban-rural gradient of allergic rhinitis in a population-based study in Northern Europe. <i>European Clinical Respiratory Journal</i> , 2016 , 3, 33463	2	22
200	Feedback on Measured Dust Concentrations Reduces Exposure Levels Among Farmers. <i>Annals of Occupational Hygiene</i> , 2016 , 60, 812-24		11
199	Pulmonary illness as a consequence of occupational exposure to shrimp shell powder. <i>Environmental Research</i> , 2016 , 148, 491-499	7.9	10
198	Trends in cell phone use among children in the Danish national birth cohort at ages 7 and 11 years. Journal of Exposure Science and Environmental Epidemiology, 2016 , 26, 606-612	6.7	9
197	Clinical Application of Nasal Filters: An Observational Study on the Usability of Nasal Filters in Managing Seasonal Allergic Rhinitis. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2016 , 4, 445-	4512.e4	1 ⁵
196	Menopause as a predictor of new-onset asthma: Allongitudinal Northern European population study. <i>Journal of Allergy and Clinical Immunology</i> , 2016 , 137, 50-57.e6	11.5	57
195	High-Resolution Modelling of Health Impacts and Related External Cost from Air Pollution Using the Integrated Model System EVA. <i>Springer Proceedings in Complexity</i> , 2016 , 125-128	0.3	
194	Cotton Dust Exposure and Respiratory Disorders among Textile Workers at a Textile Company in the Southern Part of Benin. <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13,	4.6	14
193	A Comparison between Temperature-Controlled Laminar Airflow Device and a Room Air-Cleaner in Reducing Exposure to Particles While Asleep. <i>PLoS ONE</i> , 2016 , 11, e0166882	3.7	7
192	The risk of respiratory symptoms on allergen exposure increases with increasing specific IgE levels. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2016 , 71, 859-68	9.3	30

(2015-2016)

191	Method for a homogeneous distribution of pollens in an environmental exposure chamber. <i>Clinical and Experimental Allergy</i> , 2016 , 46, 1176-84	4.1	5
190	Allergy and respiratory health effects of dampness and dampness-related agents in schools and homes: a cross-sectional study in Danish pupils. <i>Indoor Air</i> , 2016 , 26, 880-891	5.4	22
189	Validation of self-reported figural drawing scales against anthropometric measurements in adults. <i>Public Health Nutrition</i> , 2016 , 19, 1944-51	3.3	18
188	The Danish urban-rural gradient of allergic sensitization and disease in adults. <i>Clinical and Experimental Allergy</i> , 2016 , 46, 103-11	4.1	35
187	Self-reported exposure to traffic pollution in relation to daytime sleepiness and habitual snoring: a questionnaire study in seven North-European cities. <i>Sleep Medicine</i> , 2016 , 24, 93-99	4.6	19
186	Preventive effect of nasal filters on allergic rhinitis: A randomized, double-blind, placebo-controlled crossover park study. <i>Journal of Allergy and Clinical Immunology</i> , 2015 , 136, 1566-1572.e5	11.5	22
185	Indoor air quality, ventilation and respiratory health in elderly residents living in nursing homes in Europe. <i>European Respiratory Journal</i> , 2015 , 45, 1228-38	13.6	62
184	Are allergen batch differences and the use of double skin prick test important?. <i>BMC Pulmonary Medicine</i> , 2015 , 15, 33	3.5	8
183	Nocturnal GERD - a risk factor for rhinitis/rhinosinusitis: the RHINE study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2015 , 70, 697-702	9.3	18
182	A comprehensive review of levels and determinants of personal exposure to dust and endotoxin in livestock farming. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2015 , 25, 123-37	6.7	58
181	Health impacts of anthropogenic biomass burning in the developed world. <i>European Respiratory Journal</i> , 2015 , 46, 1577-88	13.6	119
180	Determinants of house dust, endotoxin, and £(1- 3)-D-glucan in homes of Danish children. <i>Indoor Air</i> , 2015 , 25, 245-59	5.4	13
179	Prenatal stress and childhood asthma in the offspring: role of age at onset. <i>European Journal of Public Health</i> , 2015 , 25, 1042-6	2.1	20
178	An assessment of the potential for co-exposure to allergenic pollen and air pollution in Copenhagen, Denmark. <i>Urban Climate</i> , 2015 , 14, 457-474	6.8	12
177	The effect of occupational farming on lung function development in young adults: a 15-year follow-up study. <i>Occupational and Environmental Medicine</i> , 2015 , 72, 707-13	2.1	14
176	Remediating buildings damaged by dampness and mould for preventing or reducing respiratory tract symptoms, infections and asthma. <i>The Cochrane Library</i> , 2015 , CD007897	5.2	32
175	The change in nasal inflammatory markers after intranasal challenges with particulate chitin and lipopolysaccharide: a randomized, double-blind, placebo-controlled, crossover study with a positive control. <i>International Forum of Allergy and Rhinology</i> , 2015 , 5, 716-23	6.3	9
174	Reducing the health effect of particles from agriculture. <i>Lancet Respiratory Medicine,the</i> , 2015 , 3, 831-2	35.1	17

173	Exposure levels, determinants and IgE mediated sensitization to bovine allergens among Danish farmers and non-farmers. <i>International Journal of Hygiene and Environmental Health</i> , 2015 , 218, 265-72	6.9	13
172	Phthalate exposure through different pathways and allergic sensitization in preschool children with asthma, allergic rhinoconjunctivitis and atopic dermatitis. <i>Environmental Research</i> , 2015 , 137, 432-9	7.9	79
171	Respiratory Health in Cleaners in Northern Europe: Is Susceptibility Established in Early Life?. <i>PLoS ONE</i> , 2015 , 10, e0131959	3.7	27
170	Can selection explain the protective effects of farming on asthma?. <i>Annals of Agricultural and Environmental Medicine</i> , 2015 , 22, 467-9	1.4	2
169	The Urban-Rural Gradient In Asthma: A Population-Based Study in Northern Europe. <i>International Journal of Environmental Research and Public Health</i> , 2015 , 13,	4.6	38
168	Nasal filters for the treatment of allergic rhinitis: a randomized, double-blind, placebo-controlled crossover clinical trial. <i>Journal of Allergy and Clinical Immunology</i> , 2014 , 133, 1477-80, 1480.e1-13	11.5	10
167	Best lung function equations for the very elderly selected by survival analysis. <i>European Respiratory Journal</i> , 2014 , 43, 1338-46	13.6	15
166	Monitoring of occupational and environmental aeroallergens EAACI Position Paper. Concerted action of the EAACI IG Occupational Allergy and Aerobiology & Air Pollution. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2014 , 69, 1280-99	9.3	49
165	Place of upbringing in early childhood as related to inflammatory bowel diseases in adulthood: a population-based cohort study in Northern Europe. <i>European Journal of Epidemiology</i> , 2014 , 29, 429-37	12.1	32
164	Longterm follow-up in European respiratory health studies - patterns and implications. <i>BMC Pulmonary Medicine</i> , 2014 , 14, 63	3.5	59
163	Official American Thoracic Society technical standards: spirometry in the occupational setting. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2014 , 189, 983-93	10.2	92
162	Phthalate metabolites in urine and asthma, allergic rhinoconjunctivitis and atopic dermatitis in preschool children. <i>International Journal of Hygiene and Environmental Health</i> , 2014 , 217, 645-52	6.9	41
161	Occupational exposures and uncontrolled adult-onset asthma in the European Community Respiratory Health Survey II. <i>European Respiratory Journal</i> , 2014 , 43, 374-86	13.6	38
160	Human leukocyte antigen class II variants and adult-onset asthma: does occupational allergen exposure play a role?. <i>European Respiratory Journal</i> , 2014 , 44, 1234-42	13.6	7
159	Reply: Spirometry in the occupational setting. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2014 , 190, 353-4	10.2	1
158	Biomarkers of oxidative stress and inflammation after wood smoke exposure in a reconstructed Viking Age house. <i>Environmental and Molecular Mutagenesis</i> , 2014 , 55, 652-61	3.2	25
157	Residential culturable fungi, (1-3, 1-6)-Ed-glucan, and ergosterol concentrations in dust are not associated with asthma, rhinitis, or eczema diagnoses in children. <i>Indoor Air</i> , 2014 , 24, 158-70	5.4	28
156	EAACI position paper: irritant-induced asthma. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2014 , 69, 1141-53	9.3	82

Whole-genome analyses of lung function, height and smoking. Annals of Human Genetics, 2014, 78, 452-672 2 155 Specific inhalation challenge in the diagnosis of occupational asthma: consensus statement. 13.6 136 154 European Respiratory Journal, 2014, 43, 1573-87 Response to Rylander. Indoor Air, 2014, 24, 223-4 153 5.4 Vascular and lung function related to ultrafine and fine particles exposure assessed by personal 152 41 and indoor monitoring: a cross-sectional study. Environmental Health, 2014, 13, 112 Systemic effects of wood smoke in a short-term experimental exposure study of atopic volunteers. 151 2 15 Journal of Occupational and Environmental Medicine, 2014, 56, 177-83 Cardiovascular and lung function in relation to outdoor and indoor exposure to fine and ultrafine 66 150 12.9 particulate matter in middle-aged subjects. Environment International, 2014, 73, 372-81 Exposure-affecting factors of dairy farmersRexposure to inhalable dust and endotoxin. Annals of 26 149 Occupational Hygiene, **2014**, 58, 707-23 Associations between selected allergens, phthalates, nicotine, polycyclic aromatic hydrocarbons, 148 and bedroom ventilation and clinically confirmed asthma, rhinoconjunctivitis, and atopic dermatitis 5.4 40 in preschool children. Indoor Air, 2014, 24, 136-47 Occupational chronic obstructive pulmonary disease: a systematic literature review. Scandinavian 83 147 4.3 Journal of Work, Environment and Health, 2014, 40, 19-35 Change in airway inflammatory markers in Danish energy plant workers during a working week. 146 6 1.4 Annals of Agricultural and Environmental Medicine, 2014, 21, 534-40 An indoor air filtration study in homes of elderly: cardiovascular and respiratory effects of exposure 6 145 71 to particulate matter. Environmental Health, 2013, 12, 116 Become a farmer and avoid new allergic sensitization: adult farming exposures protect against 11.5 144 new-onset atopic sensitization. Journal of Allergy and Clinical Immunology, 2013, 132, 1239-41 Systematic review of respiratory health among dairy workers. Journal of Agromedicine, 2013, 18, 219-43 1.9 36 143 Exposure to inhalable dust and endotoxin among Danish pig farmers affected by work tasks and 142 stable characteristics. Annals of Occupational Hygiene, 2013, 57, 1005-19 Remediating buildings damaged by dampness and mould for preventing or reducing respiratory tract symptoms, infections and asthma (Review). Evidence-Based Child Health: A Cochrane Review 141 2.2 Journal, **2013**, 8, 944-1000 Contribution from the ten major emission sectors in Europe and Denmark to the health-cost externalities of air pollution using the EVA model system han integrated modelling approach. 6.8 140 90 Atmospheric Chemistry and Physics, 2013, 13, 7725-7746 Assessment of past, present and future health-cost externalities of air pollution in Europe and the contribution from international ship traffic using the EVA model system. Atmospheric Chemistry and 6.8 66 139 Physics, 2013, 13, 7747-7764 Geriatric study in Europe on health effects of air quality in nursing homes (GERIE study) profile: 138 8 3 objectives, study protocol and descriptive data. Multidisciplinary Respiratory Medicine, 2013, 8, 71

137	Cross-shift and longitudinal changes in FEV1 among wood dust exposed workers. <i>Occupational and Environmental Medicine</i> , 2013 , 70, 22-8	2.1	15
136	Occupational exposure and new-onset asthma in a population-based study in Northern Europe (RHINE). <i>Annals of Occupational Hygiene</i> , 2013 , 57, 482-92		34
135	Climate Change and Global Public Health. <i>Turk Toraks Dergisi</i> , 2013 , 14, 115-122		7
134	Western red cedar and other wood dusts 2013 , 276-289		
133	Occupational asthma in the baking industry 2013 , 222-237		
132	The relationship of glutathione-S-transferases copy number variation and indoor air pollution to symptoms and markers of respiratory disease. <i>Clinical Respiratory Journal</i> , 2012 , 6, 175-85	1.7	9
131	Children ß health and its association with indoor environments in Danish homes and daycare centres - methods. <i>Indoor Air</i> , 2012 , 22, 467-75	5.4	30
130	The SELMA study: a birth cohort study in Sweden following more than 2000 mother-child pairs. <i>Paediatric and Perinatal Epidemiology</i> , 2012 , 26, 456-67	2.7	62
129	Sensitisation to common allergens and respiratory symptoms in endotoxin exposed workers: a pooled analysis. <i>Occupational and Environmental Medicine</i> , 2012 , 69, 99-106	2.1	44
128	Exposure to inhalable dust and endotoxin among Danish livestock farmers: results from the SUS cohort study. <i>Journal of Environmental Monitoring</i> , 2012 , 14, 604-14		39
127	Expression of adhesion molecules, monocyte interactions and oxidative stress in human endothelial cells exposed to wood smoke and diesel exhaust particulate matter. <i>Toxicology Letters</i> , 2012 , 209, 121-8	4.4	51
126	Effects of wood smoke particles from wood-burning stoves on the respiratory health of atopic humans. <i>Particle and Fibre Toxicology</i> , 2012 , 9, 12	8.4	47
125	Controlled human wood smoke exposure: oxidative stress, inflammation and microvascular function. <i>Particle and Fibre Toxicology</i> , 2012 , 9, 7	8.4	69
124	Guidelines for the management of work-related asthma. European Respiratory Journal, 2012, 39, 529-45	5 13.6	120
123	Genetic polymorphisms in antioxidative enzymes are associated to forced expiratory volume in 1 s (FEV1) in smokers independently of asthma. <i>Clinical Respiratory Journal</i> , 2012 , 6, 46-55	1.7	9
122	Predictors of monoterpene exposure in the Danish furniture industry. <i>Annals of Occupational Hygiene</i> , 2012 , 56, 253-63		3
121	Levels of endotoxin in 390 Swedish homes: determinants and the risk for respiratory symptoms in children. <i>International Journal of Environmental Health Research</i> , 2012 , 22, 22-36	3.6	16
120	Contribution of host factors and workplace exposure to the outcome of occupational asthma. European Respiratory Review. 2012. 21. 88-96	9.8	40

119	Consequences of asthma on job absenteeism and job retention. <i>Scandinavian Journal of Public Health</i> , 2012 , 40, 377-84	3	26	
118	Snow crab allergy and asthma among Greenlandic workersa pilot study. <i>International Journal of Circumpolar Health</i> , 2012 , 71, 19126	1.7	13	
117	Holzstaubexposition am Arbeitsplatz und Pr¶alenz einer spezifischen Sensibilisierung gegenßer Hl͡zern. <i>Allergologie</i> , 2012 , 35, 402-412	1	2	
116	Health effects of selected microbiological control agents. A 3-year follow-up study. <i>Annals of Agricultural and Environmental Medicine</i> , 2012 , 19, 631-6	1.4	2	
115	New-onset asthma and the effect of environment and occupation among farming and nonfarming rural subjects. <i>Journal of Allergy and Clinical Immunology</i> , 2011 , 128, 761-5	11.5	45	
114	Remediating buildings damaged by dampness and mould for preventing or reducing respiratory tract symptoms, infections and asthma. <i>Cochrane Database of Systematic Reviews</i> , 2011 , CD007897		18	
113	Reflections on the state of research: indoor environmental quality. <i>Indoor Air</i> , 2011 , 21, 219-30	5.4	24	
112	AGRICOH: a consortium of agricultural cohorts. <i>International Journal of Environmental Research and Public Health</i> , 2011 , 8, 1341-57	4.6	32	
111	Total viable molds and fungal DNA in classrooms and association with respiratory health and pulmonary function of European schoolchildren. <i>Pediatric Allergy and Immunology</i> , 2011 , 22, 843-52	4.2	51	
110	Genetic influences on pulmonary function: a large sample twin study. <i>Lung</i> , 2011 , 189, 323-30	2.9	27	
109	Does the use of biofuels affect respiratory health among male Danish energy plant workers?. <i>Occupational and Environmental Medicine</i> , 2011 , 68, 467-73	2.1	20	
108	Wood smoke in a controlled exposure experiment with human volunteers. <i>Inhalation Toxicology</i> , 2011 , 23, 277-88	2.7	26	
107	Management of occupational asthma: cessation or reduction of exposure? A systematic review of available evidence. <i>European Respiratory Journal</i> , 2011 , 38, 804-11	13.6	67	
106	Immunoglobulin E-mediated sensitization to pine and beech dust in relation to wood dust exposure levels and respiratory symptoms in the furniture industry. <i>Scandinavian Journal of Work, Environment and Health,</i> 2011 , 37, 159-67	4.3	9	
105	Moulds in floor dust - a particular problem in mechanically ventilated rooms? A study of adolescent schoolboys under the Danish moulds in buildings program. <i>Scandinavian Journal of Work, Environment and Health,</i> 2011 , 37, 332-40	4.3	6	
104	A possible role of chitin in the pathogenesis of asthma and allergy. <i>Annals of Agricultural and Environmental Medicine</i> , 2011 , 18, 7-12	1.4	29	
103	Impact of cross-reactive carbohydrate determinants on wood dust sensitization. <i>Clinical and Experimental Allergy</i> , 2010 , 40, 1099-106	4.1	33	
102	Indoor exposure to environmental cigarette smoke, but not other inhaled particulates associates with respiratory symptoms and diminished lung function in adults. <i>Respirology</i> , 2010 , 15, 993-1000	3.6	37	

101	Association of indoor air pollution with rhinitis symptoms, atopy and nitric oxide levels in exhaled air. <i>International Archives of Allergy and Immunology</i> , 2010 , 153, 403-12	3.7	21
100	School air quality related to dry cough, rhinitis and nasal patency in children. <i>European Respiratory Journal</i> , 2010 , 35, 742-9	13.6	125
99	A large-scale, consortium-based genomewide association study of asthma. <i>New England Journal of Medicine</i> , 2010 , 363, 1211-1221	59.2	1431
98	The cohort of young Danish farmers - A longitudinal study of the health effects of farming exposure. <i>Clinical Epidemiology</i> , 2010 , 2, 45-50	5.9	21
97	Differences in associations between markers of antioxidative defense and asthma are sex specific. <i>Gender Medicine</i> , 2010 , 7, 115-24		11
96	No effect of TETRA hand portable transmission signals on human cognitive function and symptoms. <i>Bioelectromagnetics</i> , 2010 , 31, 380-90	1.6	16
95	Epidemiology and risk factors of occupational respiratory asthma and occupational sensitization 2010 , 17-32		1
94	Asthma-like diseases in agriculture 2010 , 163-183		2
93	Non-malignant respiratory diseases and occupational exposure to wood dust. Part I. Fresh wood and mixed wood industry. <i>Annals of Agricultural and Environmental Medicine</i> , 2010 , 17, 15-28	1.4	25
92	Non-malignant respiratory diseases and occupational exposure to wood dust. Part II. Dry wood industry. <i>Annals of Agricultural and Environmental Medicine</i> , 2010 , 17, 29-44	1.4	27
91	Remediating buildings damaged by dampness and mould for preventing respiratory tract symptoms, infections and asthma 2009 ,		1
90	Sex determines the influence of smoking and gene polymorphism on glutathione peroxidase activity in erythrocytes. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2009 , 69, 295-302	2	13
89	Increased incidence of respiratory symptoms among female woodworkers exposed to dry wood. <i>European Respiratory Journal</i> , 2009 , 33, 1268-76	13.6	21
88	Airborne fungal and bacterial components in PM1 dust from biofuel plants. <i>Annals of Occupational Hygiene</i> , 2009 , 53, 749-57		31
87	Effects on human eyes caused by experimental exposures to office dust with and without addition of aldehydes or glucan. <i>Indoor Air</i> , 2009 , 19, 68-74	5.4	5
86	Low home ventilation rate in combination with moldy odor from the building structure increase the risk for allergic symptoms in children. <i>Indoor Air</i> , 2009 , 19, 184-92	5.4	59
85	Nasal hyperresponders and atopic subjects report different symptom intensity to air quality: a climate chamber study. <i>Indoor Air</i> , 2009 , 19, 218-25	5.4	5
84	Irritant and adjuvant effects of gaseous formaldehyde on the ovalbumin-induced hyperresponsiveness and inflammation in a rat model. <i>Inhalation Toxicology</i> , 2009 , 21, 1200-7	2.7	21

(2005-2008)

83	Lung function as a predictor of survival in very elderly people: the Danish 1905 cohort study. Journal of the American Geriatrics Society, 2008 , 56, 2150-2	5.6	8
82	Incidence rates of asthma, rhinitis and eczema symptoms and influential factors in young children in Sweden. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2008 , 97, 1210-5	3.1	32
81	The incidence of respiratory symptoms and sensitisation in baker apprentices. <i>European Respiratory Journal</i> , 2008 , 32, 452-9	13.6	38
80	Longitudinal lung function decline and wood dust exposure in the furniture industry. <i>European Respiratory Journal</i> , 2008 , 31, 334-42	13.6	35
79	Determinants of wood dust exposure in the Danish furniture industryresults from two cross-sectional studies 6 years apart. <i>Annals of Occupational Hygiene</i> , 2008 , 52, 227-38		28
78	The role of innate immunity in occupational allergy: recent findings. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2008 , 8, 120-5	3.3	17
77	Cognitive function and symptoms in adults and adolescents in relation to rf radiation from UMTS base stations. <i>Bioelectromagnetics</i> , 2008 , 29, 257-67	1.6	34
76	Current state of the science: health effects and indoor environmental quality. <i>Environmental Health Perspectives</i> , 2007 , 115, 958-64	8.4	160
75	Health effects of airborne exposures from concentrated animal feeding operations. <i>Environmental Health Perspectives</i> , 2007 , 115, 298-302	8.4	120
74	In search of a common European approach to a healthy indoor environment. <i>Environmental Health Perspectives</i> , 2007 , 115, 983-8	8.4	13
73	CD4dimCD25bright Treg cell frequencies above a standardized gating threshold are similar in asthmatics and controls. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2007 , 71, 371-8	4.6	17
72	Atopy and new-onset asthma in young Danish farmers and CD14, TLR2, and TLR4 genetic polymorphisms: a nested case-control study. <i>Clinical and Experimental Allergy</i> , 2007 , 37, 1602-8	4.1	66
71	Allergy in bakersRapprentices and factors associated to non-participation in a cohort study of allergic sensitization. <i>International Archives of Occupational and Environmental Health</i> , 2007 , 80, 458-64	3.2	12
70	Acute effect of glucan-spiked office dust on nasal and pulmonary inflammation in guinea pigs. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2007 , 70, 1923-8	3.2	7
69	Sandblasting jeans kills young people. European Respiratory Journal, 2006, 28, 885-6	13.6	13
68	Potential self-selection bias in a nested case-control study on indoor environmental factors and their association with asthma and allergic symptoms among pre-school children. <i>Scandinavian Journal of Public Health</i> , 2006 , 34, 534-43	3	32
67	Upper-airway inflammation in relation to dust spiked with aldehydes or glucan. <i>Scandinavian Journal of Work, Environment and Health</i> , 2006 , 32, 374-82	4.3	32
66	On the hygiene hypothesis: regulation down, up, or sideways?. <i>Journal of Allergy and Clinical Immunology</i> , 2005 , 115, 1325-6; author reply 1326	11.5	6

65	Respiratory allergy in agricultural workers: recent developments. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2005 , 5, 129-34	3.3	15
64	Interaction between ozone and airborne particulate matter in office air. <i>Indoor Air</i> , 2005 , 15, 383-92	5.4	33
63	Association between ventilation rates in 390 Swedish homes and allergic symptoms in children. <i>Indoor Air</i> , 2005 , 15, 275-80	5.4	143
62	Microbial cell wall agents as an occupational hazard. <i>Toxicology and Applied Pharmacology</i> , 2005 , 207, 310-9	4.6	34
61	Potential selection biases. Environmental Health Perspectives, 2005, 113, A152-3	8.4	2
60	Phthalates in indoor dust and their association with building characteristics. <i>Environmental Health Perspectives</i> , 2005 , 113, 1399-404	8.4	304
59	A single exposure to organic dust of non-nalle non-exposed volunteers induces long-lasting symptoms of endotoxin tolerance. <i>International Archives of Allergy and Immunology</i> , 2005 , 138, 121-6	3.7	19
58	Potential Selection Biases. Environmental Health Perspectives, 2005, 113, A152-A153	8.4	9
57	Indices of asthma among atopic and non-atopic woodworkers. <i>Occupational and Environmental Medicine</i> , 2004 , 61, 504-11	2.1	31
56	The association between asthma and allergic symptoms in children and phthalates in house dust: a nested case-control study. <i>Environmental Health Perspectives</i> , 2004 , 112, 1393-7	8.4	607
55	Cross-shift changes in FEV1 in relation to wood dust exposure: the implications of different exposure assessment methods. <i>Occupational and Environmental Medicine</i> , 2004 , 61, 824-30	2.1	14
54	Dampness in buildings as a risk factor for health effects, EUROEXPO: a multidisciplinary review of the literature (1998-2000) on dampness and mite exposure in buildings and health effects. <i>Indoor Air</i> , 2004 , 14, 243-57	5.4	217
53	Dampness in buildings and health (DBH): Report from an ongoing epidemiological investigation on the association between indoor environmental factors and health effects among children in Sweden. <i>Indoor Air</i> , 2004 , 14 Suppl 7, 59-66	5.4	158
52	Respiratory symptoms and ex vivo cytokine release are associated in workers processing herring. <i>International Archives of Occupational and Environmental Health</i> , 2004 , 77, 136-41	3.2	14
51	Molds in floor dust and building-related symptoms in adolescent school children. <i>Indoor Air</i> , 2004 , 14, 65-72	5.4	56
50	Working Group report 1: tools for the diagnosis of organic dusts-induced disease. <i>American Journal of Industrial Medicine</i> , 2004 , 46, 410-3	2.7	4
49	Endotoxins isolated from the air of a Danish paper mill and the relation to change in lung function: an 11-year follow-up. <i>American Journal of Industrial Medicine</i> , 2004 , 46, 327-32	2.7	8
48	Wood dust sensitization among Danish woodworkers. <i>American Journal of Industrial Medicine</i> , 2004 , 46, 408-9	2.7	3

(1999-2004)

47	Exposure to work-related levels of swine dust up-regulates CD106 on human alveolar macrophages. <i>American Journal of Industrial Medicine</i> , 2004 , 46, 378-80	2.7	4
46	IgE sensitization to bacterial and fungal biopesticides in a cohort of Danish greenhouse workers: the BIOGART study. <i>American Journal of Industrial Medicine</i> , 2004 , 46, 404-7	2.7	38
45	Ex vivo induction of cytokines by mould components in whole blood of atopic and non-atopic volunteers. <i>Cytokine</i> , 2004 , 25, 73-84	4	18
44	Occupational asthma diagnosis in workers exposed to organic dust. <i>Annals of Agricultural and Environmental Medicine</i> , 2004 , 11, 1-7	1.4	12
43	Respiratory health and allergy among young farmers and non-farming rural males in Denmark: the SUS study. <i>Journal of Agromedicine</i> , 2004 , 9, 223-38	1.9	8
42	Plasma C3d levels of young farmers correlate with respirable dust exposure levels during normal work in swine confinement buildings. <i>Annals of Agricultural and Environmental Medicine</i> , 2003 , 10, 53-60	1.4	8
41	Building-related symptoms and molds: a two-step intervention study. <i>Indoor Air</i> , 2002 , 12, 273-7	5.4	33
40	Selenium serum and urine is associated to mild asthma and atopy. The SUS study. <i>Journal of Trace Elements in Medicine and Biology</i> , 2002 , 16, 123-7	4.1	21
39	Low prevalence of atopy in young Danish farmers and farming students born and raised on a farm. <i>Clinical and Experimental Allergy</i> , 2002 , 32, 247-53	4.1	114
38	Determinants of wood dust exposure in the Danish furniture industry. <i>Annals of Occupational Hygiene</i> , 2002 , 46, 673-85		20
37	Nasal patency is related to dust exposure in woodworkers. <i>Occupational and Environmental Medicine</i> , 2002 , 59, 23-9	2.1	23
36	Time domain and flow indices of bronchial hyperresponsiveness: association with asthma symptoms, atopy and smoking. <i>European Respiratory Journal</i> , 2002 , 20, 86-91	13.6	5
35	Do indoor molds in nonindustrial environments threaten workersRhealth? A review of the epidemiologic evidence. <i>Epidemiologic Reviews</i> , 2002 , 24, 203-17	4.1	23
34	Respiratory symptoms and lung function among Danish woodworkers. <i>Journal of Occupational and Environmental Medicine</i> , 2002 , 44, 82-98	2	35
33	The short-term repeatability of histamine bronchial testing in young males. The SUS study. <i>Respiratory Medicine</i> , 2001 , 95, 287-91	4.6	3
32	S and Z alpha1-antitrypsin alleles are risk factors for bronchial hyperresponsiveness in young farmers: an example of gene/environment interaction. <i>European Respiratory Journal</i> , 2000 , 16, 50-5	13.6	51
31	Cytokine release from the nasal mucosa and whole blood after experimental exposures to organic dusts. <i>European Respiratory Journal</i> , 2000 , 16, 140-5	13.6	60
30	Genetic and environmental influence on asthma: a population-based study of 11,688 Danish twin pairs. <i>European Respiratory Journal</i> , 1999 , 13, 8-14	13.6	110

29	Lung status in young Danish rurals: the effect of farming exposure on asthma-like symptoms and lung function. <i>European Respiratory Journal</i> , 1999 , 13, 31-7	13.6	35
28	The Cytotoxic Potential of Household Waste During Composting. <i>Waste Management and Research</i> , 1997 , 15, 189-196	4	1
27	Respiratory Health and Allergy Among Young Farmers and Non-Farming Rural Males in Denmark. Journal of Agromedicine, 1997 , 4, 63-78	1.9	16
26	THE CYTOTOXIC POTENTIAL OF HOUSEHOLD WASTE DURING COMPOSTING. Waste Management and Research, 1997 , 15, 189-196	4	
25	Spirometry with a Fleisch pneumotachograph: upstream heat exchanger replaces heating requirement. <i>Journal of Applied Physiology</i> , 1997 , 82, 1053-7	3.7	2
24	Glutathione S-transferase mu as a risk factor in bladder tumours. <i>Pharmacogenetics and Genomics</i> , 1996 , 6, 251-6		27
23	Peak expiratory flow and the resistance of the mini-wright peak flow meter. <i>European Respiratory Journal</i> , 1996 , 9, 828-33	13.6	28
22	Exposure to urban and rural air pollution: DNA and protein adducts and effect of glutathione-S-transferase genotype on adduct levels. <i>International Archives of Occupational and Environmental Health</i> , 1996 , 68, 170-6	3.2	27
21	Exposure to urban and rural air pollution: DNA and protein adducts and effect of glutathione-S-transferase genotype on adduct levels. <i>International Archives of Occupational and Environmental Health</i> , 1996 , 68, 170-176	3.2	
20	Respiratory disorders and atopy in Danish refuse workers. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1994 , 149, 1407-12	10.2	83
19	Exposure of iron foundry workers to polycyclic aromatic hydrocarbons: benzo(a)pyrene-albumin adducts and 1-hydroxypyrene as biomarkers for exposure. <i>Occupational and Environmental Medicine</i> , 1994 , 51, 513-8	2.1	41
18	Correlation between work process-related exposure to polycyclic aromatic hydrocarbons and urinary levels of alpha-naphthol, beta-naphthylamine and 1-hydroxypyrene in iron foundry workers. <i>International Archives of Occupational and Environmental Health</i> , 1994 , 65, 385-94	3.2	53
17	The validity of determination of ⊞aphthol in urine as a marker for exposure to polycyclic aromatic hydrocarbons. <i>Analytica Chimica Acta</i> , 1994 , 291, 341-347	6.6	9
16	Lung function changes among recycling workers exposed to organic dust. <i>American Journal of Industrial Medicine</i> , 1994 , 25, 69-72	2.7	27
15	Mites, proteases, animal proteins, and microbes. American Journal of Industrial Medicine, 1994, 25, 145-	62.7	
14	Prevention of thermal and condensation errors in pneumotachographic recordings of the maximal forced expiratory manoeuvre. <i>European Respiratory Journal</i> , 1994 , 7, 198-201	13.6	13
13	Low normal alpha-1-antitrypsin serum concentrations and MZ-phenotype are associated with byssinosis and familial allergy in cotton mill workers. <i>Pharmacogenetics and Genomics</i> , 1994 , 4, 135-41		12
12	Portable peak flow meters: physical characteristics, influence of temperature, altitude, and humidity. <i>European Respiratory Journal</i> , 1994 , 7, 991-7	13.6	21

LIST OF PUBLICATIONS

11	byssinosis in cotton mill workers? Considerations regarding analytical quality requirements and economical consequences. <i>Upsala Journal of Medical Sciences</i> , 1993 , 98, 299-310	2.8	2
10	Interaction of smoking, uptake of polycyclic aromatic hydrocarbons, and cytochrome P450IA2 activity among foundry workers. <i>Occupational and Environmental Medicine</i> , 1992 , 49, 197-202	2.1	13
9	Occupational Health Problems Due To Garbage Sorting. Waste Management and Research, 1992 , 10, 227	7- <u>2</u> 34	57
8	Respiratory disorders and atopy in cotton, wool, and other textile mill workers in Denmark. <i>American Journal of Industrial Medicine</i> , 1992 , 22, 163-84	2.7	40
7	Biological health risk associated with resource recovery, sorting of recycle waste and composting. <i>Grana</i> , 1991 , 30, 454-457	0.8	12
6	Respiratory impairment among workers in a garbage-handling plant. <i>American Journal of Industrial Medicine</i> , 1990 , 17, 92-3	2.7	28
5	Biological monitoring of foundry workers exposed to polycyclic aromatic hydrocarbons. <i>Occupational and Environmental Medicine</i> , 1990 , 47, 448-53	2.1	19
4	Occupationally related respiratory symptoms in trout-processing workers. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1989 , 44, 336-41	9.3	41
3	A novel stilbene from the wood of Chlorophora excelsa. <i>Phytochemistry</i> , 1988 , 27, 3014-3016	4	11
2	Pneumaturia caused by alcoholic fermentation. A case report. <i>Scandinavian Journal of Urology and Nephrology</i> , 1985 , 19, 297-8		

Agricultural Environments and the Food Industry159-175