

Bente Kiens

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/337610/bente-kiens-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

133
papers

9,885
citations

57
h-index

97
g-index

141
ext. papers

11,185
ext. citations

6.7
avg, IF

6.09
L-index

#	Paper	IF	Citations
133	Personalized phosphoproteomics identifies functional signaling. <i>Nature Biotechnology</i> , 2021 ,	44.5	8
132	Hypothalamic hormone-sensitive lipase regulates appetite and energy homeostasis. <i>Molecular Metabolism</i> , 2021 , 47, 101174	8.8	3
131	Small Amounts of Dietary Medium-Chain Fatty Acids Protect Against Insulin Resistance During Caloric Excess in Humans. <i>Diabetes</i> , 2021 , 70, 91-98	0.9	4
130	Pharmacological but not physiological GDF15 suppresses feeding and the motivation to exercise. <i>Nature Communications</i> , 2021 , 12, 1041	17.4	23
129	Deep muscle-proteomic analysis of freeze-dried human muscle biopsies reveals fiber type-specific adaptations to exercise training. <i>Nature Communications</i> , 2021 , 12, 304	17.4	26
128	Nutritional optimization for female elite football players-topical review. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021 ,	4.6	3
127	Restriction of essential amino acids dictates the systemic metabolic response to dietary protein dilution. <i>Nature Communications</i> , 2020 , 11, 2894	17.4	27
126	Quantification of exercise-regulated ubiquitin signaling in human skeletal muscle identifies protein modification cross talk via NEDDylation. <i>FASEB Journal</i> , 2020 , 34, 5906-5916	0.9	10
125	Pharmacological targeting of $\alpha 4$ nicotinic receptors improves peripheral insulin sensitivity in mice with diet-induced obesity. <i>Diabetologia</i> , 2020 , 63, 1236-1247	10.3	3
124	A Single Bout of One-Legged Exercise to Local Exhaustion Decreases Insulin Action in Nonexercised Muscle Leading to Decreased Whole-Body Insulin Action. <i>Diabetes</i> , 2020 , 69, 578-590	0.9	9
123	The Importance of Fatty Acids as Nutrients during Post-Exercise Recovery. <i>Nutrients</i> , 2020 , 12,	6.7	18
122	Cancer causes metabolic perturbations associated with reduced insulin-stimulated glucose uptake in peripheral tissues and impaired muscle microvascular perfusion. <i>Metabolism: Clinical and Experimental</i> , 2020 , 105, 154169	12.7	11
121	Prior exercise in humans redistributes intramuscular GLUT4 and enhances insulin-stimulated sarcolemmal and endosomal GLUT4 translocation. <i>Molecular Metabolism</i> , 2020 , 39, 100998	8.8	12
120	Insulin-induced membrane permeability to glucose in human muscles at rest and following exercise. <i>Journal of Physiology</i> , 2020 , 598, 303-315	3.9	21
119	Glucometabolic consequences of acute and prolonged inhibition of fatty acid oxidation. <i>Journal of Lipid Research</i> , 2020 , 61, 10-19	6.3	15
118	Effects of Short-Term Dietary Protein Restriction on Blood Amino Acid Levels in Young Men. <i>Nutrients</i> , 2020 , 12,	6.7	1
117	Mechanisms Underlying Absent Training-Induced Improvement in Insulin Action in Lean, Hyperandrogenic Women With Polycystic Ovary Syndrome. <i>Diabetes</i> , 2020 , 69, 2267-2280	0.9	5

116	The insulin-sensitizing effect of a single exercise bout is similar in type I and type II human muscle fibres. <i>Journal of Physiology</i> , 2020 , 598, 5687-5699	3.9	7
115	Tuning fatty acid oxidation in skeletal muscle with dietary fat and exercise. <i>Nature Reviews Endocrinology</i> , 2020 , 16, 683-696	15.2	28
114	Thyroid hormone receptor β in skeletal muscle is essential for T3-mediated increase in energy expenditure. <i>FASEB Journal</i> , 2020 , 34, 15480-15491	0.9	10
113	pH-Gated Succinate Secretion Regulates Muscle Remodeling in Response to Exercise. <i>Cell</i> , 2020 , 183, 62-75.e17	56.2	37
112	ApoA-1 improves glucose tolerance by increasing glucose uptake into heart and skeletal muscle independently of AMPK. <i>Molecular Metabolism</i> , 2020 , 35, 100949	8.8	10
111	Fatty acid type-specific regulation of SIRT1 does not affect insulin sensitivity in human skeletal muscle. <i>FASEB Journal</i> , 2019 , 33, 5510-5519	0.9	3
110	Dietary Fuels in Athletic Performance. <i>Annual Review of Nutrition</i> , 2019 , 39, 45-73	9.9	12
109	Suboptimal Nutrition and Low Physical Activity Are Observed Together with Reduced Plasma (BDNF) Concentration in Children with Severe Cerebral Palsy (CP). <i>Nutrients</i> , 2019 , 11,	6.7	5
108	Human Paneth cell β -defensin-5 treatment reverses dyslipidemia and improves glucoregulatory capacity in diet-induced obese mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2019 , 317, E42-E52	6	12
107	Adaptations in Mitochondrial Enzymatic Activity Occurs Independent of Genomic Dosage in Response to Aerobic Exercise Training and Deconditioning in Human Skeletal Muscle. <i>Cells</i> , 2019 , 8,	7.9	11
106	Molecular Mechanisms in Skeletal Muscle Underlying Insulin Resistance in Women Who Are Lean With Polycystic Ovary Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 1841-1854	5.6	30
105	Effect of bariatric surgery on plasma GDF15 in humans. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2019 , 316, E615-E621	6	13
104	ADAMTS9 Regulates Skeletal Muscle Insulin Sensitivity Through Extracellular Matrix Alterations. <i>Diabetes</i> , 2019 , 68, 502-514	0.9	11
103	Exercise training reduces the insulin-sensitizing effect of a single bout of exercise in human skeletal muscle. <i>Journal of Physiology</i> , 2019 , 597, 89-103	3.9	31
102	Mechanisms Preserving Insulin Action during High Dietary Fat Intake. <i>Cell Metabolism</i> , 2019 , 29, 50-63.e4	4.6	29
101	Exercise increases circulating GDF15 in humans. <i>Molecular Metabolism</i> , 2018 , 9, 187-191	8.8	68
100	Extracellular Vesicles Provide a Means for Tissue Crosstalk during Exercise. <i>Cell Metabolism</i> , 2018 , 27, 237-251.e4	24.6	257
99	Exercise-induced molecular mechanisms promoting glycogen supercompensation in human skeletal muscle. <i>Molecular Metabolism</i> , 2018 , 16, 24-34	8.8	32

98	Molecular Regulation of Fatty Acid Oxidation in Skeletal Muscle during Aerobic Exercise. <i>Trends in Endocrinology and Metabolism</i> , 2018 , 29, 18-30	8.8	68
97	Hepatic Insulin Clearance in Regulation of Systemic Insulin Concentrations-Role of Carbohydrate and Energy Availability. <i>Diabetes</i> , 2018 , 67, 2129-2136	0.9	50
96	FGF21 does not require adipocyte AMP-activated protein kinase (AMPK) or the phosphorylation of acetyl-CoA carboxylase (ACC) to mediate improvements in whole-body glucose homeostasis. <i>Molecular Metabolism</i> , 2017 , 6, 471-481	8.8	29
95	Exercise Increases Human Skeletal Muscle Insulin Sensitivity via Coordinated Increases in Microvascular Perfusion and Molecular Signaling. <i>Diabetes</i> , 2017 , 66, 1501-1510	0.9	96
94	Multiplexed Temporal Quantification of the Exercise-regulated Plasma Peptidome. <i>Molecular and Cellular Proteomics</i> , 2017 , 16, 2055-2068	7.6	32
93	Opposite Regulation of Insulin Sensitivity by Dietary Lipid Versus Carbohydrate Excess. <i>Diabetes</i> , 2017 , 66, 2583-2595	0.9	37
92	Repletion of branched chain amino acids reverses mTORC1 signaling but not improved metabolism during dietary protein dilution. <i>Molecular Metabolism</i> , 2017 , 6, 873-881	8.8	42
91	Supplementation of docosahexaenoic acid (DHA), vitamin D and uridine in combination with six weeks of cognitive and motor training in prepubescent children: a pilot study. <i>BMC Nutrition</i> , 2017 , 3, 37	2.5	1
90	Near-normalization of glycaemic control with glucagon-like peptide-1 receptor agonist treatment combined with exercise in patients with type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2017 , 19, 172-180	6.7	21
89	Circulating FGF21 in humans is potently induced by short term overfeeding of carbohydrates. <i>Molecular Metabolism</i> , 2017 , 6, 22-29	8.8	64
88	mTORC2 and AMPK differentially regulate muscle triglyceride content via Perilipin 3. <i>Molecular Metabolism</i> , 2016 , 5, 646-655	8.8	37
87	Role of AMPK in regulation of LC3 lipidation as a marker of autophagy in skeletal muscle. <i>Cellular Signalling</i> , 2016 , 28, 663-74	4.9	45
86	A liver stress-endocrine nexus promotes metabolic integrity during dietary protein dilution. <i>Journal of Clinical Investigation</i> , 2016 , 126, 3263-78	15.9	91
85	FFAR4 (GPR120) Signaling Is Not Required for Anti-Inflammatory and Insulin-Sensitizing Effects of Omega-3 Fatty Acids. <i>Mediators of Inflammation</i> , 2016 , 2016, 1536047	4.3	36
84	Regulation of autophagy in human skeletal muscle: effects of exercise, exercise training and insulin stimulation. <i>Journal of Physiology</i> , 2016 , 594, 745-61	3.9	57
83	Dietary fat drives whole-body insulin resistance and promotes intestinal inflammation independent of body weight gain. <i>Metabolism: Clinical and Experimental</i> , 2016 , 65, 1706-1719	12.7	17
82	Partial Disruption of Lipolysis Increases Postexercise Insulin Sensitivity in Skeletal Muscle Despite Accumulation of DAG. <i>Diabetes</i> , 2016 , 65, 2932-42	0.9	18
81	Analysis of the liver lipidome reveals insights into the protective effect of exercise on high-fat diet-induced hepatosteatosis in mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2015 , 308, E778-91	6	37

80	New Nordic Diet-Induced Weight Loss Is Accompanied by Changes in Metabolism and AMPK Signaling in Adipose Tissue. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 3509-19	5.6	33
79	Differential effects of glucagon-like peptide-1 on microvascular recruitment and glucose metabolism in short- and long-term insulin resistance. <i>Journal of Physiology</i> , 2015 , 593, 2185-98	3.9	18
78	Global Phosphoproteomic Analysis of Human Skeletal Muscle Reveals a Network of Exercise-Regulated Kinases and AMPK Substrates. <i>Cell Metabolism</i> , 2015 , 22, 922-35	24.6	233
77	Enhanced insulin signaling in human skeletal muscle and adipose tissue following gastric bypass surgery. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2015 , 309, R510-24	3.2	39
76	5SRAMP activated protein kinase α controls substrate metabolism during post-exercise recovery via regulation of pyruvate dehydrogenase kinase β . <i>Journal of Physiology</i> , 2015 , 593, 4765-80	3.9	27
75	Ketogenic Diets for Fat Loss and Exercise Performance: Benefits and Safety?. <i>Exercise and Sport Sciences Reviews</i> , 2015 , 43, 109	6.7	6
74	AMPK β is critical for enhancing skeletal muscle fatty acid utilization during in vivo exercise in mice. <i>FASEB Journal</i> , 2015 , 29, 1725-38	0.9	55
73	Exercise physiology: from performance studies to muscle physiology and cardiovascular adaptations. <i>Journal of Applied Physiology</i> , 2014 , 117, 943-4	3.7	2
72	Early enhancements of hepatic and later of peripheral insulin sensitivity combined with increased postprandial insulin secretion contribute to improved glycemic control after Roux-en-Y gastric bypass. <i>Diabetes</i> , 2014 , 63, 1725-37	0.9	192
71	Regulation of exercise-induced lipid metabolism in skeletal muscle. <i>Experimental Physiology</i> , 2014 , 99, 1586-92	2.4	24
70	GLP-1 increases microvascular recruitment but not glucose uptake in human and rat skeletal muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2014 , 306, E355-62	6	40
69	Acute exercise improves motor memory: exploring potential biomarkers. <i>Neurobiology of Learning and Memory</i> , 2014 , 116, 46-58	3.1	193
68	Acute mTOR inhibition induces insulin resistance and alters substrate utilization in vivo. <i>Molecular Metabolism</i> , 2014 , 3, 630-41	8.8	57
67	Insulin sensitivity is independent of lipid binding protein trafficking at the plasma membrane in human skeletal muscle: effect of a 3-day, high-fat diet. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2014 , 307, R1136-45	3.2	8
66	Gender differences in skeletal muscle substrate metabolism - molecular mechanisms and insulin sensitivity. <i>Frontiers in Endocrinology</i> , 2014 , 5, 195	5.7	115
65	Fat Metabolism During and After Exercise 2013 , 156-165		
64	Contraction-induced lipolysis is not impaired by inhibition of hormone-sensitive lipase in skeletal muscle. <i>Journal of Physiology</i> , 2013 , 591, 5141-55	3.9	31
63	LKB1 regulates lipid oxidation during exercise independently of AMPK. <i>Diabetes</i> , 2013 , 62, 1490-9	0.9	54

62	Adiponectin concentration is associated with muscle insulin sensitivity, AMPK phosphorylation, and ceramide content in skeletal muscles of men but not women. <i>Journal of Applied Physiology</i> , 2013 , 114, 592-601	3.7	27
61	Rac1 signaling is required for insulin-stimulated glucose uptake and is dysregulated in insulin-resistant murine and human skeletal muscle. <i>Diabetes</i> , 2013 , 62, 1865-75	0.9	128
60	AMPK and insulin action--responses to ageing and high fat diet. <i>PLoS ONE</i> , 2013 , 8, e62338	3.7	21
59	Exercise alleviates lipid-induced insulin resistance in human skeletal muscle--signaling interaction at the level of TBC1 domain family member 4. <i>Diabetes</i> , 2012 , 61, 2743-52	0.9	78
58	Enhanced fatty acid oxidation and FATP4 protein expression after endurance exercise training in human skeletal muscle. <i>PLoS ONE</i> , 2012 , 7, e29391	3.7	39
57	Response to Comment on: Hoeg et al. Lipid-Induced Insulin Resistance Affects Women Less Than Men and Is Not Accompanied by Inflammation or Impaired Proximal Insulin Signaling. <i>Diabetes</i> 2011;60:64-73. <i>Diabetes</i> , 2011 , 60, e24-e24	0.9	78
56	Contraction-induced skeletal muscle FAT/CD36 trafficking and FA uptake is AMPK independent. <i>Journal of Lipid Research</i> , 2011 , 52, 699-711	6.3	59
55	Factors regulating fat oxidation in human skeletal muscle. <i>Obesity Reviews</i> , 2011 , 12, 852-8	10.6	31
54	Energy availability in athletes. <i>Journal of Sports Sciences</i> , 2011 , 29 Suppl 1, S7-15	3.6	218
53	Lipid-induced insulin resistance affects women less than men and is not accompanied by inflammation or impaired proximal insulin signaling. <i>Diabetes</i> , 2011 , 60, 64-73	0.9	96
52	AMP-activated protein kinase (AMPK) beta1beta2 muscle null mice reveal an essential role for AMPK in maintaining mitochondrial content and glucose uptake during exercise. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 16092-7	11.5	313
51	A new method to study changes in microvascular blood volume in muscle and adipose tissue: real-time imaging in humans and rat. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2011 , 301, H450-8	5.2	61
50	FAT/CD36 is localized in sarcolemma and in vesicle-like structures in subsarcolemma regions but not in mitochondria. <i>Journal of Lipid Research</i> , 2010 , 51, 1504-12	6.3	24
49	Adipose triglyceride lipase in human skeletal muscle is upregulated by exercise training. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2009 , 296, E445-53	6	102
48	Higher intramuscular triacylglycerol in women does not impair insulin sensitivity and proximal insulin signaling. <i>Journal of Applied Physiology</i> , 2009 , 107, 824-31	3.7	53
47	Contractions but not AICAR increase FABPpm content in rat muscle sarcolemma. <i>Molecular and Cellular Biochemistry</i> , 2009 , 326, 45-53	4.2	11
46	Potential role of TBC1D4 in enhanced post-exercise insulin action in human skeletal muscle. <i>Diabetologia</i> , 2009 , 52, 891-900	10.3	92
45	Exercise improves phosphatidylinositol-3,4,5-trisphosphate responsiveness of atypical protein kinase C and interacts with insulin signalling to peptide elongation in human skeletal muscle. <i>Journal of Physiology</i> , 2007 , 582, 1289-301	3.9	33

44	Effects of endurance exercise training on insulin signaling in human skeletal muscle: interactions at the level of phosphatidylinositol 3-kinase, Akt, and AS160. <i>Diabetes</i> , 2007 , 56, 2093-102	0.9	137
43	Sex differences in hormone-sensitive lipase expression, activity, and phosphorylation in skeletal muscle at rest and during exercise. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2006 , 291, E1106-14	6	74
42	Skeletal muscle lipid metabolism in exercise and insulin resistance. <i>Physiological Reviews</i> , 2006 , 86, 205-47.9	47.9	343
41	Higher skeletal muscle alpha2AMPK activation and lower energy charge and fat oxidation in men than in women during submaximal exercise. <i>Journal of Physiology</i> , 2006 , 574, 125-38	3.9	125
40	Ca ²⁺ -calmodulin-dependent protein kinase expression and signalling in skeletal muscle during exercise. <i>Journal of Physiology</i> , 2006 , 574, 889-903	3.9	159
39	Malonyl-CoA and carnitine in regulation of fat oxidation in human skeletal muscle during exercise. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2005 , 288, E133-42	6	123
38	Lipid-binding proteins and lipoprotein lipase activity in human skeletal muscle: influence of physical activity and gender. <i>Journal of Applied Physiology</i> , 2004 , 97, 1209-18	3.7	108
37	Regulation of hormone-sensitive lipase activity and Ser563 and Ser565 phosphorylation in human skeletal muscle during exercise. <i>Journal of Physiology</i> , 2004 , 560, 551-62	3.9	74
36	Carbohydrates and fat for training and recovery. <i>Journal of Sports Sciences</i> , 2004 , 22, 15-30	3.6	254
35	Studies of plasma membrane fatty acid-binding protein and other lipid-binding proteins in human skeletal muscle. <i>Proceedings of the Nutrition Society</i> , 2004 , 63, 239-44	2.9	37
34	Regulation of 5AMP-activated protein kinase activity and substrate utilization in exercising human skeletal muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2003 , 284, E813-22	6	242
33	Utilization of long-chain fatty acids in human skeletal muscle during exercise. <i>Acta Physiologica Scandinavica</i> , 2003 , 178, 391-6		12
32	Partial restoration of dietary fat induced metabolic adaptations to training by 7 days of carbohydrate diet. <i>Journal of Applied Physiology</i> , 2002 , 93, 1797-805	3.7	11
31	Myocellular triacylglycerol breakdown in females but not in males during exercise. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2002 , 282, E634-42	6	160
30	Caffeine-induced impairment of insulin action but not insulin signaling in human skeletal muscle is reduced by exercise. <i>Diabetes</i> , 2002 , 51, 583-90	0.9	133
29	Gender differences in substrate utilization during submaximal exercise in endurance-trained subjects. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2002 , 282, E435-47	6	172
28	Regulation of glycogen synthase kinase-3 in human skeletal muscle: effects of food intake and bicycle exercise. <i>Diabetes</i> , 2001 , 50, 265-9	0.9	68
27	. <i>Journal of Physiology</i> , 2001 , 537, 1009-1020	3.9	127

26	Caffeine ingestion does not alter carbohydrate or fat metabolism in human skeletal muscle during exercise. <i>Journal of Physiology</i> , 2000 , 529 Pt 3, 837-47	3.9	144
25	Isoform-specific and exercise intensity-dependent activation of 5RAMP-activated protein kinase in human skeletal muscle. <i>Journal of Physiology</i> , 2000 , 528 Pt 1, 221-6	3.9	327
24	Glucose uptake is increased in trained vs. untrained muscle during heavy exercise. <i>Journal of Applied Physiology</i> , 2000 , 89, 1151-8	3.7	56
23	Insulin signaling and insulin sensitivity after exercise in human skeletal muscle. <i>Diabetes</i> , 2000 , 49, 325-30	3.9	290
22	Exercise diminishes the activity of acetyl-CoA carboxylase in human muscle. <i>Diabetes</i> , 2000 , 49, 1295-300	3.9	103
21	Glycogen concentration in human skeletal muscle: effect of prolonged insulin and glucose infusion. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 1999 , 9, 209-13	4.6	13
20	Fatty acid transporters (FABPpm, FAT, FATP) in human muscle. <i>Applied Physiology, Nutrition, and Metabolism</i> , 1999 , 24, 515-23		52
19	Effect of high-fat diets on exercise performance. <i>Proceedings of the Nutrition Society</i> , 1998 , 57, 73-5	2.9	17
18	Utilization of skeletal muscle triacylglycerol during postexercise recovery in humans. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1998 , 275, E332-7	6	132
17	Endurance in high-fat-fed rats: effects of carbohydrate content and fatty acid profile. <i>Journal of Applied Physiology</i> , 1998 , 85, 1342-8	3.7	25
16	Impact of a fat-rich diet on endurance in man: role of the dietary period. <i>Medicine and Science in Sports and Exercise</i> , 1998 , 30, 456-61	1.2	56
15	Insulin signaling in human skeletal muscle: time course and effect of exercise. <i>Diabetes</i> , 1997 , 46, 1775-81	3.9	161
14	Membrane associated fatty acid binding protein (FABPpm) in human skeletal muscle is increased by endurance training. <i>Biochemical and Biophysical Research Communications</i> , 1997 , 231, 463-5	3.4	117
13	Interaction of training and diet on metabolism and endurance during exercise in man. <i>Journal of Physiology</i> , 1996 , 492 (Pt 1), 293-306	3.9	112
12	Eccentric exercise decreases maximal insulin action in humans: muscle and systemic effects. <i>Journal of Physiology</i> , 1996 , 494 (Pt 3), 891-8	3.9	67
11	Types of carbohydrate in an ordinary diet affect insulin action and muscle substrates in humans. <i>American Journal of Clinical Nutrition</i> , 1996 , 63, 47-53	7	149
10	Skeletal muscle substrate utilization during submaximal exercise in man: effect of endurance training. <i>Journal of Physiology</i> , 1993 , 469, 459-78	3.9	317
9	Increased plasma FFA uptake and oxidation during prolonged exercise in trained vs. untrained humans. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1992 , 262, E791-9	6	103

8	Influence of active muscle mass on glucose homeostasis during exercise in humans. <i>Journal of Applied Physiology</i> , 1991 , 71, 552-7	3.7	90
7	Insulin action in human thighs after one-legged immobilization. <i>Journal of Applied Physiology</i> , 1989 , 67, 19-23	3.7	65
6	Effect of exercise on insulin action in human skeletal muscle. <i>Journal of Applied Physiology</i> , 1989 , 66, 876-85	3.7	291
5	Lipoprotein metabolism influenced by training-induced changes in human skeletal muscle. <i>Journal of Clinical Investigation</i> , 1989 , 83, 558-64	15.9	162
4	Effects of insulin and exercise on muscle lipoprotein lipase activity in man and its relation to insulin action. <i>Journal of Clinical Investigation</i> , 1989 , 84, 1124-9	15.9	134
3	Lipoprotein lipase activity and intramuscular triglyceride stores after long-term high-fat and high-carbohydrate diets in physically trained men. <i>Clinical Physiology</i> , 1987 , 7, 1-9		119
2	Is peak quadriceps blood flow in humans even higher during exercise with hypoxemia?. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 1986 , 251, H1038-44	5.2	115
1	Increased plasma HDL-cholesterol and apo A-1 in sedentary middle-aged men after physical conditioning. <i>European Journal of Clinical Investigation</i> , 1980 , 10, 203-9	4.6	123