

# Nicole Freene

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3376106/publications.pdf>

Version: 2024-02-01

25  
papers

350  
citations

932766

10  
h-index

887659

17  
g-index

27  
all docs

27  
docs citations

27  
times ranked

385  
citing authors

#	ARTICLE	IF	CITATIONS
1	Physiotherapist-Led Physical Activity Interventions Are Efficacious at Increasing Physical Activity Levels: A Systematic Review and Meta-analysis. <i>Clinical Journal of Sport Medicine</i> , 2018, 28, 304-315.	0.9	46
2	Physiotherapists use a small number of behaviour change techniques when promoting physical activity: A systematic review comparing experimental and observational studies. <i>Journal of Science and Medicine in Sport</i> , 2018, 21, 609-615.	0.6	40
3	Are we missing opportunities? Physiotherapy and physical activity promotion: a cross-sectional survey. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2017, 9, 19.	0.7	38
4	Objectively Measured Changes in Physical Activity and Sedentary Behavior in Cardiac Rehabilitation. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2018, 38, E5-E8.	1.2	25
5	Validating two self-report physical activity measures in middle-aged adults completing a group exercise or home-based physical activity program. <i>Journal of Science and Medicine in Sport</i> , 2014, 17, 611-616.	0.6	22
6	A wake-up call for physical activity promotion in Australia: results from a survey of Australian nursing and allied health professionals. <i>Australian Health Review</i> , 2019, 43, 165.	0.5	21
7	A Behavioral Change Smartphone App and Program (ToDo-CR) to Decrease Sedentary Behavior in Cardiac Rehabilitation Participants: Prospective Feasibility Cohort Study. <i>JMIR Formative Research</i> , 2020, 4, e17359.	0.7	18
8	Smartphone applications for physical activity and sedentary behaviour change in people with cardiovascular disease: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2021, 16, e0258460.	1.1	17
9	'Physical activity at home (PAAH)', evaluation of a group versus home based physical activity program in community dwelling middle aged adults: rationale and study design. <i>BMC Public Health</i> , 2011, 11, 883.	1.2	15
10	High sedentary behaviour and low physical activity levels at 12 months after cardiac rehabilitation: A prospective cohort study. <i>Annals of Physical and Rehabilitation Medicine</i> , 2020, 63, 53-58.	1.1	15
11	Community group exercise versus physiotherapist-led home-based physical activity program: barriers, enablers and preferences in middle-aged adults. <i>Physiotherapy Theory and Practice</i> , 2014, 30, 85-93.	0.6	14
12	Behaviour change techniques in cardiovascular disease smartphone apps to improve physical activity and sedentary behaviour: Systematic review and meta-regression. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2022, 19, .	2.0	14
13	Longitudinal comparison of a physiotherapist-led, home-based and group-based program for increasing physical activity in community-dwelling middle-aged adults. <i>Australian Journal of Primary Health</i> , 2015, 21, 189.	0.4	10
14	Comparison of device-based physical activity and sedentary behaviour following percutaneous coronary intervention in a cohort from Sweden and Australia: a harmonised, exploratory study. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2020, 12, 17.	0.7	9
15	Frequency of a very brief intervention by physiotherapists to increase physical activity levels in adults: a pilot randomised controlled trial. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2019, 11, 6.	0.7	7
16	Assessing the "active couch potato" phenomenon in cardiac rehabilitation: rationale and study protocol. <i>BMC Health Services Research</i> , 2016, 16, 75.	0.9	6
17	Validity of the Past-day Adults' Sedentary Time Questionnaire in a Cardiac Rehabilitation Population. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2020, 40, 325-329.	1.2	6
18	A smartphone app for sedentary behaviour change in cardiac rehabilitation and the effect on hospital admissions: the ToDo-CR randomised controlled trial study protocol. <i>BMJ Open</i> , 2020, 10, e040479.	0.8	6

#	ARTICLE	IF	CITATIONS
19	Nursing perspectives on reducing sedentary behaviour in subacute hospital settings: A mixed methods study. <i>Journal of Clinical Nursing</i> , 2022, 31, 1348-1361.	1.4	5
20	Can physical activity measurement alone improve objectively-measured physical activity in primary care?: A systematic review and meta-analysis. <i>Preventive Medicine Reports</i> , 2020, 20, 101230.	0.8	3
21	Criterion Validity of the Older-adults 2-minute Step Test in Community-dwelling Middle-aged Adults. <i>Measurement in Physical Education and Exercise Science</i> , 2021, 25, 335-343.	1.3	3
22	Inspiratory muscle training in intensive care unit patients: An international cross-sectional survey of physiotherapist practice. <i>Australian Critical Care</i> , 2022, 35, 527-534.	0.6	3
23	Physiotherapist-led home-based physical activity program versus community group exercise for middle-aged adults: Quasi-experimental comparison. <i>Open Journal of Preventive Medicine</i> , 2013, 03, 229-237.	0.2	3
24	Control group changes in objectively measured physical activity in primary care: protocol for a systematic review and meta-analysis. <i>Systematic Reviews</i> , 2019, 8, 144.	2.5	2
25	An Aboriginal and Torres Strait Islander Cardiac Rehabilitation program delivered in a non-Indigenous health service (Yeddung Gauar): a mixed methods feasibility study. <i>BMC Cardiovascular Disorders</i> , 2021, 21, 222.	0.7	2