
Katarzyna Wyskida

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/337632/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Calcification of coronary arteries and abdominal aorta in relation to traditional and novel risk factors of atherosclerosis in hemodialysis patients. BMC Nephrology, 2013, 14, 10.	1.8	47
2	Daily Magnesium Intake and Hypermagnesemia in Hemodialysis Patients With Chronic Kidney Disease. , 2012, 22, 19-26.		44
3	Relationship between plasma levels of zonulin, bacterial lipopolysaccharides, d-lactate and markers of inflammation in haemodialysis patients. International Urology and Nephrology, 2017, 49, 717-725.	1.4	26
4	The levels of adipokines in relation to hormonal changes during the menstrual cycle in young, normal-weight women. Endocrine Connections, 2017, 6, 892-900.	1.9	22
5	Relationship between plasma levels of sclerostin, calcium–phosphate disturbances, established markers of bone turnover, and inflammation in haemodialysis patients. International Urology and Nephrology, 2019, 51, 519-526.	1.4	17
6	Evaluation of metformin therapy using controlled attenuation parameter and transient elastography in patients with non-alcoholic fatty liver disease. Pharmacological Reports, 2019, 71, 183-188.	3.3	17
7	Factors that favor the occurrence of cough in patients treated with ramipril – A pharmacoepidemiological study. Medical Science Monitor, 2012, 18, PI21-PI28.	1.1	15
8	Functional deficiency of vitamin K in hemodialysis patients in Upper Silesia in Poland. International Urology and Nephrology, 2016, 48, 765-771.	1.4	12
9	Daily intake and serum concentration of menaquinone-4 (MK-4) in haemodialysis patients with chronic kidney disease. Clinical Biochemistry, 2015, 48, 1246-1251.	1.9	11
10	Novel method of noninvasive ventilation supported therapeutic lavage in pulmonary alveolar proteinosis proves to relieve dyspnea, normalize pulmonary function test results and recover exercise capacity: a short communication. Journal of Thoracic Disease, 2018, 10, 2467-2473.	1.4	10
11	Pentraxin 3 Levels in Young Women with and without Polycystic Ovary Syndrome (PCOS) in relation to the Nutritional Status and Systemic Inflammation. International Journal of Endocrinology, 2020, 2020, 2020, 1-7.	1.5	8
12	Pentraxin 3 as a marker of endothelial dysfunction in young women with polycystic ovary syndrome (PCOS). Scandinavian Journal of Clinical and Laboratory Investigation, 2019, 79, 419-423.	1.2	6
13	Plasma sclerostin levels are associated with nutritional status and insulin resistance but not hormonal disturbances in women with polycystic ovary syndrome. Archives of Gynecology and Obstetrics, 2020, 302, 1025-1031.	1.7	6
14	N-Terminal Prohormone of Brain Natriuretic Peptide but not C-Terminal Pre-Pro Vasopressin (Copeptin) Level is Associated with the Response to Antihypertensive Therapy in Haemodialysis Patients. Kidney and Blood Pressure Research, 2017, 42, 1013-1022.	2.0	4
15	Nutrient intake assessed with Diet History Questionnaire II, in relation to long-term calcium-phosphate control in hemodialysis patients with end-stage renal failure. Advances in Clinical and Experimental Medicine, 2018, 27, 217-224.	1.4	4
16	The occurrence of depressive symptoms in obese subjects starting treatment and not seeking treatment for obesity. Eating and Weight Disorders, 2020, 25, 283-289.	2.5	3
17	POSTER DISCUSSION. Obesity Reviews, 2020, 21, e13118.	6.5	2
18	Higher Serum-Soluble α-Klotho Level Does Not Predict Longer Survival after Stroke. BioMed Research International, 2020, 2020, 1-9.	1.9	2

#	Article	IF	CITATIONS
19	SP649PLASMA SCLEROSTIN LEVEL IS SUPPRESSED BY INFLAMMATION IN HAEMODIALYSIS PATIENTS. Nephrology Dialysis Transplantation, 2018, 33, i565-i565.	0.7	Ο
20	Pentraxin 3 – a potential link between inflammation, obesity and cardiovascular complications in polycystic ovary syndrome. Postepy Higieny I Medycyny Doswiadczalnej, 2018, 72, 634-641.	0.1	0