

# Katarzyna Wyskida

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/337632/publications.pdf>

Version: 2024-02-01

20  
papers

260  
citations

1040056

9  
h-index

996975

15  
g-index

22  
all docs

22  
docs citations

22  
times ranked

533  
citing authors

#	ARTICLE	IF	CITATIONS
1	The occurrence of depressive symptoms in obese subjects starting treatment and not seeking treatment for obesity. <i>Eating and Weight Disorders</i> , 2020, 25, 283-289.	2.5	3
2	POSTER DISCUSSION. <i>Obesity Reviews</i> , 2020, 21, e13118.	6.5	2
3	Pentraxin 3 Levels in Young Women with and without Polycystic Ovary Syndrome (PCOS) in relation to the Nutritional Status and Systemic Inflammation. <i>International Journal of Endocrinology</i> , 2020, 2020, 1-7.	1.5	8
4	Plasma sclerostin levels are associated with nutritional status and insulin resistance but not hormonal disturbances in women with polycystic ovary syndrome. <i>Archives of Gynecology and Obstetrics</i> , 2020, 302, 1025-1031.	1.7	6
5	Higher Serum-Soluble Î±-Klotho Level Does Not Predict Longer Survival after Stroke. <i>BioMed Research International</i> , 2020, 2020, 1-9.	1.9	2
6	Pentraxin 3 as a marker of endothelial dysfunction in young women with polycystic ovary syndrome (PCOS). <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2019, 79, 419-423.	1.2	6
7	Relationship between plasma levels of sclerostin, calcium-phosphate disturbances, established markers of bone turnover, and inflammation in haemodialysis patients. <i>International Urology and Nephrology</i> , 2019, 51, 519-526.	1.4	17
8	Evaluation of metformin therapy using controlled attenuation parameter and transient elastography in patients with non-alcoholic fatty liver disease. <i>Pharmacological Reports</i> , 2019, 71, 183-188.	3.3	17
9	SP649 PLASMA SCLEROSTIN LEVEL IS SUPPRESSED BY INFLAMMATION IN HAEMODIALYSIS PATIENTS. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i565-i565.	0.7	0
10	Novel method of noninvasive ventilation supported therapeutic lavage in pulmonary alveolar proteinosis proves to relieve dyspnea, normalize pulmonary function test results and recover exercise capacity: a short communication. <i>Journal of Thoracic Disease</i> , 2018, 10, 2467-2473.	1.4	10
11	Nutrient intake assessed with Diet History Questionnaire II, in relation to long-term calcium-phosphate control in hemodialysis patients with end-stage renal failure. <i>Advances in Clinical and Experimental Medicine</i> , 2018, 27, 217-224.	1.4	4
12	Pentraxin 3 – a potential link between inflammation, obesity and cardiovascular complications in polycystic ovary syndrome. <i>Postepy Higieny I Medycyny Doswiadczalnej</i> , 2018, 72, 634-641.	0.1	0
13	Relationship between plasma levels of zonulin, bacterial lipopolysaccharides, d-lactate and markers of inflammation in haemodialysis patients. <i>International Urology and Nephrology</i> , 2017, 49, 717-725.	1.4	26
14	The levels of adipokines in relation to hormonal changes during the menstrual cycle in young, normal-weight women. <i>Endocrine Connections</i> , 2017, 6, 892-900.	1.9	22
15	N-Terminal Prohormone of Brain Natriuretic Peptide but not C-Terminal Pre-Pro Vasopressin (Copeptin) Level is Associated with the Response to Antihypertensive Therapy in Haemodialysis Patients. <i>Kidney and Blood Pressure Research</i> , 2017, 42, 1013-1022.	2.0	4
16	Functional deficiency of vitamin K in hemodialysis patients in Upper Silesia in Poland. <i>International Urology and Nephrology</i> , 2016, 48, 765-771.	1.4	12
17	Daily intake and serum concentration of menaquinone-4 (MK-4) in haemodialysis patients with chronic kidney disease. <i>Clinical Biochemistry</i> , 2015, 48, 1246-1251.	1.9	11
18	Calcification of coronary arteries and abdominal aorta in relation to traditional and novel risk factors of atherosclerosis in hemodialysis patients. <i>BMC Nephrology</i> , 2013, 14, 10.	1.8	47

#	ARTICLE	IF	CITATIONS
19	Daily Magnesium Intake and Hypermagnesemia in Hemodialysis Patients With Chronic Kidney Disease. , 2012, 22, 19-26.		44
20	Factors that favor the occurrence of cough in patients treated with ramipril â€“ A pharmacoepidemiological study. Medical Science Monitor, 2012, 18, PI21-PI28.	1.1	15