Emil Loldrup Fosbøl

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3376448/publications.pdf

Version: 2024-02-01

200 papers

6,120 citations

66343 42 h-index 95266 68 g-index

201 all docs

201 docs citations

times ranked

201

9725 citing authors

#	Article	IF	CITATIONS
1	Association of Angiotensin-Converting Enzyme Inhibitor or Angiotensin Receptor Blocker Use With COVID-19 Diagnosis and Mortality. JAMA - Journal of the American Medical Association, 2020, 324, 168.	7.4	331
2	Association of Bystander and First-Responder Intervention With Survival After Out-of-Hospital Cardiac Arrest in North Carolina, 2010-2013. JAMA - Journal of the American Medical Association, 2015, 314, 255.	7.4	315
3	SARS-CoV-2 vaccination and myocarditis or myopericarditis: population based cohort study. BMJ, The, 2021, 375, e068665.	6.0	179
4	Acute COVID-19 and the Incidence of Ischemic Stroke and Acute Myocardial Infarction. Circulation, 2020, 142, 2080-2082.	1.6	168
5	Non-vitamin K antagonist oral anticoagulation agents in anticoagulant naive atrial fibrillation patients: Danish nationwide descriptive data 2011-2013. Europace, 2015, 17, 187-193.	1.7	152
6	Increased use of oral anticoagulants in patients with atrial fibrillation: temporal trends from 2005 to 2015 in Denmark. European Heart Journal, 2017, 38, ehw658.	2.2	142
7	Rates of Cardiopulmonary Resuscitation Training in the United States. JAMA Internal Medicine, 2014, 174, 194.	5.1	131
8	Stroke and recurrent haemorrhage associated with antithrombotic treatment after gastrointestinal bleeding in patients with atrial fibrillation: nationwide cohort study. BMJ, The, 2015, 351, h5876.	6.0	120
9	Association of NSAID Use With Risk of Bleeding and Cardiovascular Events in Patients Receiving Antithrombotic Therapy After Myocardial Infarction. JAMA - Journal of the American Medical Association, 2015, 313, 805.	7.4	115
10	Major Bleeding Complications and Persistence With Oral Anticoagulation in Nonâ€Valvular Atrial Fibrillation: Contemporary Findings in Real‣ife Danish Patients. Journal of the American Heart Association, 2017, 6, .	3.7	109
11	The risk of cardiac events in patients receiving immune checkpoint inhibitors: a nationwide Danish study. European Heart Journal, 2021, 42, 1621-1631.	2.2	102
12	The Impact of a Statewide Pre-Hospital STEMI Strategy to Bypass Hospitals Without Percutaneous Coronary Intervention Capability on Treatment Times. Circulation, 2013, 127, 604-612.	1.6	99
13	The role of bystanders, first responders, and emergency medical service providers in timely defibrillation and related outcomes after out-of-hospital cardiac arrest: Results from a statewide registry. Resuscitation, 2015, 96, 303-309.	3.0	95
14	Peripheral artery disease is a coronary heart disease risk equivalent among both men and women: results from a nationwide study. European Journal of Preventive Cardiology, 2015, 22, 317-325.	1.8	94
15	Use and Outcomes of Triple Therapy Among Older Patients With Acute Myocardial Infarction and Atrial Fibrillation. Journal of the American College of Cardiology, 2015, 66, 616-627.	2.8	93
16	New-onset atrial fibrillation: incidence, characteristics, and related events following a national COVID-19 lockdown of 5.6 million people. European Heart Journal, 2020, 41, 3072-3079.	2.2	93
17	Association Between Male Sex and Outcomes of Coronavirus Disease 2019 (COVID-19)—A Danish Nationwide, Register-based Study. Clinical Infectious Diseases, 2021, 73, e4025-e4030.	5.8	90
18	Incidence of infective endocarditis among patients considered at high risk. European Heart Journal, 2018, 39, 623-629.	2.2	89

#	Article	IF	Citations
19	Charlson Comorbidity Index Score and Risk of Severe Outcome and Death in Danish COVID-19 Patients. Journal of General Internal Medicine, 2020, 35, 2801-2803.	2.6	88
20	Long-Term Risk of Infective EndocarditisÂAfter Transcatheter AorticÂValveÂReplacement. Journal of the American College of Cardiology, 2019, 73, 1646-1655.	2.8	86
21	Non-vitamin K antagonist oral anticoagulation usage according to age among patients with atrial fibrillation: Temporal trends 2011–2015 in Denmark. Scientific Reports, 2016, 6, 31477.	3.3	80
22	Risk of Thromboembolism AssociatedÂWith Atrial Fibrillation Following Noncardiac Surgery. Journal of the American College of Cardiology, 2018, 72, 2027-2036.	2.8	80
23	Effects of empagliflozin on estimated extracellular volume, estimated plasma volume, and measured glomerular filtration rate in patients with heart failure (Empire HF Renal): a prespecified substudy of a double-blind, randomised, placebo-controlled trial. Lancet Diabetes and Endocrinology,the, 2021, 9, 106-116.	11.4	80
24	Prevalence of Infective Endocarditis in Enterococcus faecalis Bacteremia. Journal of the American College of Cardiology, 2019, 74, 193-201.	2.8	78
25	Association of Carpal Tunnel Syndrome With Amyloidosis, HeartÂFailure, and Adverse Cardiovascular Outcomes. Journal of the American College of Cardiology, 2019, 74, 15-23.	2.8	77
26	Prevalence of Infective Endocarditis in Streptococcal Bloodstream Infections Is Dependent on Streptococcal Species. Circulation, 2020, 142, 720-730.	1.6	76
27	Efficacy of Post-Operative Clopidogrel Treatment in Patients Revascularized With Coronary Artery Bypass Grafting After Myocardial Infarction. Journal of the American College of Cardiology, 2011, 57, 1202-1209.	2.8	75
28	Ischaemic and haemorrhagic stroke associated with non-vitamin K antagonist oral anticoagulants and warfarin use in patients with atrial fibrillation: a nationwide cohort study. European Heart Journal, 2016, 38, ehw496.	2.2	74
29	Long-term Thromboembolic Risk in Patients With Postoperative Atrial Fibrillation After Coronary Artery Bypass Graft Surgery and Patients With Nonvalvular Atrial Fibrillation. JAMA Cardiology, 2018, 3, 417.	6.1	73
30	CHA ₂ DS ₂ -VASc score and risk of thromboembolism and bleeding in patients with atrial fibrillation and recent cancer. European Journal of Preventive Cardiology, 2018, 25, 651-658.	1.8	72
31	Non-steroidal anti-inflammatory drug use is associated with increased risk of out-of-hospital cardiac arrest: a nationwide case–time–control study. European Heart Journal - Cardiovascular Pharmacotherapy, 2017, 3, pvw041.	3.0	63
32	Twelve weeks of treatment with empagliflozin in patients with heart failure and reduced ejection fraction: A double-blinded, randomized, and placebo-controlled trial. American Heart Journal, 2020, 228, 47-56.	2.7	61
33	Long-Term Adverse Cardiac Outcomes in Patients With Sarcoidosis. Journal of the American College of Cardiology, 2020, 76, 767-777.	2.8	61
34	Provider Specialty and Atrial Fibrillation Treatment Strategies in United States Community Practice: Findings From the ORBITâ€AF Registry. Journal of the American Heart Association, 2013, 2, e000110.	3.7	60
35	Long-term prognostic importance of resting heart rate in patients with left ventricular dysfunction in connection with either heart failure or myocardial infarction: The DIAMOND study. International Journal of Cardiology, 2010, 140, 279-286.	1.7	56
36	Association between statin use and outcomes in patients with coronavirus disease 2019 (COVID-19): a nationwide cohort study. BMJ Open, 2020, 10, e044421.	1.9	54

#	Article	IF	CITATIONS
37	Readmission and death in patients admitted with newâ€onset versus worsening of chronic heart failure: insights from a nationwide cohort. European Journal of Heart Failure, 2020, 22, 1777-1785.	7.1	53
38	Vitamin K antagonists vs. direct oral anticoagulants after transcatheter aortic valve implantation in atrial fibrillation. European Heart Journal - Cardiovascular Pharmacotherapy, 2021, 7, 11-19.	3.0	51
39	Return to the Workforce After First Hospitalization for Heart Failure. Circulation, 2016, 134, 999-1009.	1.6	50
40	Direct Transport to a Percutaneous Cardiac Intervention Center and Outcomes in Patients With Out-of-Hospital Cardiac Arrest. Circulation: Cardiovascular Quality and Outcomes, 2017, 10, .	2.2	50
41	All-cause mortality and location of death in patients with established cardiovascular disease before, during, and after the COVID-19 lockdown: a Danish Nationwide Cohort Study. European Heart Journal, 2021, 42, 1516-1523.	2.2	50
42	Warfarin use among older atrial fibrillation patients with non–ST-segment elevation myocardial infarction managed with coronary stenting and dual antiplatelet therapy. American Heart Journal, 2013, 166, 864-870.	2.7	46
43	Longâ€ŧerm effect of epirubicin on incidence of heart failure in women with breast cancer: insight from a randomized clinical trial. European Journal of Heart Failure, 2018, 20, 1447-1453.	7.1	46
44	Severe mental illness is associated with increased mortality and severe course of COVIDâ€19. Acta Psychiatrica Scandinavica, 2021, 144, 82-91.	4.5	46
45	Safety and effectiveness of antithrombotic strategies in older adult patients with atrial fibrillation and non–ST elevation myocardial infarction. American Heart Journal, 2012, 163, 720-728.	2.7	45
46	Renal Function and the Risk of Stroke and Bleeding in Patients With Atrial Fibrillation. Stroke, 2016, 47, 2707-2713.	2.0	45
47	Long-Term Cardiovascular Outcomes in Systemic Lupus Erythematosus. Journal of the American College of Cardiology, 2021, 77, 1717-1727.	2.8	44
48	Long-Term Risk of Heart Failure in BreastÂCancer Patients After AdjuvantÂChemotherapy With or WithoutÂTrastuzumab. JACC: Heart Failure, 2019, 7, 217-224.	4.1	43
49	Cardiovascular comorbidities as predictors for severe COVID-19 infection or death. European Heart Journal Quality of Care & Dutcomes, 2021, 7, 172-180.	4.0	43
50	Prevalence of infective endocarditis in patients with positive blood cultures: a Danish nationwide study. European Heart Journal, 2019, 40, 3237-3244.	2.2	40
51	The prevalence and prognostic importance of possible familial hypercholesterolemia in patients with myocardial infarction. American Heart Journal, 2016, 181, 35-42.	2.7	35
52	Temporal changes in the incidence of infective endocarditis in Denmark 1997–2017: A nationwide study. International Journal of Cardiology, 2021, 326, 145-152.	1.7	35
53	Long-term causes of death in patients with infective endocarditis who undergo medical therapy only or surgical treatment: a nationwide population-based study. European Journal of Cardio-thoracic Surgery, 2018, 54, 860-866.	1.4	34
54	Positive predictive value of infective endocarditis in the Danish National Patient Registry: a validation study. Epidemiology and Infection, 2018, 146, 1965-1967.	2.1	33

#	Article	IF	CITATIONS
55	Anti-biofilm Approach in Infective Endocarditis Exposes New Treatment Strategies for Improved Outcome. Frontiers in Cell and Developmental Biology, 2021, 9, 643335.	3.7	32
56	Prehospital system delay in ST-segment elevation myocardial infarction care: A novel linkage of emergency medicine services and inhospital registry data. American Heart Journal, 2013, 165, 363-370.	2.7	30
57	Factors Associated With and Outcomes After Ventricular Fibrillation Before and During Primary Angioplasty in Patients With ST-Segment Elevation Myocardial Infarction. American Journal of Cardiology, 2015, 116, 678-685.	1.6	30
58	Identifying Drug–Drug Interactions by Data Mining. Circulation: Cardiovascular Quality and Outcomes, 2016, 9, 621-628.	2.2	29
59	Incidence of infective endocarditis in patients considered at moderate risk. European Heart Journal, 2019, 40, 1355-1361.	2.2	29
60	Risk of gastrointestinal adverse effects of dabigatran compared with warfarin among patients with atrial fibrillation: a nationwide cohort study. Europace, 2015, 17, 1215-1222.	1.7	28
61	Resumption of oral anticoagulation following traumatic injury and risk of stroke and bleeding in patients with atrial fibrillation: a nationwide cohort study. European Heart Journal, 2018, 39, 1698-1705a.	2.2	28
62	Long-term Thromboembolic Risk in Patients With Postoperative Atrial Fibrillation After Left-Sided Heart Valve Surgery. JAMA Cardiology, 2019, 4, 1139.	6.1	27
63	One-year outcomes in atrial fibrillation presenting during infections: a nationwide registry-based study. European Heart Journal, 2020, 41, 1112-1119.	2.2	27
64	Association Between Prescribed Ibuprofen and Severe COVIDâ€19 Infection: A Nationwide Registerâ€Based Cohort Study. Clinical and Translational Science, 2020, 13, 1103-1107.	3.1	27
65	Effect of COVID-19 on First-Time Acute Stroke and Transient Ischemic Attack Admission Rates and Prognosis in Denmark. Circulation, 2020, 142, 1227-1229.	1.6	24
66	Trends in first-time hospitalization, management, and short-term mortality in acute myocardial infarction–related cardiogenic shock from 2005 to 2017: A nationwide cohort study. American Heart Journal, 2020, 229, 127-137.	2.7	24
67	Incidence of ischaemic stroke and mortality in patients with acute coronary syndrome and first-time detected atrial fibrillation: a nationwide study. European Heart Journal, 2021, 42, 4553-4561.	2.2	24
68	Current recommendations and uncertainties for surgical treatment of infective endocarditis: a comparison of American and European cardiovascular guidelines. European Heart Journal, 2022, 43, 1617-1625.	2.2	24
69	Five-Year Outcomes of the Partial Oral Treatment of Endocarditis (POET) Trial. New England Journal of Medicine, 2022, 386, 601-602.	27.0	24
70	Family history of atrial fibrillation is associated with earlier-onset and more symptomatic atrial fibrillation: Results from the Outcomes Registry for Better Informed Treatment of Atrial Fibrillation (ORBIT-AF) registry. American Heart Journal, 2016, 175, 28-35.	2.7	23
71	Time to Thrombolysis and Long-Term Outcomes in Patients With Acute Ischemic Stroke. Stroke, 2021, 52, 1724-1732.	2.0	23
72	Spousal depression, anxiety, and suicide after myocardial infarction. European Heart Journal, 2013, 34, 649-656.	2.2	22

#	Article	IF	Citations
73	Diurnal variations in incidence and outcome of out-of-hospital cardiac arrest including prior comorbidity and pharmacotherapy: A nationwide study in Denmark. Resuscitation, 2014, 85, 1161-1168.	3.0	22
74	Impact of proton pump inhibitor treatment on gastrointestinal bleeding associated with non-steroidal anti-inflammatory drug use among post-myocardial infarction patients taking antithrombotics: nationwide study. BMJ, The, 2015, 351, h5096.	6.0	22
7 5	Shifting to a non-vitamin K antagonist oral anticoagulation agent from vitamin K antagonist in atrial fibrillation. Europace, 2018, 20, e78-e86.	1.7	22
76	Incidence of atrial fibrillation in conjunction with breast cancer. Heart Rhythm, 2019, 16, 343-348.	0.7	21
77	Non-steroidal anti-inflammatory drug use in COVID-19. Lancet Rheumatology, The, 2021, 3, e465-e466.	3.9	21
78	Comparative Cardiovascular Safety of Dementia Medications: A Crossâ€National Study. Journal of the American Geriatrics Society, 2012, 60, 2283-2289.	2.6	20
79	Symptomatic Venous Thromboembolism Following Fractures Distal to the Knee. Journal of Bone and Joint Surgery - Series A, 2015, 97, 470-477.	3.0	20
80	Return to the workforce following coronary artery bypass grafting: A Danish nationwide cohort study. International Journal of Cardiology, 2018, 251, 15-21.	1.7	20
81	Time trends in incidence, comorbidity, and mortality of ischemic stroke in Denmark (1996–2016). Neurology, 2020, 95, e2343-e2353.	1.1	20
82	Two Decades of Cardiac Amyloidosis. JACC: CardioOncology, 2021, 3, 522-533.	4.0	20
83	Early Cessation of Adenosine Diphosphate Receptor Inhibitors Among Acute Myocardial Infarction Patients Treated With Percutaneous Coronary Intervention. Circulation: Cardiovascular Interventions, 2016, 9, .	3.9	19
84	National all-cause mortality during the COVID-19 pandemic: a Danish registry-based study. European Journal of Epidemiology, 2020, 35, 1007-1019.	5.7	19
85	Increased Mortality Associated With Low Use of Clopidogrel in Patients With Heart Failure and Acute Myocardial Infarction Not Undergoing Percutaneous Coronary Intervention. Journal of the American College of Cardiology, 2010, 55, 1300-1307.	2.8	18
86	Add-on therapy in metformin-treated patients with type 2 diabetes at moderate cardiovascular risk: a nationwide study. Cardiovascular Diabetology, 2020, 19, 107.	6.8	18
87	Consequences of coronavirus disease-2019 (COVID-19) lockdown on infection-related hospitalizations among the pediatric population in Denmark. European Journal of Pediatrics, 2021, 180, 1955-1963.	2.7	18
88	Differences in mortality in patients undergoing surgery for infective endocarditis according to age and valvular surgery. BMC Infectious Diseases, 2020, 20, 705.	2.9	17
89	Impact of socioeconomic position on initiation of SGLT-2 inhibitors or GLP-1 receptor agonists in patients with type 2 diabetes – a Danish nationwide observational study. Lancet Regional Health - Europe, The, 2022, 14, 100308.	5.6	17
90	NSAIDs are associated with increased risk of atrial fibrillation in patients with prior myocardial infarction: a nationwide study. European Heart Journal - Cardiovascular Pharmacotherapy, 2015, 1, $107-114$.	3.0	16

#	Article	IF	Citations
91	Employment status at time of first hospitalization for heart failure is associated with a higher risk of death and rehospitalization for heart failure. European Journal of Heart Failure, 2018, 20, 240-247.	7.1	16
92	Time in therapeutic range and risk of thromboembolism and bleeding in patients with a mechanical heart valve prosthesis. Journal of Thoracic and Cardiovascular Surgery, 2020, 159, 74-83.e4.	0.8	16
93	C-reactive protein after coronary artery bypass graft surgery and its relationship with postoperative atrial fibrillation. Europace, 2020, 22, 1182-1188.	1.7	16
94	Prognosis of myocardial infarction-related cardiogenic shock according to preadmission out-of-hospital cardiac arrest. Resuscitation, 2021, 162, 135-142.	3.0	16
95	Ischemic Stroke Severity and Mortality in Patients With and Without Atrial Fibrillation. Journal of the American Heart Association, 2022, 11, e022638.	3.7	16
96	Metformin in combination with various insulin secretagogues in type 2 diabetes and associated risk of cardiovascular morbidity and mortality—A retrospective nationwide study. Diabetes Research and Clinical Practice, 2015, 107, 104-112.	2.8	15
97	Beta-Blockers for Exams Identify Students at High Risk of Psychiatric Morbidity. Journal of Child and Adolescent Psychopharmacology, 2017, 27, 266-273.	1.3	15
98	Return to the workforce following infective endocarditis—A nationwide cohort study. American Heart Journal, 2018, 195, 130-138.	2.7	15
99	Temporal trends in initiation of mineralocorticoid receptor antagonists and risk of subsequent withdrawal in patients with heart failure: a nationwide study in <scp>Denmark</scp> from 2003–2017. European Journal of Heart Failure, 2022, 24, 539-547.	7.1	15
100	Familial clustering and subsequent incidence of atrial fibrillation among first-degree relatives in Denmark. Europace, 2016, 18, 658-664.	1.7	14
101	Temporal changes in infective endocarditis guidelines during the last 12 years: High-level evidence needed. American Heart Journal, 2017, 193, 70-75.	2.7	14
102	Cardiovascular outcomes with GLP-1 receptor agonists vs. SGLT-2 inhibitors in patients with type 2 diabetes. European Heart Journal - Cardiovascular Pharmacotherapy, 2022, 8, 549-556.	3.0	14
103	Long-term Risk of Death and Hospitalization in Patients With Heart Failure and Takotsubo Syndrome: Insights From a Nationwide Cohort. Journal of Cardiac Failure, 2022, 28, 1534-1544.	1.7	14
104	Early and late risk of ischemic stroke after TAVR as compared to a nationwide background population. Clinical Research in Cardiology, 2020, 109, 791-801.	3.3	13
105	Incidence of acute coronary syndrome during national lock-down: Insights from nationwide data during the Coronavirus disease 2019 (COVID-19) pandemic. American Heart Journal, 2021, 232, 146-153.	2.7	13
106	Long-term outcome of primary angioplasty compared with fibrinolysis across age groups: A Danish Multicenter Randomized Study on Fibrinolytic Therapy Versus Acute Coronary Angioplasty in Acute Myocardial Infarction (DANAMI-2) substudy. American Heart Journal, 2008, 156, 391-396.	2.7	12
107	Short- and long-term cause of death in patients undergoing isolated coronary artery bypass grafting: A nationwide cohort study. Journal of Thoracic and Cardiovascular Surgery, 2018, 156, 54-60.e4.	0.8	12
108	The impact of hemodialysis on mortality risk and cause of death in Staphylococcus aureus endocarditis. BMC Nephrology, 2018, 19, 216.	1.8	12

#	Article	IF	CITATIONS
109	Increased risk of <i>Staphylococcus aureus</i> bacteremia in hemodialysisâ€"A nationwide study. Hemodialysis International, 2019, 23, 230-238.	0.9	12
110	Temporal trends in utilization of transcatheter aortic valve replacement and patient characteristics: A nationwide study. American Heart Journal, 2022, 243, 140-146.	2.7	12
111	Nationwide cardiovascular disease admission rates during a second COVID-19 lockdown. American Heart Journal, 2021, 241, 35-37.	2.7	12
112	Glycated haemoglobin levels among 3295 hospitalized <scp>COVID</scp> â€19 patients, with and without diabetes, and risk of severe infection, admission to an intensive care unit and allâ€cause mortality. Diabetes, Obesity and Metabolism, 2022, 24, 499-510.	4.4	12
113	Temporal trends of mortality in patients with infective endocarditis: a nationwide study. European Heart Journal Quality of Care & Dinical Outcomes, 2022, 9, 24-33.	4.0	12
114	Differential prognostic importance of QRS duration in heart failure and acute myocardial infarction associated with left ventricular dysfunction. European Journal of Heart Failure, 2007, 9, 814-819.	7.1	11
115	Prognostic Importance of Change in QRS Duration Over Time Associated With Left Ventricular Dysfunction in Patients With Congestive Heart Failure: The DIAMOND Study. Journal of Cardiac Failure, 2008, 14, 850-855.	1.7	11
116	Use of Nonsteroidal Anti-Inflammatory Drugs among Healthy People and Specific Cerebrovascular Safety. International Journal of Stroke, 2014, 9, 943-945.	5.9	11
117	Low-Dose Aspirin in Heart Failure NotÂComplicatedÂby Atrial Fibrillation. JACC: Heart Failure, 2018, 6, 156-167.	4.1	11
118	Comparative thromboembolic risk in atrial fibrillation with and without a secondary precipitantâ€"Danish nationwide cohort study. BMJ Open, 2019, 9, e028468.	1.9	11
119	Outcomes Associated With Familial Versus Nonfamilial Atrial Fibrillation: A Matched Nationwide Cohort Study. Journal of the American Heart Association, 2016, 5, .	3.7	10
120	Initiation of domiciliary care and nursing home admission following first hospitalization of heart failure patients: a nationwide cohort study. Clinical Epidemiology, 2018, Volume 10, 917-930.	3.0	10
121	Direct oral anticoagulant– versus vitamin K antagonist–related gastrointestinal bleeding: Insights from a nationwide cohort. American Heart Journal, 2019, 216, 117-124.	2.7	10
122	Ticagrelor and the risk of <i>Staphylococcus aureus</i> bacteraemia and other infections. European Heart Journal - Cardiovascular Pharmacotherapy, 2022, 8, 13-19.	3.0	10
123	Care and outcomes of urban and non-urban out-of-hospital cardiac arrest patients during the HeartRescue Project in Washington state and North Carolina. Resuscitation, 2020, 152, 5-15.	3.0	10
124	Pulmonary embolism: Age specific temporal trends in incidence and mortality in Denmark 1999–2018. Thrombosis Research, 2022, 210, 12-19.	1.7	10
125	The importance of time in therapeutic range in switching from vitamin K antagonist to non-vitamin K antagonist oral anticoagulants in atrial fibrillation. Europace, 2019, 21, 572-580.	1.7	9
126	Nursing Home Admission and Initiation of Domiciliary Care Following Infective Endocarditis. Global Heart, 2020, 14, 41.	2.3	9

#	Article	IF	CITATIONS
127	Incidence of infective endocarditis during the coronavirus disease 2019 pandemic: A nationwide study. IJC Heart and Vasculature, 2020, 31, 100675.	1.1	9
128	Dabigatran and the Risk of <i>Staphylococcus aureus</i> Bacteremia: A Nationwide Cohort Study. Clinical Infectious Diseases, 2021, 73, 480-486.	5.8	9
129	Recurrent infective endocarditis versus first-time infective endocarditis after heart valve surgery. Clinical Research in Cardiology, 2020, 109, 1342-1351.	3.3	9
130	The association between cardiovascular disease admission rates and the coronavirus disease 2019 lockdown and reopening of a nation: a Danish nationwide cohort study. European Heart Journal Quality of Care & Dickley (Clinical Outcomes, 2022, 8, 14-22.	4.0	9
131	Prediction of first cardiovascular disease event in 2.9 million individuals using Danish administrative healthcare data: a nationwide, registry-based derivation and validation study. European Heart Journal Open, 2021, 1 , .	2.3	9
132	Burden and causes for hospitalizations following coronary artery bypass grafting: a nationwide cohort studyâ€. European Journal of Cardio-thoracic Surgery, 2019, 55, 893-902.	1.4	8
133	Temporal trends in patient characteristics, presumed causes, and outcomes following cardiogenic shock between 2005 and 2017: a Danish registry-based cohort study. European Heart Journal: Acute Cardiovascular Care, 2021, 10, 1074-1083.	1.0	8
134	Proposal for the use of echocardiography in bloodstream infections due to different streptococcal species. BMC Infectious Diseases, 2021, 21, 689.	2.9	8
135	Low immediate scientific yield of the PhD among medical doctors. BMC Medical Education, 2016, 16, 189.	2.4	7
136	Quality of life and the associated risk of all-cause mortality in nonischemic heart failure. International Journal of Cardiology, 2020, 305, 92-98.	1.7	7
137	Severity of congenital long QT syndrome disease manifestation and risk of depression, anxiety, and mortality: a nationwide study. Europace, 2022, 24, 620-629.	1.7	7
138	Oral fluoroquinolones and risk of aortic or mitral regurgitation: a nationwide nested case-control study. European Heart Journal, 2021, 42, 2899-2908.	2.2	7
139	Importance of diagnostic setting in determining mortality in patients with new-onset heart failure: temporal trends in Denmark from 1997 to 2017. European Heart Journal Quality of Care & Dinical Outcomes, 2022, 8, 750-760.	4.0	7
140	Potential Advances of Adjunctive Hyperbaric Oxygen Therapy in Infective Endocarditis. Frontiers in Cellular and Infection Microbiology, 2022, 12, 805964.	3.9	7
141	Atrial fibrillation and anticoagulation in patients with breast cancer. Scandinavian Cardiovascular Journal, 2019, 53, 247-254.	1.2	6
142	Recommendations on Securing Microbiological Specimens to Guide the Multidisciplinary Management of Infective Native Aortic Aneurysms. Annals of Vascular Surgery, 2020, 68, 536-541.	0.9	6
143	Risk of major cardiovascular events according to educational level before and after the initial COVID-19 public lockdown: a nationwide study. Journal of Epidemiology and Community Health, 2021, 75, 829-835.	3.7	6
144	Effect of government interventions to contain the COVID-19 pandemic on incidence of pulmonary embolism - A Danish nationwide register-based cohort study. Thrombosis Research, 2021, 199, 97-100.	1.7	6

#	Article	IF	CITATIONS
145	Risk for Myocardial Infarction Following 5-Fluorouracil Treatment in Patients With Gastrointestinal Cancer. JACC: CardioOncology, 2021, 3, 725-733.	4.0	6
146	Clopidogrel, prasugrel, and ticagrelor for all-comers with ST-segment elevation myocardial infarction. International Journal of Cardiology, 2021, 342, 15-22.	1.7	5
147	Comparative thromboembolic risk in atrial fibrillation patients with and without a concurrent infection. American Heart Journal, 2018, 204, 43-51.	2.7	4
148	Antithrombotic treatment and major adverse cardiac events after bleeding in patients with myocardial infarction: a retrospective analysis of nationwide registry data. European Heart Journal - Cardiovascular Pharmacotherapy, 2020, 6, 14-21.	3.0	4
149	Outcome of Dialysis-Requiring Acute Kidney Injury in Patients With Infective Endocarditis: A Nationwide Study. Clinical Infectious Diseases, 2021, 72, e232-e239.	5.8	4
150	Switching from vitamin K antagonist to dabigatran in atrial fibrillation: differences according to dose. European Heart Journal - Cardiovascular Pharmacotherapy, 2021, 7, 20-30.	3.0	4
151	Household Exposure to Severe Acute Respiratory Syndrome Coronavirus 2 and Association With Coronavirus Disease 2019 Severity: A Danish Nationwide Cohort Study. Clinical Infectious Diseases, 2021, , .	5. 8	4
152	Impact of myocardial infarction symptom presentation on emergency response and survival. European Heart Journal: Acute Cardiovascular Care, $2021, \ldots$	1.0	4
153	Risk of coronavirus disease 2019 (Covid-19) contraction and severe infection in home- or healthcare professionals. Journal of Infection, 2021, 83, e12-e14.	3.3	4
154	Severity of anaemia and association with all-cause mortality in patients with medically managed left-sided endocarditis. Heart, 2022, 108, 882-888.	2.9	4
155	Opportunities for improvement: anticoagulation in patients undergoing total knee or hip replacement. Journal of Orthopaedic Science, 2015, 20, 1036-1045.	1.1	3
156	Repatriation to referral hospital after reperfusion of STEMI patients transferred for primary percutaneous coronary intervention: Insights of a Canadian regional STEMI care system. American Heart Journal, 2016, 177, 145-152.	2.7	3
157	Predicted risk of stroke and bleeding and use of oral anticoagulants in atrial fibrillation: Danish nationwide temporal trends 2011–2016. Thrombosis Research, 2017, 160, 19-26.	1.7	3
158	Evidence-Based Therapy and Its Association With Workforce Detachment After First Hospitalization for Heart Failure. JACC: Heart Failure, 2018, 6, 41-48.	4.1	3
159	Employment status before and after open heart valve surgery: A cohort study. PLoS ONE, 2020, 15, e0240210.	2.5	3
160	Cause-specific death and risk factors of 1-year mortality after implantable cardioverter-defibrillator implantation: a nationwide study. European Heart Journal Quality of Care & Dinical Outcomes, 2022, 8, 39-49.	4.0	3
161	Room for improvement: initiation of lipid-lowering treatment and achievement of lipid target levels—a Danish registry-based study. European Heart Journal Quality of Care & Clinical Outcomes, 2021, 7, 181-188.	4.0	3
162	Initiation of domiciliary care and nursing home admission following first hospitalization for heart failure, stroke, chronic obstructive pulmonary disease or cancer. PLoS ONE, 2021, 16, e0255364.	2.5	3

#	Article	IF	CITATIONS
163	Nursing Home Admission and Initiation of Domiciliary Care After Ischemic Stroke – The Importance of Time to Thrombolysis. Journal of Stroke and Cerebrovascular Diseases, 2021, 30, 105916.	1.6	3
164	Long-term Risk of Heart Failure and Other Adverse Cardiovascular Outcomes in Granulomatosis With Polyangiitis: A Nationwide Cohort Study. Journal of Rheumatology, 2022, 49, 291-298.	2.0	3
165	The impact of partial-oral endocarditis treatment on anxiety and depression in the POET trial. Journal of Psychosomatic Research, 2022, 154, 110718.	2.6	3
166	Prognostic implications of serial high-sensitivity cardiac troponin testing among patients with COVID-19: A Danish nationwide registry-based cohort study. American Heart Journal Plus, 2022, 14, 100131.	0.6	3
167	l̂ ² -blocker adherence among patients with congenital long QT syndrome: a nationwide study. European Heart Journal Quality of Care & Dinical Outcomes, 2022, 9, 76-84.	4.0	3
168	A double negative: culture-negative infective endocarditis. European Heart Journal, 2022, 43, 2781-2782.	2.2	3
169	Comparative Effectiveness Research. Heart Failure Clinics, 2013, 9, 37-47.	2.1	2
170	The importance of \hat{l}^2 2-agonists in myocardial infarction: Findings from the Eastern Danish Heart Registry. European Heart Journal: Acute Cardiovascular Care, 2016, 5, 551-559.	1.0	2
171	Pelvic organ prolapse surgery after native tissue vault suspension at hysterectomy—A prospective cohort study. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2019, 240, 144-150.	1.1	2
172	Polygenic predisposition to breast cancer and the risk of coronary artery disease. International Journal of Cardiology, 2019, 291, 145-151.	1.7	2
173	Ischaemic heart disease, infection, and treatment of infection. European Heart Journal, 2019, 40, 3846-3847.	2.2	2
174	Refining the role of carpal tunnel syndrome in cardiac amyloidosis. European Journal of Heart Failure, 2020, 22, 516-518.	7.1	2
175	Initiation of and persistence with P2Y12 inhibitors in patients with myocardial infarction according to revascularization strategy: a nationwide study. European Heart Journal: Acute Cardiovascular Care, 2021, 10, 774-786.	1.0	2
176	Reintervention rates following bioprosthetic surgical aortic valve replacementâ€"a Danish Nationwide Cohort Study. European Journal of Cardio-thoracic Surgery, 2022, 61, 614-622.	1.4	2
177	Workforce Attachment after Ischemic Stroke – The Importance of Time to Thrombolytic Therapy. Journal of Stroke and Cerebrovascular Diseases, 2021, 30, 106031.	1.6	2
178	Return to work after acute myocardial infarction with cardiogenic shock: a Danish nationwide cohort study. European Heart Journal: Acute Cardiovascular Care, 2022, 11, 397-406.	1.0	2
179	Temporal changes in cardiovascular disease and infections in dialysis across a 22-year period: a nationwide study. BMC Nephrology, 2021, 22, 340.	1.8	1
180	Gender- and Age-Specific Rates of Heart Failure and other Adverse Cardiovascular Outcomes in Systemic Sclerosis. Rheumatology, 2022, , .	1.9	1

#	Article	IF	Citations
181	Association Between Inappropriately Dosed Anticoagulation Therapy With Stroke Severity and Outcomes in Patients With Atrial Fibrillation. Journal of the American Heart Association, 2022, 11, e024402.	3.7	1
182	Incidence of heart valve disease in women treated with the ergot-derived dopamine agonist bromocriptine. BMC Cardiovascular Disorders, 2021, 21, 622.	1.7	1
183	Learning from regional heterogeneity in outcomes of patients with acute myocardial infarction. European Heart Journal, 2013, 34, 3171-3172.	2.2	0
184	Reply to Mori and Geirsson. European Journal of Cardio-thoracic Surgery, 2018, 54, 1147-1147.	1.4	0
185	Secondary stroke prophylaxis in atrial fibrillation patients with chronic kidney disease: a nationwide cohort study. Europace, 2020, 22, 716-723.	1.7	0
186	C-reactive protein as a predictor for developing post-operative atrial fibrillation: Author's reply. Europace, 2021, 23, 160-160.	1.7	0
187	Reply to: Letter to the editor: Breaking the trend in cardiogenic shockâ€"From door-to-balloon to door-to-support. American Heart Journal, 2021, 231, 161.	2.7	0
188	Sympathetic hyperactivity after coronary artery bypass graft surgery: an important player in the development of postoperative atrial fibrillation? Authors' reply. Europace, 2021, 23, 158-159.	1.7	0
189	Comment onâ€"Switching from vitamin K antagonist to dabigatran in atrial fibrillation: differences according to dose: reply. European Heart Journal - Cardiovascular Pharmacotherapy, 2021, 7, 75-75.	3.0	0
190	Rheumatoid arthritis mimicking infective endocarditis with severe aortic regurgitation and aortic root abscess: a case report. European Heart Journal - Case Reports, 2021, 5, ytaa561.	0.6	0
191	The association of prior carpal tunnel syndrome surgery with adverse cardiovascular outcomes and long-term mortality after aortic valve replacement. IJC Heart and Vasculature, 2021, 33, 100741.	1.1	0
192	Occult cardiac amyloidosis?. Aging, 2019, 11, 8739-8740.	3.1	0
193	Long-Term Mortality in Different Age Groups of Patients with Infective Endocarditis Who Undergo Aortic Root Replacement: A Nationwide Study. Heart Surgery Forum, 2022, 25, E213-E221.	0.5	0
194	Self-assessed health status and associated mortality in endocarditis: secondary findings from the POET trial. Quality of Life Research, 2022, , 1.	3.1	0
195	Employment status before and after open heart valve surgery: A cohort study., 2020, 15, e0240210.		0
196	Employment status before and after open heart valve surgery: A cohort study., 2020, 15, e0240210.		0
197	Employment status before and after open heart valve surgery: A cohort study., 2020, 15, e0240210.		0
198	Employment status before and after open heart valve surgery: A cohort study., 2020, 15, e0240210.		0

#	ŧ	Article	IF	CITATIONS
1	.99	Abstract 14048: Torsades De Pointes Risk Drugs and Out-of-Hospital Cardiac Arrest: A Nationwide Study. Circulation, 2021, 144, .	1.6	O
2	200	Abstract 12895: Superior Effectiveness and Safety of Ticagrelor in Patients With Acute Coronary Syndrome Undergoing Percutaneous Coronary Intervention: A Nationwide Registry-Based Study. Circulation, 2021, 144, .	1.6	0