

Emil Loldrup Fosbøl

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3376448/publications.pdf>

Version: 2024-02-01

200
papers

6,120
citations

66315

42
h-index

95218

68
g-index

201
all docs

201
docs citations

201
times ranked

9725
citing authors

#	ARTICLE	IF	CITATIONS
1	Ticagrelor and the risk of <i>Staphylococcus aureus</i> bacteraemia and other infections. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2022, 8, 13-19.	1.4	10
2	Cause-specific death and risk factors of 1-year mortality after implantable cardioverter-defibrillator implantation: a nationwide study. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2022, 8, 39-49.	1.8	3
3	Severity of congenital long QT syndrome disease manifestation and risk of depression, anxiety, and mortality: a nationwide study. <i>Europace</i> , 2022, 24, 620-629.	0.7	7
4	The association between cardiovascular disease admission rates and the coronavirus disease 2019 lockdown and reopening of a nation: a Danish nationwide cohort study. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2022, 8, 14-22.	1.8	9
5	Cardiovascular outcomes with GLP-1 receptor agonists vs. SGLT-2 inhibitors in patients with type 2 diabetes. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2022, 8, 549-556.	1.4	14
6	Reintervention rates following bioprosthetic surgical aortic valve replacement—a Danish Nationwide Cohort Study. <i>European Journal of Cardio-thoracic Surgery</i> , 2022, 61, 614-622.	0.6	2
7	Temporal trends in utilization of transcatheter aortic valve replacement and patient characteristics: A nationwide study. <i>American Heart Journal</i> , 2022, 243, 140-146.	1.2	12
8	Importance of diagnostic setting in determining mortality in patients with new-onset heart failure: temporal trends in Denmark from 1997 to 2017. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2022, 8, 750-760.	1.8	7
9	Severity of anaemia and association with all-cause mortality in patients with medically managed left-sided endocarditis. <i>Heart</i> , 2022, 108, 882-888.	1.2	4
10	Glycated haemoglobin levels among 3295 hospitalized COVID-19 patients, with and without diabetes, and risk of severe infection, admission to an intensive care unit and all-cause mortality. <i>Diabetes, Obesity and Metabolism</i> , 2022, 24, 499-510.	2.2	12
11	Long-term Risk of Heart Failure and Other Adverse Cardiovascular Outcomes in Granulomatosis With Polyangiitis: A Nationwide Cohort Study. <i>Journal of Rheumatology</i> , 2022, 49, 291-298.	1.0	3
12	Pulmonary embolism: Age specific temporal trends in incidence and mortality in Denmark 1999–2018. <i>Thrombosis Research</i> , 2022, 210, 12-19.	0.8	10
13	Temporal trends in initiation of mineralocorticoid receptor antagonists and risk of subsequent withdrawal in patients with heart failure: a nationwide study in Denmark from 2003–2017. <i>European Journal of Heart Failure</i> , 2022, 24, 539-547.	2.9	15
14	Gender- and Age-Specific Rates of Heart Failure and other Adverse Cardiovascular Outcomes in Systemic Sclerosis. <i>Rheumatology</i> , 2022, , .	0.9	1
15	Current recommendations and uncertainties for surgical treatment of infective endocarditis: a comparison of American and European cardiovascular guidelines. <i>European Heart Journal</i> , 2022, 43, 1617-1625.	1.0	24
16	Potential Advances of Adjunctive Hyperbaric Oxygen Therapy in Infective Endocarditis. <i>Frontiers in Cellular and Infection Microbiology</i> , 2022, 12, 805964.	1.8	7
17	The impact of partial-oral endocarditis treatment on anxiety and depression in the POET trial. <i>Journal of Psychosomatic Research</i> , 2022, 154, 110718.	1.2	3
18	Impact of socioeconomic position on initiation of SGLT-2 inhibitors or GLP-1 receptor agonists in patients with type 2 diabetes—a Danish nationwide observational study. <i>Lancet Regional Health - Europe</i> , The, 2022, 14, 100308.	3.0	17

#	ARTICLE	IF	CITATIONS
19	Five-Year Outcomes of the Partial Oral Treatment of Endocarditis (POET) Trial. <i>New England Journal of Medicine</i> , 2022, 386, 601-602.	13.9	24
20	Ischemic Stroke Severity and Mortality in Patients With and Without Atrial Fibrillation. <i>Journal of the American Heart Association</i> , 2022, 11, e022638.	1.6	16
21	Long-term Risk of Death and Hospitalization in Patients With Heart Failure and Takotsubo Syndrome: Insights From a Nationwide Cohort. <i>Journal of Cardiac Failure</i> , 2022, 28, 1534-1544.	0.7	14
22	Return to work after acute myocardial infarction with cardiogenic shock: a Danish nationwide cohort study. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2022, 11, 397-406.	0.4	2
23	Association Between Inappropriately Dosed Anticoagulation Therapy With Stroke Severity and Outcomes in Patients With Atrial Fibrillation. <i>Journal of the American Heart Association</i> , 2022, 11, e024402.	1.6	1
24	Temporal trends of mortality in patients with infective endocarditis: a nationwide study. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2022, 9, 24-33.	1.8	12
25	Long-Term Mortality in Different Age Groups of Patients with Infective Endocarditis Who Undergo Aortic Root Replacement: A Nationwide Study. <i>Heart Surgery Forum</i> , 2022, 25, E213-E221.	0.2	0
26	Prognostic implications of serial high-sensitivity cardiac troponin testing among patients with COVID-19: A Danish nationwide registry-based cohort study. <i>American Heart Journal Plus</i> , 2022, 14, 100131.	0.3	3
27	Self-assessed health status and associated mortality in endocarditis: secondary findings from the POET trial. <i>Quality of Life Research</i> , 2022, , 1.	1.5	0
28	β-blocker adherence among patients with congenital long QT syndrome: a nationwide study. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2022, 9, 76-84.	1.8	3
29	A double negative: culture-negative infective endocarditis. <i>European Heart Journal</i> , 2022, 43, 2781-2782.	1.0	3
30	Dabigatran and the Risk of <i>Staphylococcus aureus</i> Bacteremia: A Nationwide Cohort Study. <i>Clinical Infectious Diseases</i> , 2021, 73, 480-486.	2.9	9
31	Association Between Male Sex and Outcomes of Coronavirus Disease 2019 (COVID-19) – A Danish Nationwide, Register-based Study. <i>Clinical Infectious Diseases</i> , 2021, 73, e4025-e4030.	2.9	90
32	Room for improvement: initiation of lipid-lowering treatment and achievement of lipid target levels – a Danish registry-based study. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2021, 7, 181-188.	1.8	3
33	Outcome of Dialysis-Requiring Acute Kidney Injury in Patients With Infective Endocarditis: A Nationwide Study. <i>Clinical Infectious Diseases</i> , 2021, 72, e232-e239.	2.9	4
34	C-reactive protein as a predictor for developing post-operative atrial fibrillation: Author's reply. <i>Europace</i> , 2021, 23, 160-160.	0.7	0
35	Reply to: Letter to the editor: Breaking the trend in cardiogenic shock – From door-to-balloon to door-to-support. <i>American Heart Journal</i> , 2021, 231, 161.	1.2	0
36	Incidence of acute coronary syndrome during national lock-down: Insights from nationwide data during the Coronavirus disease 2019 (COVID-19) pandemic. <i>American Heart Journal</i> , 2021, 232, 146-153.	1.2	13

#	ARTICLE	IF	CITATIONS
37	The risk of cardiac events in patients receiving immune checkpoint inhibitors: a nationwide Danish study. <i>European Heart Journal</i> , 2021, 42, 1621-1631.	1.0	102
38	Temporal changes in the incidence of infective endocarditis in Denmark 1997-2017: A nationwide study. <i>International Journal of Cardiology</i> , 2021, 326, 145-152.	0.8	35
39	Sympathetic hyperactivity after coronary artery bypass graft surgery: an important player in the development of postoperative atrial fibrillation? Authors' reply. <i>Europace</i> , 2021, 23, 158-159.	0.7	0
40	Comment on "Switching from vitamin K antagonist to dabigatran in atrial fibrillation: differences according to dose: reply. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021, 7, 75-75.	1.4	0
41	Vitamin K antagonists vs. direct oral anticoagulants after transcatheter aortic valve implantation in atrial fibrillation. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021, 7, 11-19.	1.4	51
42	Switching from vitamin K antagonist to dabigatran in atrial fibrillation: differences according to dose. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021, 7, 20-30.	1.4	4
43	Rheumatoid arthritis mimicking infective endocarditis with severe aortic regurgitation and aortic root abscess: a case report. <i>European Heart Journal - Case Reports</i> , 2021, 5, ytaa561.	0.3	0
44	Temporal trends in patient characteristics, presumed causes, and outcomes following cardiogenic shock between 2005 and 2017: a Danish registry-based cohort study. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021, 10, 1074-1083.	0.4	8
45	Risk of major cardiovascular events according to educational level before and after the initial COVID-19 public lockdown: a nationwide study. <i>Journal of Epidemiology and Community Health</i> , 2021, 75, 829-835.	2.0	6
46	Effects of empagliflozin on estimated extracellular volume, estimated plasma volume, and measured glomerular filtration rate in patients with heart failure (Empire HF Renal): a prespecified substudy of a double-blind, randomised, placebo-controlled trial. <i>Lancet Diabetes and Endocrinology</i> , 2021, 9, 106-116.	5.5	80
47	All-cause mortality and location of death in patients with established cardiovascular disease before, during, and after the COVID-19 lockdown: a Danish Nationwide Cohort Study. <i>European Heart Journal</i> , 2021, 42, 1516-1523.	1.0	50
48	Consequences of coronavirus disease-2019 (COVID-19) lockdown on infection-related hospitalizations among the pediatric population in Denmark. <i>European Journal of Pediatrics</i> , 2021, 180, 1955-1963.	1.3	18
49	Effect of government interventions to contain the COVID-19 pandemic on incidence of pulmonary embolism - A Danish nationwide register-based cohort study. <i>Thrombosis Research</i> , 2021, 199, 97-100.	0.8	6
50	Long-Term Cardiovascular Outcomes in Systemic Lupus Erythematosus. <i>Journal of the American College of Cardiology</i> , 2021, 77, 1717-1727.	1.2	44
51	Household Exposure to Severe Acute Respiratory Syndrome Coronavirus 2 and Association With Coronavirus Disease 2019 Severity: A Danish Nationwide Cohort Study. <i>Clinical Infectious Diseases</i> , 2021, . .	2.9	4
52	The association of prior carpal tunnel syndrome surgery with adverse cardiovascular outcomes and long-term mortality after aortic valve replacement. <i>IJC Heart and Vasculature</i> , 2021, 33, 100741.	0.6	0
53	Severe mental illness is associated with increased mortality and severe course of COVID-19. <i>Acta Psychiatrica Scandinavica</i> , 2021, 144, 82-91.	2.2	46
54	Impact of myocardial infarction symptom presentation on emergency response and survival. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021, . .	0.4	4

#	ARTICLE	IF	CITATIONS
55	Time to Thrombolysis and Long-Term Outcomes in Patients With Acute Ischemic Stroke. <i>Stroke</i> , 2021, 52, 1724-1732.	1.0	23
56	Prognosis of myocardial infarction-related cardiogenic shock according to preadmission out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2021, 162, 135-142.	1.3	16
57	Non-steroidal anti-inflammatory drug use in COVID-19. <i>Lancet Rheumatology, The</i> , 2021, 3, e465-e466.	2.2	21
58	Anti-biofilm Approach in Infective Endocarditis Exposes New Treatment Strategies for Improved Outcome. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 643335.	1.8	32
59	Oral fluoroquinolones and risk of aortic or mitral regurgitation: a nationwide nested case-control study. <i>European Heart Journal</i> , 2021, 42, 2899-2908.	1.0	7
60	Initiation of and persistence with P2Y12 inhibitors in patients with myocardial infarction according to revascularization strategy: a nationwide study. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021, 10, 774-786.	0.4	2
61	Proposal for the use of echocardiography in bloodstream infections due to different streptococcal species. <i>BMC Infectious Diseases</i> , 2021, 21, 689.	1.3	8
62	Initiation of domiciliary care and nursing home admission following first hospitalization for heart failure, stroke, chronic obstructive pulmonary disease or cancer. <i>PLoS ONE</i> , 2021, 16, e0255364.	1.1	3
63	Risk of coronavirus disease 2019 (Covid-19) contraction and severe infection in home- or healthcare professionals. <i>Journal of Infection</i> , 2021, 83, e12-e14.	1.7	4
64	Prediction of first cardiovascular disease event in 2.9 million individuals using Danish administrative healthcare data: a nationwide, registry-based derivation and validation study. <i>European Heart Journal Open</i> , 2021, 1, .	0.9	9
65	Nursing Home Admission and Initiation of Domiciliary Care After Ischemic Stroke – The Importance of Time to Thrombolysis. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2021, 30, 105916.	0.7	3
66	Two Decades of Cardiac Amyloidosis. <i>JACC: CardioOncology</i> , 2021, 3, 522-533.	1.7	20
67	Incidence of ischaemic stroke and mortality in patients with acute coronary syndrome and first-time detected atrial fibrillation: a nationwide study. <i>European Heart Journal</i> , 2021, 42, 4553-4561.	1.0	24
68	Workforce Attachment after Ischemic Stroke – The Importance of Time to Thrombolytic Therapy. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2021, 30, 106031.	0.7	2
69	Nationwide cardiovascular disease admission rates during a second COVID-19 lockdown. <i>American Heart Journal</i> , 2021, 241, 35-37.	1.2	12
70	Clopidogrel, prasugrel, and ticagrelor for all-comers with ST-segment elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2021, 342, 15-22.	0.8	5
71	Cardiovascular comorbidities as predictors for severe COVID-19 infection or death. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2021, 7, 172-180.	1.8	43
72	Temporal changes in cardiovascular disease and infections in dialysis across a 22-year period: a nationwide study. <i>BMC Nephrology</i> , 2021, 22, 340.	0.8	1

#	ARTICLE	IF	CITATIONS
73	SARS-CoV-2 vaccination and myocarditis or myopericarditis: population based cohort study. <i>BMJ, The</i> , 2021, 375, e068665.	3.0	179
74	Risk for Myocardial Infarction Following 5-Fluorouracil Treatment in Patients With Gastrointestinal Cancer. <i>JACC: CardioOncology</i> , 2021, 3, 725-733.	1.7	6
75	Incidence of heart valve disease in women treated with the ergot-derived dopamine agonist bromocriptine. <i>BMC Cardiovascular Disorders</i> , 2021, 21, 622.	0.7	1
76	Abstract 14048: Torsades De Pointes Risk Drugs and Out-of-Hospital Cardiac Arrest: A Nationwide Study. <i>Circulation</i> , 2021, 144, .	1.6	0
77	Abstract 12895: Superior Effectiveness and Safety of Ticagrelor in Patients With Acute Coronary Syndrome Undergoing Percutaneous Coronary Intervention: A Nationwide Registry-Based Study. <i>Circulation</i> , 2021, 144, .	1.6	0
78	Time in therapeutic range and risk of thromboembolism and bleeding in patients with a mechanical heart valve prosthesis. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2020, 159, 74-83.e4.	0.4	16
79	Nursing Home Admission and Initiation of Domiciliary Care Following Infective Endocarditis. <i>Global Heart</i> , 2020, 14, 41.	0.9	9
80	Antithrombotic treatment and major adverse cardiac events after bleeding in patients with myocardial infarction: a retrospective analysis of nationwide registry data. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2020, 6, 14-21.	1.4	4
81	Early and late risk of ischemic stroke after TAVR as compared to a nationwide background population. <i>Clinical Research in Cardiology</i> , 2020, 109, 791-801.	1.5	13
82	Secondary stroke prophylaxis in atrial fibrillation patients with chronic kidney disease: a nationwide cohort study. <i>Europace</i> , 2020, 22, 716-723.	0.7	0
83	One-year outcomes in atrial fibrillation presenting during infections: a nationwide registry-based study. <i>European Heart Journal</i> , 2020, 41, 1112-1119.	1.0	27
84	Acute COVID-19 and the Incidence of Ischemic Stroke and Acute Myocardial Infarction. <i>Circulation</i> , 2020, 142, 2080-2082.	1.6	168
85	National all-cause mortality during the COVID-19 pandemic: a Danish registry-based study. <i>European Journal of Epidemiology</i> , 2020, 35, 1007-1019.	2.5	19
86	Association Between Prescribed Ibuprofen and Severe COVID-19 Infection: A Nationwide Register-Based Cohort Study. <i>Clinical and Translational Science</i> , 2020, 13, 1103-1107.	1.5	27
87	Employment status before and after open heart valve surgery: A cohort study. <i>PLoS ONE</i> , 2020, 15, e0240210.	1.1	3
88	Differences in mortality in patients undergoing surgery for infective endocarditis according to age and valvular surgery. <i>BMC Infectious Diseases</i> , 2020, 20, 705.	1.3	17
89	Twelve weeks of treatment with empagliflozin in patients with heart failure and reduced ejection fraction: A double-blinded, randomized, and placebo-controlled trial. <i>American Heart Journal</i> , 2020, 228, 47-56.	1.2	61
90	C-reactive protein after coronary artery bypass graft surgery and its relationship with postoperative atrial fibrillation. <i>Europace</i> , 2020, 22, 1182-1188.	0.7	16

#	ARTICLE	IF	CITATIONS
91	Incidence of infective endocarditis during the coronavirus disease 2019 pandemic: A nationwide study. <i>IJC Heart and Vasculature</i> , 2020, 31, 100675.	0.6	9
92	Long-Term Adverse Cardiac Outcomes in Patients With Sarcoidosis. <i>Journal of the American College of Cardiology</i> , 2020, 76, 767-777.	1.2	61
93	Effect of COVID-19 on First-Time Acute Stroke and Transient Ischemic Attack Admission Rates and Prognosis in Denmark. <i>Circulation</i> , 2020, 142, 1227-1229.	1.6	24
94	Trends in first-time hospitalization, management, and short-term mortality in acute myocardial infarction-related cardiogenic shock from 2005 to 2017: A nationwide cohort study. <i>American Heart Journal</i> , 2020, 229, 127-137.	1.2	24
95	Time trends in incidence, comorbidity, and mortality of ischemic stroke in Denmark (1996-2016). <i>Neurology</i> , 2020, 95, e2343-e2353.	1.5	20
96	Recommendations on Securing Microbiological Specimens to Guide the Multidisciplinary Management of Infective Native Aortic Aneurysms. <i>Annals of Vascular Surgery</i> , 2020, 68, 536-541.	0.4	6
97	Association of Angiotensin-Converting Enzyme Inhibitor or Angiotensin Receptor Blocker Use With COVID-19 Diagnosis and Mortality. <i>JAMA - Journal of the American Medical Association</i> , 2020, 324, 168.	3.8	331
98	Recurrent infective endocarditis versus first-time infective endocarditis after heart valve surgery. <i>Clinical Research in Cardiology</i> , 2020, 109, 1342-1351.	1.5	9
99	Care and outcomes of urban and non-urban out-of-hospital cardiac arrest patients during the HeartRescue Project in Washington state and North Carolina. <i>Resuscitation</i> , 2020, 152, 5-15.	1.3	10
100	Add-on therapy in metformin-treated patients with type 2 diabetes at moderate cardiovascular risk: a nationwide study. <i>Cardiovascular Diabetology</i> , 2020, 19, 107.	2.7	18
101	New-onset atrial fibrillation: incidence, characteristics, and related events following a national COVID-19 lockdown of 5.6 million people. <i>European Heart Journal</i> , 2020, 41, 3072-3079.	1.0	93
102	Prevalence of Infective Endocarditis in Streptococcal Bloodstream Infections Is Dependent on Streptococcal Species. <i>Circulation</i> , 2020, 142, 720-730.	1.6	76
103	Charlson Comorbidity Index Score and Risk of Severe Outcome and Death in Danish COVID-19 Patients. <i>Journal of General Internal Medicine</i> , 2020, 35, 2801-2803.	1.3	88
104	Refining the role of carpal tunnel syndrome in cardiac amyloidosis. <i>European Journal of Heart Failure</i> , 2020, 22, 516-518.	2.9	2
105	Quality of life and the associated risk of all-cause mortality in nonischemic heart failure. <i>International Journal of Cardiology</i> , 2020, 305, 92-98.	0.8	7
106	Readmission and death in patients admitted with new-onset versus worsening of chronic heart failure: insights from a nationwide cohort. <i>European Journal of Heart Failure</i> , 2020, 22, 1777-1785.	2.9	53
107	Association between statin use and outcomes in patients with coronavirus disease 2019 (COVID-19): a nationwide cohort study. <i>BMJ Open</i> , 2020, 10, e044421.	0.8	54
108	Employment status before and after open heart valve surgery: A cohort study. , 2020, 15, e0240210.		0

#	ARTICLE	IF	CITATIONS
109	Employment status before and after open heart valve surgery: A cohort study. , 2020, 15, e0240210.		0
110	Employment status before and after open heart valve surgery: A cohort study. , 2020, 15, e0240210.		0
111	Employment status before and after open heart valve surgery: A cohort study. , 2020, 15, e0240210.		0
112	Direct oral anticoagulant“ versus vitamin K antagonist“related gastrointestinal bleeding: Insights from a nationwide cohort. American Heart Journal, 2019, 216, 117-124.	1.2	10
113	Prevalence of Infective Endocarditis in Enterococcus faecalis Bacteremia. Journal of the American College of Cardiology, 2019, 74, 193-201.	1.2	78
114	Atrial fibrillation and anticoagulation in patients with breast cancer. Scandinavian Cardiovascular Journal, 2019, 53, 247-254.	0.4	6
115	Pelvic organ prolapse surgery after native tissue vault suspension at hysterectomy“ A prospective cohort study. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2019, 240, 144-150.	0.5	2
116	Association of Carpal Tunnel Syndrome With Amyloidosis, Heart Failure, and Adverse Cardiovascular Outcomes. Journal of the American College of Cardiology, 2019, 74, 15-23.	1.2	77
117	Long-term Thromboembolic Risk in Patients With Postoperative Atrial Fibrillation After Left-Sided Heart Valve Surgery. JAMA Cardiology, 2019, 4, 1139.	3.0	27
118	Burden and causes for hospitalizations following coronary artery bypass grafting: a nationwide cohort study. European Journal of Cardio-thoracic Surgery, 2019, 55, 893-902.	0.6	8
119	Incidence of atrial fibrillation in conjunction with breast cancer. Heart Rhythm, 2019, 16, 343-348.	0.3	21
120	Polygenic predisposition to breast cancer and the risk of coronary artery disease. International Journal of Cardiology, 2019, 291, 145-151.	0.8	2
121	Ischaemic heart disease, infection, and treatment of infection. European Heart Journal, 2019, 40, 3846-3847.	1.0	2
122	Prevalence of infective endocarditis in patients with positive blood cultures: a Danish nationwide study. European Heart Journal, 2019, 40, 3237-3244.	1.0	40
123	Long-Term Risk of Infective Endocarditis After Transcatheter Aortic Valve Replacement. Journal of the American College of Cardiology, 2019, 73, 1646-1655.	1.2	86
124	Long-Term Risk of Heart Failure in Breast Cancer Patients After Adjuvant Chemotherapy With or Without Trastuzumab. JACC: Heart Failure, 2019, 7, 217-224.	1.9	43
125	Increased risk of <i>Staphylococcus aureus</i> bacteremia in hemodialysis“ A nationwide study. Hemodialysis International, 2019, 23, 230-238.	0.4	12
126	Comparative thromboembolic risk in atrial fibrillation with and without a secondary precipitant“ Danish nationwide cohort study. BMJ Open, 2019, 9, e028468.	0.8	11

#	ARTICLE	IF	CITATIONS
127	Incidence of infective endocarditis in patients considered at moderate risk. <i>European Heart Journal</i> , 2019, 40, 1355-1361.	1.0	29
128	The importance of time in therapeutic range in switching from vitamin K antagonist to non-vitamin K antagonist oral anticoagulants in atrial fibrillation. <i>Europace</i> , 2019, 21, 572-580.	0.7	9
129	Occult cardiac amyloidosis?. <i>Aging</i> , 2019, 11, 8739-8740.	1.4	0
130	CHA ₂ DS ₂ -VASc score and risk of thromboembolism and bleeding in patients with atrial fibrillation and recent cancer. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 651-658.	0.8	72
131	Long-term effect of epirubicin on incidence of heart failure in women with breast cancer: insight from a randomized clinical trial. <i>European Journal of Heart Failure</i> , 2018, 20, 1447-1453.	2.9	46
132	Long-term causes of death in patients with infective endocarditis who undergo medical therapy only or surgical treatment: a nationwide population-based study. <i>European Journal of Cardio-thoracic Surgery</i> , 2018, 54, 860-866.	0.6	34
133	Low-Dose Aspirin in Heart Failure Not Complicated by Atrial Fibrillation. <i>JACC: Heart Failure</i> , 2018, 6, 156-167.	1.9	11
134	Resumption of oral anticoagulation following traumatic injury and risk of stroke and bleeding in patients with atrial fibrillation: a nationwide cohort study. <i>European Heart Journal</i> , 2018, 39, 1698-1705a.	1.0	28
135	Incidence of infective endocarditis among patients considered at high risk. <i>European Heart Journal</i> , 2018, 39, 623-629.	1.0	89
136	Long-term Thromboembolic Risk in Patients With Postoperative Atrial Fibrillation After Coronary Artery Bypass Graft Surgery and Patients With Nonvalvular Atrial Fibrillation. <i>JAMA Cardiology</i> , 2018, 3, 417.	3.0	73
137	Short- and long-term cause of death in patients undergoing isolated coronary artery bypass grafting: A nationwide cohort study. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2018, 156, 54-60.e4.	0.4	12
138	Shifting to a non-vitamin K antagonist oral anticoagulation agent from vitamin K antagonist in atrial fibrillation. <i>Europace</i> , 2018, 20, e78-e86.	0.7	22
139	Return to the workforce following coronary artery bypass grafting: A Danish nationwide cohort study. <i>International Journal of Cardiology</i> , 2018, 251, 15-21.	0.8	20
140	Return to the workforce following infective endocarditis—A nationwide cohort study. <i>American Heart Journal</i> , 2018, 195, 130-138.	1.2	15
141	Evidence-Based Therapy and Its Association With Workforce Detachment After First Hospitalization for Heart Failure. <i>JACC: Heart Failure</i> , 2018, 6, 41-48.	1.9	3
142	Employment status at time of first hospitalization for heart failure is associated with a higher risk of death and rehospitalization for heart failure. <i>European Journal of Heart Failure</i> , 2018, 20, 240-247.	2.9	16
143	Reply to Mori and Geirsson. <i>European Journal of Cardio-thoracic Surgery</i> , 2018, 54, 1147-1147.	0.6	0
144	The impact of hemodialysis on mortality risk and cause of death in <i>Staphylococcus aureus</i> endocarditis. <i>BMC Nephrology</i> , 2018, 19, 216.	0.8	12

#	ARTICLE	IF	CITATIONS
145	Risk of Thromboembolism Associated With Atrial Fibrillation Following Noncardiac Surgery. <i>Journal of the American College of Cardiology</i> , 2018, 72, 2027-2036.	1.2	80
146	Initiation of domiciliary care and nursing home admission following first hospitalization of heart failure patients: a nationwide cohort study. <i>Clinical Epidemiology</i> , 2018, Volume 10, 917-930.	1.5	10
147	Comparative thromboembolic risk in atrial fibrillation patients with and without a concurrent infection. <i>American Heart Journal</i> , 2018, 204, 43-51.	1.2	4
148	Positive predictive value of infective endocarditis in the Danish National Patient Registry: a validation study. <i>Epidemiology and Infection</i> , 2018, 146, 1965-1967.	1.0	33
149	Non-steroidal anti-inflammatory drug use is associated with increased risk of out-of-hospital cardiac arrest: a nationwide case-control study. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2017, 3, pvw041.	1.4	63
150	Major Bleeding Complications and Persistence With Oral Anticoagulation in Nonvalvular Atrial Fibrillation: Contemporary Findings in Real-Life Danish Patients. <i>Journal of the American Heart Association</i> , 2017, 6, .	1.6	109
151	Direct Transport to a Percutaneous Cardiac Intervention Center and Outcomes in Patients With Out-of-Hospital Cardiac Arrest. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2017, 10, .	0.9	50
152	Predicted risk of stroke and bleeding and use of oral anticoagulants in atrial fibrillation: Danish nationwide temporal trends 2011-2016. <i>Thrombosis Research</i> , 2017, 160, 19-26.	0.8	3
153	Temporal changes in infective endocarditis guidelines during the last 12 years: High-level evidence needed. <i>American Heart Journal</i> , 2017, 193, 70-75.	1.2	14
154	Increased use of oral anticoagulants in patients with atrial fibrillation: temporal trends from 2005 to 2015 in Denmark. <i>European Heart Journal</i> , 2017, 38, ehw658.	1.0	142
155	Beta-Blockers for Exams Identify Students at High Risk of Psychiatric Morbidity. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2017, 27, 266-273.	0.7	15
156	Low immediate scientific yield of the PhD among medical doctors. <i>BMC Medical Education</i> , 2016, 16, 189.	1.0	7
157	Outcomes Associated With Familial Versus Nonfamilial Atrial Fibrillation: A Matched Nationwide Cohort Study. <i>Journal of the American Heart Association</i> , 2016, 5, .	1.6	10
158	Identifying Drug-Drug Interactions by Data Mining. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2016, 9, 621-628.	0.9	29
159	Family history of atrial fibrillation is associated with earlier-onset and more symptomatic atrial fibrillation: Results from the Outcomes Registry for Better Informed Treatment of Atrial Fibrillation (ORBIT-AF) registry. <i>American Heart Journal</i> , 2016, 175, 28-35.	1.2	23
160	Renal Function and the Risk of Stroke and Bleeding in Patients With Atrial Fibrillation. <i>Stroke</i> , 2016, 47, 2707-2713.	1.0	45
161	The prevalence and prognostic importance of possible familial hypercholesterolemia in patients with myocardial infarction. <i>American Heart Journal</i> , 2016, 181, 35-42.	1.2	35
162	Return to the Workforce After First Hospitalization for Heart Failure. <i>Circulation</i> , 2016, 134, 999-1009.	1.6	50

#	ARTICLE	IF	CITATIONS
163	Ischaemic and haemorrhagic stroke associated with non-vitamin K antagonist oral anticoagulants and warfarin use in patients with atrial fibrillation: a nationwide cohort study. <i>European Heart Journal</i> , 2016, 38, ehv496.	1.0	74
164	Non-vitamin K antagonist oral anticoagulation usage according to age among patients with atrial fibrillation: Temporal trends 2011-2015 in Denmark. <i>Scientific Reports</i> , 2016, 6, 31477.	1.6	80
165	Early Cessation of Adenosine Diphosphate Receptor Inhibitors Among Acute Myocardial Infarction Patients Treated With Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Interventions</i> , 2016, 9, .	1.4	19
166	Repatriation to referral hospital after reperfusion of STEMI patients transferred for primary percutaneous coronary intervention: Insights of a Canadian regional STEMI care system. <i>American Heart Journal</i> , 2016, 177, 145-152.	1.2	3
167	Familial clustering and subsequent incidence of atrial fibrillation among first-degree relatives in Denmark. <i>Europace</i> , 2016, 18, 658-664.	0.7	14
168	The importance of β_2 -agonists in myocardial infarction: Findings from the Eastern Danish Heart Registry. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2016, 5, 551-559.	0.4	2
169	Risk of gastrointestinal adverse effects of dabigatran compared with warfarin among patients with atrial fibrillation: a nationwide cohort study. <i>Europace</i> , 2015, 17, 1215-1222.	0.7	28
170	Symptomatic Venous Thromboembolism Following Fractures Distal to the Knee. <i>Journal of Bone and Joint Surgery - Series A</i> , 2015, 97, 470-477.	1.4	20
171	Stroke and recurrent haemorrhage associated with antithrombotic treatment after gastrointestinal bleeding in patients with atrial fibrillation: nationwide cohort study. <i>BMJ, The</i> , 2015, 351, h5876.	3.0	120
172	Non-vitamin K antagonist oral anticoagulation agents in anticoagulant naive atrial fibrillation patients: Danish nationwide descriptive data 2011-2013. <i>Europace</i> , 2015, 17, 187-193.	0.7	152
173	Association of NSAID Use With Risk of Bleeding and Cardiovascular Events in Patients Receiving Antithrombotic Therapy After Myocardial Infarction. <i>JAMA - Journal of the American Medical Association</i> , 2015, 313, 805.	3.8	115
174	Use and Outcomes of Triple Therapy Among Older Patients With Acute Myocardial Infarction and Atrial Fibrillation. <i>Journal of the American College of Cardiology</i> , 2015, 66, 616-627.	1.2	93
175	Association of Bystander and First-Responder Intervention With Survival After Out-of-Hospital Cardiac Arrest in North Carolina, 2010-2013. <i>JAMA - Journal of the American Medical Association</i> , 2015, 314, 255.	3.8	315
176	NSAIDs are associated with increased risk of atrial fibrillation in patients with prior myocardial infarction: a nationwide study. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2015, 1, 107-114.	1.4	16
177	Peripheral artery disease is a coronary heart disease risk equivalent among both men and women: results from a nationwide study. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 317-325.	0.8	94
178	Impact of proton pump inhibitor treatment on gastrointestinal bleeding associated with non-steroidal anti-inflammatory drug use among post-myocardial infarction patients taking antithrombotics: nationwide study. <i>BMJ, The</i> , 2015, 351, h5096.	3.0	22
179	Opportunities for improvement: anticoagulation in patients undergoing total knee or hip replacement. <i>Journal of Orthopaedic Science</i> , 2015, 20, 1036-1045.	0.5	3
180	Factors Associated With and Outcomes After Ventricular Fibrillation Before and During Primary Angioplasty in Patients With ST-Segment Elevation Myocardial Infarction. <i>American Journal of Cardiology</i> , 2015, 116, 678-685.	0.7	30

#	ARTICLE	IF	CITATIONS
181	The role of bystanders, first responders, and emergency medical service providers in timely defibrillation and related outcomes after out-of-hospital cardiac arrest: Results from a statewide registry. <i>Resuscitation</i> , 2015, 96, 303-309.	1.3	95
182	Metformin in combination with various insulin secretagogues in type 2 diabetes and associated risk of cardiovascular morbidity and mortality—A retrospective nationwide study. <i>Diabetes Research and Clinical Practice</i> , 2015, 107, 104-112.	1.1	15
183	Rates of Cardiopulmonary Resuscitation Training in the United States. <i>JAMA Internal Medicine</i> , 2014, 174, 194.	2.6	131
184	Use of Nonsteroidal Anti-Inflammatory Drugs among Healthy People and Specific Cerebrovascular Safety. <i>International Journal of Stroke</i> , 2014, 9, 943-945.	2.9	11
185	Diurnal variations in incidence and outcome of out-of-hospital cardiac arrest including prior comorbidity and pharmacotherapy: A nationwide study in Denmark. <i>Resuscitation</i> , 2014, 85, 1161-1168.	1.3	22
186	Warfarin use among older atrial fibrillation patients with non-ST-segment elevation myocardial infarction managed with coronary stenting and dual antiplatelet therapy. <i>American Heart Journal</i> , 2013, 166, 864-870.	1.2	46
187	Comparative Effectiveness Research. <i>Heart Failure Clinics</i> , 2013, 9, 37-47.	1.0	2
188	Prehospital system delay in ST-segment elevation myocardial infarction care: A novel linkage of emergency medicine services and in-hospital registry data. <i>American Heart Journal</i> , 2013, 165, 363-370.	1.2	30
189	Learning from regional heterogeneity in outcomes of patients with acute myocardial infarction. <i>European Heart Journal</i> , 2013, 34, 3171-3172.	1.0	0
190	The Impact of a Statewide Pre-Hospital STEMI Strategy to Bypass Hospitals Without Percutaneous Coronary Intervention Capability on Treatment Times. <i>Circulation</i> , 2013, 127, 604-612.	1.6	99
191	Provider Specialty and Atrial Fibrillation Treatment Strategies in United States Community Practice: Findings From the ORBIT-AF Registry. <i>Journal of the American Heart Association</i> , 2013, 2, e000110.	1.6	60
192	Spousal depression, anxiety, and suicide after myocardial infarction. <i>European Heart Journal</i> , 2013, 34, 649-656.	1.0	22
193	Safety and effectiveness of antithrombotic strategies in older adult patients with atrial fibrillation and non-ST elevation myocardial infarction. <i>American Heart Journal</i> , 2012, 163, 720-728.	1.2	45
194	Comparative Cardiovascular Safety of Dementia Medications: A Cross-National Study. <i>Journal of the American Geriatrics Society</i> , 2012, 60, 2283-2289.	1.3	20
195	Efficacy of Post-Operative Clopidogrel Treatment in Patients Revascularized With Coronary Artery Bypass Grafting After Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2011, 57, 1202-1209.	1.2	75
196	Increased Mortality Associated With Low Use of Clopidogrel in Patients With Heart Failure and Acute Myocardial Infarction Not Undergoing Percutaneous Coronary Intervention. <i>Journal of the American College of Cardiology</i> , 2010, 55, 1300-1307.	1.2	18
197	Long-term prognostic importance of resting heart rate in patients with left ventricular dysfunction in connection with either heart failure or myocardial infarction: The DIAMOND study. <i>International Journal of Cardiology</i> , 2010, 140, 279-286.	0.8	56
198	Prognostic Importance of Change in QRS Duration Over Time Associated With Left Ventricular Dysfunction in Patients With Congestive Heart Failure: The DIAMOND Study. <i>Journal of Cardiac Failure</i> , 2008, 14, 850-855.	0.7	11

#	ARTICLE	IF	CITATIONS
199	Long-term outcome of primary angioplasty compared with fibrinolysis across age groups: A Danish Multicenter Randomized Study on Fibrinolytic Therapy Versus Acute Coronary Angioplasty in Acute Myocardial Infarction (DANAMI-2) substudy. <i>American Heart Journal</i> , 2008, 156, 391-396.	1.2	12
200	Differential prognostic importance of QRS duration in heart failure and acute myocardial infarction associated with left ventricular dysfunction. <i>European Journal of Heart Failure</i> , 2007, 9, 814-819.	2.9	11