

Emil Loldrup Fosbl

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3376448/emil-loldrup-fosbol-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

185
papers

3,592
citations

34
h-index

54
g-index

201
ext. papers

4,993
ext. citations

6.6
avg, IF

5.56
L-index

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 185 | Association of Angiotensin-Converting Enzyme Inhibitor or Angiotensin Receptor Blocker Use With COVID-19 Diagnosis and Mortality. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 324, 168-177 | 27.4 | 262 |
| 184 | Association of Bystander and First-Responder Intervention With Survival After Out-of-Hospital Cardiac Arrest in North Carolina, 2010-2013. <i>JAMA - Journal of the American Medical Association</i> , 2015 , 314, 255-64 | 27.4 | 237 |
| 183 | Non-vitamin K antagonist oral anticoagulation agents in anticoagulant naïve atrial fibrillation patients: Danish nationwide descriptive data 2011-2013. <i>Europace</i> , 2015 , 17, 187-93 | 3.9 | 135 |
| 182 | Increased use of oral anticoagulants in patients with atrial fibrillation: temporal trends from 2005 to 2015 in Denmark. <i>European Heart Journal</i> , 2017 , 38, 899-906 | 9.5 | 127 |
| 181 | Stroke and recurrent haemorrhage associated with antithrombotic treatment after gastrointestinal bleeding in patients with atrial fibrillation: nationwide cohort study. <i>BMJ, The</i> , 2015 , 351, h5876 | 5.9 | 91 |
| 180 | Rates of cardiopulmonary resuscitation training in the United States. <i>JAMA Internal Medicine</i> , 2014 , 174, 194-201 | 11.5 | 89 |
| 179 | Association of NSAID use with risk of bleeding and cardiovascular events in patients receiving antithrombotic therapy after myocardial infarction. <i>JAMA - Journal of the American Medical Association</i> , 2015 , 313, 805-14 | 27.4 | 85 |
| 178 | The impact of a statewide pre-hospital STEMI strategy to bypass hospitals without percutaneous coronary intervention capability on treatment times. <i>Circulation</i> , 2013 , 127, 604-12 | 16.7 | 77 |
| 177 | The role of bystanders, first responders, and emergency medical service providers in timely defibrillation and related outcomes after out-of-hospital cardiac arrest: Results from a statewide registry. <i>Resuscitation</i> , 2015 , 96, 303-9 | 4 | 76 |
| 176 | Major Bleeding Complications and Persistence With Oral Anticoagulation in Non-Valvular Atrial Fibrillation: Contemporary Findings in Real-Life Danish Patients. <i>Journal of the American Heart Association</i> , 2017 , 6, | 6 | 74 |
| 175 | Use and Outcomes of Triple Therapy Among Older Patients With Acute Myocardial Infarction and Atrial Fibrillation. <i>Journal of the American College of Cardiology</i> , 2015 , 66, 616-27 | 15.1 | 72 |
| 174 | Peripheral artery disease is a coronary heart disease risk equivalent among both men and women: results from a nationwide study. <i>European Journal of Preventive Cardiology</i> , 2015 , 22, 317-25 | 3.9 | 70 |
| 173 | Non-vitamin K antagonist oral anticoagulation usage according to age among patients with atrial fibrillation: Temporal trends 2011-2015 in Denmark. <i>Scientific Reports</i> , 2016 , 6, 31477 | 4.9 | 68 |
| 172 | Acute COVID-19 and the Incidence of Ischemic Stroke and Acute Myocardial Infarction. <i>Circulation</i> , 2020 , 142, 2080-2082 | 16.7 | 66 |
| 171 | Ischaemic and haemorrhagic stroke associated with non-vitamin K antagonist oral anticoagulants and warfarin use in patients with atrial fibrillation: a nationwide cohort study. <i>European Heart Journal</i> , 2017 , 38, 907-915 | 9.5 | 63 |
| 170 | Efficacy of post-operative clopidogrel treatment in patients revascularized with coronary artery bypass grafting after myocardial infarction. <i>Journal of the American College of Cardiology</i> , 2011 , 57, 1202-9 | 15.1 | 62 |
| 169 | Incidence of infective endocarditis among patients considered at high risk. <i>European Heart Journal</i> , 2018 , 39, 623-629 | 9.5 | 60 |

| | | | |
|-----|---|------|----|
| 168 | New-onset atrial fibrillation: incidence, characteristics, and related events following a national COVID-19 lockdown of 5.6 million people. <i>European Heart Journal</i> , 2020 , 41, 3072-3079 | 9.5 | 53 |
| 167 | Charlson Comorbidity Index Score and Risk of Severe Outcome and Death in Danish COVID-19 Patients. <i>Journal of General Internal Medicine</i> , 2020 , 35, 2801-2803 | 4 | 52 |
| 166 | Association Between Male Sex and Outcomes of Coronavirus Disease 2019 (COVID-19)-A Danish Nationwide, Register-based Study. <i>Clinical Infectious Diseases</i> , 2021 , 73, e4025-e4030 | 11.6 | 47 |
| 165 | Long-Term Risk of Infective Endocarditis After Transcatheter Aortic Valve Replacement. <i>Journal of the American College of Cardiology</i> , 2019 , 73, 1646-1655 | 15.1 | 45 |
| 164 | Provider specialty and atrial fibrillation treatment strategies in United States community practice: findings from the ORBIT-AF registry. <i>Journal of the American Heart Association</i> , 2013 , 2, e000110 | 6 | 45 |
| 163 | Long-term prognostic importance of resting heart rate in patients with left ventricular dysfunction in connection with either heart failure or myocardial infarction: the DIAMOND study. <i>International Journal of Cardiology</i> , 2010 , 140, 279-86 | 3.2 | 45 |
| 162 | Risk of Thromboembolism Associated With Atrial Fibrillation Following Noncardiac Surgery. <i>Journal of the American College of Cardiology</i> , 2018 , 72, 2027-2036 | 15.1 | 45 |
| 161 | CHADS-VASc score and risk of thromboembolism and bleeding in patients with atrial fibrillation and recent cancer. <i>European Journal of Preventive Cardiology</i> , 2018 , 25, 651-658 | 3.9 | 43 |
| 160 | Long-term Thromboembolic Risk in Patients With Postoperative Atrial Fibrillation After Coronary Artery Bypass Graft Surgery and Patients With Nonvalvular Atrial Fibrillation. <i>JAMA Cardiology</i> , 2018 , 3, 417-424 | 16.2 | 43 |
| 159 | Safety and effectiveness of antithrombotic strategies in older adult patients with atrial fibrillation and non-ST elevation myocardial infarction. <i>American Heart Journal</i> , 2012 , 163, 720-8 | 4.9 | 40 |
| 158 | Non-steroidal anti-inflammatory drug use is associated with increased risk of out-of-hospital cardiac arrest: a nationwide case-time-control study. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2017 , 3, 100-107 | 6.4 | 39 |
| 157 | The risk of cardiac events in patients receiving immune checkpoint inhibitors: a nationwide Danish study. <i>European Heart Journal</i> , 2021 , 42, 1621-1631 | 9.5 | 37 |
| 156 | Association of Carpal Tunnel Syndrome With Amyloidosis, Heart Failure, and Adverse Cardiovascular Outcomes. <i>Journal of the American College of Cardiology</i> , 2019 , 74, 15-23 | 15.1 | 36 |
| 155 | Warfarin use among older atrial fibrillation patients with non-ST-segment elevation myocardial infarction managed with coronary stenting and dual antiplatelet therapy. <i>American Heart Journal</i> , 2013 , 166, 864-70 | 4.9 | 36 |
| 154 | Association between statin use and outcomes in patients with coronavirus disease 2019 (COVID-19): a nationwide cohort study. <i>BMJ Open</i> , 2020 , 10, e044421 | 3 | 35 |
| 153 | Effects of empagliflozin on estimated extracellular volume, estimated plasma volume, and measured glomerular filtration rate in patients with heart failure (Empire HF Renal): a prespecified substudy of a double-blind, randomised, placebo-controlled trial. <i>Lancet Diabetes and Endocrinology</i> , 2021 , 9, 106-116 | 18.1 | 35 |
| 152 | Prevalence of Infective Endocarditis in Enterococcus faecalis Bacteremia. <i>Journal of the American College of Cardiology</i> , 2019 , 74, 193-201 | 15.1 | 34 |
| 151 | Direct Transport to a Percutaneous Cardiac Intervention Center and Outcomes in Patients With Out-of-Hospital Cardiac Arrest. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2017 , 10, | 5.8 | 33 |

| | | | |
|-----|--|------|----|
| 150 | Return to the Workforce After First Hospitalization for Heart Failure: A Danish Nationwide Cohort Study. <i>Circulation</i> , 2016 , 134, 999-1009 | 16.7 | 29 |
| 149 | The prevalence and prognostic importance of possible familial hypercholesterolemia in patients with myocardial infarction. <i>American Heart Journal</i> , 2016 , 181, 35-42 | 4.9 | 29 |
| 148 | SARS-CoV-2 vaccination and myocarditis or myopericarditis: population based cohort study.. <i>BMJ, The</i> , 2021 , 375, e068665 | 5.9 | 28 |
| 147 | Renal Function and the Risk of Stroke and Bleeding in Patients With Atrial Fibrillation: An Observational Cohort Study. <i>Stroke</i> , 2016 , 47, 2707-2713 | 6.7 | 28 |
| 146 | Risk of gastrointestinal adverse effects of dabigatran compared with warfarin among patients with atrial fibrillation: a nationwide cohort study. <i>Europace</i> , 2015 , 17, 1215-22 | 3.9 | 27 |
| 145 | Long-term effect of epirubicin on incidence of heart failure in women with breast cancer: insight from a randomized clinical trial. <i>European Journal of Heart Failure</i> , 2018 , 20, 1447-1453 | 12.3 | 26 |
| 144 | Prehospital system delay in ST-segment elevation myocardial infarction care: a novel linkage of emergency medicine services and in hospital registry data. <i>American Heart Journal</i> , 2013 , 165, 363-70 | 4.9 | 25 |
| 143 | Twelve weeks of treatment with empagliflozin in patients with heart failure and reduced ejection fraction: A double-blinded, randomized, and placebo-controlled trial. <i>American Heart Journal</i> , 2020 , 228, 47-56 | 4.9 | 25 |
| 142 | Factors Associated With and Outcomes After Ventricular Fibrillation Before and During Primary Angioplasty in Patients With ST-Segment Elevation Myocardial Infarction. <i>American Journal of Cardiology</i> , 2015 , 116, 678-85 | 3 | 24 |
| 141 | Long-Term Risk of Heart Failure in Breast Cancer Patients After Adjuvant Chemotherapy With or Without Trastuzumab. <i>JACC: Heart Failure</i> , 2019 , 7, 217-224 | 7.9 | 23 |
| 140 | Incidence of infective endocarditis in patients considered at moderate risk. <i>European Heart Journal</i> , 2019 , 40, 1355-1361 | 9.5 | 22 |
| 139 | Prevalence of Infective Endocarditis in Streptococcal Bloodstream Infections Is Dependent on Streptococcal Species. <i>Circulation</i> , 2020 , 142, 720-730 | 16.7 | 21 |
| 138 | Resumption of oral anticoagulation following traumatic injury and risk of stroke and bleeding in patients with atrial fibrillation: a nationwide cohort study. <i>European Heart Journal</i> , 2018 , 39, 1698-1705a | 9.5 | 21 |
| 137 | Long-Term Adverse Cardiac Outcomes in Patients With Sarcoidosis. <i>Journal of the American College of Cardiology</i> , 2020 , 76, 767-777 | 15.1 | 21 |
| 136 | Family history of atrial fibrillation is associated with earlier-onset and more symptomatic atrial fibrillation: Results from the Outcomes Registry for Better Informed Treatment of Atrial Fibrillation (ORBIT-AF) registry. <i>American Heart Journal</i> , 2016 , 175, 28-35 | 4.9 | 20 |
| 135 | Readmission and death in patients admitted with new-onset versus worsening of chronic heart failure: insights from a nationwide cohort. <i>European Journal of Heart Failure</i> , 2020 , 22, 1777-1785 | 12.3 | 19 |
| 134 | Long-term causes of death in patients with infective endocarditis who undergo medical therapy only or surgical treatment: a nationwide population-based study. <i>European Journal of Cardio-thoracic Surgery</i> , 2018 , 54, 860-866 | 3 | 19 |
| 133 | Effect of COVID-19 on First-Time Acute Stroke and Transient Ischemic Attack Admission Rates and Prognosis in Denmark: A Nationwide Cohort Study. <i>Circulation</i> , 2020 , 142, 1227-1229 | 16.7 | 19 |

| | | | |
|-----|---|------|----|
| 132 | Diurnal variations in incidence and outcome of out-of-hospital cardiac arrest including prior comorbidity and pharmacotherapy: a nationwide study in Denmark. <i>Resuscitation</i> , 2014 , 85, 1161-8 | 4 | 18 |
| 131 | Cardiovascular comorbidities as predictors for severe COVID-19 infection or death. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2021 , 7, 172-180 | 4.6 | 18 |
| 130 | All-cause mortality and location of death in patients with established cardiovascular disease before, during, and after the COVID-19 lockdown: a Danish Nationwide Cohort Study. <i>European Heart Journal</i> , 2021 , 42, 1516-1523 | 9.5 | 18 |
| 129 | Shifting to a non-vitamin K antagonist oral anticoagulation agent from vitamin K antagonist in atrial fibrillation. <i>Europace</i> , 2018 , 20, e78-e86 | 3.9 | 17 |
| 128 | Positive predictive value of infective endocarditis in the Danish National Patient Registry: a validation study. <i>Epidemiology and Infection</i> , 2018 , 146, 1965-1967 | 4.3 | 17 |
| 127 | Spousal depression, anxiety, and suicide after myocardial infarction. <i>European Heart Journal</i> , 2013 , 34, 649-56 | 9.5 | 17 |
| 126 | Association Between Prescribed Ibuprofen and Severe COVID-19 Infection: A Nationwide Register-Based Cohort Study. <i>Clinical and Translational Science</i> , 2020 , 13, 1103-1107 | 4.9 | 17 |
| 125 | Severe mental illness is associated with increased mortality and severe course of COVID-19. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 144, 82-91 | 6.5 | 17 |
| 124 | Identifying Drug-Drug Interactions by Data Mining: A Pilot Study of Warfarin-Associated Drug Interactions. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2016 , 9, 621-628 | 5.8 | 17 |
| 123 | Prevalence of infective endocarditis in patients with positive blood cultures: a Danish nationwide study. <i>European Heart Journal</i> , 2019 , 40, 3237-3244 | 9.5 | 16 |
| 122 | Comparative cardiovascular safety of dementia medications: a cross-national study. <i>Journal of the American Geriatrics Society</i> , 2012 , 60, 2283-9 | 5.6 | 16 |
| 121 | Increased mortality associated with low use of clopidogrel in patients with heart failure and acute myocardial infarction not undergoing percutaneous coronary intervention: a nationwide study. <i>Journal of the American College of Cardiology</i> , 2010 , 55, 1300-7 | 15.1 | 16 |
| 120 | Early Cessation of Adenosine Diphosphate Receptor Inhibitors Among Acute Myocardial Infarction Patients Treated With Percutaneous Coronary Intervention: Insights From the TRANSLATE-ACS Study (Treatment With Adenosine Diphosphate Receptor Inhibitors: Longitudinal Assessment of Treatment Patterns and Events After Acute Coronary Syndrome). <i>Circulation: Cardiovascular</i> | 6 | 15 |
| 119 | Symptomatic venous thromboembolism following fractures distal to the knee: a nationwide Danish cohort study. <i>Journal of Bone and Joint Surgery - Series A</i> , 2015 , 97, 470-7 | 5.6 | 15 |
| 118 | Vitamin K antagonists vs. direct oral anticoagulants after transcatheter aortic valve implantation in atrial fibrillation. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021 , 7, 11-19 | 6.4 | 15 |
| 117 | Impact of proton pump inhibitor treatment on gastrointestinal bleeding associated with non-steroidal anti-inflammatory drug use among post-myocardial infarction patients taking antithrombotics: nationwide study. <i>BMJ, The</i> , 2015 , 351, h5096 | 5.9 | 14 |
| 116 | Metformin in combination with various insulin secretagogues in type 2 diabetes and associated risk of cardiovascular morbidity and mortality--a retrospective nationwide study. <i>Diabetes Research and Clinical Practice</i> , 2015 , 107, 104-12 | 7.4 | 13 |
| 115 | Familial clustering and subsequent incidence of atrial fibrillation among first-degree relatives in Denmark. <i>Europace</i> , 2016 , 18, 658-64 | 3.9 | 13 |

| | | | |
|-----|---|------|----|
| 114 | Add-on therapy in metformin-treated patients with type 2 diabetes at moderate cardiovascular risk: a nationwide study. <i>Cardiovascular Diabetology</i> , 2020 , 19, 107 | 8.7 | 12 |
| 113 | Employment status at time of first hospitalization for heart failure is associated with a higher risk of death and rehospitalization for heart failure. <i>European Journal of Heart Failure</i> , 2018 , 20, 240-247 | 12.3 | 12 |
| 112 | Return to the workforce following coronary artery bypass grafting: A Danish nationwide cohort study. <i>International Journal of Cardiology</i> , 2018 , 251, 15-21 | 3.2 | 11 |
| 111 | Temporal changes in infective endocarditis guidelines during the last 12 years: High-level evidence needed. <i>American Heart Journal</i> , 2017 , 193, 70-75 | 4.9 | 11 |
| 110 | Non-steroidal anti-inflammatory drug use in COVID-19. <i>Lancet Rheumatology, The</i> , 2021 , 3, e465-e466 | 14.2 | 11 |
| 109 | Temporal changes in the incidence of infective endocarditis in Denmark 1997-2017: A nationwide study. <i>International Journal of Cardiology</i> , 2021 , 326, 145-152 | 3.2 | 11 |
| 108 | NSAIDs are associated with increased risk of atrial fibrillation in patients with prior myocardial infarction: a nationwide study. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2015 , 1, 107-114 | 6.4 | 10 |
| 107 | Beta-Blockers for Exams Identify Students at High Risk of Psychiatric Morbidity. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2017 , 27, 266-273 | 2.9 | 10 |
| 106 | Differential prognostic importance of QRS duration in heart failure and acute myocardial infarction associated with left ventricular dysfunction. <i>European Journal of Heart Failure</i> , 2007 , 9, 814-9 | 12.3 | 10 |
| 105 | National all-cause mortality during the COVID-19 pandemic: a Danish registry-based study. <i>European Journal of Epidemiology</i> , 2020 , 35, 1007-1019 | 12.1 | 10 |
| 104 | Trends in first-time hospitalization, management, and short-term mortality in acute myocardial infarction-related cardiogenic shock from 2005 to 2017: A nationwide cohort study. <i>American Heart Journal</i> , 2020 , 229, 127-137 | 4.9 | 10 |
| 103 | Incidence of acute coronary syndrome during national lock-down: Insights from nationwide data during the Coronavirus disease 2019 (COVID-19) pandemic. <i>American Heart Journal</i> , 2021 , 232, 146-153 | 4.9 | 10 |
| 102 | Long-term Thromboembolic Risk in Patients With Postoperative Atrial Fibrillation After Left-Sided Heart Valve Surgery. <i>JAMA Cardiology</i> , 2019 , 4, 1139-1147 | 16.2 | 9 |
| 101 | Long-term outcome of primary angioplasty compared with fibrinolysis across age groups: a Danish Multicenter Randomized Study on Fibrinolytic Therapy Versus Acute Coronary Angioplasty in Acute Myocardial Infarction (DANAMI-2) substudy. <i>American Heart Journal</i> , 2008 , 156, 391-6 | 4.9 | 9 |
| 100 | One-year outcomes in atrial fibrillation presenting during infections: a nationwide registry-based study. <i>European Heart Journal</i> , 2020 , 41, 1112-1119 | 9.5 | 9 |
| 99 | Outcomes Associated With Familial Versus Nonfamilial Atrial Fibrillation: A Matched Nationwide Cohort Study. <i>Journal of the American Heart Association</i> , 2016 , 5, | 6 | 9 |
| 98 | Increased risk of Staphylococcus aureus bacteremia in hemodialysis-A nationwide study. <i>Hemodialysis International</i> , 2019 , 23, 230-238 | 1.7 | 9 |
| 97 | Incidence of atrial fibrillation in conjunction with breast cancer. <i>Heart Rhythm</i> , 2019 , 16, 343-348 | 6.7 | 8 |

| | | | |
|----|--|------|---|
| 96 | Return to the workforce following infective endocarditis-A nationwide cohort study. <i>American Heart Journal</i> , 2018 , 195, 130-138 | 4.9 | 8 |
| 95 | Use of nonsteroidal anti-inflammatory drugs among healthy people and specific cerebrovascular safety. <i>International Journal of Stroke</i> , 2014 , 9, 943-5 | 6.3 | 8 |
| 94 | Prognostic importance of change in QRS duration over time associated with left ventricular dysfunction in patients with congestive heart failure: the DIAMOND study. <i>Journal of Cardiac Failure</i> , 2008 , 14, 850-5 | 3.3 | 8 |
| 93 | Early and late risk of ischemic stroke after TAVR as compared to a nationwide background population. <i>Clinical Research in Cardiology</i> , 2020 , 109, 791-801 | 6.1 | 8 |
| 92 | C-reactive protein after coronary artery bypass graft surgery and its relationship with postoperative atrial fibrillation. <i>Europace</i> , 2020 , 22, 1182-1188 | 3.9 | 8 |
| 91 | Long-Term Cardiovascular Outcomes in Systemic Lupus Erythematosus. <i>Journal of the American College of Cardiology</i> , 2021 , 77, 1717-1727 | 15.1 | 8 |
| 90 | Anti-biofilm Approach in Infective Endocarditis Exposes New Treatment Strategies for Improved Outcome. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 643335 | 5.7 | 8 |
| 89 | Time in therapeutic range and risk of thromboembolism and bleeding in patients with a mechanical heart valve prosthesis. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2019 , | 1.5 | 8 |
| 88 | Consequences of coronavirus disease-2019 (COVID-19) lockdown on infection-related hospitalizations among the pediatric population in Denmark. <i>European Journal of Pediatrics</i> , 2021 , 180, 1955-1963 | 4.1 | 8 |
| 87 | Low-Dose Aspirin in Heart Failure Not Complicated by Atrial Fibrillation: A Nationwide Propensity-Matched Study. <i>JACC: Heart Failure</i> , 2018 , 6, 156-167 | 7.9 | 7 |
| 86 | Time trends in incidence, comorbidity, and mortality of ischemic stroke in Denmark (1996-2016). <i>Neurology</i> , 2020 , 95, e2343-e2353 | 6.5 | 7 |
| 85 | Short- and long-term cause of death in patients undergoing isolated coronary artery bypass grafting: A nationwide cohort study. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2018 , 156, 54-60.e4 | 1.5 | 6 |
| 84 | The impact of hemodialysis on mortality risk and cause of death in Staphylococcus aureus endocarditis. <i>BMC Nephrology</i> , 2018 , 19, 216 | 2.7 | 6 |
| 83 | Recurrent infective endocarditis versus first-time infective endocarditis after heart valve surgery. <i>Clinical Research in Cardiology</i> , 2020 , 109, 1342-1351 | 6.1 | 5 |
| 82 | Direct oral anticoagulant- versus vitamin K antagonist-related gastrointestinal bleeding: Insights from a nationwide cohort. <i>American Heart Journal</i> , 2019 , 216, 117-124 | 4.9 | 5 |
| 81 | Burden and causes for hospitalizations following coronary artery bypass grafting: a nationwide cohort study. <i>European Journal of Cardio-thoracic Surgery</i> , 2019 , 55, 893-902 | 3 | 5 |
| 80 | Cardiovascular Outcomes with GLP-1 Receptor Agonists Versus SGLT-2 Inhibitors in Patients with Type 2 Diabetes. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021 , | 6.4 | 5 |
| 79 | Comparative thromboembolic risk in atrial fibrillation with and without a secondary precipitant-Danish nationwide cohort study. <i>BMJ Open</i> , 2019 , 9, e028468 | 3 | 5 |

| | | | |
|----|--|------|---|
| 78 | The importance of time in therapeutic range in switching from vitamin K antagonist to non-vitamin K antagonist oral anticoagulants in atrial fibrillation. <i>Europace</i> , 2019 , 21, 572-580 | 3.9 | 5 |
| 77 | Incidence of ischaemic stroke and mortality in patients with acute coronary syndrome and first-time detected atrial fibrillation: a nationwide study. <i>European Heart Journal</i> , 2021 , 42, 4553-4561 | 9.5 | 5 |
| 76 | Dabigatran and the Risk of Staphylococcus aureus Bacteremia: A Nationwide Cohort Study. <i>Clinical Infectious Diseases</i> , 2021 , 73, 480-486 | 11.6 | 4 |
| 75 | Quality of life and the associated risk of all-cause mortality in nonischemic heart failure. <i>International Journal of Cardiology</i> , 2020 , 305, 92-98 | 3.2 | 4 |
| 74 | Initiation of domiciliary care and nursing home admission following first hospitalization of heart failure patients: a nationwide cohort study. <i>Clinical Epidemiology</i> , 2018 , 10, 917-930 | 5.9 | 4 |
| 73 | Comparative thromboembolic risk in atrial fibrillation patients with and without a concurrent infection. <i>American Heart Journal</i> , 2018 , 204, 43-51 | 4.9 | 4 |
| 72 | Atrial fibrillation and anticoagulation in patients with breast cancer. <i>Scandinavian Cardiovascular Journal</i> , 2019 , 53, 247-254 | 2 | 4 |
| 71 | Ticagrelor and The Risk of Staphylococcus Aureus Bacteremia and Other Infections. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2020 , | 6.4 | 4 |
| 70 | Differences in mortality in patients undergoing surgery for infective endocarditis according to age and valvular surgery. <i>BMC Infectious Diseases</i> , 2020 , 20, 705 | 4 | 4 |
| 69 | Incidence of infective endocarditis during the coronavirus disease 2019 pandemic: A nationwide study. <i>IJC Heart and Vasculature</i> , 2020 , 31, 100675 | 2.4 | 4 |
| 68 | Low immediate scientific yield of the PhD among medical doctors. <i>BMC Medical Education</i> , 2016 , 16, 1893.3 | | 4 |
| 67 | Switching from vitamin K antagonist to dabigatran in atrial fibrillation: differences according to dose. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021 , 7, 20-30 | 6.4 | 4 |
| 66 | Recommendations on Securing Microbiological Specimens to Guide the Multidisciplinary Management of Infective Native Aortic Aneurysms. <i>Annals of Vascular Surgery</i> , 2020 , 68, 536-541 | 1.7 | 3 |
| 65 | Temporal trends in initiation of mineralocorticoid receptor antagonists and risk of subsequent withdrawal in patients with heart failure: A nationwide study in Denmark from 2003-2017.. <i>European Journal of Heart Failure</i> , 2021 , | 12.3 | 3 |
| 64 | Glycated haemoglobin levels among 3295 hospitalized COVID-19 patients, with and without diabetes, and risk of severe infection, admission to an intensive care unit and all-cause mortality. <i>Diabetes, Obesity and Metabolism</i> , 2021 , | 6.7 | 3 |
| 63 | Effect of government interventions to contain the COVID-19 pandemic on incidence of pulmonary embolism - A Danish nationwide register-based cohort study. <i>Thrombosis Research</i> , 2021 , 199, 97-100 | 8.2 | 3 |
| 62 | Nationwide cardiovascular disease admission rates during a second COVID-19 lockdown. <i>American Heart Journal</i> , 2021 , 241, 35-37 | 4.9 | 3 |
| 61 | Predicted risk of stroke and bleeding and use of oral anticoagulants in atrial fibrillation: Danish nationwide temporal trends 2011-2016. <i>Thrombosis Research</i> , 2017 , 160, 19-26 | 8.2 | 2 |

| | | | |
|----|--|------|---|
| 60 | Repatriation to referral hospital after reperfusion of STEMI patients transferred for primary percutaneous coronary intervention: Insights of a Canadian regional STEMI care system. <i>American Heart Journal</i> , 2016 , 177, 145-52 | 4.9 | 2 |
| 59 | Current recommendations and uncertainties for surgical treatment of infective endocarditis: a comparison of American and European cardiovascular guidelines.. <i>European Heart Journal</i> , 2022 , | 9.5 | 2 |
| 58 | Five-Year Outcomes of the Partial Oral Treatment of Endocarditis (POET) Trial.. <i>New England Journal of Medicine</i> , 2022 , 386, 601-602 | 59.2 | 2 |
| 57 | Ischemic Stroke Severity and Mortality in Patients With and Without Atrial Fibrillation.. <i>Journal of the American Heart Association</i> , 2022 , 11, e022638 | 6 | 2 |
| 56 | Pulmonary embolism: Age specific temporal trends in incidence and mortality in Denmark 1999-2018.. <i>Thrombosis Research</i> , 2021 , 210, 12-19 | 8.2 | 2 |
| 55 | Employment status before and after open heart valve surgery: A cohort study. <i>PLoS ONE</i> , 2020 , 15, e0240210 | 4.7 | 2 |
| 54 | The Association between Cardiovascular Disease Admission Rates and The Coronavirus Disease 2019 Lockdown and Reopening of a Nation: a Danish Nationwide Cohort Study. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2021 , | 4.6 | 2 |
| 53 | Household exposure to SARS-CoV-2 and association with COVID-19 severity: a Danish nationwide cohort study. <i>Clinical Infectious Diseases</i> , 2021 , | 11.6 | 2 |
| 52 | Time to Thrombolysis and Long-Term Outcomes in Patients With Acute Ischemic Stroke: A Nationwide Study. <i>Stroke</i> , 2021 , 52, 1724-1732 | 6.7 | 2 |
| 51 | Oral fluoroquinolones and risk of aortic or mitral regurgitation: a nationwide nested case-control study. <i>European Heart Journal</i> , 2021 , 42, 2899-2908 | 9.5 | 2 |
| 50 | Nursing Home Admission and Initiation of Domiciliary Care Following Infective Endocarditis. <i>Global Heart</i> , 2019 , 14, 41-46.e2 | 2.9 | 2 |
| 49 | Antithrombotic treatment and major adverse cardiac events after bleeding in patients with myocardial infarction: a retrospective analysis of nationwide registry data. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2020 , 6, 14-21 | 6.4 | 2 |
| 48 | Severity of congenital long QT syndrome disease manifestation and risk of depression, anxiety, and mortality: a nationwide study. <i>Europace</i> , 2021 , | 3.9 | 2 |
| 47 | Risk of major cardiovascular events according to educational level before and after the initial COVID-19 public lockdown: a nationwide study. <i>Journal of Epidemiology and Community Health</i> , 2021 , 75, 829-835 | 5.1 | 2 |
| 46 | Prediction of first cardiovascular disease event in 2.9 million individuals using Danish administrative healthcare data: a nationwide, registry-based derivation and validation study. <i>European Heart Journal Open</i> , 2021 , 1, | | 2 |
| 45 | The importance of β -agonists in myocardial infarction: Findings from the Eastern Danish Heart Registry. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2016 , 5, 551-559 | 4.3 | 1 |
| 44 | Opportunities for improvement: anticoagulation in patients undergoing total knee or hip replacement. <i>Journal of Orthopaedic Science</i> , 2015 , 20, 1036-45 | 1.6 | 1 |
| 43 | Care and outcomes of urban and non-urban out-of-hospital cardiac arrest patients during the HeartRescue Project in Washington state and North Carolina. <i>Resuscitation</i> , 2020 , 152, 5-15 | 4 | 1 |

| | | | |
|----|---|------|---|
| 42 | Pelvic organ prolapse surgery after native tissue vault suspension at hysterectomy-A prospective cohort study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2019 , 240, 144-150 | 2.4 | 1 |
| 41 | Comparative effectiveness research: drug-drug comparisons in heart failure. <i>Heart Failure Clinics</i> , 2013 , 9, 37-47 | 3.3 | 1 |
| 40 | The impact of partial-oral endocarditis treatment on anxiety and depression in the POET trial.. <i>Journal of Psychosomatic Research</i> , 2022 , 154, 110718 | 4.1 | 1 |
| 39 | Impact of socioeconomic position on initiation of SGLT-2 inhibitors or GLP-1 receptor agonists in patients with type 2 diabetes - a Danish nationwide observational study.. <i>Lancet Regional Health - Europe, The</i> , 2022 , 14, 100308 | | 1 |
| 38 | Long-term Risk of Death and Heart Failure Hospitalization in Patients With Takotsubo Syndrome: Insights from a Nationwide Cohort.. <i>Journal of Cardiac Failure</i> , 2022 , | 3.3 | 1 |
| 37 | Severity of anaemia and association with all-cause mortality in patients with medically managed left-sided endocarditis. <i>Heart</i> , 2021 , | 5.1 | 1 |
| 36 | Cause-specific death and risk factors of one-year mortality after implantable cardioverter-defibrillator implantation: a nationwide study. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2020 , | 4.6 | 1 |
| 35 | Prognosis of myocardial infarction-related cardiogenic shock according to preadmission out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2021 , 162, 135-142 | 4 | 1 |
| 34 | Outcome of Dialysis-Requiring Acute Kidney Injury in Patients With Infective Endocarditis: A Nationwide Study. <i>Clinical Infectious Diseases</i> , 2021 , 72, e232-e239 | 11.6 | 1 |
| 33 | Temporal trends in patient characteristics, presumed causes, and outcomes following cardiogenic shock between 2005 and 2017: a Danish registry-based cohort study. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021 , 10, 1074-1083 | 4.3 | 1 |
| 32 | Evidence-Based Therapy and Its Association With Workforce Detachment After First Hospitalization for Heart Failure. <i>JACC: Heart Failure</i> , 2018 , 6, 41-48 | 7.9 | 1 |
| 31 | Risk of coronavirus disease 2019 (Covid-19) contraction and severe infection in home- or healthcare professionals. <i>Journal of Infection</i> , 2021 , 83, e12-e14 | 18.9 | 1 |
| 30 | Nursing Home Admission and Initiation of Domiciliary Care After Ischemic Stroke - The Importance of Time to Thrombolysis. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2021 , 30, 105916 | 2.8 | 1 |
| 29 | Two Decades of Cardiac Amyloidosis: A Danish Nationwide Study. <i>JACC: CardioOncology</i> , 2021 , 3, 522-533.8 | | 1 |
| 28 | Temporal trends in utilization of transcatheter aortic valve replacement and patient characteristics: A nationwide study. <i>American Heart Journal</i> , 2022 , 243, 140-146 | 4.9 | 1 |
| 27 | Polygenic predisposition to breast cancer and the risk of coronary artery disease. <i>International Journal of Cardiology</i> , 2019 , 291, 145-151 | 3.2 | 0 |
| 26 | Potential Advances of Adjunctive Hyperbaric Oxygen Therapy in Infective Endocarditis.. <i>Frontiers in Cellular and Infection Microbiology</i> , 2022 , 12, 805964 | 5.9 | 0 |
| 25 | Room for improvement: initiation of lipid-lowering treatment and achievement of lipid target levels-a Danish registry-based study. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2021 , 7, 181-188 | 4.6 | 0 |

| | | | |
|----|--|-----|---|
| 24 | Proposal for the use of echocardiography in bloodstream infections due to different streptococcal species. <i>BMC Infectious Diseases</i> , 2021 , 21, 689 | 4 | ○ |
| 23 | Initiation of domiciliary care and nursing home admission following first hospitalization for heart failure, stroke, chronic obstructive pulmonary disease or cancer. <i>PLoS ONE</i> , 2021 , 16, e0255364 | 3.7 | ○ |
| 22 | Clopidogrel, prasugrel, and ticagrelor for all-comers with ST-segment elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2021 , 342, 15-22 | 3.2 | ○ |
| 21 | Risk for Myocardial Infarction Following 5-Fluorouracil Treatment in Patients With Gastrointestinal Cancer: A Nationwide Registry-Based Study.. <i>JACC: CardioOncology</i> , 2021 , 3, 725-733 | 3.8 | ○ |
| 20 | Prognostic implications of serial high-sensitivity cardiac troponin testing among patients with COVID-19: A Danish nationwide registry-based cohort study.. <i>American Heart Journal Plus</i> , 2022 , 14, 100131 | | ○ |
| 19 | Temporal changes in cardiovascular disease and infections in dialysis across a 22-year period: a nationwide study. <i>BMC Nephrology</i> , 2021 , 22, 340 | 2.7 | |
| 18 | Secondary stroke prophylaxis in atrial fibrillation patients with chronic kidney disease: a nationwide cohort study. <i>Europace</i> , 2020 , 22, 716-723 | 3.9 | |
| 17 | The association of prior carpal tunnel syndrome surgery with adverse cardiovascular outcomes and long-term mortality after aortic valve replacement. <i>IJC Heart and Vasculature</i> , 2021 , 33, 100741 | 2.4 | |
| 16 | Initiation of and persistence with P2Y12 inhibitors in patients with myocardial infarction according to revascularization strategy: a nationwide study. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021 , 10, 774-786 | 4.3 | |
| 15 | C-reactive protein as a predictor for developing post-operative atrial fibrillation: Author's reply. <i>Europace</i> , 2021 , 23, 160 | 3.9 | |
| 14 | Reply to: Letter to the editor: Breaking the trend in cardiogenic shock-From door-to-balloon to door-to-support. <i>American Heart Journal</i> , 2021 , 231, 161 | 4.9 | |
| 13 | Sympathetic hyperactivity after coronary artery bypass graft surgery: an important player in the development of postoperative atrial fibrillation? Authors' reply. <i>Europace</i> , 2021 , 23, 158-159 | 3.9 | |
| 12 | Comment on-Switching from vitamin K antagonist to dabigatran in atrial fibrillation: differences according to dose: reply. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021 , 7, 75 | 6.4 | |
| 11 | Rheumatoid arthritis mimicking infective endocarditis with severe aortic regurgitation and aortic root abscess: a case report. <i>European Heart Journal - Case Reports</i> , 2021 , 5, ytaa561 | 0.9 | |
| 10 | Reply to Mori and Geirsson. <i>European Journal of Cardio-thoracic Surgery</i> , 2018 , 54, 1147 | 3 | |
| 9 | Workforce Attachment after Ischemic Stroke - The Importance of Time to Thrombolytic Therapy. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2021 , 30, 106031 | 2.8 | |
| 8 | Association Between Inappropriately Dosed Anticoagulation Therapy With Stroke Severity and Outcomes in Patients With Atrial Fibrillation.. <i>Journal of the American Heart Association</i> , 2022 , e024402 | 6 | |
| 7 | Long-Term Mortality in Different Age Groups of Patients with Infective Endocarditis Who Undergo Aortic Root Replacement: A Nationwide Study.. <i>Heart Surgery Forum</i> , 2022 , 25, E213-E221 | 0.7 | |

- 6 Incidence of heart valve disease in women treated with the ergot-derived dopamine agonist bromocriptine.. *BMC Cardiovascular Disorders*, **2021**, 21, 622 2-3
- 5 Self-assessed health status and associated mortality in endocarditis: secondary findings from the POET trial.. *Quality of Life Research*, **2022**, 1 3-7
- 4 Employment status before and after open heart valve surgery: A cohort study **2020**, 15, e0240210
- 3 Employment status before and after open heart valve surgery: A cohort study **2020**, 15, e0240210
- 2 Employment status before and after open heart valve surgery: A cohort study **2020**, 15, e0240210
- 1 Employment status before and after open heart valve surgery: A cohort study **2020**, 15, e0240210