

TimothÃ© Zaragori

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3377425/publications.pdf>

Version: 2024-02-01

13
papers

170
citations

1307366

7
h-index

1199470

12
g-index

15
all docs

15
docs citations

15
times ranked

192
citing authors

#	ARTICLE	IF	CITATIONS
1	¹⁸ F-FDOPA PET for the Noninvasive Prediction of Glioma Molecular Parameters: A Radiomics Study. <i>Journal of Nuclear Medicine</i> , 2022, 63, 147-157.	2.8	28
2	Multi-tracer and multiparametric PET imaging to detect the IDH mutation in glioma: a preclinical translational in vitro, in vivo, and ex vivo study. <i>Cancer Imaging</i> , 2022, 22, 16.	1.2	5
3	Reply to Letter to the Editor: ¹⁸ F-FDOPA PET for the Noninvasive Prediction of Glioma Molecular Parameters: A Radiomics Study. <i>Journal of Nuclear Medicine</i> , 2022, , jnumed.122.264035.	2.8	0
4	Dynamic amino-acid PET in neuro-oncology: a prognostic tool becomes essential. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 4129-4132.	3.3	11
5	Dynamic ¹⁸ F-FDopa PET Imaging for Newly Diagnosed Gliomas: Is a Semiquantitative Model Sufficient?. <i>Frontiers in Oncology</i> , 2021, 11, 735257.	1.3	3
6	Effects of Carbidopa Premedication on ¹⁸ F-FDOPA PET Imaging of Glioma: A Multiparametric Analysis. <i>Cancers</i> , 2021, 13, 5340.	1.7	6
7	Photopenic Defects in Gliomas With Amino-Acid PET and Relative Prognostic Value. <i>Clinical Nuclear Medicine</i> , 2021, 46, e36-e37.	0.7	11
8	Relevance of Dynamic ¹⁸ F-DOPA PET Radiomics for Differentiation of High-Grade Glioma Progression from Treatment-Related Changes. <i>Biomedicines</i> , 2021, 9, 1924.	1.4	9
9	Integration of dynamic parameters in the analysis of ¹⁸ F-FDopa PET imaging improves the prediction of molecular features of gliomas. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 1381-1390.	3.3	39
10	Is IDH mutation status associated with ¹⁸ F-FDopa PET uptake?. <i>Annals of Nuclear Medicine</i> , 2020, 34, 228-229.	1.2	5
11	Use of static and dynamic [¹⁸ F]-F-DOPA PET parameters for detecting patients with glioma recurrence or progression. <i>EJNMMI Research</i> , 2020, 10, 56.	1.1	36
12	Comment on “Hypometabolic gliomas on FET-PET” is there an inverted U-curve for survival?. <i>Neuro-Oncology</i> , 2019, 21, 1612-1613.	0.6	9
13	Comparison of electromagnetic transmitter and ultrasound imaging for intrafraction monitoring of prostate radiotherapy. <i>Radiotherapy and Oncology</i> , 2019, 136, 1-8.	0.3	7