Kapil Sayal

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3377460/publications.pdf

Version: 2024-02-01

85541 61984 6,317 142 43 71 citations h-index g-index papers 150 150 150 6909 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	ADHD in children and young people: prevalence, care pathways, and service provision. Lancet Psychiatry,the, 2018, 5, 175-186.	7.4	643
2	Evidence-based guidelines for the pharmacological management of attention deficit hyperactivity disorder: Update on recommendations from the British Association for Psychopharmacology. Journal of Psychopharmacology, 2014, 28, 179-203.	4.0	233
3	Attention-deficit hyperactivity disorder: treatment discontinuation in adolescents and young adults. British Journal of Psychiatry, 2009, 194, 273-277.	2.8	180
4	Attentionâ€deficit hyperactivity disorder (<scp>ADHD</scp>): an updated review of the essential facts. Child: Care, Health and Development, 2014, 40, 762-774.	1.7	174
5	Annotation: Pathways to care for children with mental health problems. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2006, 47, 649-659.	5.2	154
6	Impulsivity and self-harm in adolescence: a systematic review. European Child and Adolescent Psychiatry, 2017, 26, 387-402.	4.7	129
7	The clinical utility of the continuous performance test and objective measures of activity for diagnosing and monitoring ADHD in children: a systematic review. European Child and Adolescent Psychiatry, 2016, 25, 677-699.	4.7	128
8	Prenatal Alcohol Exposure and Gender Differences in Childhood Mental Health Problems: A Longitudinal Population-Based Study. Pediatrics, 2007, 119, e426-e434.	2.1	127
9	Neurodevelopmental antecedents of early-onset bipolar affective disorder. British Journal of Psychiatry, 1999, 174, 121-127.	2.8	111
10	Childhood Behavior Problems and Academic Outcomes in Adolescence: Longitudinal Population-Based Study. Journal of the American Academy of Child and Adolescent Psychiatry, 2015, 54, 360-368.e2.	0.5	109
11	Pathways to care in children at risk of attention-deficit hyperactivity disorder. British Journal of Psychiatry, 2002, 181, 43-48.	2.8	107
12	Association of Risk of Suicide Attempts With Methylphenidate Treatment. JAMA Psychiatry, 2017, 74, 1048.	11.0	103
13	Binge Pattern of Alcohol Consumption During Pregnancy and Childhood Mental Health Outcomes: Longitudinal Population-Based Study. Pediatrics, 2009, 123, e289-e296.	2.1	100
14	How effective are drug treatments for children with ADHD at improving on-task behaviour and academic achievement in the school classroom? A systematic review and meta-analysis. European Child and Adolescent Psychiatry, 2013, 22, 203-216.	4.7	100
15	Parental help-seeking in primary care for child and adolescent mental health concerns: qualitative study. British Journal of Psychiatry, 2010, 197, 476-481.	2.8	99
16	Classroom based cognitive behavioural therapy in reducing symptoms of depression in high risk adolescents: pragmatic cluster randomised controlled trial. BMJ, The, 2012, 345, e6058-e6058.	6.0	92
17	Barriers to the identification of children with attention deficit/hyperactivity disorder. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2006, 47, 744-750.	5.2	86
18	Fetal Alcohol Exposure and IQ at Age 8: Evidence from a Population-Based Birth-Cohort Study. PLoS ONE, 2012, 7, e49407.	2.5	86

#	Article	IF	CITATIONS
19	Implementing routine outcome measures in child and adolescent mental health services: from present to future practice. Child and Adolescent Mental Health, 2013, 18, 82-87.	3.5	81
20	Prenatal alcohol exposure and offspring cognition and school performance. A †Mendelian randomization†natural experiment. International Journal of Epidemiology, 2013, 42, 1358-1370.	1.9	80
21	Preventive digital mental health interventions for children and young people: a review of the design and reporting of research. Npj Digital Medicine, 2020, 3, 133.	10.9	76
22	Self-harm in young adolescents (12–16Âyears): onset and short-term continuation in a community sample. BMC Psychiatry, 2013, 13, 328.	2.6	75
23	Intrauterine Exposure to Alcohol and Tobacco Use and Childhood IQ: Findings from a Parental-Offspring Comparison within the Avon Longitudinal Study of Parents and Children. Pediatric Research, 2008, 64, 659-666.	2.3	74
24	Pregnant women's attitudes towards alcohol consumption. BMC Public Health, 2009, 9, 175.	2.9	69
25	Pre-school hyperactivity/attention problems and educational outcomes in adolescence: prospective longitudinal study. British Journal of Psychiatry, 2013, 203, 265-271.	2.8	69
26	Practitioner Review: Pathways to care for <scp>ADHD</scp> â€" a systematic review of barriers and facilitators. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2015, 56, 598-617.	5.2	69
27	The validity of the Strengths and Difficulties Questionnaire (SDQ) for children with ADHD symptoms. PLoS ONE, 2019, 14, e0218518.	2.5	68
28	Transition to adult mental health services for young people with Attention Deficit/Hyperactivity Disorder (ADHD): a qualitative analysis of their experiences. BMC Psychiatry, 2013, 13, 74.	2.6	66
29	Parenting Interventions for ADHD. Journal of Attention Disorders, 2015, 19, 831-843.	2.6	65
30	Impact of Early School-Based Screening and Intervention Programs for ADHD on Children's Outcomes and Access to Services. JAMA Pediatrics, 2010, 164, 462-9.	3.0	64
31	Are self-directed parenting interventions sufficient for externalising behaviour problems in childhood? A systematic review and meta-analysis. European Child and Adolescent Psychiatry, 2014, 23, 1123-1137.	4.7	62
32	Knowledge and Attitudes about Attention-Deficit/Hyperactivity Disorder (ADHD) and its Treatment: The Views of Children, Adolescents, Parents, Teachers and Healthcare Professionals. Current Psychiatry Reports, 2013, 15, 377.	4.5	61
33	The Validity of the SNAP-IV in Children Displaying ADHD Symptoms. Assessment, 2020, 27, 1258-1271.	3.1	61
34	â€~Mind the gap' - mapping services for young people with ADHD transitioning from child to adult mental health services. BMC Psychiatry, 2013, 13, 186.	2.6	60
35	Detection of child mental health disorders by general practitioners. British Journal of General Practice, 2004, 54, 348-52.	1.4	60
36	Psychotropic interactions with warfarin. Acta Psychiatrica Scandinavica, 2000, 102, 250-255.	4.5	59

#	Article	IF	CITATIONS
37	Neurological and psychiatric adverse effects of long-term methylphenidate treatment in ADHD: A map of the current evidence. Neuroscience and Biobehavioral Reviews, 2019, 107, 945-968.	6.1	58
38	Parental Perception of Problems and Mental Health Service Use for Hyperactivity. Journal of the American Academy of Child and Adolescent Psychiatry, 2003, 42, 1410-1414.	0.5	57
39	Preschool hyperactivity is associated with longâ€term economic burden: evidence from a longitudinal health economic analysis of costs incurred across childhood, adolescence and young adulthood. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2015, 56, 966-975.	5.2	57
40	A non-synonymous variant in ADH1B is strongly associated with prenatal alcohol use in a European sample of pregnant women. Human Molecular Genetics, 2009, 18, 4457-4466.	2.9	51
41	A cluster randomised controlled trial to determine the clinical effectiveness and cost-effectiveness of classroom-based cognitive–behavioural therapy (CBT) in reducing symptoms of depression in high-risk adolescents. Health Technology Assessment, 2013, 17, vii-xvii, 1-109.	2.8	51
42	Uncovering key patterns in self-harm in adolescents: Sequence analysis using the Card Sort Task for Self-harm (CaTS). Journal of Affective Disorders, 2016, 206, 161-168.	4.1	50
43	Barriers and facilitators to understanding of ADHD in primary care: a mixed-method systematic review. European Child and Adolescent Psychiatry, 2019, 28, 1037-1064.	4.7	48
44	Use of services and associated costs for young adults with childhood hyperactivity/conduct problems: 20-year follow-up. British Journal of Psychiatry, 2014, 204, 441-447.	2.8	47
45	Effect of Prenatal Alcohol Exposure on Childhood Academic Outcomes: Contrasting Maternal and Paternal Associations in the ALSPAC Study. PLoS ONE, 2013, 8, e74844.	2.5	46
46	Methylphenidate and the risk of psychotic disorders and hallucinations in children and adolescents in a large health system. Translational Psychiatry, 2016, 6, e956-e956.	4.8	45
47	Antidepressant interactions with warfarin. International Clinical Psychopharmacology, 1998, 13, 87-94.	1.7	43
48	Identification of children at risk of Attention Deficit/Hyperactivity Disorder. Social Psychiatry and Psychiatric Epidemiology, 2006, 41, 806-813.	3.1	42
49	Infant temperament and childhood psychiatric disorder: longitudinal study. Child: Care, Health and Development, 2014, 40, 292-297.	1.7	42
50	The use of routine outcome measures in two child and adolescent mental health services: a completed audit cycle. BMC Psychiatry, 2013, 13, 270.	2.6	41
51	Implementation of routine outcome measurement in child and adolescent mental health services in the United Kingdom: a critical perspective. European Child and Adolescent Psychiatry, 2014, 23, 239-242.	4.7	41
52	Relative age within the school year and diagnosis of attention-deficit hyperactivity disorder: a nationwide population-based study. Lancet Psychiatry,the, 2017, 4, 868-875.	7.4	41
53	Relative age and ADHD symptoms, diagnosis and medication: a systematic review. European Child and Adolescent Psychiatry, 2019, 28, 1417-1429.	4.7	41
54	Prenatal exposure to binge pattern of alcohol consumption: mental health and learning outcomes at age 11. European Child and Adolescent Psychiatry, 2014, 23, 891-899.	4.7	40

#	Article	IF	CITATIONS
55	Services for young people with attention deficit/hyperactivity disorder transitioning from child to adult mental health services: A national survey of mental health trusts in England. Journal of Psychopharmacology, 2015, 29, 39-42.	4.0	40
56	The impact of a computerised test of attention and activity (QbTest) on diagnostic decisionâ€making in children and young people with suspected attention deficit hyperactivity disorder: singleâ€blind randomised controlled trial. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2018, 59, 1298-1308.	5,2	40
57	Recognition and referral of girls with Attention Deficit Hyperactivity Disorder: case vignette study. Child: Care, Health and Development, 2009, 35, 767-772.	1.7	39
58	The Role of Attachment Style in Predicting Repetition of Adolescent Selfâ€Harm: A Longitudinal Study. Suicide and Life-Threatening Behavior, 2015, 45, 664-678.	1.9	39
59	Beyond symptom control for attentionâ€deficit hyperactivity disorder (ADHD): what can parents do to improve outcomes?. Child: Care, Health and Development, 2015, 41, 1-14.	1.7	39
60	Transition between child and adult services for young people with attention-deficit hyperactivity disorder (ADHD): findings from a British national surveillance study. British Journal of Psychiatry, 2020, 217, 616-622.	2.8	39
61	Effects of social support during weekend leave on cortisol and depression ratings: a pilot study. Journal of Affective Disorders, 2002, 71, 153-157.	4.1	38
62	The Role of Parental Burden in Child Mental Health Service Use: Longitudinal Study. Journal of the American Academy of Child and Adolescent Psychiatry, 2004, 43, 1328-1333.	0.5	38
63	Trends in Recognition of and Service Use for Attention-Deficit Hyperactivity Disorder in Britain, 1999–2004. Psychiatric Services, 2010, 61, 803-810.	2.0	38
64	Injury Among Children and Young Adults With Epilepsy. Pediatrics, 2014, 133, 827-835.	2.1	38
65	<scp>ADHD</scp> and transitions to adult mental health services: a scoping review. Child: Care, Health and Development, 2014, 40, 775-786.	1.7	37
66	An interpretative phenomenological analysis of young people's self-harm in the context of interpersonal stressors and supports: Parents, peers, and clinical services. Social Science and Medicine, 2018, 212, 120-128.	3.8	37
67	Teachers' recognition of children with <scp>ADHD</scp> : role of subtype and gender. Child and Adolescent Mental Health, 2013, 18, 18-23.	3 . 5	35
68	A qualitative process evaluation of electronic session-by-session outcome measurement in child and adolescent mental health services. BMC Psychiatry, 2014, 14, 113.	2.6	33
69	A longitudinal study of the association between inattention, hyperactivity and impulsivity and children's academic attainment at age 11. Learning and Individual Differences, 2017, 53, 156-161.	2.7	32
70	Study of user experience of an objective test (QbTest) to aid ADHD assessment and medication management: a multi-methods approach. BMC Psychiatry, 2017, 17, 66.	2.6	32
71	Parent ratings of school behaviour in children at risk of attention deficit/hyperactivity disorder. Acta Psychiatrica Scandinavica, 2005, 111 , 460-465.	4.5	31
72	Predictors of and barriers to service use for children at risk of ADHD: longitudinal study. European Child and Adolescent Psychiatry, 2015, 24, 545-552.	4.7	31

#	Article	IF	Citations
73	Parental concerns about their child's emotions and behaviour and referral to specialist services: general population survey. BMJ: British Medical Journal, 2005, 331, 1435-1436.	2.3	28
74	What do young adolescents think about taking part in longitudinal self-harm research? Findings from a school-based study. Child and Adolescent Psychiatry and Mental Health, 2018, 12, 23.	2.5	28
75	An interpretative phenomenological analysis of the experience of self-harm repetition and recovery in young adults. Journal of Health Psychology, 2017, 22, 1631-1641.	2.3	27
76	Exploring the Relationship between Experiential Avoidance, Coping Functions and the Recency and Frequency of Self-Harm. PLoS ONE, 2016, 11, e0159854.	2.5	27
77	Alcohol consumption in pregnancy as a risk factor for later mental health problems. Evidence-Based Mental Health, 2007, 10, 98-100.	4.5	24
78	Do parental reports of child hyperkinetic disorder symptoms at school predict teacher ratings?. European Child and Adolescent Psychiatry, 2009, 18, 336-344.	4.7	24
79	Costâ€effectiveness of classroomâ€based cognitive behaviour therapy in reducing symptoms of depression in adolescents: a trialâ€based analysis. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2014, 55, 1390-1397.	5.2	23
80	Preschool hyperactivity specifically elevates long-term mental health risks more strongly in males than females: a prospective longitudinal study through to young adulthood. European Child and Adolescent Psychiatry, 2017, 26, 123-136.	4.7	23
81	Injury among children and young people with and without attentionâ€deficit hyperactivity disorder in the community: The risk of fractures, thermal injuries, and poisonings. Child: Care, Health and Development, 2018, 44, 871-878.	1.7	23
82	Light drinking in pregnancy and mid-childhood mental health and learning outcomes. Archives of Disease in Childhood, 2013, 98, 107-11.	1.9	22
83	Feasibility of a randomised controlled trial of remotely delivered problem-solving cognitive behaviour therapy versus usual care for young people with depression and repeat self-harm: lessons learnt (e-DASH). BMC Psychiatry, 2019, 19, 42.	2.6	22
84	Which Behavioral, Emotional and School Problems in Middle-Childhood Predict Early Sexual Behavior?. Journal of Youth and Adolescence, 2014, 43, 507-527.	3.5	21
85	A sequence analysis of patterns in selfâ€harm in young people with and without experience of being looked after in care. British Journal of Clinical Psychology, 2017, 56, 388-407.	3.5	21
86	Protocol investigating the clinical utility of an objective measure of activity and attention (QbTest) on diagnostic and treatment decision-making in children and young people with ADHDâ€"â€~ <i>A</i> Ssessing <i>Q</i> bTest <i>U</i> tility in <i>A</i> DHD' (AQUA): a randomised controlled trial. BMJ Open, 2014, 4, e006838.	1.9	20
87	Functional Coping Dynamics and Experiential Avoidance in a Community Sample with No Self-Injury vs. Non-Suicidal Self-Injury Only vs. Those with Both Non-Suicidal Self-Injury and Suicidal Behaviour. International Journal of Environmental Research and Public Health, 2017, 14, 575.	2.6	20
88	The challenges of implementing ADHD clinical guidelines and research best evidence in routine clinical care settings: Delphi survey and mixed-methods study. BJPsych Open, 2016, 2, 25-31.	0.7	19
89	Impulsivity as a predictor of self-harm onset and maintenance in young adolescents: a longitudinal prospective study. Journal of Affective Disorders, 2020, 274, 583-592.	4.1	18
90	A Qualitative Process Evaluation of Classroom-Based Cognitive Behaviour Therapy to Reduce Adolescent Depression. International Journal of Environmental Research and Public Health, 2014, 11, 5951-5969.	2.6	17

#	Article	IF	CITATIONS
91	Experience of Self-Harm and Its Treatment in Looked-After Young People: An Interpretative Phenomenological Analysis. Archives of Suicide Research, 2018, 22, 365-379.	2.3	17
92	Protocol for a randomised controlled trial of a school based cognitive behaviour therapy (CBT) intervention to prevent depression in high risk adolescents (PROMISE). Trials, 2010, 11, 114.	1.6	16
93	Attention-deficit/hyperactivity disorder: variation by socioeconomic deprivation. Archives of Disease in Childhood, 2019, 104, 802-805.	1.9	16
94	<i>à€œThese Things Don't Work.â€</i> Young People's Views on Harm Minimization Strategies as a Proxy for Self-Harm: A Mixed Methods Approach. Archives of Suicide Research, 2020, 24, 384-401.	^y 2.3	16
95	The feasibility of a strategy for the remote recruitment, consenting and assessment of recent referrals: a protocol for phase 1 of the On-Line Parent Training for the Initial Management of ADHD referrals (OPTIMA). Pilot and Feasibility Studies, 2022, 8 , 1 .	1.2	16
96	Adolescents with a diagnosis of anorexia nervosa: Parents' experience of recognition and deciding to seek help. Clinical Child Psychology and Psychiatry, 2014, 19, 43-57.	1.6	15
97	Service use in adolescents at risk of depression and self-harm: prospective longitudinal study. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 1231-1240.	3.1	15
98	Case Study: Bipolar Disorder After Head Injury. Journal of the American Academy of Child and Adolescent Psychiatry, 2000, 39, 525-528.	0.5	14
99	Do Coping Strategies Mediate the Relationship Between Parental Attachment and Self-Harm in Young People?. Archives of Suicide Research, 2016, 20, 205-218.	2.3	14
100	Poisoning substances taken by young people: a population-based cohort study. British Journal of General Practice, 2018, 68, e703-e710.	1.4	14
101	Mapping UK mental health services for adults with attention-deficit/hyperactivity disorder: national survey with comparison of reporting between three stakeholder groups. BJPsych Open, 2020, 6, e76.	0.7	14
102	Evaluating the effectiveness of a schools-based programme to promote exercise self-efficacy in children and young people with risk factors for obesity: Steps to active kids (STAK). BMC Public Health, 2011, 11, 830.	2.9	13
103	Inattention and hyperactivity in children at risk of obesity: a community cross-sectional study. BMJ Open, 2013, 3, e002871.	1.9	13
104	Evaluation of Screening in Children Referred for an ADHD Assessment. Child and Adolescent Mental Health, 2008, 13, 41-46.	3.5	12
105	Quality standards for child and adolescent mental health in primary care. BMC Family Practice, 2012, 13, 51.	2.9	12
106	Primary school teachers' attitudes about children with attention deficit/hyperactivity disorder and the role of pharmacological treatment. Clinical Child Psychology and Psychiatry, 2014, 19, 202-216.	1.6	12
107	Effectiveness and costâ€effectiveness of a brief schoolâ€based group programme for parents of children at risk of ADHD: a cluster randomised controlled trial. Child: Care, Health and Development, 2016, 42, 521-533.	1.7	12
108	Parents Anticipating Misbehaviour: An Observational Study of Strategies Parents Use to Prevent Conflict with Behaviour Problem Children. Journal of Child Psychology and Psychiatry and Allied Disciplines, 1999, 40, 1185-1196.	5.2	11

#	Article	IF	CITATIONS
109	The transition from children's services to adult services for young people with attention deficit hyperactivity disorder: the CATCh-uS mixed-methods study. Health Services and Delivery Research, 2020, 8, 1-154.	1.4	11
110	Could a brief assessment of negative emotions and self-esteem identify adolescents at current and future risk of self-harm in the community? A prospective cohort analysis. BMC Public Health, 2013, 13, 604.	2.9	10
111	Dealing with difficult days: Functional coping dynamics in self-harm ideation and enactment. Journal of Affective Disorders, 2017, 208, 330-337.	4.1	10
112	What young people say about impulsivity in the short-term build up to self-harm: A qualitative study using card-sort tasks. PLoS ONE, 2020, 15, e0244319.	2.5	10
113	Development and evaluation of an online education tool on attention deficit hyperactivity disorder for general practitioners: the important contribution of co-production. BMC Family Practice, 2020, 21, 224.	2.9	9
114	What do young people who selfâ€harm find helpful? A comparative study of young people with and without experience of being looked after in care. Child and Adolescent Mental Health, 2020, 25, 157-164.	3.5	9
115	Commentary: Light drinking in pregnancy: can a glass or two hurt?. International Journal of Epidemiology, 2009, 38, 140-142.	1.9	8
116	Protocol Evaluating the effectiveness of a school-based group programme for parents of children at risk of ADHD: the †PArents, Teachers and CHildren WORKing Together (PATCHWORK)†cluster RCT protocol. BMJ Open, 2012, 2, e001783.	1.9	8
117	Academic Outcomes Following a School-Based RCT for ADHD: 6-Year Follow-Up. Journal of Attention Disorders, 2020, 24, 66-72.	2.6	8
118	A qualitative process evaluation of a randomised controlled trial of a parenting intervention in community (school) settings for children at risk of attention deficit hyperactivity disorder (ADHD). BMC Psychiatry, 2015, 15, 290.	2.6	7
119	Consensus workshops on the development of an ADHD medication management protocol using QbTest: developing a clinical trial protocol with multidisciplinary stakeholders. BMC Medical Research Methodology, 2019, 19, 126.	3.1	7
120	Trainees' assessment and management of mental illness in adults with mild learning disabilities. Psychiatric Bulletin, 1998, 22, 571-572.	0.3	6
121	Innovations in Practice: Piloting electronic sessionâ€byâ€session monitoring in Child and Adolescent Mental Health Services: a preliminary study. Child and Adolescent Mental Health, 2015, 20, 171-174.	3.5	6
122	Differing patterns in intentional and unintentional poisonings among young people in England, 1998–2014: a population-based cohort study. Journal of Public Health, 2016, 39, e1-e9.	1.8	6
123	Optimising medication management in children and young people with ADHD using a computerised test (QbTest): a feasibility randomised controlled trial. Pilot and Feasibility Studies, 2021, 7, 68.	1.2	6
124	Epidemiology of attention-deficit/ hyperactivity disorder in the community. British Journal of Hospital Medicine (London, England: 2005), 2007, 68, 352-355.	0.5	5
125	A cross-sectional survey of mental health clinicians' knowledge, attitudes, and practice relating to tobacco dependence among young people with mental disorders. BMC Health Services Research, 2014, 14, 618.	2.2	5
126	Evaluation of a Web-Based ADHD Awareness Training in Primary Care: Pilot Randomized Controlled Trial With Nested Interviews. JMIR Medical Education, 2020, 6, e19871.	2.6	5

#	Article	IF	CITATIONS
127	Drug treatment in attention deficit disorder: a survey of professional consensus. Psychiatric Bulletin, 1997, 21, 398-400.	0.3	4
128	Awareness of ADHD in primary care: stakeholder perspectives. BMC Family Practice, 2020, 21, 45.	2.9	4
129	A selfâ€help version of the New Forest Parenting Programme for parents of children with attention deficit hyperactivity disorder: a qualitative study of parent views and acceptability. Child and Adolescent Mental Health, 2021, , .	3.5	4
130	The treatment and security needs of patients in special hospitals: views of referring and accepting teams. Criminal Behaviour and Mental Health, 2002, 12, 244-253.	0.8	3
131	Protocol investigating the clinical utility of an objective measure of attention, impulsivity and activity (QbTest) for optimising medication management in children and young people with ADHD â€~QbTest Utility for Optimising Treatment in ADHD' (QUOTA): a feasibility randomised controlled trial. BMI Open, 2018, 8, e021104.	1.9	3
132	Efficacy of a selfâ€help parenting intervention for parents of children with attention deficit hyperactivity disorder in adjunct to usual treatment—Smallâ€scale randomized controlled trial. Child: Care, Health and Development, 2021, 47, 269-280.	1.7	3
133	Age within schoolyear and attention-deficit hyperactivity disorder in Scotland and Wales. BMC Public Health, 2022, 22, .	2.9	3
134	Attention deficit hyperactivity disorder is associated with poorer academic performance. Evidence-Based Mental Health, 2008, 11, 41-41.	4.5	2
135	STAndardised Diagnostic Assessment for children and young people with emotional difficulties (STADIA): protocol for a multicentre randomised controlled trial. BMJ Open, 2022, 12, e053043.	1.9	2
136	Liaison between adolescent and adult services in early-onset schizophrenia. British Journal of Psychiatry, 1998, 172, 452-452.	2.8	1
137	Editorial: Attentionâ€deficit hyperactivity disorder (<scp>ADHD</scp>). Child and Adolescent Mental Health, 2015, 20, e3-e5.	3.5	1
138	Symptoms of Inattention and Hyperactivity in Children With Risk Factors for Obesity. Pediatric Research, 2011, 70, 385-385.	2.3	0
139	Editorial: Evidence-guided interventions and optimising outcomes in routine clinical care of children and young people's mental health. Child and Adolescent Mental Health, 2015, 20, 129-130.	3.5	0
140	Editorial: Mapping the influence of schools and parents and translating innovation into routine clinical practice. Child and Adolescent Mental Health, 2016, 21, 137-137.	3.5	0
141	Barriers to medication entitlements after diagnosis of ADHD – Authors' reply. Lancet Psychiatry,the, 2018, 5, 19-20.	7.4	0
142	Methods of registrar post allocation. Psychiatric Bulletin, 1997, 21, 711-713.	0.3	0