

# Simon Kessner

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3378136/publications.pdf>

Version: 2024-02-01

18  
papers

698  
citations

840776

11  
h-index

888059

17  
g-index

18  
all docs

18  
docs citations

18  
times ranked

853  
citing authors

#	ARTICLE	IF	CITATIONS
1	Somatosensory deficits after stroke: a scoping review. <i>Topics in Stroke Rehabilitation</i> , 2016, 23, 136-146.	1.9	121
2	Effect of Oxytocin on Placebo Analgesia. <i>JAMA - Journal of the American Medical Association</i> , 2013, 310, 1733.	7.4	98
3	Voxel-based lesion-symptom mapping of stroke lesions underlying somatosensory deficits. <i>NeuroImage: Clinical</i> , 2016, 10, 257-266.	2.7	88
4	The Effect of Treatment History on Therapeutic Outcome: An Experimental Approach. <i>JAMA Internal Medicine</i> , 2013, 173, 1468.	5.1	84
5	Somatosensory Deficits After Ischemic Stroke. <i>Stroke</i> , 2019, 50, 1116-1123.	2.0	78
6	The effects of treatment failure generalize across different routes of drug administration. <i>Science Translational Medicine</i> , 2017, 9, .	12.4	46
7	The Effect of Treatment History on Therapeutic Outcome: Psychological and Neurobiological Underpinnings. <i>PLoS ONE</i> , 2014, 9, e109014.	2.5	40
8	Dynamics of brain perfusion and cognitive performance in revascularization of carotid artery stenosis. <i>NeuroImage: Clinical</i> , 2019, 22, 101779.	2.7	36
9	Is There Full or Proportional Somatosensory Recovery in the Upper Limb After Stroke? Investigating Behavioral Outcome and Neural Correlates. <i>Neurorehabilitation and Neural Repair</i> , 2018, 32, 691-700.	2.9	20
10	Functional network connectivity is altered in patients with upper limb somatosensory impairments in the acute phase post stroke: A cross-sectional study. <i>PLoS ONE</i> , 2018, 13, e0205693.	2.5	18
11	Higher white matter hyperintensity lesion load is associated with reduced long-range functional connectivity. <i>Brain Communications</i> , 2020, 2, fcaa111.	3.3	16
12	Cortical thickness and cognitive performance in asymptomatic unilateral carotid artery stenosis. <i>BMC Cardiovascular Disorders</i> , 2019, 19, 154.	1.7	14
13	Normalization of reduced functional connectivity after revascularization of asymptomatic carotid stenosis. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2020, 40, 1838-1848.	4.3	13
14	Premotor dorsal white matter integrity for the prediction of upper limb motor impairment after stroke. <i>Scientific Reports</i> , 2019, 9, 19712.	3.3	11
15	Minimizing Carry-Over Effects After Treatment Failure and Maximizing Therapeutic Outcome. <i>Zeitschrift Fur Psychologie / Journal of Psychology</i> , 2014, 222, 171-178.	1.0	7
16	Grey and white matter network disruption is associated with sensory deficits after stroke. <i>NeuroImage: Clinical</i> , 2021, 31, 102698.	2.7	6
17	Structural connectivity changes within the basal ganglia after 8 weeks of sensory-motor training in individuals with chronic stroke. <i>Annals of Physical and Rehabilitation Medicine</i> , 2019, 62, 193-197.	2.3	2
18	Recurrent amnesia caused by early seizures after hippocampal infarction: a case report. <i>BMC Neurology</i> , 2022, 22, 18.	1.8	0