

Michael Glikson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/337851/publications.pdf>

Version: 2024-02-01

102
papers

3,253
citations

304743

22
h-index

161849

54
g-index

110
all docs

110
docs citations

110
times ranked

3720
citing authors

#	ARTICLE	IF	CITATIONS
1	Implant-based multiparameter telemonitoring of patients with heart failure (IN-TIME): a randomised controlled trial. <i>Lancet, The</i> , 2014, 384, 583-590.	13.7	594
2	2021 ESC Guidelines on cardiac pacing and cardiac resynchronization therapy. <i>Europace</i> , 2022, 24, 71-164.	1.7	370
3	EHRA/EAPCI expert consensus statement on catheter-based left atrial appendage occlusion. <i>Europace</i> , 2014, 16, 1397-1416.	1.7	259
4	Cardioverter defibrillator implantation without induction of ventricular fibrillation: a single-blind, non-inferiority, randomised controlled trial (SIMPLE). <i>Lancet, The</i> , 2015, 385, 785-791.	13.7	214
5	EHRA/EAPCI expert consensus statement on catheter-based left atrial appendage occlusion "an update. <i>EuroIntervention</i> , 2020, 15, 1133-1180.	3.2	183
6	Inverse Relationship Between Membranous Atrial Septal Length and the Risk of Atrioventricular Block in Patients Undergoing Transcatheter Aortic Valve Implantation. <i>JACC: Cardiovascular Interventions</i> , 2015, 8, 1218-1228.	2.9	170
7	EHRA/EAPCI expert consensus statement on catheter-based left atrial appendage occlusion "an update. <i>Europace</i> , 2020, 22, 184-184.	1.7	160
8	EHRA expert consensus statement and practical guide on optimal implantation technique for conventional pacemakers and implantable cardioverter-defibrillators: endorsed by the Heart Rhythm Society (HRS), the Asia Pacific Heart Rhythm Society (APHRS), and the Latin-American Heart Rhythm Society (LAHRS). <i>Europace</i> , 2021, 23, 983-1008.	1.7	92
9	Contemporary rates of appropriate shock therapy in patients who receive implantable device therapy in a real-world setting: From the Israeli ICD Registry. <i>Heart Rhythm</i> , 2015, 12, 2426-2433.	0.7	82
10	The "10 commandments" for the 2021 ESC guidelines on cardiac pacing and cardiac resynchronization therapy. <i>European Heart Journal</i> , 2021, 42, 4295-4295.	2.2	79
11	Do abandoned leads pose risk to implantable cardioverter-defibrillator patients?. <i>Heart Rhythm</i> , 2009, 6, 65-68.	0.7	68
12	Optimal Combination of Discriminators for Differentiating Ventricular from Supraventricular Tachycardia by Dual-Chamber Defibrillators. <i>Journal of Cardiovascular Electrophysiology</i> , 2005, 16, 732-739.	1.7	65
13	Noninvasive Diagnosis of Dual AV Node Physiology in Patients With AV Nodal Reentrant Tachycardia by Administration of Adenosine-5'-Triphosphate During Sinus Rhythm. <i>Circulation</i> , 1998, 98, 47-53.	1.6	46
14	Predictors and Outcomes of "Super-response" to Cardiac Resynchronization Therapy. <i>Journal of Cardiac Failure</i> , 2014, 20, 379-386.	1.7	37
15	Defibrillation Thresholds are Increased by Right-Sided Implantation of Totally Transvenous Implantable Cardioverter Defibrillators. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1999, 22, 1186-1192.	1.2	34
16	Long-Term Outcome of Patients Who Received Implantable Cardioverter Defibrillators for Stable Ventricular Tachycardia. <i>Journal of Cardiovascular Electrophysiology</i> , 2004, 15, 658-664.	1.7	29
17	Clinical characteristics and outcomes of elderly patients treated with an implantable cardioverter-defibrillator or cardiac resynchronization therapy in a real-world setting: Data from the Israeli ICD Registry. <i>Heart Rhythm</i> , 2014, 11, 435-441.	0.7	28
18	Impaired Detection of Ventricular Tachyarrhythmias by a Rate-Smoothing Algorithm in Dual-Chamber Implantable Defibrillators: Intradevice Interactions. <i>Journal of Cardiovascular Electrophysiology</i> , 2002, 13, 312-318.	1.7	26

#	ARTICLE	IF	CITATIONS
19	Sex differences in implantable cardioverter-defibrillator implantation indications and outcomes: lessons from the Nationwide Israeli-ICD Registry. <i>Europace</i> , 2014, 16, 1175-1180.	1.7	26
20	Temporal trends and outcomes associated with atrial fibrillation observed during acute coronary syndrome: Real-world data from the Acute Coronary Syndrome Israeli Survey (<scp>ACSIS</scp>), 2000-2013. <i>Clinical Cardiology</i> , 2017, 40, 275-280.	1.8	25
21	Are Routine Arrhythmia Inductions Necessary in Patients with Pectoral Implantable Cardioverter Defibrillators?. <i>Journal of Cardiovascular Electrophysiology</i> , 2000, 11, 127-135.	1.7	24
22	Cardiac arrhythmias amongst hospitalised Coronavirus 2019 (COVID-19) patients: Prevalence, characterisation, and clinical algorithm to classify arrhythmic risk. <i>International Journal of Clinical Practice</i> , 2021, 75, e13788.	1.7	24
23	Newer Clinical Applications of Pacing. <i>Journal of Cardiovascular Electrophysiology</i> , 1997, 8, 1190-1203.	1.7	21
24	Obesity and exercise-induced ectopic ventricular arrhythmias in apparently healthy middle aged adults. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 511-517.	1.8	21
25	Super-response to cardiac resynchronization therapy reduces appropriate implantable cardioverter defibrillator therapy. <i>Europace</i> , 2018, 20, 1303-1311.	1.7	21
26	The management of cardiac implantable electronic device lead perforations: a multicentre study. <i>Europace</i> , 2019, 21, 937-943.	1.7	21
27	Effects of Tricuspid Valve Regurgitation on Outcome in Patients With Cardiac Resynchronization Therapy. <i>American Journal of Cardiology</i> , 2015, 115, 783-789.	1.6	20
28	Wound haematoma following defibrillator implantation: incidence and predictors in the Shockless Implant Evaluation (SIMPLE) trial. <i>Europace</i> , 2017, 19, euw116.	1.7	20
29	European Society of Cardiology Quality Indicators for the care and outcomes of cardiac pacing: developed by the Working Group for Cardiac Pacing Quality Indicators in collaboration with the European Heart Rhythm Association of the European Society of Cardiology. <i>Europace</i> , 2022, 24, 165-172.	1.7	20
30	The V-LAP System for Remote Left Atrial Pressure Monitoring of Patients With Heart Failure. <i>Journal of Cardiac Failure</i> , 2022, 28, 963-972.	1.7	20
31	Simplified "ATP Test" for Noninvasive Diagnosis of Dual AV Nodal Physiology and Assessment of Results of Slow Pathway Ablation in Patients with AV Nodal Reentrant Tachycardia. <i>Journal of Cardiovascular Electrophysiology</i> , 2000, 11, 255-261.	1.7	19
32	Pacemaker Dependency After Coronary Artery Bypass. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1992, 15, 2037-2040.	1.2	18
33	Outcomes of conduction system pacing compared to right ventricular pacing as a primary strategy for treating bradyarrhythmia: systematic review and meta-analysis. <i>Clinical Research in Cardiology</i> , 2022, 111, 1198-1209.	3.3	18
34	Upper limit of vulnerability determination during implantable cardioverter-defibrillator placement to minimize ventricular fibrillation inductions**Nothing in this study implies endorsement of the products of Medtronic, Inc.. <i>American Journal of Cardiology</i> , 2004, 94, 1445-1449.	1.6	15
35	Box lesion in the open left atrium for surgical ablation of atrial fibrillation. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2014, 147, 956-959.	0.8	14
36	Selective tissue ablation using laser radiation at 355nm in lead extraction by a hybrid catheter; a preliminary report. <i>Lasers in Surgery and Medicine</i> , 2016, 48, 281-287.	2.1	14

#	ARTICLE	IF	CITATIONS
37	Effect of supplemented intake of omega-3 fatty acids on arrhythmias in patients with ICD: fish oil therapy may reduce ventricular arrhythmia. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2017, 49, 255-261.	1.3	14
38	Mitral Annulus Calcium Score. <i>Circulation: Cardiovascular Imaging</i> , 2019, 12, e007508.	2.6	14
39	Renal Dysfunction and Clinical Outcomes of Patients Undergoing ICD and CRTD Implantation: Data from the Israeli ICD Registry. <i>Journal of Cardiovascular Electrophysiology</i> , 2014, 25, 990-997.	1.7	13
40	Role of defibrillation threshold testing during implantable cardioverter-defibrillator placement: Data from the Israeli ICD Registry. <i>Heart Rhythm</i> , 2014, 11, 814-821.	0.7	13
41	Troponin levels after ICD implantation with and without defibrillation testing and their predictive value for outcomes: Insights from the SIMPLE trial. <i>Heart Rhythm</i> , 2016, 13, 504-510.	0.7	12
42	Implantation of cardiac electronic devices in active COVID-19 patients: Results from an international survey. <i>Heart Rhythm</i> , 2022, 19, 206-216.	0.7	12
43	Contemporary rates and outcomes of single- vs. dual-coil implantable cardioverter defibrillator lead implantation: data from the Israeli ICD Registry. <i>Europace</i> , 2017, 19, 1485-1492.	1.7	11
44	Implantable cardioverter-defibrillator therapy in hypertrophic cardiomyopathy: A SIMPLE substudy. <i>Heart Rhythm</i> , 2018, 15, 386-392.	0.7	11
45	Andersen-Tawil Syndrome Is Associated With Impaired PIP2 Regulation of the Potassium Channel Kir2.1. <i>Frontiers in Pharmacology</i> , 2020, 11, 672.	3.5	11
46	Reduction in Filamin C transcript is associated with arrhythmogenic cardiomyopathy in Ashkenazi Jews. <i>International Journal of Cardiology</i> , 2020, 317, 133-138.	1.7	11
47	Coenzyme Q10 in the Treatment of Heart Failure with Preserved Ejection Fraction: A Prospective, Randomized, Double-Blind, Placebo-Controlled Trial. <i>Drugs in R and D</i> , 2022, 22, 25-33.	2.2	11
48	The Utility of Handheld Cardiac and Lung Ultrasound in Predicting Outcomes of Hospitalised Patients With COVID-19. <i>Canadian Journal of Cardiology</i> , 2022, 38, 338-346.	1.7	11
49	Comparison of outcomes in infected cardiovascular implantable electronic devices between complete, partial, and failed lead removal: an ESC-EHRA-EORP ELECTRa (European Lead Extraction ConTrolled) registry. <i>Europace</i> , 2019, 21, 1876-1889.	1.7	10
50	Do implantable cardioverter defibrillators contribute to new depression or anxiety symptoms? A retrospective study. <i>International Journal of Psychiatry in Clinical Practice</i> , 2016, 20, 101-105.	2.4	9
51	Characterization of a previously unrecognized clinical phenomenon: Delayed shock after cardiac implantable electronic device extraction. <i>Heart Rhythm</i> , 2017, 14, 1552-1558.	0.7	9
52	Lead fixation mechanism impacts outcome of transvenous lead extraction: data from the European Lead Extraction ConTrolled Registry. <i>Europace</i> , 2022, 24, 817-827.	1.7	9
53	Radial strain imaging-guided lead placement for improving response to cardiac resynchronization therapy in patients with ischaemic cardiomyopathy: the Raise CRT trial. <i>Europace</i> , 2022, 24, 835-844.	1.7	9
54	Anatomical accuracy of the KODEX-EPD novel 3D mapping system of the left atrium during pulmonary vein isolation: A correlation with computer tomography imaging. <i>Journal of Cardiovascular Electrophysiology</i> , 2022, 33, 618-625.	1.7	9

#	ARTICLE	IF	CITATIONS
55	Immediate and early percutaneous coronary intervention in very high-risk and high-risk non-ST segment elevation myocardial infarction patients. <i>Clinical Cardiology</i> , 2022, 45, 359-369.	1.8	9
56	Clinical Surveillance of a Tined, Bipolar, J-Shaped, Steroid-Eluting, Silicone-Insulated Atrial Pacing Lead. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1999, 22, 1079-1081.	1.2	8
57	Impact of quadripolar LV leads on heart failure hospitalization rates among patients implanted with CRT-D: data from the Israeli ICD Registry. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2018, 51, 5-12.	1.3	8
58	Defibrillator Challenges for the New Millennium:.. <i>Journal of Cardiovascular Electrophysiology</i> , 2000, 11, 697-709.	1.7	7
59	Apical versus Non-Apical Lead: Is ICD Lead Position Important for Successful Defibrillation?. <i>Journal of Cardiovascular Electrophysiology</i> , 2016, 27, 581-586.	1.7	7
60	Clinical Outcomes of Single-versus Dual-Chamber Implantable Cardioverter Defibrillators: Lessons from the Israeli ICD Registry. <i>Journal of Cardiovascular Electrophysiology</i> , 2016, 27, 718-723.	1.7	6
61	Developing a risk score to predict mortality in the first year after implantable cardioverter defibrillator implantation: Data from the Israeli ICD Registry. <i>Journal of Cardiovascular Electrophysiology</i> , 2018, 29, 1540-1547.	1.7	6
62	Predictors of short-term mortality in patients undergoing a successful uncomplicated extraction procedure. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 1155-1162.	1.7	6
63	QRS Narrowing Following CRT Implantation: Predictors, Dynamics, and Association with Improved Long-Term Outcome. <i>Journal of Clinical Medicine</i> , 2022, 11, 1279.	2.4	6
64	Routine Arrhythmia Inductions for ICD Follow-up: Are They Obsolete?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2001, 24, 915-920.	1.2	5
65	Physiological pacing: a moving target?. <i>European Heart Journal</i> , 2015, 36, 141-142.	2.2	5
66	Characteristics and outcomes of diabetic patients with an implantable cardioverter defibrillator in a real world setting: results from the Israeli ICD registry. <i>Cardiovascular Diabetology</i> , 2016, 15, 160.	6.8	5
67	Anemia and the Risk of Life-threatening Ventricular Tachyarrhythmias from the Israeli Implantable Cardioverter Defibrillator Registry. <i>American Journal of Cardiology</i> , 2017, 120, 2187-2192.	1.6	5
68	Reduction in depressive symptoms in primary prevention ICD scheduled patients - One year prospective study. <i>General Hospital Psychiatry</i> , 2017, 48, 37-41.	2.4	5
69	Arrhythmic burden among asymptomatic patients with ischemic cardiomyopathy and an implantable cardioverter-defibrillator. <i>Heart Rhythm</i> , 2019, 16, 813-819.	0.7	5
70	Effectiveness of single-vs dual-coil implantable defibrillator leads: An observational analysis from the SIMPLE study. <i>Journal of Cardiovascular Electrophysiology</i> , 2019, 30, 1078-1085.	1.7	5
71	Outcome of Patients with Advanced Heart Failure Who Receive Device-Based Therapy for Primary Prevention of Sudden Cardiac Death: Insights from the Israeli ICD Registry. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2015, 38, 738-745.	1.2	4
72	Ethnic Differences Among Implantable Cardioverter Defibrillators Recipients in Israel. <i>American Journal of Cardiology</i> , 2015, 115, 1102-1106.	1.6	4

#	ARTICLE	IF	CITATIONS
73	Poor Heart Rate Recovery Is Associated With the Development of New-Onset Atrial Fibrillation in Middle-Aged Adults. <i>Mayo Clinic Proceedings</i> , 2016, 91, 1769-1777.	3.0	4
74	Delayed prolongation of the QRS interval in patients with left ventricular dysfunction. <i>International Journal of Cardiology</i> , 2019, 296, 71-75.	1.7	4
75	Do all intra-ventricular conduction defect ECG patterns respond equally to CRT?. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2020, 58, 87-94.	1.3	4
76	Pulmonary Computed Tomography Parenchymal and Vascular Features Diagnostic of Postablation Pulmonary Vein Stenosis. <i>Journal of Thoracic Imaging</i> , 2020, 35, 179-185.	1.5	4
77	Predictors of Hypoxemia and Related Adverse Outcomes in Patients Hospitalized with COVID-19: A Double-Center Retrospective Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 3581.	2.4	4
78	Ablation-Induced Change in the Course of Fascicular Tachycardia. <i>Israel Medical Association Journal</i> , 2018, 20, 43-50.	0.1	4
79	Performance of the Linux implantable cardioverter defibrillator leads: A single-center experience. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019, 42, 1524-1528.	1.2	3
80	Association of Guideline-Based Medical Therapy with Malignant Arrhythmias and Mortality among Heart Failure Patients Implanted with Cardioverter Defibrillator (ICD) or Cardiac Resynchronization-Defibrillator Device (CRTD). <i>Journal of Clinical Medicine</i> , 2021, 10, 1753.	2.4	3
81	Multiple Adverse Events with a Dual Chamber Pacemaker. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2000, 23, 1010-1013.	1.2	2
82	Pulmonary Congestion Complicating Atrial Fibrillation Cardioversion. <i>American Journal of Cardiology</i> , 2018, 122, 1701-1706.	1.6	2
83	The efficacy of the LinuxSmart DX ICD lead from a single center experience. <i>Indian Pacing and Electrophysiology Journal</i> , 2020, 20, 137-140.	0.6	2
84	Rate, Time Course, and Predictors of Implantable Cardioverter Defibrillator Infections: An Analysis From the SIMPLE Trial. <i>CJC Open</i> , 2020, 2, 354-359.	1.5	2
85	"Preventive" pacing in patients with tachy-brady syndrome (TBS): Confirming a common practice. <i>International Journal of Clinical Practice</i> , 2020, 74, e13583.	1.7	2
86	Relation of Atrial Premature Complexes During Exercise Stress Testing to the Risk for the Development of Atrial Fibrillation in Patients Undergoing Cardiac Rehabilitation. <i>American Journal of Cardiology</i> , 2018, 122, 395-399.	1.6	1
87	Defibrillation testing and clinical outcomes after implantable cardioverter-defibrillator implantation in patients in atrial fibrillation at the time of implant: An analysis from the SIMPLE trial. <i>Heart Rhythm</i> , 2019, 16, 83-90.	0.7	1
88	Loss of left ventricular rotation is a significant determinant of functional mitral regurgitation. <i>International Journal of Cardiology</i> , 2021, 345, 143-149.	1.7	1
89	Genetics and Sinus Node Dysfunction. <i>Journal of Atrial Fibrillation</i> , 2009, 1, 151.	0.5	1
90	Arrhythmic Events in Brugada Syndrome: A Nationwide Israeli Survey of the Clinical Characteristics, Treatment; and Long-Term Follow-up (ISRABRU-VF). <i>Israel Medical Association Journal</i> , 2018, 20, 269-276.	0.1	1

#	ARTICLE	IF	CITATIONS
91	Prevalence, Predictors, and Outcomes of Patients With ST-Elevation Myocardial Infarction and Angiographically Significant Coronary Artery Disease of Non-Infarct-Related Artery. American Journal of Cardiology, 2022, , .	1.6	1
92	Appropriate timing of electrophysiological study in myotonic dystrophy type 1: <i>unsolved question</i>”Authors’™ reply. Europace, 2021, , .	1.7	1
93	EP Practice Patterns, Reimbursement and Health Care Policy in Israel. Journal of Interventional Cardiac Electrophysiology, 1998, 2, 77-79.	1.0	0
94	The REPLACE Death After Replacement Evaluation Score for Predicting Mortality After Device Replacement or Upgrade. Circulation: Arrhythmia and Electrophysiology, 2014, 7, 997-999.	4.8	0
95	The Heart Failure Unit At Shaare Zedek Hospital Medical Center. European Heart Journal, 2018, 39, 3491-3492.	2.2	0
96	Sedation strategies for defibrillation threshold testing: safety outcomes with anaesthesiologist compared to proceduralist-directed sedation: an analysis from the SIMPLE study. Europace, 2018, 20, 1798-1803.	1.7	0
97	Association of Contemporary Statin Pretreatment Intensity and LDL-C Levels on the Incidence of STEMI Presentation. Life, 2021, 11, 1268.	2.4	0
98	2021 ESC guidelines on cardiac pacing and cardiac resynchronization: what is the correct level of evidence for the superiority of cephalic vein cutdown? C, B or maybe A?™”Author’s™ reply. Europace, 2022, , .	1.7	0
99	Viewpoint from Israel. Circulation, 2006, 113, f17-8.	1.6	0
100	Post-cardiac Implantable Electronic Devices: Inflammation of the Pocket. Should We Be More Aggressive?. Israel Medical Association Journal, 2018, 20, 539-542.	0.1	0
101	Effect of Left Atrial Enlargement on Success Rates of Catheter Ablation of Atrial Fibrillation in Women. Israel Medical Association Journal, 2019, 21, 13-19.	0.1	0
102	Follow-up. , 0, , 572-616.		0