

Michael Glikson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/337851/publications.pdf>

Version: 2024-02-01

102
papers

3,253
citations

304602

22
h-index

161767

54
g-index

110
all docs

110
docs citations

110
times ranked

3720
citing authors

#	ARTICLE	IF	CITATIONS
1	Lead fixation mechanism impacts outcome of transvenous lead extraction: data from the European Lead Extraction ConTRolled Registry. <i>Europace</i> , 2022, 24, 817-827.	0.7	9
2	Outcomes of conduction system pacing compared to right ventricular pacing as a primary strategy for treating bradyarrhythmia: systematic review and meta-analysis. <i>Clinical Research in Cardiology</i> , 2022, 111, 1198-1209.	1.5	18
3	2021 ESC Guidelines on cardiac pacing and cardiac resynchronization therapy. <i>Europace</i> , 2022, 24, 71-164.	0.7	370
4	European Society of Cardiology Quality Indicators for the care and outcomes of cardiac pacing: developed by the Working Group for Cardiac Pacing Quality Indicators in collaboration with the European Heart Rhythm Association of the European Society of Cardiology. <i>Europace</i> , 2022, 24, 165-172.	0.7	20
5	Radial strain imaging-guided lead placement for improving response to cardiac resynchronization therapy in patients with ischaemic cardiomyopathy: the Raise CRT trial. <i>Europace</i> , 2022, 24, 835-844.	0.7	9
6	Implantation of cardiac electronic devices in active COVID-19 patients: Results from an international survey. <i>Heart Rhythm</i> , 2022, 19, 206-216.	0.3	12
7	Coenzyme Q10 in the Treatment of Heart Failure with Preserved Ejection Fraction: A Prospective, Randomized, Double-Blind, Placebo-Controlled Trial. <i>Drugs in R and D</i> , 2022, 22, 25-33.	1.1	11
8	The Utility of Handheld Cardiac and Lung Ultrasound in Predicting Outcomes of Hospitalised Patients With COVID-19. <i>Canadian Journal of Cardiology</i> , 2022, 38, 338-346.	0.8	11
9	2021 ESC guidelines on cardiac pacing and cardiac resynchronization: what is the correct level of evidence for the superiority of cephalic vein cutdown? C, B or maybe A? Authors' reply. <i>Europace</i> , 2022, , .	0.7	0
10	The V-LAP System for Remote Left Atrial Pressure Monitoring of Patients With Heart Failure. <i>Journal of Cardiac Failure</i> , 2022, 28, 963-972.	0.7	20
11	Anatomical accuracy of the KODEX-EPD novel 3D mapping system of the left atrium during pulmonary vein isolation: A correlation with computer tomography imaging. <i>Journal of Cardiovascular Electrophysiology</i> , 2022, 33, 618-625.	0.8	9
12	QRS Narrowing Following CRT Implantation: Predictors, Dynamics, and Association with Improved Long-Term Outcome. <i>Journal of Clinical Medicine</i> , 2022, 11, 1279.	1.0	6
13	Immediate and early percutaneous coronary intervention in very high-risk and high-risk non-ST segment elevation myocardial infarction patients. <i>Clinical Cardiology</i> , 2022, 45, 359-369.	0.7	9
14	Prevalence, Predictors, and Outcomes of Patients With ST-Elevation Myocardial Infarction and Angiographically Significant Coronary Artery Disease of Non-Infarct-Related Artery. <i>American Journal of Cardiology</i> , 2022, , .	0.7	1
15	Cardiac arrhythmias amongst hospitalised Coronavirus 2019 (COVID-19) patients: Prevalence, characterisation, and clinical algorithm to classify arrhythmic risk. <i>International Journal of Clinical Practice</i> , 2021, 75, e13788.	0.8	24
16	Association of Guideline-Based Medical Therapy with Malignant Arrhythmias and Mortality among Heart Failure Patients Implanted with Cardioverter Defibrillator (ICD) or Cardiac Resynchronization-Defibrillator Device (CRTD). <i>Journal of Clinical Medicine</i> , 2021, 10, 1753.	1.0	3
17	EHRA expert consensus statement and practical guide on optimal implantation technique for conventional pacemakers and implantable cardioverter-defibrillators: endorsed by the Heart Rhythm Society (HRS), the Asia Pacific Heart Rhythm Society (APHRS), and the Latin-American Heart Rhythm Society (LAHRS). <i>Europace</i> , 2021, 23, 983-1008.	0.7	92
18	Predictors of Hypoxemia and Related Adverse Outcomes in Patients Hospitalized with COVID-19: A Double-Center Retrospective Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 3581.	1.0	4

#	ARTICLE	IF	CITATIONS
19	The "10 commandments"™ for the 2021 ESC guidelines on cardiac pacing and cardiac resynchronization therapy. <i>European Heart Journal</i> , 2021, 42, 4295-4295.	1.0	79
20	Loss of left ventricular rotation is a significant determinant of functional mitral regurgitation. <i>International Journal of Cardiology</i> , 2021, 345, 143-149.	0.8	1
21	Association of Contemporary Statin Pretreatment Intensity and LDL-C Levels on the Incidence of STEMI Presentation. <i>Life</i> , 2021, 11, 1268.	1.1	0
22	Appropriate timing of electrophysiological study in myotonic dystrophy type 1: <i>unsolved question</i>"Authors™ reply. <i>Europace</i> , 2021, , .	0.7	1
23	Do all intra-ventricular conduction defect ECG patterns respond equally to CRT?. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2020, 58, 87-94.	0.6	4
24	EHRA/EAPCI expert consensus statement on catheter-based left atrial appendage occlusion " an update. <i>Europace</i> , 2020, 22, 184-184.	0.7	160
25	The efficacy of the LinxSmart DX ICD lead from a single center experience. <i>Indian Pacing and Electrophysiology Journal</i> , 2020, 20, 137-140.	0.3	2
26	Pulmonary Computed Tomography Parenchymal and Vascular Features Diagnostic of Postablation Pulmonary Vein Stenosis. <i>Journal of Thoracic Imaging</i> , 2020, 35, 179-185.	0.8	4
27	Rate, Time Course, and Predictors of Implantable Cardioverter Defibrillator Infections: An Analysis From the SIMPLE Trial. <i>CJC Open</i> , 2020, 2, 354-359.	0.7	2
28	Andersen" Tawil Syndrome Is Associated With Impaired PIP2 Regulation of the Potassium Channel Kir2.1. <i>Frontiers in Pharmacology</i> , 2020, 11, 672.	1.6	11
29	Reduction in Filamin C transcript is associated with arrhythmogenic cardiomyopathy in Ashkenazi Jews. <i>International Journal of Cardiology</i> , 2020, 317, 133-138.	0.8	11
30	"Preventive" pacing in patients with tachy-brady syndrome (TBS): Confirming a common practice. <i>International Journal of Clinical Practice</i> , 2020, 74, e13583.	0.8	2
31	Predictors of short-term mortality in patients undergoing a successful uncomplicated extraction procedure. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 1155-1162.	0.8	6
32	EHRA/EAPCI expert consensus statement on catheter-based left atrial appendage occlusion " an update. <i>EuroIntervention</i> , 2020, 15, 1133-1180.	1.4	183
33	Defibrillation testing and clinical outcomes after implantable cardioverter-defibrillator implantation in patients in atrial fibrillation at the time of implant: An analysis from the SIMPLE trial. <i>Heart Rhythm</i> , 2019, 16, 83-90.	0.3	1
34	Delayed prolongation of the QRS interval in patients with left ventricular dysfunction. <i>International Journal of Cardiology</i> , 2019, 296, 71-75.	0.8	4
35	Comparison of outcomes in infected cardiovascular implantable electronic devices between complete, partial, and failed lead removal: an ESC-EHRA-EORP ELECTRa (European Lead Extraction ConTrolled) registry. <i>Europace</i> , 2019, 21, 1876-1889.	0.7	10
36	Arrhythmic burden among asymptomatic patients with ischemic cardiomyopathy and an implantable cardioverter-defibrillator. <i>Heart Rhythm</i> , 2019, 16, 813-819.	0.3	5

#	ARTICLE	IF	CITATIONS
37	The management of cardiac implantable electronic device lead perforations: a multicentre study. <i>Europace</i> , 2019, 21, 937-943.	0.7	21
38	Effectiveness of single- vs dual-coil implantable defibrillator leads: An observational analysis from the SIMPLE study. <i>Journal of Cardiovascular Electrophysiology</i> , 2019, 30, 1078-1085.	0.8	5
39	Performance of the Linux implantable cardioverter defibrillator leads: A single-center experience. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019, 42, 1524-1528.	0.5	3
40	Mitral Annulus Calcium Score. <i>Circulation: Cardiovascular Imaging</i> , 2019, 12, e007508.	1.3	14
41	Effect of Left Atrial Enlargement on Success Rates of Catheter Ablation of Atrial Fibrillation in Women. <i>Israel Medical Association Journal</i> , 2019, 21, 13-19.	0.1	0
42	Impact of quadripolar LV leads on heart failure hospitalization rates among patients implanted with CRT-D: data from the Israeli ICD Registry. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2018, 51, 5-12.	0.6	8
43	Super-response to cardiac resynchronization therapy reduces appropriate implantable cardioverter defibrillator therapy. <i>Europace</i> , 2018, 20, 1303-1311.	0.7	21
44	Implantable cardioverter-defibrillator therapy in hypertrophic cardiomyopathy: A SIMPLE substudy. <i>Heart Rhythm</i> , 2018, 15, 386-392.	0.3	11
45	The Heart Failure Unit At Shaare Zedek Hospital Medical Center. <i>European Heart Journal</i> , 2018, 39, 3491-3492.	1.0	0
46	Developing a risk score to predict mortality in the first year after implantable cardioverter defibrillator implantation: Data from the Israeli ICD Registry. <i>Journal of Cardiovascular Electrophysiology</i> , 2018, 29, 1540-1547.	0.8	6
47	Pulmonary Congestion Complicating Atrial Fibrillation Cardioversion. <i>American Journal of Cardiology</i> , 2018, 122, 1701-1706.	0.7	2
48	Relation of Atrial Premature Complexes During Exercise Stress Testing to the Risk for the Development of Atrial Fibrillation in Patients Undergoing Cardiac Rehabilitation. <i>American Journal of Cardiology</i> , 2018, 122, 395-399.	0.7	1
49	Sedation strategies for defibrillation threshold testing: safety outcomes with anaesthesiologist compared to proceduralist-directed sedation: an analysis from the SIMPLE study. <i>Europace</i> , 2018, 20, 1798-1803.	0.7	0
50	Ablation-Induced Change in the Course of Fascicular Tachycardia. <i>Israel Medical Association Journal</i> , 2018, 20, 43-50.	0.1	4
51	Arrhythmic Events in Brugada Syndrome: A Nationwide Israeli Survey of the Clinical Characteristics, Treatment; and Long-Term Follow-up (ISRABRU-VF). <i>Israel Medical Association Journal</i> , 2018, 20, 269-276.	0.1	1
52	Post-cardiac Implantable Electronic Devices: Inflammation of the Pocket. Should We Be More Aggressive?. <i>Israel Medical Association Journal</i> , 2018, 20, 539-542.	0.1	0
53	Wound haematoma following defibrillator implantation: incidence and predictors in the Shockless Implant Evaluation (SIMPLE) trial. <i>Europace</i> , 2017, 19, euw116.	0.7	20
54	Temporal trends and outcomes associated with atrial fibrillation observed during acute coronary syndrome: Real-world data from the Acute Coronary Syndrome Israeli Survey (<sc>ACSIS</sc>), 2000-2013. <i>Clinical Cardiology</i> , 2017, 40, 275-280.	0.7	25

#	ARTICLE	IF	CITATIONS
55	Characterization of a previously unrecognized clinical phenomenon: Delayed shock after cardiac implantable electronic device extraction. <i>Heart Rhythm</i> , 2017, 14, 1552-1558.	0.3	9
56	Anemia and the Risk of Life-threatening Ventricular Tachyarrhythmias from the Israeli Implantable Cardioverter Defibrillator Registry. <i>American Journal of Cardiology</i> , 2017, 120, 2187-2192.	0.7	5
57	Reduction in depressive symptoms in primary prevention ICD scheduled patients - One year prospective study. <i>General Hospital Psychiatry</i> , 2017, 48, 37-41.	1.2	5
58	Effect of supplemented intake of omega-3 fatty acids on arrhythmias in patients with ICD: fish oil therapy may reduce ventricular arrhythmia. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2017, 49, 255-261.	0.6	14
59	Contemporary rates and outcomes of single- vs. dual-coil implantable cardioverter defibrillator lead implantation: data from the Israeli ICD Registry. <i>Europace</i> , 2017, 19, 1485-1492.	0.7	11
60	Selective tissue ablation using laser radiation at 355nm in lead extraction by a hybrid catheter; a preliminary report. <i>Lasers in Surgery and Medicine</i> , 2016, 48, 281-287.	1.1	14
61	Apical versus Non-Apical Lead: Is ICD Lead Position Important for Successful Defibrillation?. <i>Journal of Cardiovascular Electrophysiology</i> , 2016, 27, 581-586.	0.8	7
62	Do implantable cardioverter defibrillators contribute to new depression or anxiety symptoms? A retrospective study. <i>International Journal of Psychiatry in Clinical Practice</i> , 2016, 20, 101-105.	1.2	9
63	Poor Heart Rate Recovery Is Associated With the Development of New-Onset Atrial Fibrillation in Middle-Aged Adults. <i>Mayo Clinic Proceedings</i> , 2016, 91, 1769-1777.	1.4	4
64	Characteristics and outcomes of diabetic patients with an implantable cardioverter defibrillator in a real world setting: results from the Israeli ICD registry. <i>Cardiovascular Diabetology</i> , 2016, 15, 160.	2.7	5
65	Clinical Outcomes of Single- versus Dual-Chamber Implantable Cardioverter Defibrillators: Lessons from the Israeli ICD Registry. <i>Journal of Cardiovascular Electrophysiology</i> , 2016, 27, 718-723.	0.8	6
66	Troponin levels after ICD implantation with and without defibrillation testing and their predictive value for outcomes: Insights from the SIMPLE trial. <i>Heart Rhythm</i> , 2016, 13, 504-510.	0.3	12
67	Obesity and exercise-induced ectopic ventricular arrhythmias in apparently healthy middle aged adults. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 511-517.	0.8	21
68	Effects of Tricuspid Valve Regurgitation on Outcome in Patients With Cardiac Resynchronization Therapy. <i>American Journal of Cardiology</i> , 2015, 115, 783-789.	0.7	20
69	Outcome of Patients with Advanced Heart Failure Who Receive Device-Based Therapy for Primary Prevention of Sudden Cardiac Death: Insights from the Israeli ICD Registry. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2015, 38, 738-745.	0.5	4
70	Ethnic Differences Among Implantable Cardioverter Defibrillators Recipients in Israel. <i>American Journal of Cardiology</i> , 2015, 115, 1102-1106.	0.7	4
71	Cardioverter defibrillator implantation without induction of ventricular fibrillation: a single-blind, non-inferiority, randomised controlled trial (SIMPLE). <i>Lancet, The</i> , 2015, 385, 785-791.	6.3	214
72	Contemporary rates of appropriate shock therapy in patients who receive implantable device therapy in a real-world setting: From the Israeli ICD Registry. <i>Heart Rhythm</i> , 2015, 12, 2426-2433.	0.3	82

#	ARTICLE	IF	CITATIONS
73	Inverse Relationship Between Membranous Septal Length and the Risk of Atrioventricular Block in Patients Undergoing Transcatheter Aortic Valve Implantation. <i>JACC: Cardiovascular Interventions</i> , 2015, 8, 1218-1228.	1.1	170
74	Physiological pacing: a moving target?. <i>European Heart Journal</i> , 2015, 36, 141-142.	1.0	5
75	The REPLACE Death After Replacement Evaluation Score for Predicting Mortality After Device Replacement or Upgrade. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2014, 7, 997-999.	2.1	0
76	Sex differences in implantable cardioverter-defibrillator implantation indications and outcomes: lessons from the Nationwide Israeli-ICD Registry. <i>Europace</i> , 2014, 16, 1175-1180.	0.7	26
77	Renal Dysfunction and Clinical Outcomes of Patients Undergoing ICD and CRTD Implantation: Data from the Israeli ICD Registry. <i>Journal of Cardiovascular Electrophysiology</i> , 2014, 25, 990-997.	0.8	13
78	EHRA/EAPCI expert consensus statement on catheter-based left atrial appendage occlusion. <i>Europace</i> , 2014, 16, 1397-1416.	0.7	259
79	Role of defibrillation threshold testing during implantable cardioverter-defibrillator placement: Data from the Israeli ICD Registry. <i>Heart Rhythm</i> , 2014, 11, 814-821.	0.3	13
80	Clinical characteristics and outcomes of elderly patients treated with an implantable cardioverter-defibrillator or cardiac resynchronization therapy in a real-world setting: Data from the Israeli ICD Registry. <i>Heart Rhythm</i> , 2014, 11, 435-441.	0.3	28
81	Implant-based multiparameter telemonitoring of patients with heart failure (IN-TIME): a randomised controlled trial. <i>Lancet, The</i> , 2014, 384, 583-590.	6.3	594
82	Predictors and Outcomes of "Super-response" to Cardiac Resynchronization Therapy. <i>Journal of Cardiac Failure</i> , 2014, 20, 379-386.	0.7	37
83	Box lesion in the open left atrium for surgical ablation of atrial fibrillation. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2014, 147, 956-959.	0.4	14
84	Do abandoned leads pose risk to implantable cardioverter-defibrillator patients?. <i>Heart Rhythm</i> , 2009, 6, 65-68.	0.3	68
85	Genetics and Sinus Node Dysfunction. <i>Journal of Atrial Fibrillation</i> , 2009, 1, 151.	0.5	1
86	Viewpoint from Israel. <i>Circulation</i> , 2006, 113, f17-8.	1.6	0
87	Optimal Combination of Discriminators for Differentiating Ventricular from Supraventricular Tachycardia by Dual-Chamber Defibrillators. <i>Journal of Cardiovascular Electrophysiology</i> , 2005, 16, 732-739.	0.8	65
88	Upper limit of vulnerability determination during implantable cardioverter-defibrillator placement to minimize ventricular fibrillation inductions**Nothing in this study implies endorsement of the products of Medtronic, Inc.. <i>American Journal of Cardiology</i> , 2004, 94, 1445-1449.	0.7	15
89	Long-Term Outcome of Patients Who Received Implantable Cardioverter Defibrillators for Stable Ventricular Tachycardia. <i>Journal of Cardiovascular Electrophysiology</i> , 2004, 15, 658-664.	0.8	29
90	Impaired Detection of Ventricular Tachyarrhythmias by a Rate-Smoothing Algorithm in Dual-Chamber Implantable Defibrillators: Intradevice Interactions. <i>Journal of Cardiovascular Electrophysiology</i> , 2002, 13, 312-318.	0.8	26

#	ARTICLE	IF	CITATIONS
91	Routine Arrhythmia Inductions for ICD Follow-up: Are They Obsolete?. PACE - Pacing and Clinical Electrophysiology, 2001, 24, 915-920.	0.5	5
92	Multiple Adverse Events with a Dual Chamber Pacemaker. PACE - Pacing and Clinical Electrophysiology, 2000, 23, 1010-1013.	0.5	2
93	Defibrillator Challenges for the New Millennium:... Journal of Cardiovascular Electrophysiology, 2000, 11, 697-709.	0.8	7
94	Are Routine Arrhythmia Inductions Necessary in Patients with Pectoral Implantable Cardioverter Defibrillators?. Journal of Cardiovascular Electrophysiology, 2000, 11, 127-135.	0.8	24
95	Simplified "ATP Test" for Noninvasive Diagnosis of Dual AV Nodal Physiology and Assessment of Results of Slow Pathway Ablation in Patients with AV Nodal Reentrant Tachycardia. Journal of Cardiovascular Electrophysiology, 2000, 11, 255-261.	0.8	19
96	Clinical Surveillance of a Tined, Bipolar, J-Shaped, Steroid-Eluting, Silicone-Insulated Atrial Pacing Lead. PACE - Pacing and Clinical Electrophysiology, 1999, 22, 1079-1081.	0.5	8
97	Defibrillation Thresholds are Increased by Right-Sided Implantation of Totally Transvenous Implantable Cardioverter Defibrillators. PACE - Pacing and Clinical Electrophysiology, 1999, 22, 1186-1192.	0.5	34
98	EP Practice Patterns, Reimbursement and Health Care Policy in Israel. Journal of Interventional Cardiac Electrophysiology, 1998, 2, 77-79.	0.9	0
99	Noninvasive Diagnosis of Dual AV Node Physiology in Patients With AV Nodal Reentrant Tachycardia by Administration of Adenosine-5â€™-Triphosphate During Sinus Rhythm. Circulation, 1998, 98, 47-53.	1.6	46
100	Newer Clinical Applications of Pacing. Journal of Cardiovascular Electrophysiology, 1997, 8, 1190-1203.	0.8	21
101	Pacemaker Dependency After Coronary Artery Bypass. PACE - Pacing and Clinical Electrophysiology, 1992, 15, 2037-2040.	0.5	18
102	Follow-up. , 0, , 572-616.		0