

Boban M Erovic

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/337892/publications.pdf>

Version: 2024-02-01

116
papers

2,116
citations

230014

27
h-index

340414

39
g-index

117
all docs

117
docs citations

117
times ranked

2958
citing authors

#	ARTICLE	IF	CITATIONS
1	Influence of Grading on Management and Outcome in Mucoepidermoid Carcinoma of the Parotidâ€”A Multiâ€”institutional Analysis. <i>Laryngoscope</i> , 2023, 133, 124-132.	1.1	6
2	Serratus anterior muscle free flap for endoscopic reconstruction of large and complex skullâ€”base defects. <i>International Forum of Allergy and Rhinology</i> , 2022, 12, 124-127.	1.5	3
3	Temporal fluctuations of post-tonsillectomy haemorrhage. <i>European Archives of Oto-Rhino-Laryngology</i> , 2022, 279, 1601-1607.	0.8	2
4	Carcinoma of Unknown Primary (CUP) versus CUP Turned to Primary Carcinoma of the Head and Neckâ€”An Analysis of Diagnostic Methods and the Impact of Primary Tumor on Clinical Outcome. <i>Diagnostics</i> , 2022, 12, 894.	1.3	3
5	Prognostic factors in mammary analogue secretory carcinomas of the parotid gland: Systematic review and meta-analysis. <i>Head and Neck</i> , 2022, 44, 792-804.	0.9	2
6	Using the DASH Questionnaire to Evaluate Donor Site Morbidity of the Serratus Anterior Free Flap in Head and Neck Reconstruction: A Multicenter Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 2397.	1.0	3
7	Long-Term Swallowing Outcome and Dysphagia in Advanced Staged Head and Neck Squamous Cell Carcinomas after Radiotherapy. <i>Journal of Clinical Medicine</i> , 2022, 11, 2688.	1.0	0
8	A New Classification System to Predict Functional Outcome after Laryngectomy and Laryngopharyngectomy. <i>Cancers</i> , 2021, 13, 1474.	1.7	10
9	Impact of Previous Irradiation on Wound Healing after Negative Pressure Wound Therapy in Head and Neck Cancer Patientsâ€”A Systematic Review. <i>Cancers</i> , 2021, 13, 2482.	1.7	7
10	Using the PRAAT software to describe dependence of speech intelligibility on tongue mobility in 6 patients after salvage glossectomy and reconstruction with a serratus anterior free flap. <i>Clinical Otolaryngology</i> , 2021, 46, 1100-1105.	0.6	2
11	Do Salivary Bypass Tubes Reduce the Risk of Pharyngocutaneous Fistula after Laryngopharyngectomyâ€”A Systematic Review and Meta-Analysis. <i>Cancers</i> , 2021, 13, 2827.	1.7	4
12	Sinonasal carcinoma and Ohngren's line: Retrospective cohort study of 39 patients. <i>Clinical Otolaryngology</i> , 2021, 46, 1153-1158.	0.6	4
13	IMP3 Protein Overexpression Is Linked to Unfavorable Outcome in Laryngeal Squamous Cell Carcinoma. <i>Cancers</i> , 2021, 13, 4306.	1.7	4
14	A new nomogram to predict the need for tracheostomy in burned patients. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021, 278, 3479-3488.	0.8	5
15	Lymph node ratio as a prognostic marker in advanced laryngeal and hypopharyngeal carcinoma after primary total laryngopharyngectomy. <i>Clinical Otolaryngology</i> , 2020, 45, 73-82.	0.6	12
16	Bacterial colonization of Montgomery salivary bypass tubes after hypopharyngeal reconstruction in head and neck cancer patients. <i>European Archives of Oto-Rhino-Laryngology</i> , 2020, 277, 1149-1154.	0.8	1
17	Tracheostomy in bilateral neck dissection: Comparison of three tracheostomy scoring systems. <i>Laryngoscope</i> , 2020, 130, E580-E586.	1.1	3
18	Panendoscopy during follow-up in laryngeal carcinoma patients after radiotherapy. <i>Head and Neck</i> , 2020, 42, 3601-3608.	0.9	2

#	ARTICLE	IF	CITATIONS
19	Lymphoepithelial Carcinoma of Larynx and Hypopharynx: A Rare Clinicopathological Entity. <i>Cancers</i> , 2020, 12, 2431.	1.7	15
20	Outcome in Patients with Partial and Full-Thickness Cheek Defects following Free Flap Reconstruction—A Multicentric Analysis of 47 Cases. <i>Journal of Clinical Medicine</i> , 2020, 9, 1740.	1.0	6
21	The vascularized fascia lata free flap: an anatomical study and clinical considerations. <i>European Archives of Oto-Rhino-Laryngology</i> , 2020, 277, 1733-1739.	0.8	12
22	Cross-sectional study on the occurrence of Frey's syndrome following superficial parotidectomy or extracapsular dissection. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2020, 48, 199-202.	0.7	7
23	Elective neck treatment in sinonasal undifferentiated carcinoma: Systematic review and meta-analysis. <i>Head and Neck</i> , 2020, 42, 1057-1066.	0.9	13
24	Eccrine porocarcinoma of the head and neck: Meta-analysis of 120 cases. <i>Head and Neck</i> , 2020, 42, 2644-2659.	0.9	24
25	Post-tonsillectomy hemorrhage: cost-benefit analysis of prolonged hospitalization. <i>Acta Oto-Laryngologica</i> , 2020, 140, 597-602.	0.3	3
26	VEGFR2 is downregulated in sestamibi-negative parathyroid adenomas. <i>Head and Neck</i> , 2019, 41, 3564-3569.	0.9	4
27	Preoperative plasma fibrinogen as a predictive factor for post-tonsillectomy haemorrhage. <i>Clinical Otolaryngology</i> , 2019, 44, 935-941.	0.6	6
28	Nodal Metastases in Acinic Cell Carcinoma of the Parotid Gland. <i>Journal of Clinical Medicine</i> , 2019, 8, 1315.	1.0	18
29	Long-term improvement of clinical symptoms after endoscopic sinus surgery in patients suffered from endocrine ophthalmopathy and orbital complications of rhinosinusitis. <i>Acta Oto-Laryngologica</i> , 2019, 139, 876-880.	0.3	1
30	Dysregulation of β -catenin, WISP1 and TCF21 predicts disease-specific survival and primary response against radio(chemo)therapy in patients with locally advanced squamous cell carcinomas of the head and neck. <i>Clinical Otolaryngology</i> , 2019, 44, 263-272.	0.6	9
31	Bilateral vs ipsilateral adjuvant radiotherapy in patients with cancer of unknown primary of the head and neck: An analysis of the clinical outcome and radiation-induced side effects. <i>Head and Neck</i> , 2019, 41, 1785-1794.	0.9	12
32	Post-laryngectomy adjuvant radiotherapy in patients with pharyngocutaneous fistulae: Treatment regimens, outcomes and complications in 67 patients. <i>Clinical Otolaryngology</i> , 2019, 44, 810-814.	0.6	8
33	Rising incidences of Warthin's tumors may be linked to obesity: a single-institutional experience. <i>European Archives of Oto-Rhino-Laryngology</i> , 2019, 276, 1191-1196.	0.8	16
34	Fine-needle aspiration cytology and intraoperative frozen section in parotid gland tumour surgery: A retrospective multicenter analysis of 417 cases. <i>Clinical Otolaryngology</i> , 2019, 44, 461-465.	0.6	9
35	A Nomogram to Predict the Outcome of Fine Needle Aspiration Cytology in Head and Neck Masses. <i>Journal of Clinical Medicine</i> , 2019, 8, 2050.	1.0	2
36	Accuracy of fine-needle aspiration cytology in suspicious neck nodes after radiotherapy: Retrospective analysis of 100 patients. <i>Clinical Otolaryngology</i> , 2019, 44, 384-388.	0.6	2

#	ARTICLE	IF	CITATIONS
37	Use of the myocutaneous serratus anterior free flap for reconstruction after salvage glossectomy. <i>European Archives of Oto-Rhino-Laryngology</i> , 2019, 276, 559-566.	0.8	11
38	Design of skin islands for a myocutaneous serratus anterior free flap—An anatomical study and clinical implication for pharyngeal reconstruction after laryngopharyngectomy. <i>Clinical Otolaryngology</i> , 2019, 44, 227-234.	0.6	4
39	ELMO3 is a Negative Prognostic Marker in Minor Salivary Gland Carcinoma. <i>Pathology and Oncology Research</i> , 2019, 25, 585-591.	0.9	1
40	Study toward resolving the controversy over the definition of allergic fungal rhinosinusitis. <i>Medical Mycology</i> , 2018, 56, 162-171.	0.3	10
41	Reply to the Letter to the Editor regarding "Extracapsular dissection versus superficial parotidectomy in benign parotid gland tumors: The Vienna Medical School experience". <i>Head and Neck</i> , 2018, 40, 217-217.	0.9	0
42	Reply to the Letter to the Editor regarding "Extracapsular dissection versus superficial parotidectomy in benign parotid gland tumors: The Vienna Medical School experience". <i>Head and Neck</i> , 2018, 40, 219-219.	0.9	0
43	Preserving the thyroidal isthmus during low tracheostomy with creation of a <sc>B</sc> flap. <i>Laryngoscope</i> , 2018, 128, 2783-2789.	1.1	8
44	Computed tomography accelerates staging in patients with Merkel cell carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2018, 275, 3059-3066.	0.8	2
45	Expression of 15-lipoxygenase in Merkel cell carcinoma is linked to advanced disease. <i>Clinical Otolaryngology</i> , 2018, 43, 1335-1344.	0.6	4
46	Impact of anatomic origin of primary squamous cell carcinomas of the nasal cavity and ethmoidal sinus on clinical outcome. <i>European Archives of Oto-Rhino-Laryngology</i> , 2018, 275, 2363-2371.	0.8	10
47	Comparative analysis of clinical and pathological lymph node staging data in head and neck squamous cell carcinoma patients treated at the General Hospital Vienna. <i>Radiology and Oncology</i> , 2018, 52, 173-180.	0.6	6
48	The versatility of the serratus anterior free flap in head and neck reconstruction. <i>Laryngoscope</i> , 2017, 127, 568-573.	1.1	25
49	Prognostic survival value of retropharyngeal lymph node involvement in sinonasal tumors: A retrospective, descriptive, and exploratory study. <i>Head and Neck</i> , 2017, 39, 1421-1427.	0.9	12
50	Role of cancer stem-cell marker doublecortin-like kinase 1 in head and neck squamous cell carcinoma. <i>Oral Oncology</i> , 2017, 67, 109-118.	0.8	15
51	Extracapsular dissection versus superficial parotidectomy in benign parotid gland tumors: The Vienna Medical School experience. <i>Head and Neck</i> , 2017, 39, 356-360.	0.9	54
52	Impact of combined treatment with nimesulide and cisplatin on oral carcinoma cells. <i>OncoTargets and Therapy</i> , 2017, Volume 10, 3607-3616.	1.0	4
53	Expression of Merkelcell polyomavirus (MCPyV) large T-antigen in Merkel cell carcinoma lymph node metastases predicts poor outcome. <i>PLoS ONE</i> , 2017, 12, e0180426.	1.1	9
54	Merkel cell carcinoma: Overall survival after open biopsy versus wide local excision. <i>Head and Neck</i> , 2016, 38, E1014-8.	0.9	11

#	ARTICLE	IF	CITATIONS
55	Evaluation of Polo-like kinase 1 as a potential therapeutic target in Merkel cell carcinoma. <i>Head and Neck</i> , 2016, 38, E1918-25.	0.9	11
56	Effect of postoperative use of diclofenac on pharyngocutaneous fistula development after primary total laryngopharyngectomy: Results of a single-center retrospective study. <i>Head and Neck</i> , 2016, 38, E1515-20.	0.9	10
57	Minor salivary gland carcinoma: a review of 35 cases. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016, 273, 2717-2726.	0.8	6
58	Prognostic Impact of Pretreatment Plasma Fibrinogen in Patients with Locally Advanced Oral and Oropharyngeal Cancer. <i>PLoS ONE</i> , 2016, 11, e0158697.	1.1	11
59	Impact of Sonic Hedgehog Pathway Expression on Outcome in HPV Negative Head and Neck Carcinoma Patients after Surgery and Adjuvant Radiotherapy. <i>PLoS ONE</i> , 2016, 11, e0167665.	1.1	12
60	Outcome analysis of 215 patients with parotid gland tumors: a retrospective cohort analysis. <i>Journal of Otolaryngology - Head and Neck Surgery</i> , 2015, 44, 43.	0.9	37
61	No evidence for desmocollin 3 to serve as a prognostic marker in primary radiotherapy of head and neck cancer. <i>Wiener Klinische Wochenschrift</i> , 2015, 127, 24-30.	1.0	0
62	Management of Merkel cell carcinoma of unknown primary origin: the Vienna Medical School experience. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015, 272, 425-429.	0.8	15
63	Prognostic significance of lymph node ratio in patients with Merkel cell carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015, 272, 1777-1783.	0.8	5
64	Intraoperative Cone-Beam Computed Tomography and Multi-Slice Computed Tomography in Temporal Bone Imaging for Surgical Treatment. <i>Otolaryngology - Head and Neck Surgery</i> , 2014, 150, 107-114.	1.1	25
65	New diagnostic markers in salivary gland tumors. <i>European Archives of Oto-Rhino-Laryngology</i> , 2014, 271, 1999-2007.	0.8	13
66	Parathyroid cancer: Outcome analysis of 16 patients treated at the princess margaret hospital. <i>Head and Neck</i> , 2013, 35, 35-39.	0.9	49
67	Significant overexpression of the Merkel cell polyomavirus (MCPyV) large T antigen in Merkel cell carcinoma. <i>Head and Neck</i> , 2013, 35, 184-189.	0.9	29
68	Sebaceous gland carcinoma of the head and neck: The Princess Margaret Hospital experience. <i>Head and Neck</i> , 2013, 35, 316-320.	0.9	25
69	Identification of novel target proteins in sebaceous gland carcinoma. <i>Head and Neck</i> , 2013, 35, 642-648.	0.9	20
70	Merkel Cell Carcinoma: Interdisciplinary Management of a Rare Disease. <i>Journal of Skin Cancer</i> , 2013, 2013, 1-6.	0.5	14
71	Merkel Cell Carcinoma: The Past, the Present, and the Future. <i>Journal of Skin Cancer</i> , 2013, 2013, 1-6.	0.5	38
72	Imaging in Patients with Merkel Cell Carcinoma. <i>Journal of Skin Cancer</i> , 2013, 2013, 1-6.	0.5	37

#	ARTICLE	IF	CITATIONS
73	Evaluation of intraoperative cone beam computed tomography and optical drill tracking in temporal bone surgery. <i>Laryngoscope</i> , 2013, 123, 2823-2828.	1.1	8
74	Merkel cell carcinoma of the head and neck: Potential histopathologic predictors. <i>Laryngoscope</i> , 2013, 123, 3043-3048.	1.1	10
75	Solitary Extramedullary Plasmacytomas of the Thyroid in Hashimoto's Thyroiditis. <i>Thyroid</i> , 2012, 22, 861-862.	2.4	2
76	The utility of the microvascular anastomotic coupler in free tissue transfer. <i>Canadian Journal of Plastic Surgery</i> , 2012, 20, 98-102.	0.4	57
77	Arsenic trioxide enhances the cytotoxic effect of cisplatin in head and neck squamous cell carcinoma cell lines. <i>Oncology Letters</i> , 2012, 3, 1326-1330.	0.8	25
78	HPV infection and p16 expression in carcinomas of the minor salivary glands. <i>European Archives of Oto-Rhino-Laryngology</i> , 2012, 269, 2265-2269.	0.8	28
79	Biomarkers of Parathyroid Carcinoma. <i>Endocrine Pathology</i> , 2012, 23, 221-231.	5.2	57
80	Prognostic and Predictive Markers in Medullary Thyroid Carcinoma. <i>Endocrine Pathology</i> , 2012, 23, 232-242.	5.2	35
81	Temporoparietal fascia free flap for pharyngeal coverage after salvage total laryngectomy. <i>Laryngoscope</i> , 2012, 122, 523-527.	1.1	33
82	Volumetric changes of the anterolateral thigh free flap following adjuvant radiotherapy in total parotidectomy reconstruction. <i>Laryngoscope</i> , 2012, 122, 767-772.	1.1	43
83	ADAM8 in squamous cell carcinoma of the head and neck: a retrospective study. <i>BMC Cancer</i> , 2012, 12, 76.	1.1	9
84	Mcl-1 Expression Is Up-Regulated in Malignancies of the Parotid Gland. <i>Disease Markers</i> , 2011, 30, 229-233.	0.6	5
85	Expression of the Sonic hedgehog pathway in squamous cell carcinoma of the skin and the mucosa of the head and neck. <i>Head and Neck</i> , 2011, 33, 244-250.	0.9	46
86	Expression of hedgehog signaling molecules in Merkel cell carcinoma. <i>Head and Neck</i> , 2010, 32, 333-340.	0.9	39
87	Betulinic Acid a Radiosensitizer in Head and Neck Squamous Cell Carcinoma Cell Lines. <i>Strahlentherapie Und Onkologie</i> , 2010, 186, 143-148.	1.0	41
88	Multimodal treatment of patients with minor salivary gland cancer in the case of recurrent disease. <i>Head and Neck</i> , 2010, 32, 1167-1172.	0.9	14
89	Transformation of pleomorphic adenoma to carcinoma ex pleomorphic adenoma of the parotid gland is independent of p53 mutations. <i>Journal of Surgical Oncology</i> , 2010, 101, 127-130.	0.8	15
90	Expression of the tetraspanins CD9, CD37, CD63, and CD151 in Merkel cell carcinoma: strong evidence for a posttranscriptional fine-tuning of CD9 gene expression. <i>Modern Pathology</i> , 2010, 23, 751-762.	2.9	21

#	ARTICLE	IF	CITATIONS
91	7Î²-Hydroxycholesterol Induces Apoptosis and Regulates Cyclooxygenase 2 in Head and Neck Squamous Cell Carcinoma. <i>JAMA Otolaryngology</i> , 2009, 135, 261.	1.5	14
92	Co-Expression of Bmi-1 and Podoplanin Predicts Overall Survival in Patients With Squamous Cell Carcinoma of the Head and Neck Treated With Radio(chemo)therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2009, 73, 913-918.	0.4	61
93	The Cyclooxygenase-2 Inhibitor Nimesulide, a Nonsteroidal Analgesic, Decreases the Effect of Radiation Therapy in Head-and-Neck Cancer Cells. <i>Strahlentherapie Und Onkologie</i> , 2009, 185, 310-317.	1.0	13
94	Surgical revision of hemorrhage in 8388 patients after cold-steel adenotonsillectomies. <i>Wiener Klinische Wochenschrift</i> , 2008, 120, 336-342.	1.0	29
95	Unilateral face swelling as first manifestation of metastatic pancreatic cancer: Case report and review of the literature. <i>Wiener Klinische Wochenschrift</i> , 2008, 120, 693-696.	1.0	3
96	Elevated levels of circulating endothelial progenitor cells in head and neck cancer patients. <i>Journal of Surgical Oncology</i> , 2008, 98, 545-550.	0.8	26
97	Expression of VEGF-A/C, VEGF-R2, PDGF-Î±/Î², c-kit, EGFR, Her-2/Neu, Mcl-1 and Bmi-1 in Merkel cell carcinoma. <i>Modern Pathology</i> , 2008, 21, 876-884.	2.9	89
98	Potential Involvement of MYC- and p53-Related Pathways in Tumorigenesis in Human Oral Squamous Cell Carcinoma Revealed by Proteomic Analysis. <i>Journal of Proteome Research</i> , 2008, 7, 3818-3829.	1.8	23
99	Expression of BMI-1 in normal skin and inflammatory and neoplastic skin lesions. <i>Journal of Cutaneous Pathology</i> , 2007, 34, 174-180.	0.7	48
100	High expression of integrin Î²1 correlates with high proliferation capacity in oral keratinocytes. <i>Wiener Klinische Wochenschrift</i> , 2007, 119, 318-322.	1.0	7
101	Neoplastic stem cells: A novel therapeutic target in clinical oncology. <i>Cancer</i> , 2006, 107, 2512-2520.	2.0	77
102	Effects of Epidermal Growth Factor and Keratinocyte Growth Factor on the Growth of Oropharyngeal Keratinocytes in Coculture with Autologous Fibroblasts in a Three-Dimensional Matrix. <i>Cells Tissues Organs</i> , 2006, 182, 98-105.	1.3	13
103	The effect of nimesulide, a selective cyclooxygenase-2 inhibitor, on Ets-1 and Ets-2 expression in head and neck cancer cell lines. <i>Head and Neck</i> , 2005, 27, 1068-1072.	0.9	4
104	Changes in Mcl-1 expression in rectal cancer in relation to neo-adjuvant radiotherapy. <i>Wiener Klinische Wochenschrift</i> , 2005, 117, 136-140.	1.0	2
105	Quantitation of microvessel density in squamous cell carcinoma of the head and neck by computer-aided image analysis. <i>Wiener Klinische Wochenschrift</i> , 2005, 117, 53-57.	1.0	20
106	Mcl-1, Vascular Endothelial Growth Factor-R2, and 14-3-3Ïƒ Expression Might Predict Primary Response against Radiotherapy and Chemotherapy in Patients with Locally Advanced Squamous Cell Carcinomas of the Head and Neck. <i>Clinical Cancer Research</i> , 2005, 11, 8632-8636.	3.2	32
107	CD9 expression is not a prognostic factor in human osteosarcoma. <i>Cancer Letters</i> , 2004, 209, 105-110.	3.2	13
108	Motility-related protein-1/CD9 expression in head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2003, 25, 848-857.	0.9	38

#	ARTICLE	IF	CITATIONS
109	CD9 Expression on Lymphatic Vessels in Head and Neck Mucosa. <i>Modern Pathology</i> , 2003, 16, 1028-1034.	2.9	29
110	Pharmacodynamics of piperacillin in severely ill patients evaluated by using a PK/PD model. <i>International Journal of Antimicrobial Agents</i> , 2003, 22, 574-578.	1.1	14
111	Differential Expression Pattern of Cyclooxygenase-1 and -2 in Head and Neck Squamous Cell Carcinoma. <i>Acta Oto-Laryngologica</i> , 2003, 123, 950-953.	0.3	17
112	Target Site Concentrations of Ciprofloxacin after Single Intravenous and Oral Doses. <i>Antimicrobial Agents and Chemotherapy</i> , 2002, 46, 3724-3730.	1.4	63
113	Vascular Endothelial Growth Factor Receptor 2 (VEGFR2) Expression in Squamous Cell Carcinomas of the Head and Neck. <i>Laryngoscope</i> , 2001, 111, 1834-1841.	1.1	55
114	Target site concentrations after continuous infusion and bolus injection of ceftiofime to healthy volunteers. <i>Clinical Pharmacology and Therapeutics</i> , 2000, 67, 229-236.	2.3	38
115	Distribution and Antimicrobial Activity of Fosfomycin in the Interstitial Fluid of Human Soft Tissues. <i>Antimicrobial Agents and Chemotherapy</i> , 2000, 44, 2728-2732.	1.4	96
116	Validation of urea as an endogenous reference compound for the in vivo calibration of microdialysis probes. <i>Life Sciences</i> , 2000, 67, 977-984.	2.0	18