

Marcelo O Orlandi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3379322/marcelo-o-orlandi-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

99 papers	2,800 citations	27 h-index	51 g-index
105 ext. papers	3,148 ext. citations	3.9 avg, IF	5.23 L-index

#	Paper	IF	Citations
99	Detection of H ₂ facilitated by ionic liquid gating of tungsten oxide films. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2022 , 40, 013202	2.9	0
98	Exploring ZnO nanostructures with reduced graphene oxide in layer-by-layer films as supercapacitor electrodes for energy storage. <i>Journal of Materials Science</i> , 2022 , 57, 7023-7034	4.3	0
97	Emerging Chemical Sensing Technologies: Recent Advances and Future Trends. <i>Surfaces</i> , 2022 , 5, 318-320	2.9	0
96	Ultrafast Growth of h-MoO ₃ Microrods and Its Acetone Sensing Performance. <i>Surfaces</i> , 2021 , 4, 9-16	2.9	5
95	Superior performance of rGO-tin oxide nanocomposite for selective reduction of CO ₂ to methanol. <i>Journal of CO₂ Utilization</i> , 2021 , 46, 101460	7.6	7
94	High gas sensor performance of WO ₃ nanofibers prepared by electrospinning. <i>Journal of Alloys and Compounds</i> , 2021 , 864, 158745	5.7	21
93	Gas sensing materials roadmap. <i>Journal of Physics Condensed Matter</i> , 2021 , 33,	1.8	15
92	Facile preparation of a novel biomass-derived H ₃ PO ₄ and Mn(NO ₃) ₂ ·xH ₂ O activated carbon from citrus bergamia peels for high-performance supercapacitors. <i>Materials Today Communications</i> , 2021 , 26, 101779	2.5	3
91	The role of surface stoichiometry in NO gas sensing using single and multiple nanobelts of tin oxide. <i>Physical Chemistry Chemical Physics</i> , 2021 , 23, 9733-9742	3.6	2
90	Structural, thermal, vibrational, and optical characterization of SnS ₂ /Se dichalcogenide system synthesized by high-energy ball milling. <i>Journal of Physics and Chemistry of Solids</i> , 2021 , 157, 110203	3.9	0
89	Layered HMoO ₃ nanoplates for gas sensing applications. <i>CrystEngComm</i> , 2020 , 22, 4640-4649	3.3	12
88	Methods for characterization and evaluation of chemoresistive nanosensors 2020 , 63-83		0
87	Ab initio investigation of the role of charge transfer in the adsorption properties of H ₂ , N ₂ , O ₂ , CO, NO, CO ₂ , NO ₂ , and CH ₄ on the van der Waals layered Sn ₃ O ₄ semiconductor. <i>Physical Review Materials</i> , 2020 , 4,	3.2	1
86	Real-Time Monitoring of Electrochromic Memory Loss of Layered HMoO ₃ Nanoplates. <i>Journal of the Electrochemical Society</i> , 2020 , 167, 166509	3.9	2
85	Cellulosic material obtained from Antarctic algae biomass. <i>Cellulose</i> , 2020 , 27, 113-126	5.5	16
84	Tin oxide materials 2020 , 1-9		4
83	Varistor technology based on SnO ₂ 2020 , 321-343		2

82	Structure of the Electrical Double Layer at the Interface between an Ionic Liquid and Tungsten Oxide in Ion-Gated Transistors. <i>Journal of Physical Chemistry Letters</i> , 2020 , 11, 3257-3262	6.4	11
81	Investigation of electronic and chemical sensitization effects promoted by Pt and Pd nanoparticles on single-crystalline SnO nanobelt-based gas sensors. <i>Sensors and Actuators B: Chemical</i> , 2019 , 301, 127055	8.5	28
80	Tunable graphene oxide inter-sheet distance to obtain graphene oxide-silver nanoparticle hybrids. <i>New Journal of Chemistry</i> , 2019 , 43, 1285-1290	3.6	10
79	Tungsten oxide ion-gated phototransistors using ionic liquid and aqueous gating media. <i>Journal Physics D: Applied Physics</i> , 2019 , 52, 305102	3	7
78	Sn3O4 exfoliation process investigated by density functional theory and modern scotch-tape experiment. <i>Computational Materials Science</i> , 2019 , 170, 109160	3.2	6
77	Heating Method Effect on SnO Micro-Disks as NO2 Gas Sensor. <i>Frontiers in Materials</i> , 2019 , 6,	4	6
76	Visible light-driven photoelectrocatalytic degradation of acid yellow 17 using Sn3O4 flower-like thin films supported on Ti substrate (Sn3O4/TiO2/Ti). <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2019 , 376, 196-205	4.7	20
75	Study of intense photoluminescence from monodispersed β -Ga2O3 ellipsoidal structures. <i>Ceramics International</i> , 2019 , 45, 5023-5029	5.1	8
74	Tungsten oxide ion gel-gated transistors: how structural and electrochemical properties affect the doping mechanism. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 1980-1987	7.1	13
73	Feasible and Clean Solid-Phase Synthesis of LiNbO3 by Microwave-Induced Combustion and Its Application as Catalyst for Low-Temperature Aniline Oxidation. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 1680-1691	8.3	11
72	Accelerated microwave-assisted hydrothermal/solvothermal processing: Fundamentals, morphologies, and applications. <i>Journal of Electroceramics</i> , 2018 , 40, 271-292	1.5	11
71	Chemical composition and morphology study of bovine enamel submitted to different sterilization methods. <i>Clinical Oral Investigations</i> , 2018 , 22, 733-744	4.2	3
70	Probing the effects of oxygen-related defects on the optical and luminescence properties in CaCu3Ti4O12 ceramics. <i>Journal of the European Ceramic Society</i> , 2018 , 38, 5002-5006	6	9
69	Influence of pH in Obtaining Indium Tin Oxide Nanoparticles by Microwave Assisted Solvothermal Method. <i>Materials Research</i> , 2018 , 21,	1.5	2
68	Yolk-shelled ZnCo2O4 microspheres: Surface properties and gas sensing application. <i>Sensors and Actuators B: Chemical</i> , 2018 , 257, 906-915	8.5	141
67	A Gas Sensor Based on a Single SnO Micro-Disk. <i>Sensors</i> , 2018 , 18,	3.8	12
66	Coalescence growth mechanism of inserted tin dioxide belts in polycrystalline SnO2-based ceramics. <i>Materials Characterization</i> , 2018 , 142, 289-294	3.9	3
65	Structural evolution, growth mechanism and photoluminescence properties of CuWO nanocrystals. <i>Ultrasonics Sonochemistry</i> , 2017 , 38, 256-270	8.9	38

64	Controlling the breakdown electric field in SnO ₂ based varistors by the insertion of SnO ₂ nanobelts. <i>Journal of the European Ceramic Society</i> , 2017 , 37, 1535-1540	6	16
63	Carbon Fiber Reinforced Polymer and Epoxy Adhesive Tensile Test Failure Analysis Using Scanning Electron Microscopy. <i>Materials Research</i> , 2017 , 20, 951-961	1.5	28
62	High-performance and low-voltage SnO ₂ -based varistors. <i>Ceramics International</i> , 2017 , 43, 13759-13764	5.1	11
61	Flexible composite via rapid titania coating by microwave-assisted hydrothermal synthesis. <i>Bulletin of Materials Science</i> , 2017 , 40, 499-504	1.7	2
60	Gas sensor properties of Ag- and Pd-decorated SnO micro-disks to NO ₂ , H ₂ and CO: Catalyst enhanced sensor response and selectivity. <i>Sensors and Actuators B: Chemical</i> , 2017 , 239, 253-261	8.5	73
59	Role of oxygen on the phase stability and microstructure evolution of CaCu ₃ Ti ₄ O ₁₂ ceramics. <i>Journal of the European Ceramic Society</i> , 2017 , 37, 129-136	6	30
58	Carbothermal Reduction Synthesis: An Alternative Approach to Obtain Single-Crystalline Metal Oxide Nanostructures 2017 , 43-67		4
57	Gas sensing and conductivity relationship on nanoporous thin films: A CaCu ₃ Ti ₄ O ₁₂ case study. <i>Thin Solid Films</i> , 2016 , 604, 69-73	2.2	12
56	Development and Characterization of an ITO Nanocomposite Film Sensor for Damage Detection. <i>Conference Proceedings of the Society for Experimental Mechanics</i> , 2016 , 1-7	0.3	1
55	Grain-Boundary Resistance and Nonlinear Coefficient Correlation for SnO ₂ -Based Varistors. <i>Materials Research</i> , 2016 , 19, 1286-1291	1.5	15
54	Influence of Synthesis Route on the Radiation Sensing Properties of ZnO Nanostructures. <i>Journal of Nanomaterials</i> , 2016 , 2016, 1-9	3.2	6
53	Anatase TiO ₂ nanocrystals anchored at inside of SBA-15 mesopores and their optical behavior. <i>Applied Surface Science</i> , 2016 , 389, 1137-1147	6.7	39
52	Formation and evolution of TiO ₂ nanotubes in alkaline synthesis. <i>Ceramics International</i> , 2015 , 41, 2884-2891	3.891	33
51	Comparative gas sensor response of SnO ₂ , SnO and Sn ₃ O ₄ nanobelts to NO ₂ and potential interferents. <i>Sensors and Actuators B: Chemical</i> , 2015 , 208, 122-127	8.5	91
50	Oxide Ceramics: The Role of Surface and Grain Boundaries for Reliable Functional Applications 2015 , 415-426		
49	Monitoring a CuO gas sensor at work: an advanced in situ X-ray absorption spectroscopy study. <i>Physical Chemistry Chemical Physics</i> , 2015 , 17, 18761-7	3.6	18
48	Controlled synthesis of layered Sn ₃ O ₄ nanobelts by carbothermal reduction method and their gas sensor properties. <i>Journal of Nanoscience and Nanotechnology</i> , 2014 , 14, 6662-8	1.3	20
47	Damage Detection and Quantification Using Thin Film of ITO Nanocomposites. <i>Conference Proceedings of the Society for Experimental Mechanics</i> , 2014 , 207-213	0.3	2

46	Morphological modifications and surface amorphization in ZnO sonochemically treated nanoparticles. <i>Ultrasonics Sonochemistry</i> , 2013 , 20, 799-804	8.9	9
45	The Role of Hierarchical Morphologies in the Superior Gas Sensing Performance of CuO-Based Chemiresistors. <i>Advanced Functional Materials</i> , 2013 , 23, 1759-1766	15.6	218
44	Direct in situ observation of the electron-driven synthesis of Ag filaments on Ag_2WO_4 crystals. <i>Scientific Reports</i> , 2013 , 3, 1676	4.9	95
43	Growth mechanism and photocatalytic properties of SrWO_4 microcrystals synthesized by injection of ions into a hot aqueous solution. <i>Advanced Powder Technology</i> , 2013 , 24, 344-353	4.6	79
42	Effect of controlled conductivity on thermal sensing property of PbTiO_3 pyroelectric composite. <i>Smart Materials and Structures</i> , 2013 , 22, 025015	3.4	6
41	Sonochemical Synthesis and Magnetism in Co-doped ZnO Nanoparticles. <i>Journal of Superconductivity and Novel Magnetism</i> , 2013 , 26, 2515-2519	1.5	9
40	Giant Chemo-Resistance of SnO_2 disk-like structures. <i>Sensors and Actuators B: Chemical</i> , 2013 , 186, 103-108	10.5	30
39	Photoelectrocatalytic oxidation of hair dye basic red 51 at $\text{W}/\text{WO}_3/\text{TiO}_2$ bicomposite photoanode activated by ultraviolet and visible radiation. <i>Journal of Environmental Chemical Engineering</i> , 2013 , 1, 194-199	6.8	15
38	SnO_2 nanocrystals synthesized by microwave-assisted hydrothermal method: towards a relationship between structural and optical properties. <i>Journal of Nanoparticle Research</i> , 2012 , 14, 1	2.3	42
37	Electrical and Optical Properties of Conductive and Transparent Nanocomposites. <i>Journal of Physical Chemistry C</i> , 2012 , 116, 12946-12952	3.8	23
36	Electronic structure, growth mechanism and photoluminescence of CaWO_4 crystals. <i>CrystEngComm</i> , 2012 , 14, 853-868	3.3	174
35	Multi-functional properties of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ thin films. <i>Journal of Applied Physics</i> , 2012 , 112, 054512	2.5	24
34	A Joint Experimental and Theoretical Study on the Nanomorphology of CaWO_4 Crystals. <i>Journal of Physical Chemistry C</i> , 2011 , 115, 20113-20119	3.8	66
33	Schottky-type grain boundaries in CCTO ceramics. <i>Solid State Communications</i> , 2011 , 151, 1377-1381	1.6	68
32	Insight into Copper-Based Catalysts: Microwave-Assisted Morphosynthesis, In Situ Reduction Studies, and Dehydrogenation of Ethanol. <i>ChemCatChem</i> , 2011 , 3, 839-843	5.2	18
31	Influence of processing parameters on nanomaterials synthesis efficiency by a carbothermal reduction process. <i>Journal of Nanoparticle Research</i> , 2011 , 13, 2081-2088	2.3	14
30	Study ITO@PMMA Composites by Transmission Electron Microscopy. <i>Materials Research Society Symposia Proceedings</i> , 2011 , 1312, 1		1
29	Efficient microwave-assisted hydrothermal synthesis of CuO sea urchin-like architectures via a mesoscale self-assembly. <i>CrystEngComm</i> , 2010 , 12, 1696	3.3	92

28	Effect of Different Solvent Ratios (Water/Ethylene Glycol) on the Growth Process of CaMoO ₄ Crystals and Their Optical Properties. <i>Crystal Growth and Design</i> , 2010 , 10, 4752-4768	3.5	186
27	Microstructure and electrical properties of (Ta, Co, Pr) doped TiO ₂ based electroceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2010 , 21, 246-251	2.1	10
26	ZnO architectures synthesized by a microwave-assisted hydrothermal method and their photoluminescence properties. <i>Solid State Ionics</i> , 2010 , 181, 775-780	3.3	79
25	The effect of TiO ₂ on the microstructural and electrical properties of low voltage varistor based on (Sn,Ti)O ₂ ceramics. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2010 , 207, 457-461	1.6	10
24	SnO ₂ nanoparticles functionalized in amorphous silica and glass. <i>Powder Technology</i> , 2009 , 195, 91-95	5.2	4
23	Carbon-coated SnO ₂ nanobelts and nanoparticles by single catalytic step. <i>Journal of Nanoparticle Research</i> , 2009 , 11, 955-963	2.3	6
22	Growth mechanism of octahedron-like BaMoO ₄ microcrystals processed in microwave-hydrothermal: Experimental observations and computational modeling. <i>Particuology</i> , 2009 , 7, 353-362	2.8	70
21	Hydrothermal Microwave: A New Route to Obtain Photoluminescent Crystalline BaTiO ₃ Nanoparticles. <i>Chemistry of Materials</i> , 2008 , 20, 5381-5387	9.6	147
20	Dependence of annealing time on structural and morphological properties of Ca(Zr _{0.05} Ti _{0.95})O ₃ thin films. <i>Journal of Alloys and Compounds</i> , 2008 , 453, 386-391	5.7	3
19	Morphological Evolution of Tin Oxide Nanobelts after Phase Transition. <i>Crystal Growth and Design</i> , 2008 , 8, 1067-1072	3.5	26
18	Novel aspects of the purpose-built materials strategy: evidence of topographic template effect and oriented attachment growth mechanism. <i>Journal of Nanoscience and Nanotechnology</i> , 2008 , 8, 3447-53	1.3	3
17	Influence of thermal annealing treatment in oxygen atmosphere on grain boundary chemistry and non-ohmic properties of SnO ₂ /MnO polycrystalline semiconductors. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2008 , 205, 383-388	1.6	4
16	Temperature dependence of electron properties of Sn doped nanobelts. <i>Physica B: Condensed Matter</i> , 2007 , 400, 243-247	2.8	2
15	Qualitative evaluation of active potential barriers in SnO ₂ -based polycrystalline devices by electrostatic force microscopy. <i>Applied Physics A: Materials Science and Processing</i> , 2007 , 87, 793-796	2.6	7
14	Electrostatic force microscopy as a tool to estimate the number of active potential barriers in dense non-Ohmic polycrystalline SnO ₂ devices. <i>Applied Physics Letters</i> , 2006 , 89, 152102	3.4	29
13	Growth of SnO nanobelts and dendrites by a self-catalytic VLS process. <i>Journal of Physical Chemistry B</i> , 2006 , 110, 6621-5	3.4	69
12	Importance of oxygen atmosphere to recover the ZnO-based varistors properties. <i>Journal of Materials Science</i> , 2006 , 41, 6221-6227	4.3	32
11	(Ta, Cr)-doped {T} _i O ₂ electroceramic systems. <i>Journal of Materials Science: Materials in Electronics</i> , 2006 , 17, 79-84	2.1	5

10	Tin-doped indium oxide nanobelts grown by carbothermal reduction method. <i>Applied Physics A: Materials Science and Processing</i> , 2005 , 80, 23-25	2.6	24
9	Nonohmic behavior of SnO ₂ -MnO polycrystalline ceramics. II. Analysis of admittance and dielectric spectroscopy. <i>Journal of Applied Physics</i> , 2004 , 96, 3811-3817	2.5	25
8	Nonohmic behavior of SnO ₂ -MnO polycrystalline ceramics. I. Correlations between microstructural morphology and nonohmic features. <i>Journal of Applied Physics</i> , 2004 , 96, 2693-2700	2.5	21
7	Nanofitas de óxido de estanho: controle do estado de oxidação pela atmosfera de síntese. <i>Cerâmica</i> , 2004 , 50, 58-61	1	
6	Efeito do Pr ₂ O ₃ nas propriedades elétricas de varistores à base de SnO ₂ . <i>Cerâmica</i> , 2003 , 49, 232-236	1	1
5	The Influence of Excess Precipitate on the Non-Ohmic Properties of SnO ₂ -Based Varistors 2003 , 10, 63-68		22
4	Ionic conductivity of Bi ₄ Ti _{0.2} V _{1.8} O _{10.7} polycrystalline ceramics obtained by the polymeric precursor route. <i>Materials Letters</i> , 2003 , 57, 2540-2544	3.3	40
3	Nonohmic behavior of SnO ₂ .MnO ₂ -based ceramics. <i>Materials Research</i> , 2003 , 6, 279-283	1.5	8
2	Role of oxygen at the grain boundary of metal oxide varistors: A potential barrier formation mechanism. <i>Applied Physics Letters</i> , 2001 , 79, 48-50	3.4	144
1	Cerâmicas eletrônicas à base de SnO ₂ e TiO ₂ . <i>Cerâmica</i> , 2001 , 47, 136-143	1	10