

Laura Beretta

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3379492/publications.pdf>

Version: 2024-02-01

30
papers

1,291
citations

471061

17
h-index

476904

29
g-index

30
all docs

30
docs citations

30
times ranked

2381
citing authors

#	ARTICLE	IF	CITATIONS
1	Gut microbiome features associated with liver fibrosis in Hispanics, a population at high risk for fatty liver disease. <i>Hepatology</i> , 2022, 75, 955-967.	3.6	25
2	Perioperative nivolumab monotherapy versus nivolumab plus ipilimumab in resectable hepatocellular carcinoma: a randomised, open-label, phase 2 trial. <i>The Lancet Gastroenterology and Hepatology</i> , 2022, 7, 208-218.	3.7	105
3	Gut Microbiome Alterations Associated with Diabetes in Mexican Americans in South Texas. <i>MSystems</i> , 2022, 7, e0003322.	1.7	14
4	Effect of sarcopenia on systemic targeted therapy response in patients with advanced hepatocellular carcinoma. <i>Abdominal Radiology</i> , 2021, 46, 1008-1015.	1.0	10
5	A Novel Biomarker Panel for the Early Detection and Risk Assessment of Hepatocellular Carcinoma in Patients with Cirrhosis. <i>Cancer Prevention Research</i> , 2021, 14, 667-674.	0.7	7
6	Circulating Fatty Acids Associated with Advanced Liver Fibrosis and Hepatocellular Carcinoma in South Texas Hispanics. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 1643-1651.	1.1	6
7	Lipidomic Profiles of Plasma Exosomes Identify Candidate Biomarkers for Early Detection of Hepatocellular Carcinoma in Patients with Cirrhosis. <i>Cancer Prevention Research</i> , 2021, 14, 955-962.	0.7	22
8	Somatic Mutations in Circulating Cell-Free DNA and Risk for Hepatocellular Carcinoma in Hispanics. <i>International Journal of Molecular Sciences</i> , 2021, 22, 7411.	1.8	3
9	Elevated Glycated Hemoglobin Is Associated With Liver Fibrosis, as Assessed by Elastography, in a Population-Based Study of Mexican Americans. <i>Hepatology Communications</i> , 2020, 4, 1793-1801.	2.0	17
10	Multispectral Imaging Enables Characterization of Intrahepatic Macrophages in Patients With Chronic Liver Disease. <i>Hepatology Communications</i> , 2020, 4, 708-723.	2.0	11
11	Bile Acid Changes Associated With Liver Fibrosis and Steatosis in the Mexican-American Population of South Texas. <i>Hepatology Communications</i> , 2020, 4, 555-568.	2.0	26
12	High Prevalence of Hepatic Fibrosis, Measured by Elastography, in a Population-Based Study of Mexican Americans. <i>Clinical Gastroenterology and Hepatology</i> , 2019, 17, 968-975.e5.	2.4	16
13	Evidence for an alternative fatty acid desaturation pathway increasing cancer plasticity. <i>Nature</i> , 2019, 566, 403-406.	13.7	326
14	Design of the Texas Hepatocellular Carcinoma Consortium Cohort Study. <i>American Journal of Gastroenterology</i> , 2019, 114, 530-532.	0.2	27
15	Prevalence of Aflatoxin-Associated <i>TP53R249S</i> Mutation in Hepatocellular Carcinoma in Hispanics in South Texas. <i>Cancer Prevention Research</i> , 2018, 11, 103-112.	0.7	16
16	Depletion of S100A4+ stromal cells does not prevent HCC development but reduces the stem cell-like phenotype of the tumors. <i>Experimental and Molecular Medicine</i> , 2018, 50, e422-e422.	3.2	18
17	Prevalence of Aflatoxin-Associated <i>TP53R249S</i> Mutation in Hepatocellular Carcinoma in Hispanics in South Texas. <i>Cancer Prevention Research</i> , 2018, 11, 103-112.	0.7	19
18	Toll-like receptor 4: a target for chemoprevention of hepatocellular carcinoma in obesity and steatohepatitis. <i>Oncotarget</i> , 2018, 9, 29495-29507.	0.8	18

#	ARTICLE	IF	CITATIONS
19	Telomerase reverse transcriptase mutations in plasma DNA in patients with hepatocellular carcinoma or cirrhosis: Prevalence and risk factors. <i>Hepatology Communications</i> , 2018, 2, 718-731.	2.0	49
20	Multifunctional Effects of a Small-Molecule STAT3 Inhibitor on NASH and Hepatocellular Carcinoma in Mice. <i>Clinical Cancer Research</i> , 2017, 23, 5537-5546.	3.2	83
21	Fatty acids in non-alcoholic steatohepatitis: Focus on pentadecanoic acid. <i>PLoS ONE</i> , 2017, 12, e0189965.	1.1	35
22	The Precarious Health of Young Mexican American Men in South Texas, Cameron County Hispanic Cohort, 2004–2015. <i>Preventing Chronic Disease</i> , 2016, 13, E113.	1.7	15
23	Cirrhosis and Advanced Fibrosis in Hispanics in Texas: The Dominant Contribution of Central Obesity. <i>PLoS ONE</i> , 2016, 11, e0150978.	1.1	21
24	Differentiation therapy for hepatocellular carcinoma: Multifaceted effects of miR-148a on tumor growth and phenotype and liver fibrosis. <i>Hepatology</i> , 2016, 63, 864-879.	3.6	78
25	Circulating Osteopontin and Prediction of Hepatocellular Carcinoma Development in a Large European Population. <i>Cancer Prevention Research</i> , 2016, 9, 758-765.	0.7	41
26	MicroRNA Regulates Hepatocytic Differentiation of Progenitor Cells by Targeting YAP1. <i>Stem Cells</i> , 2016, 34, 1284-1296.	1.4	39
27	Quantitative Contrast-Enhanced Ultrasonic Imaging Reflects Microvascularization in Hepatocellular Carcinoma and Prognosis after Resection. <i>Ultrasound in Medicine and Biology</i> , 2015, 41, 2621-2630.	0.7	7
28	miR-21 Inhibition Reduces Liver Fibrosis and Prevents Tumor Development by Inducing Apoptosis of CD24+ Progenitor Cells. <i>Cancer Research</i> , 2015, 75, 1859-1867.	0.4	83
29	Burden of nonalcoholic fatty liver disease and advanced fibrosis in a Texas Hispanic community cohort. <i>World Journal of Hepatology</i> , 2015, 7, 1586.	0.8	20
30	Proteomic and Lipidomic Signatures of Lipid Metabolism in NASH-Associated Hepatocellular Carcinoma. <i>Cancer Research</i> , 2013, 73, 4722-4731.	0.4	134