
Joachim Hill

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3381863/publications.pdf Version: 2024-02-01



Іоленім Ниц

#	Article	IF	CITATIONS
1	Integrating satellite images and topographic data for mapping seasonal grazing management units in pastoral landscapes of eastern Africa. Journal of Arid Environments, 2022, 197, 104661.	2.4	4
2	Monitoring of Canopy Stress Symptoms in New Zealand Kauri Trees Analysed with AISA Hyperspectral Data. Remote Sensing, 2020, 12, 926.	4.0	11
3	Hyperspectral VNIR-spectroscopy and imagery as a tool for monitoring herbicide damage in wilding conifers. Biological Invasions, 2019, 21, 3395-3413.	2.4	8
4	Preprocessing Ground-Based Visible/Near Infrared Imaging Spectroscopy Data Affected by Smile Effects. Sensors, 2019, 19, 1543.	3.8	10
5	Imaging Spectroscopy of Forest Ecosystems: Perspectives for the Use of Space-borne Hyperspectral Earth Observation Systems. Surveys in Geophysics, 2019, 40, 553-588.	4.6	38
6	Using Landsat and Sentinel-2 Data for the Generation of Continuously Updated Forest Type Information Layers in a Cross-Border Region. Remote Sensing, 2019, 11, 2337.	4.0	11
7	Improvement of the Fmask algorithm for Sentinel-2 images: Separating clouds from bright surfaces based on parallax effects. Remote Sensing of Environment, 2018, 215, 471-481.	11.0	154
8	Data synergy between leaf area index and clumping index Earth Observation products using photon recollision probability theory. Remote Sensing of Environment, 2018, 215, 1-6.	11.0	9
9	Phenology-adaptive pixel-based compositing using optical earth observation imagery. Remote Sensing of Environment, 2017, 190, 331-347.	11.0	44
10	Biomass assessment of microbial surface communities by means of hyperspectral remote sensing data. Science of the Total Environment, 2017, 586, 1287-1297.	8.0	22
11	Assessment of spatio-temporal changes of smallholder cultivation patterns in the Angolan Miombo belt using segmentation of Landsat time series. Remote Sensing of Environment, 2017, 195, 118-129.	11.0	42
12	Non-parametric small area models using shape-constrained penalized B -splines. Journal of the Royal Statistical Society Series A: Statistics in Society, 2017, 180, 1089-1109.	1.1	7
13	Using Annual Landsat Time Series for the Detection of Dry Forest Degradation Processes in South-Central Angola. Remote Sensing, 2017, 9, 905.	4.0	31
14	Fire spread from MODIS burned area data: obtaining fire dynamics information for every single fire. International Journal of Wildland Fire, 2016, 25, 1228.	2.4	17
15	Improving the Spatial Resolution of Land Surface Phenology by Fusing Medium- and Coarse-Resolution Inputs. IEEE Transactions on Geoscience and Remote Sensing, 2016, 54, 4153-4164.	6.3	33
16	Evaluating the trade-off between food and timber resulting from the conversion of Miombo forests to agricultural land in Angola using multi-temporal Landsat data. Science of the Total Environment, 2016, 548-549, 390-401.	8.0	30
17	An Operational Radiometric Landsat Preprocessing Framework for Large-Area Time Series Applications. IEEE Transactions on Geoscience and Remote Sensing, 2016, 54, 3928-3943.	6.3	72
18	Assessing the Suitability of Future Multi- and Hyperspectral Satellite Systems for Mapping the Spatial Distribution of Norway Spruce Timber Volume. Remote Sensing, 2015, 7, 12009-12040.	4.0	15

Joachim Hill

#	Article	IF	CITATIONS
19	Satellite-Based Derivation of High-Resolution Forest Information Layers for Operational Forest Management. Forests, 2015, 6, 1982-2013.	2.1	32
20	The EnMAP Spaceborne Imaging Spectroscopy Mission for Earth Observation. Remote Sensing, 2015, 7, 8830-8857.	4.0	529
21	Digital Mapping of Soil Properties Using Multivariate Statistical Analysis and ASTER Data in an Arid Region. Remote Sensing, 2015, 7, 1181-1205.	4.0	63
22	The Potential of EnMAP and Sentinel-2 Data for Detecting Drought Stress Phenomena in Deciduous Forest Communities. Remote Sensing, 2015, 7, 14227-14258.	4.0	55
23	Estimation of soil salinity using three quantitative methods based on visible and near-infrared reflectance spectroscopy:Âa case study from Egypt. Arabian Journal of Geosciences, 2015, 8, 5127-5140.	1.3	59
24	Using VNIR and SWIR field imaging spectroscopy for drought stress monitoring of beech seedlings. International Journal of Remote Sensing, 2015, 36, 4590-4605.	2.9	23
25	Assessing urban growth and rural land use transformations in a cross-border situation in Northern Namibia and Southern Angola. Land Use Policy, 2015, 42, 340-354.	5.6	33
26	Retrieval of Gap Fraction and Effective Plant Area Index from Phase-Shift Terrestrial Laser Scans. Remote Sensing, 2014, 6, 2601-2627.	4.0	22
27	Modeling and Mapping of Soil Salinity with Reflectance Spectroscopy and Landsat Data Using Two Quantitative Methods (PLSR and MARS). Remote Sensing, 2014, 6, 10813-10834.	4.0	121
28	The influence of scan mode and circle fitting on tree stem detection, stem diameter and volume extraction from terrestrial laser scans. ISPRS Journal of Photogrammetry and Remote Sensing, 2013, 77, 44-56.	11.1	111
29	An efficient approach to standardizing the processing of hemispherical images for the estimation of forest structural attributes. Agricultural and Forest Meteorology, 2012, 160, 1-13.	4.8	47
30	Field Imaging Spectroscopy of Beech Seedlings under Dryness Stress. Remote Sensing, 2012, 4, 3721-3740.	4.0	19
31	Comparing different multivariate calibration methods for the determination of soil organic carbon pools with visible to near infrared spectroscopy. Geoderma, 2011, 166, 198-205.	5.1	178
32	Retrieval of chlorophyll and nitrogen in Norway spruce (Picea abies L. Karst.) using imaging spectroscopy. International Journal of Applied Earth Observation and Geoinformation, 2010, 12, 17-26.	2.8	119
33	Using Imaging Spectroscopy to study soil properties. Remote Sensing of Environment, 2009, 113, S38-S55.	11.0	422
34	Land degradation and economic conditions of agricultural households in a marginal region of northern Greece. Global and Planetary Change, 2008, 64, 198-209.	3.5	31
35	Mediterranean desertification and land degradation. Global and Planetary Change, 2008, 64, 146-157.	3.5	245
36	Separating grassland and shrub vegetation by multidate pixelâ€adaptive spectral mixture analysis. International Journal of Remote Sensing, 2006, 27, 3251-3271.	2.9	36

Joachim Hill

#	Article	IF	CITATIONS
37	Imaging spectroscopy of changing Earth's surface: a major step toward the quantitative monitoring of land degradation and desertification. Comptes Rendus - Geoscience, 2006, 338, 1042-1048.	1.2	16
38	Use of coupled canopy structure dynamic and radiative transfer models to estimate biophysical canopy characteristics. Remote Sensing of Environment, 2005, 95, 115-124.	11.0	195
39	Extension of retrospective datasets using multiple sensors. An approach to radiometric intercalibration of Landsat TM and MSS data. Remote Sensing of Environment, 2005, 95, 195-210.	11.0	34
40	Remote sensing of forest biophysical variables using HyMap imaging spectrometer data. Remote Sensing of Environment, 2005, 95, 177-194.	11.0	260
41	Coupling spectral unmixing and trend analysis for monitoring of long-term vegetation dynamics in Mediterranean rangelands. Remote Sensing of Environment, 2003, 87, 183-197.	11.0	123
42	Land degradation, soil erosion and desertification monitoring in Mediterranean ecosystems. International Journal of Remote Sensing, 1995, 12, 107-130.	1.0	80