Youngchai Ko

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/338301/publications.pdf

Version: 2024-02-01

26 papers

827 citations

687363 13 h-index 27 g-index

27 all docs

27 docs citations

27 times ranked

1398 citing authors

#	Article	IF	CITATIONS
1	Case Characteristics, Hyperacute Treatment, and Outcome Information from the Clinical Research Center for Stroke-Fifth Division Registry in South Korea. Journal of Stroke, 2015, 17, 38.	3.2	178
2	MRI-based Algorithm for Acute Ischemic Stroke Subtype Classification. Journal of Stroke, 2014, 16, 161.	3.2	132
3	Stroke outcomes are worse with larger leukoaraiosis volumes. Brain, 2017, 140, 158-170.	7.6	96
4	Air Pollution Is Associated With Ischemic Stroke via Cardiogenic Embolism. Stroke, 2017, 48, 17-23.	2.0	55
5	Identifying Target Risk Factors Using Population Attributable Risks of Ischemic Stroke by Age and Sex. Journal of Stroke, 2015, 17, 302-311.	3.2	47
6	Mapping the Supratentorial Cerebral Arterial Territories Using 1160 Large Artery Infarcts. JAMA Neurology, 2019, 76, 72.	9.0	46
7	Recurrent Stroke, Myocardial Infarction, and Major Vascular Events during the First Year after Acute Ischemic Stroke: The Multicenter Prospective Observational Study about Recurrence and Its Determinants after Acute Ischemic Stroke I. Journal of Stroke and Cerebrovascular Diseases, 2016, 25, 656-664.	1.6	37
8	Comparative Effectiveness of Prestroke Aspirin on Stroke Severity and Outcome. Annals of Neurology, 2016, 79, 560-568.	5.3	35
9	Effect of pre-stroke statin use on stroke severity and early functional recovery: a retrospective cohort study. BMC Neurology, 2015, 15, 120.	1.8	26
10	Moderate alcohol intake reduces risk of ischemic stroke in Korea. Neurology, 2015, 85, 1950-1956.	1.1	23
11	Family History and Risk of Recurrent Stroke. Stroke, 2016, 47, 1990-1996.	2.0	22
12	Off-Hour Effect on 3-Month Functional Outcome after Acute Ischemic Stroke: A Prospective Multicenter Registry. PLoS ONE, 2014, 9, e105799.	2.5	15
13	Adherence to Guidelines for Antithrombotic Therapy in Patients with Atrial Fibrillation According to CHADS2 Score before and after Stroke: A Multicenter Observational Study from Korea. Journal of		

#	Article	IF	CITATIONS
19	Symptomatic Steno-occlusion of Cerebral Arteries and Subsequent Ischemic Events in Patients with Acute Ischemic Stroke. Journal of Stroke and Cerebrovascular Diseases, 2014, 23, e347-e353.	1.6	9
20	Recanalization Therapy for Internal Carotid Artery Occlusion Presenting as Acute Ischemic Stroke. Journal of Stroke and Cerebrovascular Diseases, 2014, 23, 2183-2189.	1.6	8
21	Safety and Efficacy of Intravenous Recombinant Tissue Plasminogen Activator Administered in the 3- to 4.5-hour Window in Korea. Journal of Stroke and Cerebrovascular Diseases, 2014, 23, 1805-1812.	1.6	6
22	Impact of Guidelines on Clinical Practice. Stroke, 2016, 47, 1577-1583.	2.0	5
23	Intravenous Tissue Plasminogen Activator Improves the Outcome in Very Elderly Korean Patients with Acute Ischemic Stroke. Journal of Stroke, 2015, 17, 327-335.	3.2	5
24	Internet-based Control Recruitment for a Case–Control Study of Major Risk Factors for Stroke in Korea: Lessons from the Experience. Journal of Stroke and Cerebrovascular Diseases, 2014, 23, 2559-2565.	1.6	4
25	Trends in the Effectiveness of Endovascular Recanalization for Acute Stroke: Is a Change Taking Place?. Journal of Stroke and Cerebrovascular Diseases, 2015, 24, 866-873.	1.6	4
26	Current Status of Recanalization Therapy in Acute Ischemic Stroke with Symptomatic Intracranial Arterial Occlusion in Korea. Journal of Stroke and Cerebrovascular Diseases, 2014, 23, e339-e346.	1.6	2