Johannes H Smit

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3383352/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Defining the role of common variation in the genomic and biological architecture of adult human height. Nature Genetics, 2014, 46, 1173-1186.	9.4	1,818
2	Analysis of shared heritability in common disorders of the brain. Science, 2018, 360, .	6.0	1,085
3	The Netherlands Study of Depression and Anxiety (NESDA): rationale, objectives and methods. International Journal of Methods in Psychiatric Research, 2008, 17, 121-140.	1.1	791
4	Genetic associations at 53 loci highlight cell types and biological pathways relevant for kidney function. Nature Communications, 2016, 7, 10023.	5.8	412
5	The Influence of Age and Sex on Genetic Associations with Adult Body Size and Shape: A Large-Scale Genome-Wide Interaction Study. PLoS Genetics, 2015, 11, e1005378.	1.5	331
6	The impact of low-frequency and rare variants on lipid levels. Nature Genetics, 2015, 47, 589-597.	9.4	310
7	Effectiveness and treatment moderators of internet interventions for adult problem drinking: An individual patient data meta-analysis of 19 randomised controlled trials. PLoS Medicine, 2018, 15, e1002714.	3.9	186
8	Comorbidity and risk indicators for alcohol use disorders among persons with anxiety and/or depressive disorders. Journal of Affective Disorders, 2011, 131, 233-242.	2.0	176
9	Genome-wide Association for Major Depression Through Age at Onset Stratification: Major Depressive Disorder Working Group of the Psychiatric Genomics Consortium. Biological Psychiatry, 2017, 81, 325-335.	0.7	175
10	Improving Implementation of eMental Health for Mood Disorders in Routine Practice: Systematic Review of Barriers and Facilitating Factors. JMIR Mental Health, 2018, 5, e20.	1.7	145
11	Longitudinal Association Between Depression and Inflammatory Markers: Results From the Netherlands Study of Depression and Anxiety. Biological Psychiatry, 2019, 85, 829-837.	0.7	134
12	An Analysis of Two Genome-wide Association Meta-analyses Identifies a New Locus for Broad Depression Phenotype. Biological Psychiatry, 2017, 82, 322-329.	0.7	84
13	Validation of online psychometric instruments for common mental health disorders: a systematic review. BMC Psychiatry, 2016, 16, 45.	1.1	82
14	Not urbanization level but socioeconomic, physical and social neighbourhood characteristics are associated with presence and severity of depressive and anxiety disorders. Psychological Medicine, 2019, 49, 149-161.	2.7	81
15	Genome-wide association study identifies 48 common genetic variants associated with handedness. Nature Human Behaviour, 2021, 5, 59-70.	6.2	79
16	Discovery and Fine-Mapping of Glycaemic and Obesity-Related Trait Loci Using High-Density Imputation. PLoS Genetics, 2015, 11, e1005230.	1.5	77
17	A principal component meta-analysis on multiple anthropometric traits identifies novel loci for body shape. Nature Communications, 2016, 7, 13357.	5.8	74
18	Diagnostic instability of recurrence and the impact on recurrence rates in depressive and anxiety disorders. Journal of Affective Disorders, 2016, 195, 185-190.	2.0	68

JOHANNES H SMIT

#	Article	IF	CITATIONS
19	Differential gene expression patterns between smokers and nonâ€smokers: cause or consequence?. Addiction Biology, 2017, 22, 550-560.	1.4	62
20	Evaluation of the 113Online Suicide Prevention Crisis Chat Service: Outcomes, Helper Behaviors and Comparison to Telephone Hotlines. Suicide and Life-Threatening Behavior, 2017, 47, 282-296.	0.9	62
21	Stabilizing Group Treatment for Complex Posttraumatic Stress Disorder Related to Child Abuse Based on Psychoeducation and Cognitive Behavioural Therapy: A Multisite Randomized Controlled Trial. Psychotherapy and Psychosomatics, 2012, 81, 217-225.	4.0	61
22	Anxiety in Parkinson's disease: Symptom dimensions and overlap with depression and autonomic failure. Parkinsonism and Related Disorders, 2015, 21, 189-193.	1.1	59
23	Longitudinal Predictive Validity of the DSM-5 Anxious Distress Specifier for Clinical Outcomes in a Large Cohort of Patients With Major Depressive Disorder. Journal of Clinical Psychiatry, 2017, 78, 207-213.	1.1	56
24	Neighbourhood characteristics and prevalence and severity of depression: pooled analysis of eight Dutch cohort studies. British Journal of Psychiatry, 2019, 215, 468-475.	1.7	54
25	Anxious distress predicts subsequent treatment outcome and side effects in depressed patients starting antidepressant treatment. Journal of Psychiatric Research, 2017, 84, 41-48.	1.5	51
26	Bright light therapy for depression in Parkinson disease. Neurology, 2019, 92, e1145-e1156.	1.5	49
27	Substantial between-country differences in organising community care for older people in Europe—a review. European Journal of Public Health, 2016, 26, 213-219.	0.1	48
28	Biological stress systems, adverse life events and the onset of chronic multisite musculoskeletal pain: a 6-year cohort study. Annals of the Rheumatic Diseases, 2016, 75, 847-854.	0.5	44
29	Hemoglobin levels in persons with depressive and/or anxiety disorders. Journal of Psychosomatic Research, 2014, 76, 317-321.	1.2	38
30	Experienced Burden of and Adherence to Smartphone-Based Ecological Momentary Assessment in Persons with Affective Disorders. Journal of Clinical Medicine, 2020, 9, 322.	1.0	38
31	Is It Rational to Pursue Zero Suicides Among Patients in Health Care?. Suicide and Life-Threatening Behavior, 2018, 48, 745-754.	0.9	31
32	Toward an Objective Assessment of Implementation Processes for Innovations in Health Care: Psychometric Evaluation of the Normalization Measure Development (NoMAD) Questionnaire Among Mental Health Care Professionals. Journal of Medical Internet Research, 2019, 21, e12376.	2.1	30
33	Cohort profile: the Geoscience and Health Cohort Consortium (GECCO) in the Netherlands. BMJ Open, 2018, 8, e021597.	0.8	29
34	Why Uptake of Blended Internet-Based Interventions for Depression Is Challenging: A Qualitative Study on Therapists' Perspectives. Journal of Clinical Medicine, 2020, 9, 91.	1.0	29
35	Dissociative subtype of posttraumatic stress disorder or PTSD with comorbid dissociative disorders: Comparative evaluation of clinical profiles Psychological Trauma: Theory, Research, Practice, and Policy, 2020, 12, 38-45.	1.4	27
36	The Effectiveness of Virtual Reality Exposure–Based Cognitive Behavioral Therapy for Severe Anxiety Disorders, Obsessive-Compulsive Disorder, and Posttraumatic Stress Disorder: Meta-analysis. Journal of Medical Internet Research, 2022, 24, e26736.	2.1	26

JOHANNES H SMIT

#	Article	IF	CITATIONS
37	Genome-wide Burden of Rare Short Deletions Is Enriched in Major Depressive Disorder in Four Cohorts. Biological Psychiatry, 2019, 85, 1065-1073.	0.7	25
38	Tailored implementation of internet-based cognitive behavioural therapy in the multinational context of the ImpleMentAll project: a study protocol for a stepped wedge cluster randomized trial. Trials, 2020, 21, 893.	0.7	25
39	Unraveling the Black Box: Exploring Usage Patterns of a Blended Treatment for Depression in a Multicenter Study. JMIR Mental Health, 2019, 6, e12707.	1.7	25
40	Vitamin D supplementation to prevent depression and poor physical function in older adults: Study protocol of the D-Vitaal study, a randomized placebo-controlled clinical trial. BMC Geriatrics, 2015, 15, 151.	1.1	24
41	Poor sleep quality among newly diagnosed head and neck cancer patients: prevalence and associated factors. Supportive Care in Cancer, 2021, 29, 1035-1045.	1.0	22
42	Suicide Prevention Guideline Implementation in Specialist Mental Healthcare Institutions in The Netherlands. International Journal of Environmental Research and Public Health, 2018, 15, 910.	1.2	21
43	Corporate giving in the Netherlands 1995-2003: exploring the amounts involved and the motivations for donating. International Journal of Nonprofit and Voluntary Sector Marketing, 2006, 11, 13-28.	0.5	18
44	Physical activity in patients with cancer: self-report versus accelerometer assessments. Supportive Care in Cancer, 2020, 28, 3701-3709.	1.0	18
45	Mortality and Its Determinants in Late-Life Schizophrenia: A 5-Year Prospective Study in a Dutch Catchment Area. American Journal of Geriatric Psychiatry, 2016, 24, 272-277.	0.6	17
46	Behind the Scenes of Online Therapeutic Feedback in Blended Therapy for Depression: Mixed-Methods Observational Study. Journal of Medical Internet Research, 2018, 20, e174.	2.1	16
47	Development of a novel benchmark method to identify and characterize best practices in home care across six European countries: design, baseline, and rationale of the IBenC project. BMC Health Services Research, 2019, 19, 310.	0.9	15
48	Comparing factor structures of depressed patients with and without suicidal ideation, a measurement invariance analysis. Journal of Affective Disorders, 2019, 245, 180-187.	2.0	14
49	Prospective longitudinal study on fear of cancer recurrence in patients newly diagnosed with head and neck cancer: Course, trajectories, and associated factors. Head and Neck, 2022, 44, 914-925.	0.9	14
50	The therapist's role in the implementation of internet-based cognitive behavioural therapy for patients with depression: study protocol. BMC Psychiatry, 2016, 16, 338.	1.1	13
51	The impact of conscientiousness, mastery, and work circumstances on subsequent absenteeism in employees with and without affective disorders. BMC Psychology, 2017, 5, 10.	0.9	13
52	Physiological stress markers, mental health and objective physical function. Journal of Psychosomatic Research, 2020, 133, 109996.	1.2	13
53	Exploration of Benefits and Potential Harmful Effects of an Online Forum for Visitors to the Suicide Prevention Platform in The Netherlands. Crisis, 2020, 41, 205-213.	0.9	13
54	Study retention and attrition in a longitudinal cohort study including patient-reported outcomes, fieldwork and biobank samples: results of the Netherlands quality of life and Biomedical cohort study (NET-QUBIC) among 739 head and neck cancer patients and 262 informal caregivers. BMC Medical Research Methodology, 2022, 22, 27.	1.4	13

JOHANNES H SMIT

#	Article	IF	CITATIONS
55	Heritability of liver enzyme levels estimated from genome-wide SNP data. European Journal of Human Genetics, 2015, 23, 1223-1228.	1.4	11
56	Biological Stress Systems, Adverse Life Events, and the Improvement of Chronic Multisite Musculoskeletal Pain Across a 6-Year Follow-Up. Journal of Pain, 2017, 18, 155-165.	0.7	11
57	Assessment of Neurocognitive Impairment and Speech Functioning Before Head and Neck Cancer Treatment. JAMA Otolaryngology - Head and Neck Surgery, 2019, 145, 251.	1.2	10
58	The course of (comorbid) trauma-related, dissociative and personality disorders: two year follow up of the Friesland study cohort. H¶gre Utbildning, 2020, 11, 1750171.	1.4	9
59	Survivors of early childhood trauma: evaluating a two-dimensional diagnostic model of the impact of trauma and neglect. H¶gre Utbildning, 2014, 5, .	1.4	8
60	Sleep quality trajectories from head and neck cancer diagnosis to six months after treatment. Oral Oncology, 2021, 115, 105211.	0.8	7
61	Discovering different profiles in the dynamics of depression based on real–time monitoring of mood: a first exploration. Internet Interventions, 2021, 26, 100437.	1.4	6
62	Exploratory Factor Analysis of Unusual Sexual Interests. Journal of Sexual Medicine, 2021, 18, 1615-1631.	0.3	5
63	Associations between testosterone and patient reported sexual outcomes among male and female head and neck cancer patients before and six months after treatment: A pilot study. Oral Oncology, 2021, 121, 105505.	0.8	5
64	Examining the Theoretical Framework of Behavioral Activation for Major Depressive Disorder: Smartphone-Based Ecological Momentary Assessment Study. JMIR Mental Health, 2021, 8, e32007.	1.7	5
65	An Emotional Neglect–Personality Disorder Approach: Quantifying a Dimensional Transdiagnostic Model of Trauma-Related and Personality Disorders. Journal of Personality Disorders, 2020, 34, 250-261.	0.8	3
66	Predicting unplanned hospital visits in older home care recipients: a cross-country external validation study. BMC Geriatrics, 2021, 21, 551.	1.1	3
67	Psychological Problems among Head and Neck Cancer Patients in Relation to Utilization of Healthcare and Informal Care and Costs in the First Two Years after Diagnosis. Current Oncology, 2022, 29, 3200-3214.	0.9	3
68	Response to "Treatment compliance and effectiveness in complex PTSD patients with co-morbid personality disorder undergoing stabilizing cognitive behavioral group treatment: a preliminary study―– authors' reply. Högre Utbildning, 2014, 5, 23792.	1.4	2
69	Prevalence of neurocognitive and perceived speech deficits in patients with head and neck cancer before treatment: Associations with demographic, behavioral, and diseaseâ€related factors. Head and Neck, 2021, 44, 332.	0.9	2
70	Assignment refusal and its relation to outcome in a randomized controlled trial comparing Cognitive Therapy and Fluvoxamine in treatment-resistant patients with obsessive compulsive disorder. Psychiatry Research, 2015, 226, 198-203.	1.7	1
71	A Data-Driven Clustering Method for Discovering Profiles in the Dynamics of Major Depressive Disorder Using a Smartphone-Based Ecological Momentary Assessment of Mood. Frontiers in Psychiatry, 2022, 13, 755809.	1.3	1
72	The Effect of Rapport on Data Quality in Face-to-Face Interviews: Beneficial or Detrimental?. International Journal of Environmental Research and Public Health, 2021, 18, 10858.	1.2	0