

Andrew T Yan

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3383810/andrew-t-yan-publications-by-citations.pdf>

Version: 2024-04-16

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

242
papers

6,342
citations

40
h-index

71
g-index

262
ext. papers

7,649
ext. citations

4.8
avg, IF

5.39
L-index

#	Paper	IF	Citations
242	Characterization of the peri-infarct zone by contrast-enhanced cardiac magnetic resonance imaging is a powerful predictor of post-myocardial infarction mortality. <i>Circulation</i> , 2006 , 114, 32-9	16.7	592
241	Tissue expression and immunolocalization of tumor necrosis factor-alpha in postinfarction dysfunctional myocardium. <i>Circulation</i> , 1999 , 99, 1492-8	16.7	318
240	Effect of Empagliflozin on Left Ventricular Mass in Patients With Type 2 Diabetes Mellitus and Coronary Artery Disease: The EMPA-HEART CardioLink-6 Randomized Clinical Trial. <i>Circulation</i> , 2019 , 140, 1693-1702	16.7	205
239	Risk scores for risk stratification in acute coronary syndromes: useful but simpler is not necessarily better. <i>European Heart Journal</i> , 2007 , 28, 1072-8	9.5	197
238	The expanded Global Registry of Acute Coronary Events: baseline characteristics, management practices, and hospital outcomes of patients with acute coronary syndromes. <i>American Heart Journal</i> , 2009 , 158, 193-201.e1-5	4.9	145
237	Effect of Empagliflozin on Left Ventricular Mass and Diastolic Function in Individuals With Diabetes: An Important Clue to the EMPA-REG OUTCOME Trial?. <i>Diabetes Care</i> , 2016 , 39, e212-e213	14.6	141
236	Bridging the gender gap: Insights from a contemporary analysis of sex-related differences in the treatment and outcomes of patients with acute coronary syndromes. <i>American Heart Journal</i> , 2012 , 163, 66-73	4.9	138
235	Factors influencing underutilization of evidence-based therapies in women. <i>European Heart Journal</i> , 2011 , 32, 1337-44	9.5	134
234	Contemporary management of dyslipidemia in high-risk patients: targets still not met. <i>American Journal of Medicine</i> , 2006 , 119, 676-83	2.4	133
233	Optimal medical therapy at discharge in patients with acute coronary syndromes: temporal changes, characteristics, and 1-year outcome. <i>American Heart Journal</i> , 2007 , 154, 1108-15	4.9	126
232	Validation of the Global Registry of Acute Coronary Event (GRACE) risk score for in-hospital mortality in patients with acute coronary syndrome in Canada. <i>American Heart Journal</i> , 2009 , 158, 392-9	4.9	123
231	Effects of alirocumab on cardiovascular and metabolic outcomes after acute coronary syndrome in patients with or without diabetes: a prespecified analysis of the ODYSSEY OUTCOMES randomised controlled trial. <i>Lancet Diabetes and Endocrinology</i> , 2019 , 7, 618-628	18.1	120
230	Management patterns in relation to risk stratification among patients with non-ST elevation acute coronary syndromes. <i>Archives of Internal Medicine</i> , 2007 , 167, 1009-16		118
229	Effect of Empagliflozin on Erythropoietin Levels, Iron Stores, and Red Blood Cell Morphology in Patients With Type 2 Diabetes Mellitus and Coronary Artery Disease. <i>Circulation</i> , 2020 , 141, 704-707	16.7	115
228	In-hospital revascularization and one-year outcome of acute coronary syndrome patients stratified by the GRACE risk score. <i>American Journal of Cardiology</i> , 2005 , 96, 913-6	3	95
227	Association Between Cardiovascular Risk Factors and Aortic Stenosis: The CANHEART Aortic Stenosis Study. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 1523-1532	15.1	94
226	Understanding physicians' risk stratification of acute coronary syndromes: insights from the Canadian ACS 2 Registry. <i>Archives of Internal Medicine</i> , 2009 , 169, 372-8		92

225	One-year outcome of patients after acute coronary syndromes (from the Canadian Acute Coronary Syndromes Registry). <i>American Journal of Cardiology</i> , 2004 , 94, 25-9	3	82
224	Age-related differences in the management and outcome of patients with acute coronary syndromes. <i>American Heart Journal</i> , 2006 , 151, 352-9	4.9	79
223	Chemotherapy-induced cardiotoxicity: detection, prevention, and management. <i>Canadian Journal of Cardiology</i> , 2014 , 30, 869-78	3.8	75
222	Clinical trial--derived risk model may not generalize to real-world patients with acute coronary syndrome. <i>American Heart Journal</i> , 2004 , 148, 1020-7	4.9	73
221	Relationship of ST elevation in lead aVR with angiographic findings and outcome in non-ST elevation acute coronary syndromes. <i>American Heart Journal</i> , 2007 , 154, 71-8	4.9	71
220	Association of Clinical Factors and Therapeutic Strategies With Improvements in Survival Following Non-ST-Elevation Myocardial Infarction, 2003-2013. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 316, 1073-82	27.4	65
219	Temporal management patterns and outcomes of non-ST elevation acute coronary syndromes in patients with kidney dysfunction. <i>European Heart Journal</i> , 2009 , 30, 549-57	9.5	65
218	Plasma matrix metalloproteinase-9 level is correlated with left ventricular volumes and ejection fraction in patients with heart failure. <i>Journal of Cardiac Failure</i> , 2006 , 12, 514-9	3.3	64
217	The role of continuous positive airway pressure in the treatment of congestive heart failure. <i>Chest</i> , 2001 , 120, 1675-85	5.3	59
216	Usefulness of temporal changes in neurohormones as markers of ventricular remodeling and prognosis in patients with left ventricular systolic dysfunction and heart failure receiving either candesartan or enalapril or both. <i>American Journal of Cardiology</i> , 2005 , 96, 698-704	3	58
215	Influence of age on use of cardiac catheterization and associated outcomes in patients with non-ST-elevation acute coronary syndromes. <i>American Journal of Cardiology</i> , 2009 , 103, 1530-6	3	56
214	Efficacy and Safety of Tenapanor in Patients with Hyperphosphatemia Receiving Maintenance Hemodialysis: A Randomized Phase 3 Trial. <i>Journal of the American Society of Nephrology: JASN</i> , 2019 , 30, 641-652	12.7	54
213	Relationship of interleukin-6 with regional and global left-ventricular function in asymptomatic individuals without clinical cardiovascular disease: insights from the Multi-Ethnic Study of Atherosclerosis. <i>European Heart Journal</i> , 2010 , 31, 875-82	9.5	53
212	Applying the evidence: do patients with stroke, coronary artery disease, or both achieve similar treatment goals?. <i>Stroke</i> , 2009 , 40, 1417-24	6.7	53
211	Use of cardiac catheterization for non-ST-segment elevation acute coronary syndromes according to initial risk: reasons why physicians choose not to refer their patients. <i>Archives of Internal Medicine</i> , 2008 , 168, 291-6		53
210	Optimal medical therapy for non-ST-segment-elevation acute coronary syndromes: exploring why physicians do not prescribe evidence-based treatment and why patients discontinue medications after discharge. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2010 , 3, 530-7	5.8	52
209	Characterization of microvascular dysfunction after acute myocardial infarction by cardiovascular magnetic resonance first-pass perfusion and late gadolinium enhancement imaging. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2006 , 8, 831-7	6.9	52
208	The Temporal Risk of Heart Failure Associated With Adjuvant Trastuzumab in Breast Cancer Patients: A Population Study. <i>Journal of the National Cancer Institute</i> , 2016 , 108,	9.7	48

207	Multimorbidity and survival for patients with acute myocardial infarction in England and Wales: Latent class analysis of a nationwide population-based cohort. <i>PLoS Medicine</i> , 2018 , 15, e1002501	11.6	47
206	High-grade atrioventricular block in acute coronary syndromes: insights from the Global Registry of Acute Coronary Events. <i>European Heart Journal</i> , 2015 , 36, 976-83	9.5	42
205	Guideline-indicated treatments and diagnostics, GRACE risk score, and survival for non-ST elevation myocardial infarction. <i>European Heart Journal</i> , 2018 , 39, 3798-3806	9.5	42
204	Canada Acute Coronary Syndrome Risk Score: a new risk score for early prognostication in acute coronary syndromes. <i>American Heart Journal</i> , 2013 , 166, 58-63	4.9	41
203	Myocardial strain imaging by cardiac magnetic resonance for detection of subclinical myocardial dysfunction in breast cancer patients receiving trastuzumab and chemotherapy. <i>International Journal of Cardiology</i> , 2018 , 261, 228-233	3.2	40
202	Warfarin and the Risk of Stroke and Bleeding in Patients With Atrial Fibrillation Receiving Dialysis: A Systematic Review and Meta-analysis. <i>Canadian Journal of Cardiology</i> , 2017 , 33, 737-746	3.8	39
201	Underuse of evidence-based treatment partly explains the worse clinical outcome in diabetic patients with acute coronary syndromes. <i>American Heart Journal</i> , 2006 , 152, 676-83	4.9	37
200	SGLT2 Inhibition with Empagliflozin Increases Circulating Provascular Progenitor Cells in People with Type 2 Diabetes Mellitus. <i>Cell Metabolism</i> , 2019 , 30, 609-613	24.6	36
199	Outcomes of Women and Men With Acute Coronary Syndrome Treated With and Without Percutaneous Coronary Revascularization. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	35
198	Cardiovascular Implications of Hypoglycemia in Diabetes Mellitus. <i>Circulation</i> , 2015 , 132, 2345-50	16.7	35
197	The differential association between various anthropometric indices of obesity and subclinical atherosclerosis. <i>Atherosclerosis</i> , 2009 , 207, 232-8	3.1	32
196	Treatment and one-year outcome of patients with renal dysfunction across the broad spectrum of acute coronary syndromes. <i>Canadian Journal of Cardiology</i> , 2006 , 22, 115-20	3.8	32
195	Longitudinal assessment of right ventricular structure and function by cardiovascular magnetic resonance in breast cancer patients treated with trastuzumab: a prospective observational study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2017 , 19, 44	6.9	31
194	Relationships between plasma levels of matrix metalloproteinases and neurohormonal profile in patients with heart failure. <i>European Journal of Heart Failure</i> , 2008 , 10, 125-8	12.3	31
193	Narrative review: pharmacotherapy for chronic heart failure: evidence from recent clinical trials. <i>Annals of Internal Medicine</i> , 2005 , 142, 132-45	8	31
192	Temporal trends in the use of invasive cardiac procedures for non-ST segment elevation acute coronary syndromes according to initial risk stratification. <i>Canadian Journal of Cardiology</i> , 2009 , 25, e370-6	3.8	29
191	Relation between obesity and the attainment of optimal blood pressure and lipid targets in high vascular risk outpatients. <i>American Journal of Cardiology</i> , 2010 , 106, 1270-6	3	29
190	Comparison of baseline characteristics, management and outcome of patients with non-ST-segment elevation acute coronary syndrome in versus not in clinical trials. <i>American Journal of Cardiology</i> , 2010 , 106, 1389-96	3	29

189	Relation between hemoglobin level and recurrent myocardial ischemia in acute coronary syndromes detected by continuous electrocardiographic monitoring. <i>American Journal of Cardiology</i> , 2010 , 106, 1417-22	3	29
188	Relationship between time to invasive assessment and clinical outcomes of patients undergoing an early invasive strategy after fibrinolysis for ST-segment elevation myocardial infarction: a patient-level analysis of the randomized early routine invasive clinical trials. <i>JACC: Cardiovascular</i>	5	27
187	Potential clinical impact of cardiovascular magnetic resonance assessment of ejection fraction on eligibility for cardioverter defibrillator implantation. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2012 , 14, 69	6.9	26
186	Relationship between risk stratification at admission and treatment effects of early invasive management following fibrinolysis: insights from the Trial of Routine ANgioplasty and Stenting After Fibrinolysis to Enhance Reperfusion in Acute Myocardial Infarction (TRANSFER-AMI). <i>European Heart Journal</i> , 2011 , 32, 1994-2002	9.5	26
185	Frailty and Outcomes After Myocardial Infarction: Insights From the CONCORDANCE Registry. <i>Journal of the American Heart Association</i> , 2018 , 7, e009859	6	26
184	The Association Between Conversion to In-centre Nocturnal Hemodialysis and Left Ventricular Mass Regression in Patients With End-Stage Renal Disease. <i>Canadian Journal of Cardiology</i> , 2016 , 32, 369-77	3.8	25
183	Images in cardiovascular medicine. Myocardial fibroma in gorlin syndrome by cardiac magnetic resonance imaging. <i>Circulation</i> , 2006 , 114, e376-9	16.7	25
182	Pharmacodynamics, Safety, and Tolerability of the NHE3 Inhibitor Tenapanor: Two Trials in Healthy Volunteers. <i>Clinical Drug Investigation</i> , 2018 , 38, 341-351	3.2	24
181	Regression of left ventricular mass following conversion from conventional hemodialysis to thrice weekly in-centre nocturnal hemodialysis. <i>BMC Nephrology</i> , 2012 , 13, 3	2.7	24
180	Missed opportunities for the secondary prevention of cardiovascular disease in Canada. <i>Canadian Journal of Cardiology</i> , 2007 , 23, 1124-30	3.8	24
179	Comparative assessment of 2-dimensional echocardiography vs cardiac magnetic resonance imaging in measuring left ventricular mass in patients with and without end-stage renal disease. <i>Canadian Journal of Cardiology</i> , 2013 , 29, 384-90	3.8	23
178	Temporal Trends of Women Enrollment in Major Cardiovascular Randomized Clinical Trials. <i>Canadian Journal of Cardiology</i> , 2019 , 35, 653-660	3.8	23
177	Thiamin deficiency and heart failure: the current knowledge and gaps in literature. <i>Heart Failure Reviews</i> , 2015 , 20, 1-11	5	22
176	Management patterns of non-ST segment elevation acute coronary syndromes in relation to prior coronary revascularization. <i>American Heart Journal</i> , 2010 , 159, 40-6	4.9	22
175	Temporal trend of in-hospital major bleeding among patients with non ST-elevation acute coronary syndromes. <i>American Heart Journal</i> , 2010 , 160, 420-7	4.9	22
174	Disparities in management patterns and outcomes of patients with non-ST-elevation acute coronary syndrome with and without a history of cerebrovascular disease. <i>American Journal of Cardiology</i> , 2010 , 105, 1083-9	3	22
173	Cardiovascular Risk Factors and In-hospital Mortality in Acute Coronary Syndromes: Insights From the Canadian Global Registry of Acute Coronary Events. <i>Canadian Journal of Cardiology</i> , 2015 , 31, 1455-61	3.8	21
172	Do clinical factors explain persistent sex disparities in the use of acute reperfusion therapy in STEMI in Sweden and Canada?. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2013 , 2, 350-8	4.3	21

171	Fibrinogen and left ventricular myocardial systolic function: The Multi-Ethnic Study of Atherosclerosis (MESA). <i>American Heart Journal</i> , 2010 , 160, 479-86	4.9	21
170	Two phosphAtE taRGeTs in End-stage renal disease Trial (TARGET): A Randomized Controlled Trial. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017 , 12, 965-973	6.9	20
169	Extended Duration Nocturnal Hemodialysis and Changes in Plasma Metabolite Profiles. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2018 , 13, 436-444	6.9	20
168	Increased uptake of guideline-recommended oral antiplatelet therapy: insights from the Canadian acute coronary syndrome reflective. <i>Canadian Journal of Cardiology</i> , 2014 , 30, 1725-31	3.8	20
167	Temporal changes in the management and outcome of Canadian diabetic patients hospitalized for non-ST-elevation acute coronary syndromes. <i>American Heart Journal</i> , 2011 , 162, 347-355.e1	4.9	20
166	Association between smoking, outcomes, and early clopidogrel use in patients with acute coronary syndrome: insights from the Global Registry of Acute Coronary Events. <i>American Heart Journal</i> , 2010 , 160, 855-61	4.9	20
165	ST-segment depression in non-ST elevation acute coronary syndromes: quantitative analysis may not provide incremental prognostic value beyond comprehensive risk stratification. <i>American Heart Journal</i> , 2006 , 152, 270-6	4.9	20
164	Long-term prognostic value and therapeutic implications of continuous ST-segment monitoring in acute coronary syndrome. <i>American Heart Journal</i> , 2007 , 153, 500-6	4.9	19
163	The effects of tenapanor on serum fibroblast growth factor 23 in patients receiving hemodialysis with hyperphosphatemia. <i>Nephrology Dialysis Transplantation</i> , 2019 , 34, 339-346	4.3	19
162	A cluster randomized trial of objective risk assessment versus standard care for acute coronary syndromes: Rationale and design of the Australian GRACE Risk score Intervention Study (AGRIS). <i>American Heart Journal</i> , 2015 , 170, 995-1004.e1	4.9	18
161	Treatment and outcomes of patients with suspected acute coronary syndromes in relation to initial diagnostic impressions (insights from the Canadian Global Registry of Acute Coronary Events [GRACE] and Canadian Registry of Acute Coronary Events [CANRACE]). <i>American Journal of Cardiology</i> , 2013 , 111, 202-7	3	18
160	Use and timing of coronary angiography and associated in-hospital outcomes in Canadian non-ST-segment elevation myocardial infarction patients: insights from the Canadian Global Registry of Acute Coronary Events. <i>Canadian Journal of Cardiology</i> , 2013 , 29, 1429-35	3.8	18
159	Prognostic significance of presenting blood pressure in non-ST-segment elevation acute coronary syndrome in relation to prior history of hypertension. <i>American Heart Journal</i> , 2013 , 166, 716-22	4.9	18
158	Management and outcome of acute coronary syndrome patients in relation to prior history of atrial fibrillation. <i>Canadian Journal of Cardiology</i> , 2012 , 28, 443-9	3.8	18
157	Troponin is more useful than creatine kinase in predicting one-year mortality among acute coronary syndrome patients. <i>European Heart Journal</i> , 2004 , 25, 2006-12	9.5	18
156	Empagliflozin Reduces Myocardial Extracellular Volume in Patients With Type 2 Diabetes and Coronary Artery Disease. <i>JACC: Cardiovascular Imaging</i> , 2021 , 14, 1164-1173	8.4	18
155	Ischemic and bleeding events in patients with myocardial infarction undergoing percutaneous coronary intervention who require oral anticoagulation: Insights from the Canadian observational AntiPlatelet sTudy. <i>American Heart Journal</i> , 2016 , 180, 82-9	4.9	17
154	Empagliflozin and Cardiovascular Outcomes in Patients With Type 2 Diabetes and Left Ventricular Hypertrophy: A Subanalysis of the EMPA-REG OUTCOME Trial. <i>Diabetes Care</i> , 2019 , 42, e42-e44	14.6	16

153	Patient characteristics associated with self-presentation, treatment delay and survival following primary percutaneous coronary intervention. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2014 , 3, 214-22	4.3	16
152	QRS prolongation in patients with acute coronary syndromes. <i>American Heart Journal</i> , 2010 , 159, 593-8	4.9	16
151	Beta-blockers and cardiovascular outcomes in dialysis patients: a cohort study in Ontario, Canada. <i>Nephrology Dialysis Transplantation</i> , 2012 , 27, 1591-8	4.3	16
150	Bleeding and outcome in acute coronary syndrome: insights from continuous electrocardiogram monitoring in the Integrilin and Enoxaparin Randomized Assessment of Acute Coronary Syndrome Treatment (INTERACT) Trial. <i>American Heart Journal</i> , 2008 , 156, 769-75	4.9	16
149	Differences between local hospital and core laboratory interpretation of the admission electrocardiogram in patients with acute coronary syndromes and their relation to outcome. <i>American Journal of Cardiology</i> , 2007 , 100, 169-74	3	16
148	Prognostic value of visually detected coronary artery calcification on unenhanced non-gated thoracic computed tomography for prediction of non-fatal myocardial infarction and all-cause mortality. <i>Journal of Cardiovascular Computed Tomography</i> , 2017 , 11, 196-202	2.8	15
147	Correlates of left ventricular mass in chronic hemodialysis recipients. <i>International Journal of Cardiovascular Imaging</i> , 2014 , 30, 349-56	2.5	15
146	The role of B vitamins in the management of heart failure. <i>Nutrition in Clinical Practice</i> , 2012 , 27, 363-74	3.6	15
145	Underutilization of clopidogrel and glycoprotein IIb/IIIa inhibitors in non-ST-elevation acute coronary syndrome patients: the Canadian global registry of acute coronary events (GRACE) experience. <i>American Heart Journal</i> , 2009 , 158, 917-24	4.9	15
144	Relationship between different blood pressure measurements and left ventricular mass by cardiac magnetic resonance imaging in end-stage renal disease. <i>Journal of the American Society of Hypertension</i> , 2015 , 9, 275-84		14
143	Reperfusion strategies and outcomes of ST-segment elevation myocardial infarction patients in Canada: observations from the Global Registry of Acute Coronary Events (GRACE) and the Canadian Registry of Acute Coronary Events (CANRACE). <i>Canadian Journal of Cardiology</i> , 2012 , 28, 40-7	3.8	14
142	Comparative prognostic value of T-wave inversion and ST-segment depression on the admission electrocardiogram in non-ST-segment elevation acute coronary syndromes. <i>American Heart Journal</i> , 2013 , 166, 290-7	4.9	13
141	Cardiovascular magnetic resonance left ventricular strain in end-stage renal disease patients after kidney transplantation. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2018 , 20, 83	6.9	13
140	Prognostic significance of low QRS voltage on the admission electrocardiogram in acute coronary syndromes. <i>International Journal of Cardiology</i> , 2015 , 190, 34-9	3.2	12
139	The impact of empagliflozin on kidney injury molecule-1: a subanalysis of the Effects of Empagliflozin on Cardiac Structure, Function, and Circulating Biomarkers in Patients with Type 2 Diabetes CardioLink-6 trial. <i>Nephrology Dialysis Transplantation</i> , 2020 , 35, 895-897	4.3	12
138	Clinical Characteristics, Management, and Outcomes of Acute Coronary Syndrome in Patients With Right Bundle Branch Block on Presentation. <i>American Journal of Cardiology</i> , 2016 , 117, 754-9	3	12
137	Glycaemic control and cardiovascular risk factor management in patients with diabetes with and without coronary artery disease: insights from the diabetes mellitus status in Canada survey. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2016 , 2, 277-284	4.6	12
136	Long-term cardiovascular outcomes and overall survival of early-stage breast cancer patients with early discontinuation of trastuzumab: a population-based study. <i>Breast Cancer Research and Treatment</i> , 2016 , 157, 535-44	4.4	12

135	Evaluation of the impact of the GRACE risk score on the management and outcome of patients hospitalised with non-ST elevation acute coronary syndrome in the UK: protocol of the UKGRIS cluster-randomised registry-based trial. <i>BMJ Open</i> , 2019 , 9, e032165	3	12
134	Early diastolic strain rate measurements by cardiac MRI in breast cancer patients treated with trastuzumab: a longitudinal study. <i>International Journal of Cardiovascular Imaging</i> , 2019 , 35, 653-662	2.5	12
133	The underutilisation of dual antiplatelet therapy in acute coronary syndrome. <i>International Journal of Cardiology</i> , 2017 , 240, 30-36	3.2	11
132	Incidence and identification of risk factors for trastuzumab-induced cardiotoxicity in breast cancer patients: an audit of a single "real-world" setting. <i>Medical Oncology</i> , 2017 , 34, 154	3.7	11
131	Recurrent ischemia across the spectrum of acute coronary syndromes: prevalence and prognostic significance of (re-)infarction and ST-segment changes in a large contemporary registry. <i>International Journal of Cardiology</i> , 2010 , 145, 15-20	3.2	11
130	Usefulness of quantitative versus qualitative ST-segment depression for risk stratification of non-ST elevation acute coronary syndromes in contemporary clinical practice. <i>American Journal of Cardiology</i> , 2008 , 101, 919-24	3	11
129	Objective Risk Assessment vs Standard Care for Acute Coronary Syndromes: A Randomized Clinical Trial. <i>JAMA Cardiology</i> , 2021 , 6, 304-313	16.2	11
128	Relationships Between Left Ventricular Structure and Function According to Cardiac MRI and Cardiac Biomarkers in End-Stage Renal Disease. <i>Canadian Journal of Cardiology</i> , 2017 , 33, 501-507	3.8	10
127	Effects of Empagliflozin on Left Ventricular Remodeling in Patients with Type 2 Diabetes and Coronary Artery Disease: Echocardiographic Substudy of the EMPA-HEART CardioLink-6 Randomized Clinical Trial. <i>Journal of the American Society of Echocardiography</i> , 2020 , 33, 644-646	5.8	10
126	Assessment of right ventricular volumes and function using cardiovascular magnetic resonance cine imaging after atrial redirection surgery for complete transposition of the great arteries. <i>International Journal of Cardiovascular Imaging</i> , 2013 , 29, 335-42	2.5	10
125	GRACE risk score: Sex-based validity of in-hospital mortality prediction in Canadian patients with acute coronary syndrome. <i>International Journal of Cardiology</i> , 2017 , 244, 24-29	3.2	10
124	Prognostic value of dynamic electrocardiographic T wave changes in non-ST elevation acute coronary syndrome. <i>Heart</i> , 2016 , 102, 1396-402	5.1	10
123	Peri-Infarct Quantification by Cardiac Magnetic Resonance to Predict Outcomes in Ischemic Cardiomyopathy: Prognostic Systematic Review and Meta-Analysis. <i>Circulation: Cardiovascular Imaging</i> , 2019 , 12, e009156	3.9	10
122	Temporal changes in treatments and outcomes after acute myocardial infarction among cancer survivors and patients without cancer, 1995 to 2013. <i>Cancer</i> , 2018 , 124, 1269-1278	6.4	10
121	Does empagliflozin modulate the autonomic nervous system among individuals with type 2 diabetes and coronary artery disease? The EMPA-HEART CardioLink-6 Holter analysis. <i>Metabolism Open</i> , 2020 , 7, 100039	2.8	9
120	In-hospital management and outcomes of acute coronary syndromes in relation to prior history of heart failure. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2016 , 5, 214-22	4.3	9
119	Comparison of the efficacy of pharmacoinvasive management for ST-segment elevation myocardial infarction in smokers versus non-smokers (from the Trial of Routine Angioplasty and Stenting After Fibrinolysis to Enhance Reperfusion in Acute Myocardial Infarction). <i>American Journal of Cardiology</i> , 2014 , 114, 955-61	3	9
118	Temporal patterns of lipid testing and statin therapy in acute coronary syndrome patients (from the Canadian GRACE Experience). <i>American Journal of Cardiology</i> , 2012 , 109, 1418-24	3	9

117	Use of clopidogrel post-coronary artery bypass surgery in canadian patients with acute coronary syndromes. <i>Canadian Journal of Cardiology</i> , 2011 , 27, 711-5	3.8	9
116	Evaluation of left ventricular ejection fraction in non-ST-segment elevation acute coronary syndromes and its relationship to treatment. <i>American Heart Journal</i> , 2010 , 159, 605-11	4.9	9
115	Relation of Lipoprotein(a) Levels to Incident Type 2 Diabetes and Modification by Alirocumab Treatment. <i>Diabetes Care</i> , 2021 , 44, 1219-1227	14.6	9
114	Reduction of carbamylated albumin by extended hemodialysis. <i>Hemodialysis International</i> , 2016 , 20, 510-521	5.7	9
113	Association of hospital and physician case volumes with cardiac monitoring and cardiotoxicity during adjuvant trastuzumab treatment for breast cancer: a retrospective cohort study. <i>CMAJ Open</i> , 2016 , 4, E66-72	2.5	9
112	Serial Cardiovascular Magnetic Resonance Strain Measurements to Identify Cardiotoxicity in Breast Cancer: Comparison With Echocardiography. <i>JACC: Cardiovascular Imaging</i> , 2021 , 14, 962-974	8.4	9
111	Comparison of outcomes in a population-based cohort of metastatic breast cancer patients receiving anti-HER2 therapy with clinical trial outcomes. <i>Breast Cancer Research and Treatment</i> , 2020 , 181, 155-165	4.4	8
110	Trends in the incidence and outcomes of patients with aortic stenosis hospitalization. <i>American Heart Journal</i> , 2018 , 199, 144-149	4.9	8
109	Blood Pressure Management in Adults With Type 2 Diabetes: Insights From the Diabetes Mellitus Status in Canada (DM-SCAN) Survey. <i>Canadian Journal of Diabetes</i> , 2018 , 42, 130-137	2.1	8
108	Growth differentiation factor 15 is decreased by kidney transplantation. <i>Clinical Biochemistry</i> , 2019 , 73, 57-61	3.5	8
107	Temporal trends and referral factors for cardiac rehabilitation post-acute coronary syndrome in ontario: insights from the Canadian Global Registry of Acute Coronary Events. <i>Canadian Journal of Cardiology</i> , 2013 , 29, 1604-9	3.8	8
106	Prognostic utility of quantifying evolutionary ST-segment depression on early follow-up electrocardiogram in patients with non-ST-segment elevation acute coronary syndromes. <i>European Heart Journal</i> , 2010 , 31, 958-66	9.5	8
105	Local hospital vs. core-laboratory interpretation of the admission electrocardiogram in acute coronary syndromes: increased mortality in patients with unrecognized ST-elevation myocardial infarction. <i>European Heart Journal</i> , 2008 , 29, 31-7	9.5	8
104	Determinants of Left Ventricular Characteristics Assessed by Cardiac Magnetic Resonance Imaging and Cardiovascular Biomarkers Related to Kidney Transplantation. <i>Canadian Journal of Kidney Health and Disease</i> , 2018 , 5, 2054358118809974	2.3	8
103	Relationship between changes in blood pressure and left ventricular mass over 1 year in end-stage renal disease. <i>Journal of Hypertension</i> , 2017 , 35, 1709-1716	1.9	7
102	Thiamin supplementation does not improve left ventricular ejection fraction in ambulatory heart failure patients: a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2019 , 110, 1287-1295	7.5	7
101	Consistency of benefit from an early invasive strategy after fibrinolysis: a patient-level meta-analysis. <i>Heart</i> , 2015 , 101, 1554-61	5.1	7
100	Use of clinical risk stratification in non-ST elevation acute coronary syndromes: an analysis from the CONCORDANCE registry. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2018 , 4, 309-317	4.6	7

99	Left ventricular structure and diastolic function by cardiac magnetic resonance imaging in hypertrophic cardiomyopathy. <i>Indian Heart Journal</i> , 2018 , 70, 75-81	1.6	7
98	The association between prior use of aspirin and/or warfarin and the in-hospital management and outcomes in patients presenting with acute coronary syndromes: insights from the Global Registry of Acute Coronary Events (GRACE). <i>Canadian Journal of Cardiology</i> , 2012 , 28, 48-53	3.8	7
97	Patient age, ethnicity, medical history, and risk factor profile, but not drug insurance coverage, predict successful attainment of glycemic targets: Time 2 Do More Quality Enhancement Research Initiative (T2DM QUERI). <i>Diabetes Care</i> , 2010 , 33, 2558-60	14.6	7
96	Quantitative troponin elevation does not provide incremental prognostic value beyond comprehensive risk stratification in patients with non-ST-segment elevation acute coronary syndromes. <i>American Heart Journal</i> , 2008 , 155, 718-24	4.9	7
95	Excessive exercise in endurance athletes: Is atrial fibrillation a possible consequence?. <i>Applied Physiology, Nutrition and Metabolism</i> , 2018 , 43, 973-976	3	7
94	Previous and New Onset Atrial Fibrillation and Associated Outcomes in Acute Coronary Syndromes (from the Global Registry of Acute Coronary Events). <i>American Journal of Cardiology</i> , 2018 , 122, 944-951 ³		7
93	Use of Evidence-Based Therapy for Cardiovascular Risk Factors in Canadian Outpatients With Atrial Fibrillation: From the Facilitating Review and Education to Optimize Stroke Prevention in Atrial Fibrillation (FREEDOM AF) and Co-ordinated National Network to Engage Physicians in the Care and Treatment of Patients With Atrial Fibrillation (CONNECT AF). <i>American Journal of Cardiology</i> , Population-Based Study on Patterns of Cardiac Stress Testing After Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2017 , 10,	3	6
92	Serial Measurements of Left Ventricular Systolic and Diastolic Function by Cardiac Magnetic Resonance Imaging in Patients with Early Stage Breast Cancer on Trastuzumab. <i>American Journal of Cardiology</i> , 2019 , 123, 1173-1179	5.8	6
91	A Randomized Control Trial Using a Validated Prediction Model for Diagnosing Acute Heart Failure in Undifferentiated Dyspneic Emergency Department Patients-Results of the GASP4Ar Study. <i>Journal of Cardiac Failure</i> , 2017 , 23, 145-152	3	6
90	Efficacy of early invasive management post-fibrinolysis in men versus women with ST-elevation myocardial infarction: a subgroup analysis from Trial of Routine Angioplasty and Stenting after Fibrinolysis to Enhance Reperfusion in Acute Myocardial Infarction (TRANSFER-AMI). <i>American Heart Journal</i> , 2012 , 164, 343-50	3.3	6
89	Prognostic significance of electrocardiographic-determined left ventricular hypertrophy and associated ST-segment depression in patients with non-ST-elevation acute coronary syndromes. <i>American Heart Journal</i> , 2011 , 161, 878-85	4.9	6
88	Impact of delayed presentation on management and outcome of non-ST-elevation acute coronary syndromes. <i>American Heart Journal</i> , 2008 , 156, 262-8	4.9	6
87	Clinical implications of a next-day follow-up electrocardiogram in patients with non-ST elevation acute coronary syndromes. <i>American Heart Journal</i> , 2008 , 156, 797-803	4.9	6
86	Left Ventricular Fibrosis in Middle-Age Athletes and Physically Active Adults. <i>Medicine and Science in Sports and Exercise</i> , 2020 , 52, 2500-2507	4.9	6
85	Primary prevention of cardiovascular disease: global cardiovascular risk assessment and management in clinical practice. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2015 , 1, 31-36	1.2	6
84	Marital status and outcomes after myocardial infarction: Observations from the Canadian Observational Antiplatelet Study (COAPT). <i>Clinical Cardiology</i> , 2018 , 41, 285-292	4.6	5
83	Long-term Follow-up of the Trial of Routine Angioplasty and Stenting After Fibrinolysis to Enhance Reperfusion in Acute Myocardial Infarction (TRANSFER-AMI). <i>Canadian Journal of Cardiology</i> , 2018 , 34, 736-743	3.3	5
82		3.8	5

81	Efficacy of Early Invasive Management After Fibrinolysis for ST-Segment Elevation Myocardial Infarction in Relation to Initial Troponin Status. <i>Canadian Journal of Cardiology</i> , 2016 , 32, 1221.e11-1221.e18	3.8	5
80	Has the Clopidogrel and Metoprolol in Myocardial Infarction Trial (COMMIT) of early beta-blocker use in acute coronary syndromes impacted on clinical practice in Canada? Insights from the Global Registry of Acute Coronary Events (GRACE). <i>American Heart Journal</i> , 2011 , 161, 291-7	4.9	5
79	Lower total and percent of high-molecular-weight adiponectin concentration in South Asian kidney transplant recipients. <i>CKJ: Clinical Kidney Journal</i> , 2012 , 5, 124-129	4.5	5
78	Low-molecular-weight heparins in ischemic heart disease. <i>Current Opinion in Cardiology</i> , 2004 , 19, 309-16	4.1	5
77	The management of left ventricular systolic dysfunction in patients with advanced chronic kidney disease. <i>Journal of Nephrology</i> , 2011 , 24, 41-9	4.8	5
76	Temporal trends in all-cause mortality according to smoking status: Insights from the Global Registry of Acute Coronary Events. <i>International Journal of Cardiology</i> , 2016 , 218, 291-297	3.2	5
75	Left Atrial Remodeling Assessed by Cardiac MRI after Conversion from Conventional Hemodialysis to In-Centre Nocturnal Hemodialysis. <i>Journal of Nephrology</i> , 2019 , 32, 273-281	4.8	5
74	Association between conversion to in-center nocturnal hemodialysis and right ventricular remodeling. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, 1010-1016	4.3	5
73	Temporal Trends in Use of Composite End Points in Major Cardiovascular Randomized Clinical Trials in Prominent Medical Journals. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2017 , 10,	5.8	4
72	Assessment of left ventricular function by CMR versus MUGA scans in breast cancer patients receiving trastuzumab: a prospective observational study. <i>International Journal of Cardiovascular Imaging</i> , 2019 , 35, 2085-2093	2.5	4
71	Left ventricular strain analysis using cardiac magnetic resonance imaging in patients undergoing in-centre nocturnal haemodialysis. <i>Nephrology</i> , 2019 , 24, 557-563	2.2	4
70	In-center nocturnal hemodialysis. <i>Seminars in Dialysis</i> , 2014 , 27, 179-87	2.5	4
69	Routine invasive management early after fibrinolysis: relationship between baseline risk and treatment effects in a pooled patient-level analysis of 7 randomized controlled trials. <i>American Heart Journal</i> , 2014 , 168, 757-65	4.9	4
68	Management of risk factors among ambulatory patients at high cardiovascular risk in Canada: a follow-up study. <i>Canadian Journal of Cardiology</i> , 2013 , 29, 1586-92	3.8	4
67	Early outgrowth pro-angiogenic cell number and function do not correlate with left ventricular structure and function in conventional hemodialysis patients: a cross-sectional study. <i>Canadian Journal of Kidney Health and Disease</i> , 2015 , 2, 25	2.3	4
66	Meta-analysis Comparing Outcomes of Type 2 Myocardial Infarction and Type 1 Myocardial Infarction With a Focus on Dual Antiplatelet Therapy. <i>CJC Open</i> , 2020 , 2, 118-128	2	4
65	Cardiac MRI measurements of pericardial adipose tissue volumes in patients on in-centre nocturnal hemodialysis. <i>Journal of Nephrology</i> , 2020 , 33, 355-363	4.8	4
64	Cardiac Remodeling in Middle-Aged Endurance Athletes and Recreationally Active Individuals: Challenges in Defining the "Athlete's Heart". <i>Journal of the American Society of Echocardiography</i> , 2020 , 33, 247-249	5.8	4

63	Lipid Testing, Lipid-Modifying Therapy, and PCSK9 (Proprotein Convertase Subtilisin-Kexin Type 9) Inhibitor Eligibility in 27 979 Patients With Incident Acute Coronary Syndrome. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2021 , 14, e006646	5.8	4
62	Duration of dual antiplatelet therapy and associated outcomes following percutaneous coronary intervention for acute myocardial infarction: contemporary practice insights from the Canadian Observational Antiplatelet Study. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2017 , 3, 303-311	4.6	4
61	Pulse pressure in acute coronary syndromes: Comparative prognostic significance with systolic blood pressure. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2019 , 8, 309-317	4.3	4
60	Electrocardiographic Findings in Patients With Acute Coronary Syndrome Presenting With Out-of-Hospital Cardiac Arrest. <i>American Journal of Cardiology</i> , 2018 , 121, 294-300	3	4
59	Nutritional status after conversion from conventional to in-centre nocturnal hemodialysis. <i>International Urology and Nephrology</i> , 2017 , 49, 1453-1461	2.3	3
58	Underuse of ECG monitoring in oncology patients receiving QT-interval prolonging drugs. <i>Heart</i> , 2019 , 105, 1649-1655	5.1	3
57	Association Between Patient and Physician Sex and Physician-Estimated Stroke and Bleeding Risks in Atrial Fibrillation. <i>Canadian Journal of Cardiology</i> , 2019 , 35, 160-168	3.8	3
56	Efficacy and safety of a routine early invasive strategy in relation to time from symptom onset to fibrinolysis (a subgroup analysis of TRANSFER-AMI). <i>American Journal of Cardiology</i> , 2015 , 115, 1005-12	3	3
55	Early discontinuation of prasugrel or clopidogrel in acute coronary syndromes: insights from the TRILOGY ACS trial. <i>Coronary Artery Disease</i> , 2018 , 29, 469-476	1.4	3
54	Cardiac magnetic resonance imaging for non-invasive diagnosis of lipomatous hypertrophy of inter-atrial septum. <i>Indian Heart Journal</i> , 2014 , 66, 244-6	1.6	3
53	Management and outcomes of non-ST elevation acute coronary syndromes in relation to previous use of antianginal therapies (from the Canadian Global Registry of Acute Coronary Events [GRACE] and Canadian Registry of Acute Coronary Events [CANRACE]). <i>American Journal of Cardiology</i> , 2013 , 112, 51-6	3	3
52	Reply: Coronary Artery Disease Affects Symptomatology of Aortic Valve Stenosis. <i>Journal of the American College of Cardiology</i> , 2017 , 70, 1104	15.1	3
51	Relation between previous angiotensin-converting enzyme inhibitor use and in-hospital outcomes in acute coronary syndromes. <i>American Journal of Cardiology</i> , 2012 , 109, 332-6	3	3
50	Treatment and outcomes of non-ST elevation acute coronary syndromes in relation to burden of pre-existing vascular disease. <i>International Journal of Cardiology</i> , 2013 , 168, 2720-5	3.2	3
49	Cardiac magnetic resonance imaging of a large prolapsing left atrial myxoma causing pulmonary hypertension and syncope. <i>Canadian Journal of Cardiology</i> , 2010 , 26, 134-5	3.8	3
48	The relationship between the proportion of admitted high risk ACS patients and hospital delivery of evidence based care. <i>International Journal of Cardiology</i> , 2016 , 222, 86-92	3.2	3
47	Relationship between right and left ventricular function in candidates for implantable cardioverter defibrillator with low left ventricular ejection fraction. <i>Journal of Arrhythmia</i> , 2017 , 33, 134-138	1.5	2
46	Prevalence of Thiamin Deficiency in Ambulatory Patients with Heart Failure. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2019 , 119, 1160-1167	3.9	2

45	Prognostic significance of low QRS voltage on the admission electrocardiogram in acute coronary syndromes. <i>International Journal of Cardiology</i> , 2015 , 201, 493	3.2	2
44	Clinical characteristics and outcomes of acute coronary syndrome patients with left anterior hemiblock. <i>Heart</i> , 2014 , 100, 1456-61	5.1	2
43	Efficacy of an early invasive strategy after fibrinolysis in ST-elevation myocardial infarction relative to the extent of coronary artery disease. <i>Canadian Journal of Cardiology</i> , 2014 , 30, 1555-61	3.8	2
42	Non-alcoholic fatty liver disease and outcomes in persons with acute coronary syndromes: insights from the GRACE-ALT analysis. <i>Heart Asia</i> , 2012 , 4, 137-40	1.9	2
41	Contemporary use of guideline-based higher potency P2Y12 receptor inhibitor therapy in patients with moderate-to-high risk non-ST-segment elevation myocardial infarction: Results from the Canadian ACS reflective II cross-sectional study. <i>Clinical Cardiology</i> , 2021 , 44, 839-847	3.3	2
40	Radial versus femoral access for percutaneous coronary intervention in ST-elevation myocardial infarction patients treated with fibrinolysis: Results from the randomized routine early invasive clinical trials. <i>Cardiovascular Revascularization Medicine</i> , 2016 , 17, 295-301	1.6	2
39	Evaluation of left atrial remodeling in kidney transplant patients using cardiac magnetic resonance imaging. <i>Journal of Nephrology</i> , 2021 , 34, 851-859	4.8	2
38	Cardiac MRI and radionuclide ventriculography for measurement of left ventricular ejection fraction in ICD candidates. <i>Magnetic Resonance Imaging</i> , 2018 , 52, 69-74	3.3	2
37	The Risk of Acute Kidney Injury with Oral Anticoagulants in Elderly Adults with Atrial Fibrillation. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2021 , 16, 1470-1479	6.9	2
36	Reply to Sepehrvand et al. -Promoting Enrollment of Women in Cardiovascular Clinical Trials. <i>Canadian Journal of Cardiology</i> , 2020 , 36, 969.e9	3.8	1
35	Does renal function affect the efficacy or safety of a pharmacoinvasive strategy in patients with ST-elevation myocardial infarction? A meta-analysis. <i>American Heart Journal</i> , 2017 , 193, 46-54	4.9	1
34	Benign intramyocardial mesothelial cyst in the right ventricular outflow tract: computed tomography and cardiovascular magnetic resonance imaging appearances. <i>Circulation</i> , 2014 , 130, e275-7 ^{16.7}	16.7	1
33	Persistent left superior vena cava with retrograde drainage from the left atrium into the left brachiocephalic vein. <i>Journal of the American College of Cardiology</i> , 2011 , 58, 2141	15.1	1
32	From Mars to Venus: Gender Differences in the Management and Outcomes of Acute Coronary Syndromes. <i>Current Pharmaceutical Design</i> , 2016 , 22, 3790-801	3.3	1
31	Awareness of Warning Symptoms of Heart Disease and Stroke: Results of a Follow-up Study of the Chinese Canadian Cardiovascular Health Project. <i>CJC Open</i> , 2021 , 3, 741-750	2	1
30	Prognostic value of cardiovascular magnetic resonance left ventricular volumetry and geometry in patients receiving an implantable cardioverter defibrillator. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2021 , 23, 72	6.9	1
29	Clinical application of echocardiographic-derived myocardial strain imaging in subclinical disease: a primer for cardiologists. <i>Current Opinion in Cardiology</i> , 2019 , 34, 147-155	2.1	1
28	Right Ventricular Function at Cardiac MRI Predicts Cardiovascular Events in Patients with an Implantable Cardioverter-Defibrillator. <i>Radiology</i> , 2021 , 301, 322-329	20.5	1

27	Atrial structure and function in middle-aged, physically-active males and females: A cardiac magnetic resonance study. <i>Clinical Cardiology</i> , 2021 , 44, 1467-1474	3.3	1
26	Evaluation of left atrial remodeling using cardiovascular magnetic resonance imaging in breast cancer patients treated with adjuvant trastuzumab.. <i>European Radiology</i> , 2022 , 1	8	0
25	Empagliflozin does not affect left ventricular diastolic function in patients with type 2 diabetes mellitus and coronary artery disease: insight from the EMPA-HEART CardioLink-6 randomized clinical trial.. <i>Acta Diabetologica</i> , 2022 , 59, 575	3.9	0
24	Impact of empagliflozin on right ventricular parameters and function among patients with type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2021 , 20, 200	8.7	0
23	Stress cardiac MRI in stable coronary artery disease. <i>Current Opinion in Cardiology</i> , 2020 , 35, 566-573	2.1	0
22	Left atrial volume and function measured by cardiac magnetic resonance imaging as predictors of shocks and mortality in patients with implantable cardioverter-defibrillators. <i>International Journal of Cardiovascular Imaging</i> , 2021 , 37, 2259-2267	2.5	0
21	Antithrombotic Therapy After Percutaneous Coronary Intervention in Patients With Atrial Fibrillation: Findings From the CONNECT AF+PCI Study.. <i>CJC Open</i> , 2021 , 3, 1419-1427	2	0
20	A Novel Arrhythmogenic Right Ventricular Cardiomyopathy (ARVC) Biomarker-Anti-DSG2-Is Absent in Athletes With Right Ventricular Enlargement.. <i>CJC Open</i> , 2021 , 3, 1413-1418	2	0
19	Cardiac remodeling in middle-aged endurance athletes: relation between signal-averaged electrocardiogram and LV mass. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2021 , 320, H316-H322	5.2	0
18	Cardiac MRI assessment of the right ventricle pre-and post-kidney transplant. <i>International Journal of Cardiovascular Imaging</i> , 2021 , 37, 1757-1766	2.5	0
17	Development of Acute Myocardial Infarction Mortality and Readmission Models for Public Reporting on Hospital Performance in Canada. <i>CJC Open</i> , 2021 , 3, 1051-1059	2	0
16	CMR and Tissue Characterization: Don't Forget the Strain!. <i>Journal of the American College of Cardiology</i> , 2019 , 73, 3359	15.1	
15	Prognostic implications of prominent R wave in electrocardiographic leads V1 or V2 in patients with acute coronary syndrome. <i>American Journal of Cardiology</i> , 2014 , 113, 1962-7	3	
14	Bridged Bilateral Superior Venae Cavae With Direct Left Atrial Appendage Connection and No Other Congenital Cardiac Anomaly. <i>Canadian Journal of Cardiology</i> , 2017 , 33, 1066.e13-1066.e15	3.8	
13	Focal caseous mitral annular calcification: Evaluation with cardiac MRI. <i>European Journal of Radiology Extra</i> , 2010 , 73, e53-e55		
12	Are acute coronary syndromes risk models too complex? reply. <i>European Heart Journal</i> , 2007 , 28, 2176-2177	3.7	
11	Use and outcomes of dual antiplatelet therapy for acute coronary syndrome in patients with chronic kidney disease: insights from the Canadian Observational Antiplatelet Study (COAPT).. <i>Heart and Vessels</i> , 2022 , 1	2.1	
10	Myocardial strain assessment using cardiovascular magnetic resonance imaging in recipients of implantable cardioverter defibrillators. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2021 , 23, 115	6.9	

9	The Increase in Paraoxonase 1 Is Associated With Decrease in Left Ventricular Volume in Kidney Transplant Recipients.. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 763389	5.4
8	Right Ventricular Mass 12 Years after Osteosarcoma: Multimodality Imaging with Pathologic Correlation. <i>Radiology: Cardiothoracic Imaging</i> , 2021 , 3, e210191	8.3
7	Clinical risk prediction models for the prognosis and management of acute coronary syndromes. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2021 , 7, 222-228	4.6
6	Relationships between cardiac structural and functional assessment by cardiac MRI and hemoglobin in end-stage renal disease. <i>Journal of Nephrology</i> , 2021 , 34, 1561-1563	4.8
5	Provision of a DAPT Score to Cardiologists and Extension of Dual Antiplatelet Therapy Beyond 1 Year After ACS: Randomized Substudy of the Prospective Canadian ACS Reflective II Study.. <i>CJC Open</i> , 2021 , 3, 1463-1470	2
4	Exaggerated Blood Pressure Responses To Exercise: Assessment Of Criteria In Middle-aged Male Endurance Athletes. <i>Medicine and Science in Sports and Exercise</i> , 2021 , 53, 9-10	1.2
3	Cardiovascular risk factor management in patients with diabetes: Does management differ with disease duration?. <i>Journal of Diabetes and Its Complications</i> , 2021 , 35, 107997	3.2
2	The effects of saxagliptin on cardiac structure and function using cardiac MRI (SCARF). <i>Acta Diabetologica</i> , 2021 , 58, 633-641	3.9
1	Objective risk assessment vs standard care for acute coronary syndromes-The Australian GRACE Risk tool Implementation Study (AGRIS): a process evaluation.. <i>BMC Health Services Research</i> , 2022 , 22, 380	2.9