

Andrew T Yan

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3383810/andrew-t-yan-publications-by-year.pdf>

Version: 2024-04-16

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

242
papers

6,342
citations

40
h-index

71
g-index

262
ext. papers

7,649
ext. citations

4.8
avg, IF

5.39
L-index

#	Paper	IF	Citations
242	Use and outcomes of dual antiplatelet therapy for acute coronary syndrome in patients with chronic kidney disease: insights from the Canadian Observational Antiplatelet Study (COAPT).. <i>Heart and Vessels</i> , 2022 , 1	2.1	
241	Evaluation of left atrial remodeling using cardiovascular magnetic resonance imaging in breast cancer patients treated with adjuvant trastuzumab.. <i>European Radiology</i> , 2022 , 1	8	0
240	Empagliflozin does not affect left ventricular diastolic function in patients with type 2 diabetes mellitus and coronary artery disease: insight from the EMPA-HEART CardioLink-6 randomized clinical trial.. <i>Acta Diabetologica</i> , 2022 , 59, 575	3.9	0
239	Objective risk assessment vs standard care for acute coronary syndromes-The Australian GRACE Risk tool Implementation Study (AGRIS): a process evaluation.. <i>BMC Health Services Research</i> , 2022 , 22, 380	2.9	
238	Myocardial strain assessment using cardiovascular magnetic resonance imaging in recipients of implantable cardioverter defibrillators. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2021 , 23, 115	6.9	
237	The Increase in Paraoxonase 1 Is Associated With Decrease in Left Ventricular Volume in Kidney Transplant Recipients.. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 763389	5.4	
236	Impact of empagliflozin on right ventricular parameters and function among patients with type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2021 , 20, 200	8.7	0
235	Right Ventricular Mass 12 Years after Osteosarcoma: Multimodality Imaging with Pathologic Correlation. <i>Radiology: Cardiothoracic Imaging</i> , 2021 , 3, e210191	8.3	
234	Objective Risk Assessment vs Standard Care for Acute Coronary Syndromes: A Randomized Clinical Trial. <i>JAMA Cardiology</i> , 2021 , 6, 304-313	16.2	11
233	Left atrial volume and function measured by cardiac magnetic resonance imaging as predictors of shocks and mortality in patients with implantable cardioverter-defibrillators. <i>International Journal of Cardiovascular Imaging</i> , 2021 , 37, 2259-2267	2.5	0
232	Relation of Lipoprotein(a) Levels to Incident Type 2 Diabetes and Modification by Alirocumab Treatment. <i>Diabetes Care</i> , 2021 , 44, 1219-1227	14.6	9
231	Clinical risk prediction models for the prognosis and management of acute coronary syndromes. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2021 , 7, 222-228	4.6	
230	Lipid Testing, Lipid-Modifying Therapy, and PCSK9 (Proprotein Convertase Subtilisin-Kexin Type 9) Inhibitor Eligibility in 27 979 Patients With Incident Acute Coronary Syndrome. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2021 , 14, e006646	5.8	4
229	Contemporary use of guideline-based higher potency P2Y12 receptor inhibitor therapy in patients with moderate-to-high risk non-ST-segment elevation myocardial infarction: Results from the Canadian ACS reflective II cross-sectional study. <i>Clinical Cardiology</i> , 2021 , 44, 839-847	3.3	2
228	Awareness of Warning Symptoms of Heart Disease and Stroke: Results of a Follow-up Study of the Chinese Canadian Cardiovascular Health Project. <i>CJC Open</i> , 2021 , 3, 741-750	2	1
227	Prognostic value of cardiovascular magnetic resonance left ventricular volumetry and geometry in patients receiving an implantable cardioverter defibrillator. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2021 , 23, 72	6.9	1
226	Empagliflozin Reduces Myocardial Extracellular Volume in Patients With Type 2 Diabetes and Coronary Artery Disease. <i>JACC: Cardiovascular Imaging</i> , 2021 , 14, 1164-1173	8.4	18

225	Antithrombotic Therapy After Percutaneous Coronary Intervention in Patients With Atrial Fibrillation: Findings From the CONNECT AF+PCI Study.. <i>CJC Open</i> , 2021 , 3, 1419-1427	2	0
224	A Novel Arrhythmogenic Right Ventricular Cardiomyopathy (ARVC) Biomarker-Anti-DSG2-Is Absent in Athletes With Right Ventricular Enlargement.. <i>CJC Open</i> , 2021 , 3, 1413-1418	2	0
223	Relationships between cardiac structural and functional assessment by cardiac MRI and hemoglobin in end-stage renal disease. <i>Journal of Nephrology</i> , 2021 , 34, 1561-1563	4.8	
222	Serial Cardiovascular Magnetic Resonance Strain Measurements to Identify Cardiotoxicity in Breast Cancer: Comparison With Echocardiography. <i>JACC: Cardiovascular Imaging</i> , 2021 , 14, 962-974	8.4	9
221	Cardiac remodeling in middle-aged endurance athletes: relation between signal-averaged electrocardiogram and LV mass. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2021 , 320, H316-H322	5.2	0
220	Evaluation of left atrial remodeling in kidney transplant patients using cardiac magnetic resonance imaging. <i>Journal of Nephrology</i> , 2021 , 34, 851-859	4.8	2
219	Cardiac MRI assessment of the right ventricle pre-and post-kidney transplant. <i>International Journal of Cardiovascular Imaging</i> , 2021 , 37, 1757-1766	2.5	0
218	Provision of a DAPT Score to Cardiologists and Extension of Dual Antiplatelet Therapy Beyond 1 Year After ACS: Randomized Substudy of the Prospective Canadian ACS Reflective II Study.. <i>CJC Open</i> , 2021 , 3, 1463-1470	2	
217	Right Ventricular Function at Cardiac MRI Predicts Cardiovascular Events in Patients with an Implantable Cardioverter-Defibrillator. <i>Radiology</i> , 2021 , 301, 322-329	20.5	1
216	Exaggerated Blood Pressure Responses To Exercise: Assessment Of Criteria In Middle-aged Male Endurance Athletes. <i>Medicine and Science in Sports and Exercise</i> , 2021 , 53, 9-10	1.2	
215	The Risk of Acute Kidney Injury with Oral Anticoagulants in Elderly Adults with Atrial Fibrillation. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2021 , 16, 1470-1479	6.9	2
214	Development of Acute Myocardial Infarction Mortality and Readmission Models for Public Reporting on Hospital Performance in Canada. <i>CJC Open</i> , 2021 , 3, 1051-1059	2	0
213	Atrial structure and function in middle-aged, physically-active males and females: A cardiac magnetic resonance study. <i>Clinical Cardiology</i> , 2021 , 44, 1467-1474	3.3	1
212	Cardiovascular risk factor management in patients with diabetes: Does management differ with disease duration?. <i>Journal of Diabetes and Its Complications</i> , 2021 , 35, 107997	3.2	
211	The effects of saxagliptin on cardiac structure and function using cardiac MRI (SCARF). <i>Acta Diabetologica</i> , 2021 , 58, 633-641	3.9	
210	The impact of empagliflozin on kidney injury molecule-1: a subanalysis of the Effects of Empagliflozin on Cardiac Structure, Function, and Circulating Biomarkers in Patients with Type 2 Diabetes CardioLink-6 trial. <i>Nephrology Dialysis Transplantation</i> , 2020 , 35, 895-897	4.3	12
209	Effects of Empagliflozin on Left Ventricular Remodeling in Patients with Type 2 Diabetes and Coronary Artery Disease: Echocardiographic Substudy of the EMPA-HEART CardioLink-6 Randomized Clinical Trial. <i>Journal of the American Society of Echocardiography</i> , 2020 , 33, 644-646	5.8	10
208	Reply to Sepehrvand et al.-Promoting Enrollment of Women in Cardiovascular Clinical Trials. <i>Canadian Journal of Cardiology</i> , 2020 , 36, 969.e9	3.8	1

207	Does empagliflozin modulate the autonomic nervous system among individuals with type 2 diabetes and coronary artery disease? The EMPA-HEART CardioLink-6 Holter analysis. <i>Metabolism Open</i> , 2020 , 7, 100039	2.8	9
206	Comparison of outcomes in a population-based cohort of metastatic breast cancer patients receiving anti-HER2 therapy with clinical trial outcomes. <i>Breast Cancer Research and Treatment</i> , 2020 , 181, 155-165	4.4	8
205	Left Ventricular Fibrosis in Middle-Age Athletes and Physically Active Adults. <i>Medicine and Science in Sports and Exercise</i> , 2020 , 52, 2500-2507	1.2	6
204	Meta-analysis Comparing Outcomes of Type 2 Myocardial Infarction and Type 1 Myocardial Infarction With a Focus on Dual Antiplatelet Therapy. <i>CJC Open</i> , 2020 , 2, 118-128	2	4
203	Effect of Empagliflozin on Erythropoietin Levels, Iron Stores, and Red Blood Cell Morphology in Patients With Type 2 Diabetes Mellitus and Coronary Artery Disease. <i>Circulation</i> , 2020 , 141, 704-707	16.7	115
202	Cardiac MRI measurements of pericardial adipose tissue volumes in patients on in-centre nocturnal hemodialysis. <i>Journal of Nephrology</i> , 2020 , 33, 355-363	4.8	4
201	Cardiac Remodeling in Middle-Aged Endurance Athletes and Recreationally Active Individuals: Challenges in Defining the "Athlete's Heart". <i>Journal of the American Society of Echocardiography</i> , 2020 , 33, 247-249	5.8	4
200	Stress cardiac MRI in stable coronary artery disease. <i>Current Opinion in Cardiology</i> , 2020 , 35, 566-573	2.1	0
199	Effect of Empagliflozin on Left Ventricular Mass in Patients With Type 2 Diabetes Mellitus and Coronary Artery Disease: The EMPA-HEART CardioLink-6 Randomized Clinical Trial. <i>Circulation</i> , 2019 , 140, 1693-1702	16.7	205
198	SGLT2 Inhibition with Empagliflozin Increases Circulating Provascular Progenitor Cells in People with Type 2 Diabetes Mellitus. <i>Cell Metabolism</i> , 2019 , 30, 609-613	24.6	36
197	Thiamin supplementation does not improve left ventricular ejection fraction in ambulatory heart failure patients: a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2019 , 110, 1287-1295	7	7
196	Empagliflozin and Cardiovascular Outcomes in Patients With Type 2 Diabetes and Left Ventricular Hypertrophy: A Subanalysis of the EMPA-REG OUTCOME Trial. <i>Diabetes Care</i> , 2019 , 42, e42-e44	14.6	16
195	Serial Measurements of Left Ventricular Systolic and Diastolic Function by Cardiac Magnetic Resonance Imaging in Patients with Early Stage Breast Cancer on Trastuzumab. <i>American Journal of Cardiology</i> , 2019 , 123, 1173-1179	3	6
194	Underuse of ECG monitoring in oncology patients receiving QT-interval prolonging drugs. <i>Heart</i> , 2019 , 105, 1649-1655	5.1	3
193	Assessment of left ventricular function by CMR versus MUGA scans in breast cancer patients receiving trastuzumab: a prospective observational study. <i>International Journal of Cardiovascular Imaging</i> , 2019 , 35, 2085-2093	2.5	4
192	Efficacy and Safety of Tenapanor in Patients with Hyperphosphatemia Receiving Maintenance Hemodialysis: A Randomized Phase 3 Trial. <i>Journal of the American Society of Nephrology: JASN</i> , 2019 , 30, 641-652	12.7	54
191	Prevalence of Thiamin Deficiency in Ambulatory Patients with Heart Failure. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2019 , 119, 1160-1167	3.9	2
190	Association Between Patient and Physician Sex and Physician-Estimated Stroke and Bleeding Risks in Atrial Fibrillation. <i>Canadian Journal of Cardiology</i> , 2019 , 35, 160-168	3.8	3

189	Left ventricular strain analysis using cardiac magnetic resonance imaging in patients undergoing in-centre nocturnal haemodialysis. <i>Nephrology</i> , 2019 , 24, 557-563	2.2	4
188	Growth differentiation factor 15 is decreased by kidney transplantation. <i>Clinical Biochemistry</i> , 2019 , 73, 57-61	3.5	8
187	Effects of alirocumab on cardiovascular and metabolic outcomes after acute coronary syndrome in patients with or without diabetes: a prespecified analysis of the ODYSSEY OUTCOMES randomised controlled trial. <i>Lancet Diabetes and Endocrinology</i> , 2019 , 7, 618-628	18.1	120
186	CMR and Tissue Characterization: Don't Forget the Strain!. <i>Journal of the American College of Cardiology</i> , 2019 , 73, 3359	15.1	
185	Temporal Trends of Women Enrollment in Major Cardiovascular Randomized Clinical Trials. <i>Canadian Journal of Cardiology</i> , 2019 , 35, 653-660	3.8	23
184	Evaluation of the impact of the GRACE risk score on the management and outcome of patients hospitalised with non-ST elevation acute coronary syndrome in the UK: protocol of the UKGRIS cluster-randomised registry-based trial. <i>BMJ Open</i> , 2019 , 9, e032165	3	12
183	Peri-Infarct Quantification by Cardiac Magnetic Resonance to Predict Outcomes in Ischemic Cardiomyopathy: Prognostic Systematic Review and Meta-Analysis. <i>Circulation: Cardiovascular Imaging</i> , 2019 , 12, e009156	3.9	10
182	Clinical application of echocardiographic-derived myocardial strain imaging in subclinical disease: a primer for cardiologists. <i>Current Opinion in Cardiology</i> , 2019 , 34, 147-155	2.1	1
181	Left Atrial Remodeling Assessed by Cardiac MRI after Conversion from Conventional Hemodialysis to In-Centre Nocturnal Hemodialysis. <i>Journal of Nephrology</i> , 2019 , 32, 273-281	4.8	5
180	Early diastolic strain rate measurements by cardiac MRI in breast cancer patients treated with trastuzumab: a longitudinal study. <i>International Journal of Cardiovascular Imaging</i> , 2019 , 35, 653-662	2.5	12
179	The effects of tenapanor on serum fibroblast growth factor 23 in patients receiving hemodialysis with hyperphosphatemia. <i>Nephrology Dialysis Transplantation</i> , 2019 , 34, 339-346	4.3	19
178	Pulse pressure in acute coronary syndromes: Comparative prognostic significance with systolic blood pressure. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2019 , 8, 309-317	4.3	4
177	Early discontinuation of prasugrel or clopidogrel in acute coronary syndromes: insights from the TRILOGY ACS trial. <i>Coronary Artery Disease</i> , 2018 , 29, 469-476	1.4	3
176	Marital status and outcomes after myocardial infarction: Observations from the Canadian Observational Antiplatelet Study (COAPT). <i>Clinical Cardiology</i> , 2018 , 41, 285-292	3.3	5
175	Long-term Follow-up of the Trial of Routine Angioplasty and Stenting After Fibrinolysis to Enhance Reperfusion in Acute Myocardial Infarction (TRANSFER-AMI). <i>Canadian Journal of Cardiology</i> , 2018 , 34, 736-743	3.8	5
174	Use of clinical risk stratification in non-ST elevation acute coronary syndromes: an analysis from the CONCORDANCE registry. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2018 , 4, 309-317	4.6	7
173	Extended Duration Nocturnal Hemodialysis and Changes in Plasma Metabolite Profiles. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2018 , 13, 436-444	6.9	20
172	Pharmacodynamics, Safety, and Tolerability of the NHE3 Inhibitor Tenapanor: Two Trials in Healthy Volunteers. <i>Clinical Drug Investigation</i> , 2018 , 38, 341-351	3.2	24

171	Trends in the incidence and outcomes of patients with aortic stenosis hospitalization. <i>American Heart Journal</i> , 2018 , 199, 144-149	4.9	8
170	Myocardial strain imaging by cardiac magnetic resonance for detection of subclinical myocardial dysfunction in breast cancer patients receiving trastuzumab and chemotherapy. <i>International Journal of Cardiology</i> , 2018 , 261, 228-233	3.2	40
169	Left ventricular structure and diastolic function by cardiac magnetic resonance imaging in hypertrophic cardiomyopathy. <i>Indian Heart Journal</i> , 2018 , 70, 75-81	1.6	7
168	Blood Pressure Management in Adults With Type 2 Diabetes: Insights From the Diabetes Mellitus Status in Canada (DM-SCAN) Survey. <i>Canadian Journal of Diabetes</i> , 2018 , 42, 130-137	2.1	8
167	Multimorbidity and survival for patients with acute myocardial infarction in England and Wales: Latent class analysis of a nationwide population-based cohort. <i>PLoS Medicine</i> , 2018 , 15, e1002501	11.6	47
166	Temporal changes in treatments and outcomes after acute myocardial infarction among cancer survivors and patients without cancer, 1995 to 2013. <i>Cancer</i> , 2018 , 124, 1269-1278	6.4	10
165	Electrocardiographic Findings in Patients With Acute Coronary Syndrome Presenting With Out-of-Hospital Cardiac Arrest. <i>American Journal of Cardiology</i> , 2018 , 121, 294-300	3	4
164	Association between conversion to in-center nocturnal hemodialysis and right ventricular remodeling. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, 1010-1016	4.3	5
163	Cardiovascular magnetic resonance left ventricular strain in end-stage renal disease patients after kidney transplantation. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2018 , 20, 83	6.9	13
162	Determinants of Left Ventricular Characteristics Assessed by Cardiac Magnetic Resonance Imaging and Cardiovascular Biomarkers Related to Kidney Transplantation. <i>Canadian Journal of Kidney Health and Disease</i> , 2018 , 5, 2054358118809974	2.3	8
161	Frailty and Outcomes After Myocardial Infarction: Insights From the CONCORDANCE Registry. <i>Journal of the American Heart Association</i> , 2018 , 7, e009859	6	26
160	Guideline-indicated treatments and diagnostics, GRACE risk score, and survival for non-ST elevation myocardial infarction. <i>European Heart Journal</i> , 2018 , 39, 3798-3806	9.5	42
159	Excessive exercise in endurance athletes: Is atrial fibrillation a possible consequence?. <i>Applied Physiology, Nutrition and Metabolism</i> , 2018 , 43, 973-976	3	7
158	Previous and New Onset Atrial Fibrillation and Associated Outcomes in Acute Coronary Syndromes (from the Global Registry of Acute Coronary Events). <i>American Journal of Cardiology</i> , 2018 , 122, 944-951 ³		7
157	Cardiac MRI and radionuclide ventriculography for measurement of left ventricular ejection fraction in ICD candidates. <i>Magnetic Resonance Imaging</i> , 2018 , 52, 69-74	3.3	2
156	Outcomes of Women and Men With Acute Coronary Syndrome Treated With and Without Percutaneous Coronary Revascularization. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	35
155	Warfarin and the Risk of Stroke and Bleeding in Patients With Atrial Fibrillation Receiving Dialysis: A Systematic Review and Meta-analysis. <i>Canadian Journal of Cardiology</i> , 2017 , 33, 737-746	3.8	39
154	Longitudinal assessment of right ventricular structure and function by cardiovascular magnetic resonance in breast cancer patients treated with trastuzumab: a prospective observational study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2017 , 19, 44	6.9	31

153	Relationship between right and left ventricular function in candidates for implantable cardioverter defibrillator with low left ventricular ejection fraction. <i>Journal of Arrhythmia</i> , 2017 , 33, 134-138	1.5	2
152	Nutritional status after conversion from conventional to in-centre nocturnal hemodialysis. <i>International Urology and Nephrology</i> , 2017 , 49, 1453-1461	2.3	3
151	The underutilisation of dual antiplatelet therapy in acute coronary syndrome. <i>International Journal of Cardiology</i> , 2017 , 240, 30-36	3.2	11
150	Relationships Between Left Ventricular Structure and Function According to Cardiac MRI and Cardiac Biomarkers in End-Stage Renal Disease. <i>Canadian Journal of Cardiology</i> , 2017 , 33, 501-507	3.8	10
149	Relationship between changes in blood pressure and left ventricular mass over 1 year in end-stage renal disease. <i>Journal of Hypertension</i> , 2017 , 35, 1709-1716	1.9	7
148	Two phosphAtE taRGETs in End-stage renal disease Trial (TARGET): A Randomized Controlled Trial. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017 , 12, 965-973	6.9	20
147	Use of Evidence-Based Therapy for Cardiovascular Risk Factors in Canadian Outpatients With Atrial Fibrillation: From the Facilitating Review and Education to Optimize Stroke Prevention in Atrial Fibrillation (FREEDOM AF) and Co-ordinated National Network to Engage Physicians in the Care and Treatment of Patients with Atrial Fibrillation (CONNECT AF). <i>American Journal of Cardiology</i> , 2017 , 120, 582-587	3	6
146	Prognostic value of visually detected coronary artery calcification on unenhanced non-gated thoracic computed tomography for prediction of non-fatal myocardial infarction and all-cause mortality. <i>Journal of Cardiovascular Computed Tomography</i> , 2017 , 11, 196-202	2.8	15
145	Association Between Cardiovascular Risk Factors and Aortic Stenosis: The CANHEART Aortic Stenosis Study. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 1523-1532	15.1	94
144	Temporal Trends in Use of Composite End Points in Major Cardiovascular Randomized Clinical Trials in Prominent Medical Journals. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2017 , 10,	5.8	4
143	Population-Based Study on Patterns of Cardiac Stress Testing After Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2017 , 10,	5.8	6
142	Bridged Bilateral Superior Venae Cavae With Direct Left Atrial Appendage Connection and No Other Congenital Cardiac Anomaly. <i>Canadian Journal of Cardiology</i> , 2017 , 33, 1066.e13-1066.e15	3.8	
141	Reply: Coronary Artery Disease Affects Symptomatology of Aortic Valve Stenosis. <i>Journal of the American College of Cardiology</i> , 2017 , 70, 1104	15.1	3
140	Incidence and identification of risk factors for trastuzumab-induced cardiotoxicity in breast cancer patients: an audit of a single "real-world" setting. <i>Medical Oncology</i> , 2017 , 34, 154	3.7	11
139	Does renal function affect the efficacy or safety of a pharmacoinvasive strategy in patients with ST-elevation myocardial infarction? A meta-analysis. <i>American Heart Journal</i> , 2017 , 193, 46-54	4.9	1
138	GRACE risk score: Sex-based validity of in-hospital mortality prediction in Canadian patients with acute coronary syndrome. <i>International Journal of Cardiology</i> , 2017 , 244, 24-29	3.2	10
137	A Randomized Control Trial Using a Validated Prediction Model for Diagnosing Acute Heart Failure in Undifferentiated Dyspneic Emergency Department Patients-Results of the GASP4Ar Study. <i>Journal of Cardiac Failure</i> , 2017 , 23, 145-152	3.3	6
136	Duration of dual antiplatelet therapy and associated outcomes following percutaneous coronary intervention for acute myocardial infarction: contemporary practice insights from the Canadian Observational Antiplatelet Study. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2017 , 3, 303-311	4.6	4

135	The Temporal Risk of Heart Failure Associated With Adjuvant Trastuzumab in Breast Cancer Patients: A Population Study. <i>Journal of the National Cancer Institute</i> , 2016 , 108,	9.7	48
134	Association of Clinical Factors and Therapeutic Strategies With Improvements in Survival Following Non-ST-Elevation Myocardial Infarction, 2003-2013. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 316, 1073-82	27.4	65
133	Clinical Characteristics, Management, and Outcomes of Acute Coronary Syndrome in Patients With Right Bundle Branch Block on Presentation. <i>American Journal of Cardiology</i> , 2016 , 117, 754-9	3	12
132	In-hospital management and outcomes of acute coronary syndromes in relation to prior history of heart failure. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2016 , 5, 214-22	4.3	9
131	Glycaemic control and cardiovascular risk factor management in patients with diabetes with and without coronary artery disease: insights from the diabetes mellitus status in Canada survey. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2016 , 2, 277-284	4.6	12
130	Efficacy of Early Invasive Management After Fibrinolysis for ST-Segment Elevation Myocardial Infarction in Relation to Initial Troponin Status. <i>Canadian Journal of Cardiology</i> , 2016 , 32, 1221.e11-1221.e18	3.8	5
129	The Association Between Conversion to In-centre Nocturnal Hemodialysis and Left Ventricular Mass Regression in Patients With End-Stage Renal Disease. <i>Canadian Journal of Cardiology</i> , 2016 , 32, 369-77	3.8	25
128	From Mars to Venus: Gender Differences in the Management and Outcomes of Acute Coronary Syndromes. <i>Current Pharmaceutical Design</i> , 2016 , 22, 3790-801	3.3	1
127	Reduction of carbamylated albumin by extended hemodialysis. <i>Hemodialysis International</i> , 2016 , 20, 510-521	5.2	9
126	Association of hospital and physician case volumes with cardiac monitoring and cardiotoxicity during adjuvant trastuzumab treatment for breast cancer: a retrospective cohort study. <i>CMAJ Open</i> , 2016 , 4, E66-72	2.5	9
125	Radial versus femoral access for percutaneous coronary intervention in ST-elevation myocardial infarction patients treated with fibrinolysis: Results from the randomized routine early invasive clinical trials. <i>Cardiovascular Revascularization Medicine</i> , 2016 , 17, 295-301	1.6	2
124	Temporal trends in all-cause mortality according to smoking status: Insights from the Global Registry of Acute Coronary Events. <i>International Journal of Cardiology</i> , 2016 , 218, 291-297	3.2	5
123	Prognostic value of dynamic electrocardiographic T wave changes in non-ST elevation acute coronary syndrome. <i>Heart</i> , 2016 , 102, 1396-402	5.1	10
122	Effect of Empagliflozin on Left Ventricular Mass and Diastolic Function in Individuals With Diabetes: An Important Clue to the EMPA-REG OUTCOME Trial?. <i>Diabetes Care</i> , 2016 , 39, e212-e213	14.6	141
121	The relationship between the proportion of admitted high risk ACS patients and hospital delivery of evidence based care. <i>International Journal of Cardiology</i> , 2016 , 222, 86-92	3.2	3
120	Long-term cardiovascular outcomes and overall survival of early-stage breast cancer patients with early discontinuation of trastuzumab: a population-based study. <i>Breast Cancer Research and Treatment</i> , 2016 , 157, 535-44	4.4	12
119	Ischemic and bleeding events in patients with myocardial infarction undergoing percutaneous coronary intervention who require oral anticoagulation: Insights from the Canadian observational AntiPlatelet sTudy. <i>American Heart Journal</i> , 2016 , 180, 82-9	4.9	17
118	Efficacy and safety of a routine early invasive strategy in relation to time from symptom onset to fibrinolysis (a subgroup analysis of TRANSFER-AMI). <i>American Journal of Cardiology</i> , 2015 , 115, 1005-12	3	3

117	Primary prevention of cardiovascular disease: global cardiovascular risk assessment and management in clinical practice. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2015 , 1, 31-36	4.6	5
116	Cardiovascular Risk Factors and In-hospital Mortality in Acute Coronary Syndromes: Insights From the Canadian Global Registry of Acute Coronary Events. <i>Canadian Journal of Cardiology</i> , 2015 , 31, 1455-61	3.8	21
115	Consistency of benefit from an early invasive strategy after fibrinolysis: a patient-level meta-analysis. <i>Heart</i> , 2015 , 101, 1554-61	5.1	7
114	Relationship between different blood pressure measurements and left ventricular mass by cardiac magnetic resonance imaging in end-stage renal disease. <i>Journal of the American Society of Hypertension</i> , 2015 , 9, 275-84		14
113	Prognostic significance of low QRS voltage on the admission electrocardiogram in acute coronary syndromes. <i>International Journal of Cardiology</i> , 2015 , 190, 34-9	3.2	12
112	A cluster randomized trial of objective risk assessment versus standard care for acute coronary syndromes: Rationale and design of the Australian GRACE Risk score Intervention Study (AGRIS). <i>American Heart Journal</i> , 2015 , 170, 995-1004.e1	4.9	18
111	High-grade atrioventricular block in acute coronary syndromes: insights from the Global Registry of Acute Coronary Events. <i>European Heart Journal</i> , 2015 , 36, 976-83	9.5	42
110	Thiamin deficiency and heart failure: the current knowledge and gaps in literature. <i>Heart Failure Reviews</i> , 2015 , 20, 1-11	5	22
109	Early outgrowth pro-angiogenic cell number and function do not correlate with left ventricular structure and function in conventional hemodialysis patients: a cross-sectional study. <i>Canadian Journal of Kidney Health and Disease</i> , 2015 , 2, 25	2.3	4
108	Cardiovascular Implications of Hypoglycemia in Diabetes Mellitus. <i>Circulation</i> , 2015 , 132, 2345-50	16.7	35
107	Prognostic significance of low QRS voltage on the admission electrocardiogram in acute coronary syndromes. <i>International Journal of Cardiology</i> , 2015 , 201, 493	3.2	2
106	Relationship between time to invasive assessment and clinical outcomes of patients undergoing an early invasive strategy after fibrinolysis for ST-segment elevation myocardial infarction: a patient-level analysis of the randomized early routine invasive clinical trials. <i>JACC: Cardiovascular Interventions</i> , 2015 , 9, 166-174	5	27
105	Correlates of left ventricular mass in chronic hemodialysis recipients. <i>International Journal of Cardiovascular Imaging</i> , 2014 , 30, 349-56	2.5	15
104	In-center nocturnal hemodialysis. <i>Seminars in Dialysis</i> , 2014 , 27, 179-87	2.5	4
103	Prognostic implications of prominent R wave in electrocardiographic leads V1 or V2 in patients with acute coronary syndrome. <i>American Journal of Cardiology</i> , 2014 , 113, 1962-7	3	
102	Increased uptake of guideline-recommended oral antiplatelet therapy: insights from the Canadian acute coronary syndrome reflective. <i>Canadian Journal of Cardiology</i> , 2014 , 30, 1725-31	3.8	20
101	Routine invasive management early after fibrinolysis: relationship between baseline risk and treatment effects in a pooled patient-level analysis of 7 randomized controlled trials. <i>American Heart Journal</i> , 2014 , 168, 757-65	4.9	4
100	Patient characteristics associated with self-presentation, treatment delay and survival following primary percutaneous coronary intervention. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2014 , 3, 214-22	4.3	16

99	Comparison of the efficacy of pharmacoinvasive management for ST-segment elevation myocardial infarction in smokers versus non-smokers (from the Trial of Routine Angioplasty and Stenting After Fibrinolysis to Enhance Reperfusion in Acute Myocardial Infarction). <i>American Journal of Cardiology</i> , 2014 , 114, 955-61	3	9
98	Cardiac magnetic resonance imaging for non-invasive diagnosis of lipomatous hypertrophy of inter-atrial septum. <i>Indian Heart Journal</i> , 2014 , 66, 244-6	1.6	3
97	Clinical characteristics and outcomes of acute coronary syndrome patients with left anterior hemiblock. <i>Heart</i> , 2014 , 100, 1456-61	5.1	2
96	Efficacy of an early invasive strategy after fibrinolysis in ST-elevation myocardial infarction relative to the extent of coronary artery disease. <i>Canadian Journal of Cardiology</i> , 2014 , 30, 1555-61	3.8	2
95	Benign intramyocardial mesothelial cyst in the right ventricular outflow tract: computed tomography and cardiovascular magnetic resonance imaging appearances. <i>Circulation</i> , 2014 , 130, e275-7	16.7	1
94	Chemotherapy-induced cardiotoxicity: detection, prevention, and management. <i>Canadian Journal of Cardiology</i> , 2014 , 30, 869-78	3.8	75
93	Treatment and outcomes of patients with suspected acute coronary syndromes in relation to initial diagnostic impressions (insights from the Canadian Global Registry of Acute Coronary Events [GRACE] and Canadian Registry of Acute Coronary Events [CANRACE]). <i>American Journal of Cardiology</i> , 2013 , 111, 202-7	3	18
92	Management of risk factors among ambulatory patients at high cardiovascular risk in Canada: a follow-up study. <i>Canadian Journal of Cardiology</i> , 2013 , 29, 1586-92	3.8	4
91	Do clinical factors explain persistent sex disparities in the use of acute reperfusion therapy in STEMI in Sweden and Canada?. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2013 , 2, 350-8	4.3	21
90	Assessment of right ventricular volumes and function using cardiovascular magnetic resonance cine imaging after atrial redirection surgery for complete transposition of the great arteries. <i>International Journal of Cardiovascular Imaging</i> , 2013 , 29, 335-42	2.5	10
89	Use and timing of coronary angiography and associated in-hospital outcomes in Canadian non-ST-segment elevation myocardial infarction patients: insights from the Canadian Global Registry of Acute Coronary Events. <i>Canadian Journal of Cardiology</i> , 2013 , 29, 1429-35	3.8	18
88	Comparative assessment of 2-dimensional echocardiography vs cardiac magnetic resonance imaging in measuring left ventricular mass in patients with and without end-stage renal disease. <i>Canadian Journal of Cardiology</i> , 2013 , 29, 384-90	3.8	23
87	Comparative prognostic value of T-wave inversion and ST-segment depression on the admission electrocardiogram in non-ST-segment elevation acute coronary syndromes. <i>American Heart Journal</i> , 2013 , 166, 290-7	4.9	13
86	Management and outcomes of non-ST elevation acute coronary syndromes in relation to previous use of antianginal therapies (from the Canadian Global Registry of Acute Coronary Events [GRACE] and Canadian Registry of Acute Coronary Events [CANRACE]). <i>American Journal of Cardiology</i> , 2013 , 112, 514-21	3	3
85	Temporal trends and referral factors for cardiac rehabilitation post-acute coronary syndrome in ontario: insights from the Canadian Global Registry of Acute Coronary Events. <i>Canadian Journal of Cardiology</i> , 2013 , 29, 1604-9	3.8	8
84	Canada Acute Coronary Syndrome Risk Score: a new risk score for early prognostication in acute coronary syndromes. <i>American Heart Journal</i> , 2013 , 166, 58-63	4.9	41
83	Prognostic significance of presenting blood pressure in non-ST-segment elevation acute coronary syndrome in relation to prior history of hypertension. <i>American Heart Journal</i> , 2013 , 166, 716-22	4.9	18
82	Treatment and outcomes of non-ST elevation acute coronary syndromes in relation to burden of pre-existing vascular disease. <i>International Journal of Cardiology</i> , 2013 , 168, 2720-5	3.2	3

81	Regression of left ventricular mass following conversion from conventional hemodialysis to thrice weekly in-centre nocturnal hemodialysis. <i>BMC Nephrology</i> , 2012 , 13, 3	2.7	24
80	Efficacy of early invasive management post-fibrinolysis in men versus women with ST-elevation myocardial infarction: a subgroup analysis from Trial of Routine Angioplasty and Stenting after Fibrinolysis to Enhance Reperfusion in Acute Myocardial Infarction (TRANSFER-AMI). <i>American Heart Journal</i> , 2012 , 161, 291-7	4.9	6
79	Bridging the gender gap: Insights from a contemporary analysis of sex-related differences in the treatment and outcomes of patients with acute coronary syndromes. <i>American Heart Journal</i> , 2012 , 163, 66-73	4.9	138
78	The association between prior use of aspirin and/or warfarin and the in-hospital management and outcomes in patients presenting with acute coronary syndromes: insights from the Global Registry of Acute Coronary Events (GRACE). <i>Canadian Journal of Cardiology</i> , 2012 , 28, 48-53	3.8	7
77	Reperfusion strategies and outcomes of ST-segment elevation myocardial infarction patients in Canada: observations from the Global Registry of Acute Coronary Events (GRACE) and the Canadian Registry of Acute Coronary Events (CANRACE). <i>Canadian Journal of Cardiology</i> , 2012 , 28, 40-7	3.8	14
76	Management and outcome of acute coronary syndrome patients in relation to prior history of atrial fibrillation. <i>Canadian Journal of Cardiology</i> , 2012 , 28, 443-9	3.8	18
75	Potential clinical impact of cardiovascular magnetic resonance assessment of ejection fraction on eligibility for cardioverter defibrillator implantation. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2012 , 14, 69	6.9	26
74	The role of B vitamins in the management of heart failure. <i>Nutrition in Clinical Practice</i> , 2012 , 27, 363-74	3.6	15
73	Relation between previous angiotensin-converting enzyme inhibitor use and in-hospital outcomes in acute coronary syndromes. <i>American Journal of Cardiology</i> , 2012 , 109, 332-6	3	3
72	Temporal patterns of lipid testing and statin therapy in acute coronary syndrome patients (from the Canadian GRACE Experience). <i>American Journal of Cardiology</i> , 2012 , 109, 1418-24	3	9
71	Non-alcoholic fatty liver disease and outcomes in persons with acute coronary syndromes: insights from the GRACE-ALT analysis. <i>Heart Asia</i> , 2012 , 4, 137-40	1.9	2
70	Beta-blockers and cardiovascular outcomes in dialysis patients: a cohort study in Ontario, Canada. <i>Nephrology Dialysis Transplantation</i> , 2012 , 27, 1591-8	4.3	16
69	Lower total and percent of high-molecular-weight adiponectin concentration in South Asian kidney transplant recipients. <i>CKJ: Clinical Kidney Journal</i> , 2012 , 5, 124-129	4.5	5
68	Persistent left superior vena cava with retrograde drainage from the left atrium into the left brachiocephalic vein. <i>Journal of the American College of Cardiology</i> , 2011 , 58, 2141	15.1	1
67	Has the Clopidogrel and Metoprolol in Myocardial Infarction Trial (COMMIT) of early beta-blocker use in acute coronary syndromes impacted on clinical practice in Canada? Insights from the Global Registry of Acute Coronary Events (GRACE). <i>American Heart Journal</i> , 2011 , 161, 291-7	4.9	5
66	Temporal changes in the management and outcome of Canadian diabetic patients hospitalized for non-ST-elevation acute coronary syndromes. <i>American Heart Journal</i> , 2011 , 162, 347-355.e1	4.9	20
65	Use of clopidogrel post-coronary artery bypass surgery in Canadian patients with acute coronary syndromes. <i>Canadian Journal of Cardiology</i> , 2011 , 27, 711-5	3.8	9
64	Prognostic significance of electrocardiographic-determined left ventricular hypertrophy and associated ST-segment depression in patients with non-ST-elevation acute coronary syndromes. <i>American Heart Journal</i> , 2011 , 161, 878-85	4.9	6

63	Relationship between risk stratification at admission and treatment effects of early invasive management following fibrinolysis: insights from the Trial of Routine ANgioplasty and Stenting After Fibrinolysis to Enhance Reperfusion in Acute Myocardial Infarction (TRANSFER-AMI). <i>European Heart Journal</i> , 2011 , 32, 1994-2002	9.5	26
62	Factors influencing underutilization of evidence-based therapies in women. <i>European Heart Journal</i> , 2011 , 32, 1337-44	9.5	134
61	The management of left ventricular systolic dysfunction in patients with advanced chronic kidney disease. <i>Journal of Nephrology</i> , 2011 , 24, 41-9	4.8	5
60	Optimal medical therapy for non-ST-segment-elevation acute coronary syndromes: exploring why physicians do not prescribe evidence-based treatment and why patients discontinue medications after discharge. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2010 , 3, 530-7	5.8	52
59	Patient age, ethnicity, medical history, and risk factor profile, but not drug insurance coverage, predict successful attainment of glycemic targets: Time 2 Do More Quality Enhancement Research Initiative (T2DM QUERI). <i>Diabetes Care</i> , 2010 , 33, 2558-60	14.6	7
58	Relationship of interleukin-6 with regional and global left-ventricular function in asymptomatic individuals without clinical cardiovascular disease: insights from the Multi-Ethnic Study of Atherosclerosis. <i>European Heart Journal</i> , 2010 , 31, 875-82	9.5	53
57	Prognostic utility of quantifying evolutionary ST-segment depression on early follow-up electrocardiogram in patients with non-ST-segment elevation acute coronary syndromes. <i>European Heart Journal</i> , 2010 , 31, 958-66	9.5	8
56	Recurrent ischemia across the spectrum of acute coronary syndromes: prevalence and prognostic significance of (re-)infarction and ST-segment changes in a large contemporary registry. <i>International Journal of Cardiology</i> , 2010 , 145, 15-20	3.2	11
55	Focal caseous mitral annular calcification: Evaluation with cardiac MRI. <i>European Journal of Radiology Extra</i> , 2010 , 73, e53-e55		
54	Management patterns of non-ST segment elevation acute coronary syndromes in relation to prior coronary revascularization. <i>American Heart Journal</i> , 2010 , 159, 40-6	4.9	22
53	QRS prolongation in patients with acute coronary syndromes. <i>American Heart Journal</i> , 2010 , 159, 593-8	4.9	16
52	Evaluation of left ventricular ejection fraction in non-ST-segment elevation acute coronary syndromes and its relationship to treatment. <i>American Heart Journal</i> , 2010 , 159, 605-11	4.9	9
51	Temporal trend of in-hospital major bleeding among patients with non ST-elevation acute coronary syndromes. <i>American Heart Journal</i> , 2010 , 160, 420-7	4.9	22
50	Fibrinogen and left ventricular myocardial systolic function: The Multi-Ethnic Study of Atherosclerosis (MESA). <i>American Heart Journal</i> , 2010 , 160, 479-86	4.9	21
49	Association between smoking, outcomes, and early clopidogrel use in patients with acute coronary syndrome: insights from the Global Registry of Acute Coronary Events. <i>American Heart Journal</i> , 2010 , 160, 855-61	4.9	20
48	Cardiac magnetic resonance imaging of a large prolapsing left atrial myxoma causing pulmonary hypertension and syncope. <i>Canadian Journal of Cardiology</i> , 2010 , 26, 134-5	3.8	3
47	Disparities in management patterns and outcomes of patients with non-ST-elevation acute coronary syndrome with and without a history of cerebrovascular disease. <i>American Journal of Cardiology</i> , 2010 , 105, 1083-9	3	22
46	Relation between obesity and the attainment of optimal blood pressure and lipid targets in high vascular risk outpatients. <i>American Journal of Cardiology</i> , 2010 , 106, 1270-6	3	29

45	Comparison of baseline characteristics, management and outcome of patients with non-ST-segment elevation acute coronary syndrome in versus not in clinical trials. <i>American Journal of Cardiology</i> , 2010 , 106, 1389-96	3	29
44	Relation between hemoglobin level and recurrent myocardial ischemia in acute coronary syndromes detected by continuous electrocardiographic monitoring. <i>American Journal of Cardiology</i> , 2010 , 106, 1417-22	3	29
43	Temporal management patterns and outcomes of non-ST elevation acute coronary syndromes in patients with kidney dysfunction. <i>European Heart Journal</i> , 2009 , 30, 549-57	9.5	65
42	Applying the evidence: do patients with stroke, coronary artery disease, or both achieve similar treatment goals?. <i>Stroke</i> , 2009 , 40, 1417-24	6.7	53
41	Influence of age on use of cardiac catheterization and associated outcomes in patients with non-ST-elevation acute coronary syndromes. <i>American Journal of Cardiology</i> , 2009 , 103, 1530-6	3	56
40	The expanded Global Registry of Acute Coronary Events: baseline characteristics, management practices, and hospital outcomes of patients with acute coronary syndromes. <i>American Heart Journal</i> , 2009 , 158, 193-201.e1-5	4.9	145
39	Validation of the Global Registry of Acute Coronary Event (GRACE) risk score for in-hospital mortality in patients with acute coronary syndrome in Canada. <i>American Heart Journal</i> , 2009 , 158, 392-9	4.9	123
38	Underutilization of clopidogrel and glycoprotein IIb/IIIa inhibitors in non-ST-elevation acute coronary syndrome patients: the Canadian global registry of acute coronary events (GRACE) experience. <i>American Heart Journal</i> , 2009 , 158, 917-24	4.9	15
37	The differential association between various anthropometric indices of obesity and subclinical atherosclerosis. <i>Atherosclerosis</i> , 2009 , 207, 232-8	3.1	32
36	Temporal trends in the use of invasive cardiac procedures for non-ST segment elevation acute coronary syndromes according to initial risk stratification. <i>Canadian Journal of Cardiology</i> , 2009 , 25, e370-6	3.8	29
35	Understanding physiciansPrisk stratification of acute coronary syndromes: insights from the Canadian ACS 2 Registry. <i>Archives of Internal Medicine</i> , 2009 , 169, 372-8		92
34	Usefulness of quantitative versus qualitative ST-segment depression for risk stratification of non-ST elevation acute coronary syndromes in contemporary clinical practice. <i>American Journal of Cardiology</i> , 2008 , 101, 919-24	3	11
33	Quantitative troponin elevation does not provide incremental prognostic value beyond comprehensive risk stratification in patients with non-ST-segment elevation acute coronary syndromes. <i>American Heart Journal</i> , 2008 , 155, 718-24	4.9	7
32	Impact of delayed presentation on management and outcome of non-ST-elevation acute coronary syndromes. <i>American Heart Journal</i> , 2008 , 156, 262-8	4.9	6
31	Bleeding and outcome in acute coronary syndrome: insights from continuous electrocardiogram monitoring in the Integrilin and Enoxaparin Randomized Assessment of Acute Coronary Syndrome Treatment (INTERACT) Trial. <i>American Heart Journal</i> , 2008 , 156, 769-75	4.9	16
30	Clinical implications of a next-day follow-up electrocardiogram in patients with non-ST elevation acute coronary syndromes. <i>American Heart Journal</i> , 2008 , 156, 797-803	4.9	6
29	Relationships between plasma levels of matrix metalloproteinases and neurohormonal profile in patients with heart failure. <i>European Journal of Heart Failure</i> , 2008 , 10, 125-8	12.3	31
28	Use of cardiac catheterization for non-ST-segment elevation acute coronary syndromes according to initial risk: reasons why physicians choose not to refer their patients. <i>Archives of Internal Medicine</i> , 2008 , 168, 291-6		53

27	Local hospital vs. core-laboratory interpretation of the admission electrocardiogram in acute coronary syndromes: increased mortality in patients with unrecognized ST-elevation myocardial infarction. <i>European Heart Journal</i> , 2008 , 29, 31-7	9.5	8
26	Differences between local hospital and core laboratory interpretation of the admission electrocardiogram in patients with acute coronary syndromes and their relation to outcome. <i>American Journal of Cardiology</i> , 2007 , 100, 169-74	3	16
25	Risk scores for risk stratification in acute coronary syndromes: useful but simpler is not necessarily better. <i>European Heart Journal</i> , 2007 , 28, 1072-8	9.5	197
24	Management patterns in relation to risk stratification among patients with non-ST elevation acute coronary syndromes. <i>Archives of Internal Medicine</i> , 2007 , 167, 1009-16		118
23	Are acute coronary syndromes risk models too complex? reply. <i>European Heart Journal</i> , 2007 , 28, 2176-2177		17
22	Long-term prognostic value and therapeutic implications of continuous ST-segment monitoring in acute coronary syndrome. <i>American Heart Journal</i> , 2007 , 153, 500-6	4.9	19
21	Relationship of ST elevation in lead aVR with angiographic findings and outcome in non-ST elevation acute coronary syndromes. <i>American Heart Journal</i> , 2007 , 154, 71-8	4.9	71
20	Optimal medical therapy at discharge in patients with acute coronary syndromes: temporal changes, characteristics, and 1-year outcome. <i>American Heart Journal</i> , 2007 , 154, 1108-15	4.9	126
19	Missed opportunities for the secondary prevention of cardiovascular disease in Canada. <i>Canadian Journal of Cardiology</i> , 2007 , 23, 1124-30	3.8	24
18	Images in cardiovascular medicine. Myocardial fibroma in gorlin syndrome by cardiac magnetic resonance imaging. <i>Circulation</i> , 2006 , 114, e376-9	16.7	25
17	Characterization of microvascular dysfunction after acute myocardial infarction by cardiovascular magnetic resonance first-pass perfusion and late gadolinium enhancement imaging. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2006 , 8, 831-7	6.9	52
16	Characterization of the peri-infarct zone by contrast-enhanced cardiac magnetic resonance imaging is a powerful predictor of post-myocardial infarction mortality. <i>Circulation</i> , 2006 , 114, 32-9	16.7	592
15	Treatment and one-year outcome of patients with renal dysfunction across the broad spectrum of acute coronary syndromes. <i>Canadian Journal of Cardiology</i> , 2006 , 22, 115-20	3.8	32
14	Plasma matrix metalloproteinase-9 level is correlated with left ventricular volumes and ejection fraction in patients with heart failure. <i>Journal of Cardiac Failure</i> , 2006 , 12, 514-9	3.3	64
13	Contemporary management of dyslipidemia in high-risk patients: targets still not met. <i>American Journal of Medicine</i> , 2006 , 119, 676-83	2.4	133
12	Age-related differences in the management and outcome of patients with acute coronary syndromes. <i>American Heart Journal</i> , 2006 , 151, 352-9	4.9	79
11	ST-segment depression in non-ST elevation acute coronary syndromes: quantitative analysis may not provide incremental prognostic value beyond comprehensive risk stratification. <i>American Heart Journal</i> , 2006 , 152, 270-6	4.9	20
10	Underuse of evidence-based treatment partly explains the worse clinical outcome in diabetic patients with acute coronary syndromes. <i>American Heart Journal</i> , 2006 , 152, 676-83	4.9	37

9	Narrative review: pharmacotherapy for chronic heart failure: evidence from recent clinical trials. <i>Annals of Internal Medicine</i> , 2005 , 142, 132-45	8	31
8	Usefulness of temporal changes in neurohormones as markers of ventricular remodeling and prognosis in patients with left ventricular systolic dysfunction and heart failure receiving either candesartan or enalapril or both. <i>American Journal of Cardiology</i> , 2005 , 96, 698-704	3	58
7	In-hospital revascularization and one-year outcome of acute coronary syndrome patients stratified by the GRACE risk score. <i>American Journal of Cardiology</i> , 2005 , 96, 913-6	3	95
6	Troponin is more useful than creatine kinase in predicting one-year mortality among acute coronary syndrome patients. <i>European Heart Journal</i> , 2004 , 25, 2006-12	9.5	18
5	One-year outcome of patients after acute coronary syndromes (from the Canadian Acute Coronary Syndromes Registry). <i>American Journal of Cardiology</i> , 2004 , 94, 25-9	3	82
4	Clinical trial–derived risk model may not generalize to real-world patients with acute coronary syndrome. <i>American Heart Journal</i> , 2004 , 148, 1020-7	4.9	73
3	Low-molecular-weight heparins in ischemic heart disease. <i>Current Opinion in Cardiology</i> , 2004 , 19, 309-16.	1	5
2	The role of continuous positive airway pressure in the treatment of congestive heart failure. <i>Chest</i> , 2001 , 120, 1675-85	5.3	59
1	Tissue expression and immunolocalization of tumor necrosis factor-alpha in postinfarction dysfunctional myocardium. <i>Circulation</i> , 1999 , 99, 1492-8	16.7	318