

Arjen Bot

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3384802/publications.pdf>

Version: 2024-02-01

75
papers

2,964
citations

159585

30
h-index

168389

53
g-index

78
all docs

78
docs citations

78
times ranked

1829
citing authors

#	ARTICLE	IF	CITATIONS
1	Structuring of edible oils by alternatives to crystalline fat. <i>Current Opinion in Colloid and Interface Science</i> , 2007, 12, 221-231.	7.4	314
2	Structuring of edible oils by mixtures of β -oryzanol with β -sitosterol or related phytosterols. <i>JAOCS, Journal of the American Oil Chemists' Society</i> , 2006, 83, 513-521.	1.9	218
3	Structuring of edible oils by long-chain FA, fatty alcohols, and their mixtures. <i>JAOCS, Journal of the American Oil Chemists' Society</i> , 2004, 81, 1-6.	1.9	173
4	Fibrils of β -oryzanol + β -sitosterol in Edible Oil Organogels. <i>JAOCS, Journal of the American Oil Chemists' Society</i> , 2008, 85, 1127-1134.	1.9	140
5	Influence of crystallisation conditions on the large deformation rheology of inulin gels. <i>Food Hydrocolloids</i> , 2004, 18, 547-556.	10.7	127
6	Non-TAG structuring of edible oils and emulsions. <i>Food Hydrocolloids</i> , 2009, 23, 1184-1189.	10.7	107
7	Organogel-Emulsions with Mixtures of β -Sitosterol and β -Oryzanol: Influence of Water Activity and Type of Oil Phase on Gelling Capability. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 3462-3470.	5.2	98
8	Acid-induced gelation of heat-treated milk studied by diffusing wave spectroscopy. <i>Colloids and Surfaces B: Biointerfaces</i> , 2001, 21, 245-250.	5.0	95
9	Large deformation rheology of gelatin gels. <i>Polymer Gels and Networks</i> , 1996, 4, 189-227.	0.6	92
10	Edible oleogels in molecular gastronomy. <i>International Journal of Gastronomy and Food Science</i> , 2014, 2, 22-31.	3.0	89
11	Molecular theory of strain hardening of a polymer gel: Application to gelatin. <i>Journal of Chemical Physics</i> , 1996, 104, 9202-9219.	3.0	76
12	Gelation Mechanism of Milk as Influenced by Temperature and pH; Studied by the Use of Transglutaminase Cross-Linked Casein Micelles. <i>Journal of Dairy Science</i> , 2003, 86, 1556-1563.	3.4	75
13	Effect of Sterol Type on Structure of Tubules in Sterol + β -Oryzanol-Based Organogels. <i>Food Biophysics</i> , 2009, 4, 266-272.	3.0	74
14	Phase diagram of mixtures of stearic acid and stearyl alcohol. <i>Thermochimica Acta</i> , 2003, 404, 9-17.	2.7	72
15	Organogel-Based Emulsion Systems, Microstructural Features and Impact on In Vitro Digestion. <i>JAOCS, Journal of the American Oil Chemists' Society</i> , 2009, 86, 733-741.	1.9	65
16	Structuring in β -sitosterol+ β -oryzanol-based emulsion gels during various stages of a temperature cycle. <i>Food Hydrocolloids</i> , 2011, 25, 639-646.	10.7	61
17	The Influence of Concentration and Temperature on the Formation of β -Oryzanol+ β -Sitosterol Tubules in Edible Oil Organogels. <i>Food Biophysics</i> , 2011, 6, 20-25.	3.0	57
18	Multicomponent Hollow Tubules Formed Using Phytosterol and β -Oryzanol-Based Compounds: An Understanding of Their Molecular Embrace. <i>Journal of Physical Chemistry A</i> , 2010, 114, 8278-8285.	2.5	54

#	ARTICLE	IF	CITATIONS
19	Rheological Properties of Glutenin Subfractions in Relation to their Molecular Weight. <i>Journal of Cereal Science</i> , 1997, 26, 15-27.	3.7	47
20	Differential Scanning Calorimetric Study on the Effects of Frozen Storage on Gluten and Dough. <i>Cereal Chemistry</i> , 2003, 80, 366-370.	2.2	46
21	Elucidation of density profile of self-assembled sitosterol + oryzanol tubules with small-angle neutron scattering. <i>Faraday Discussions</i> , 2012, 158, 223.	3.2	45
22	Melting behaviour of schizophyllan extracellular polysaccharide gels in the temperature range between 5 and 20°C. <i>Carbohydrate Polymers</i> , 2001, 45, 363-372.	10.2	44
23	The Phase Behavior of β -Oryzanol and β -Sitosterol in Edible Oil. <i>JAOCS, Journal of the American Oil Chemists' Society</i> , 2015, 92, 1651-1659.	1.9	44
24	The influence of the type of oil phase on the self-assembly process of β -oryzanol + β -sitosterol tubules in organogel systems. <i>European Journal of Lipid Science and Technology</i> , 2013, 115, 295-300.	1.5	43
25	Stability of aqueous food grade fibrillar systems against pH change. <i>Faraday Discussions</i> , 2012, 158, 125.	3.2	42
26	Effect of water on self-assembled tubules in β -sitosterol + β -oryzanol-based organogels. <i>Journal of Physics: Conference Series</i> , 2010, 247, 012025.	0.4	41
27	Stability of Whey-Protein-Stabilized Oil-in-Water Emulsions during Chilled Storage and Temperature Cycling. <i>Journal of Agricultural and Food Chemistry</i> , 2004, 52, 3823-3830.	5.2	40
28	The use of static light scattering and pulsed-field gradient NMR to measure droplet sizes in heat-treated acidified protein-stabilised oil-in-water emulsion gels. <i>International Dairy Journal</i> , 2004, 14, 287-295.	3.0	31
29	Practical implications of the phase-compositional assessment of lipid-based food products by time-domain NMR. <i>JAOCS, Journal of the American Oil Chemists' Society</i> , 2006, 83, 905-912.	1.9	31
30	Manipulation of glycemic response with isomaltulose in a milk-based drink does not affect cognitive performance in healthy adults. <i>Molecular Nutrition and Food Research</i> , 2010, 54, 506-515.	3.3	31
31	Observation of fast sound in disparate-mass gas mixtures by light scattering. <i>Physical Review Letters</i> , 1989, 63, 2697-2700.	7.8	28
32	Molecular theory of the yield behavior of a polymer gel: Application to gelatin. <i>Journal of Chemical Physics</i> , 1996, 104, 9220-9233.	3.0	28
33	Effect of denaturation on temperature cycling stability of heated acidified protein-stabilised o/w emulsion gels. <i>Food Hydrocolloids</i> , 2005, 19, 493-501.	10.7	27
34	Temperature cycling stability of pre-heated acidified whey protein-stabilised o/w emulsion gels in relation to the internal surface area of the emulsion. <i>Food Hydrocolloids</i> , 2006, 20, 245-252.	10.7	26
35	Casein micelles as a vehicle for iron fortification of foods. <i>European Food Research and Technology</i> , 2009, 229, 929-935.	3.3	26
36	An ultrahigh vacuum (UHV) apparatus to study the interaction between adsorbates and photons. <i>Measurement Science and Technology</i> , 1997, 8, 1313-1322.	2.6	23

#	ARTICLE	IF	CITATIONS
37	Stability of casein micelle subjected to reversible CO ₂ acidification: Impact of holding time and chilled storage. <i>International Dairy Journal</i> , 2007, 17, 873-880.	3.0	22
38	Small-angle x-ray scattering from supercooled water. <i>Physical Review A</i> , 1988, 38, 6439-6441.	2.5	21
39	The adsorption of Ba on Ag(111). <i>Journal of Physics Condensed Matter</i> , 1993, 5, 5411-5428.	1.8	20
40	Effects of emulsifiers on vegetable-fat based aerated emulsions with interfacial rheological contributions. <i>Food Research International</i> , 2013, 53, 342-351.	6.2	20
41	Influence of Calcium Salt Supplementation on Calcium Equilibrium in Skim Milk During pH Cycle. <i>Journal of Dairy Science</i> , 2007, 90, 2155-2162.	3.4	18
42	Effect of hydrolysed egg protein on brain tryptophan availability. <i>British Journal of Nutrition</i> , 2011, 105, 611-617.	2.3	18
43	Effect of processing on droplet cluster structure in emulsion gels. <i>Food Hydrocolloids</i> , 2007, 21, 844-854.	10.7	16
44	Rayleigh-Brillouin light-scattering study of both fast and slow sound in binary gas mixtures. <i>Physical Review A</i> , 1991, 44, 8062-8071.	2.5	14
45	Effects of Oil Type on Sterol-Based Organogels and Emulsions. <i>Food Biophysics</i> , 2021, 16, 109-118.	3.0	14
46	Iron fortification of skim milk: Minerals and ⁵⁷ Fe Mössbauer study. <i>International Dairy Journal</i> , 2009, 19, 56-63.	3.0	13
47	Edible Oil Organogels Based on Self-assembled ¹² -sitosterol + ¹³ -oryzanol Tubules. , 2011, , 49-79.		13
48	Osmotic Properties of Gluten. <i>Cereal Chemistry</i> , 2003, 80, 404-408.	2.2	11
49	Modelling acidified emulsion gels as Matryoshka composites: Firmness and syneresis. <i>Food Hydrocolloids</i> , 2014, 34, 88-97.	10.7	11
50	Brillouin light scattering from a biopolymer gel: hypersonic sound waves in gelatin. <i>Colloid and Polymer Science</i> , 1995, 273, 252-256.	2.1	10
51	Edible Oil Oleogels Based on Self-assembled ¹² -Sitosterol + ¹³ -Oryzanol Tubules. , 2018, , 31-63.		10
52	Stability of casein micelles subjected to CO ₂ reversible acidification: Impact of carbonation temperature and chilled storage time. <i>International Dairy Journal</i> , 2008, 18, 221-227.	3.0	9
53	Rayleigh-Brillouin light scattering from multicomponent mixtures: The Landau-Placzek ratio. <i>Journal of Applied Physics</i> , 1989, 66, 2118-2121.	2.5	7
54	Probing the droplet cluster structure in acidified temperature-cycled o/w emulsion gels by means of SESANS. <i>International Journal of Food Science and Technology</i> , 2007, 42, 746-752.	2.7	7

#	ARTICLE	IF	CITATIONS
55	Phase-Separating Binary Polymer Mixtures: The Degeneracy of the Virial Coefficients and Their Extraction from Phase Diagrams. ACS Omega, 2021, 6, 7862-7878.	3.5	7
56	Fast and slow sound in binary fluid mixtures. Journal of Physics Condensed Matter, 1990, 2, SA157-SA160.	1.8	6
57	Surface diffusion during thin film annealing studied by XPS. Surface Science, 1993, 287-288, 901-906.	1.9	6
58	Phytosterols. , 2019, , 225-228.		6
59	Second order virial coefficients from phase diagrams. Food Hydrocolloids, 2020, 101, 105546.	10.7	6
60	The texture and microstructure of spreads * *This chapter is a revised version of: Bot, A., Flater, E., Lammers, J.G., and Pelan, E.G. (2003). "Controlling the texture of spreads"™, in Texture in Food. Vol. 1. Semi-solid Foods, editor B.M. McKenna, Woodhead Publishing, Cambridge, pp. 350-372.. , 2007, , 575-599.		6
61	At-line and inline prediction of droplet size in mayonnaise with near-infrared spectroscopy. Infrared Physics and Technology, 2022, 123, 104155.	2.9	6
62	Rayleigh-Brillouin light scattering from noble gas mixtures. 2. Partial structure factors. The Journal of Physical Chemistry, 1991, 95, 4679-4685.	2.9	4
63	Rayleigh-Brillouin light scattering from noble gas mixtures. 1. The Landau-Placzek ratio. The Journal of Physical Chemistry, 1991, 95, 4673-4679.	2.9	4
64	Corrigendum to "second order virial coefficients from phase diagrams." [Food Hydrocolloids 101 (2020) 105546]. Food Hydrocolloids, 2021, 112, 106324.	10.7	4
65	Hydrodynamic states in water below the temperature of the density maximum: The limit to supercooling. Chemical Physics Letters, 1988, 145, 242-246.	2.6	2
66	Light scattering as a probe of thermodynamic quantities in a binary mixture. Fluid Phase Equilibria, 1992, 77, 285-295.	2.5	2
67	Cream Cheese as an Acidified Protein-Stabilized Emulsion Gel. , 0, , 651-672.		2
68	CHAPTER 5. Structuring Edible Oil Phases with Fatty Acids and Alcohols. Food Chemistry, Function and Analysis, 2017, , 95-105.	0.2	2
69	Comment on "Refractive index variations in pure liquids: a new theoretical relation". The Journal of Physical Chemistry, 1993, 97, 2804-2804.	2.9	1
70	Rayleigh-Brillouin Light Scattering: Spectral Moments and Sum Rules. The Journal of Physical Chemistry, 1994, 98, 3139-3147.	2.9	1
71	Controlling the texture of spreads. , 2003, , .		1
72	Meta-analysis of critical points to determine second virial coefficients for binary biopolymer mixtures. Food Hydrocolloids, 2022, 126, 107473.	10.7	1

#	ARTICLE	IF	CITATIONS
73	Microstructural aspects of protein-based drinks. , 2007, , 622-647.		0
74	Non-triglyceride structuring of edible oils and emulsions. Acta Crystallographica Section A: Foundations and Advances, 2010, 66, s250-s251.	0.3	0
75	TIME-TEMPERATURE SUPERPOSITION FOR NETWORKS FORMED BY GLUTEN SUBFRACTIONS. , 1995, , 99-105.		0