

Atif Rahman

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3385061/publications.pdf>

Version: 2024-02-01

67
papers

4,787
citations

201674

27
h-index

133252

59
g-index

70
all docs

70
docs citations

70
times ranked

5266
citing authors

#	ARTICLE	IF	CITATIONS
1	Cultural adaptation and psychometric validation of the Pregnancy Experience Scale“Brief version (PES-Brief) in Pakistani women with antenatal anxiety symptoms. SSM Mental Health, 2022, 2, 100055.	1.8	4
2	Standardising Training of Nurses in an Evidence-Based Psychosocial Intervention for Perinatal Depression: Randomized Trial of Electronic vs. Face-to-Face Training in China. International Journal of Environmental Research and Public Health, 2022, 19, 4094.	2.6	2
3	Effects of a maternal psychosocial intervention on hair derived biomarkers of HPA axis function in mothers and children in rural Pakistan. SSM Mental Health, 2022, 2, 100082.	1.8	2
4	Prevention of common mental disorders among women in the perinatal period: a critical mixed-methods review and meta-analysis. Global Mental Health (Cambridge, England), 2022, 9, 157-172.	2.5	11
5	Association of Task-Shared Psychological Interventions With Depression Outcomes in Low- and Middle-Income Countries. JAMA Psychiatry, 2022, 79, 430.	11.0	22
6	Predicting Remission among Perinatal Women with Depression in Rural Pakistan: A Prognostic Model for Task-Shared Interventions in Primary Care Settings. Journal of Personalized Medicine, 2022, 12, 1046.	2.5	2
7	Technology-assisted peer therapy: a new way of delivering evidence-based psychological interventions. BMC Health Services Research, 2022, 22, .	2.2	3
8	Multiple mediation analysis of the peer-delivered Thinking Healthy Programme for perinatal depression: findings from two parallel, randomised controlled trials. British Journal of Psychiatry, 2021, 218, 143-150.	2.8	15
9	A behaviour change intervention to reduce home exposure to second hand smoke during pregnancy in India and Bangladesh: a theory and evidence-based approach to development. Pilot and Feasibility Studies, 2021, 7, 74.	1.2	4
10	Effectiveness of the Thinking Healthy Programme for perinatal depression delivered through peers: Pooled analysis of two randomized controlled trials in India and Pakistan. Journal of Affective Disorders, 2020, 265, 660-668.	4.1	21
11	Effectiveness of a peer-delivered, psychosocial intervention on maternal depression and child development at 3 years postnatal: a cluster randomised trial in Pakistan. Lancet Psychiatry,the, 2020, 7, 775-787.	7.4	30
12	Association of Maternal depression with diet: A systematic review. Asian Journal of Psychiatry, 2020, 52, 102098.	2.0	16
13	A scientometric analysis of birth cohorts in South Asia: Way forward for Pakistan. PLoS ONE, 2020, 15, e0235385.	2.5	5
14	Cognitive“behavioral therapy-based intervention to treat symptoms of anxiety in pregnancy in a prenatal clinic using non-specialist providers in Pakistan: design of a randomised trial. BMJ Open, 2020, 10, e037590.	1.9	19
15	A scientometric analysis of birth cohorts in South Asia: Way forward for Pakistan. , 2020, 15, e0235385.		0
16	A scientometric analysis of birth cohorts in South Asia: Way forward for Pakistan. , 2020, 15, e0235385.		0
17	A scientometric analysis of birth cohorts in South Asia: Way forward for Pakistan. , 2020, 15, e0235385.		0
18	A scientometric analysis of birth cohorts in South Asia: Way forward for Pakistan. , 2020, 15, e0235385.		0

#	ARTICLE	IF	CITATIONS
19	A scientometric analysis of birth cohorts in South Asia: Way forward for Pakistan. , 2020, 15, e0235385.		0
20	A scientometric analysis of birth cohorts in South Asia: Way forward for Pakistan. , 2020, 15, e0235385.		0
21	A scientometric analysis of birth cohorts in South Asia: Way forward for Pakistan. , 2020, 15, e0235385.		0
22	A scientometric analysis of birth cohorts in South Asia: Way forward for Pakistan. , 2020, 15, e0235385.		0
23	A scientometric analysis of birth cohorts in South Asia: Way forward for Pakistan. , 2020, 15, e0235385.		0
24	A scientometric analysis of birth cohorts in South Asia: Way forward for Pakistan. , 2020, 15, e0235385.		0
25	Father involvement in the first year of life: Associations with maternal mental health and child development outcomes in rural Pakistan. Social Science and Medicine, 2019, 237, 112421.	3.8	40
26	Delivering maternal mental health through peer volunteers: a 5-year report. International Journal of Mental Health Systems, 2019, 13, 62.	2.7	22
27	Using technology to scale-up training and supervision of community health workers in the psychosocial management of perinatal depression: a non-inferiority, randomized controlled trial. Global Mental Health (Cambridge, England), 2019, 6, e8.	2.5	46
28	Delivering the Thinking Healthy Programme for perinatal depression through volunteer peers: a cluster randomised controlled trial in Pakistan. Lancet Psychiatry,the, 2019, 6, 128-139.	7.4	125
29	Delivering the Thinking Healthy Programme for perinatal depression through peers: an individually randomised controlled trial in India. Lancet Psychiatry,the, 2019, 6, 115-127.	7.4	91
30	The relationship between responsive caregiving and child outcomes: evidence from direct observations of mother-child dyads in Pakistan. BMC Public Health, 2019, 19, 252.	2.9	39
31	Associations between antenatal depression and neonatal outcomes in Malawi. Maternal and Child Nutrition, 2019, 15, e12709.	3.0	9
32	Development of a Psychological Intervention to Address Anxiety During Pregnancy in a Low-Income Country. Frontiers in Psychiatry, 2019, 10, 927.	2.6	38
33	Online interviewing with interpreters in humanitarian contexts. International Journal of Qualitative Studies on Health and Well-being, 2018, 13, 1444887.	1.6	20
34	Mental disorders in the Eastern Mediterranean Region. International Journal of Public Health, 2018, 63, 9-10.	2.3	8
35	A haven of green space: learning from a pilot pre-post evaluation of a school-based social and therapeutic horticulture intervention with children. BMC Public Health, 2018, 18, 836.	2.9	20
36	On the Frontline: Exploring the Perceptions of Lahore's Inner-city School Teachers Regarding Children Problems. Iranian Journal of Public Health, 2018, 47, 1537-1545.	0.5	1

#	ARTICLE	IF	CITATIONS
37	The impact of maternal diet fortification with lipid-based nutrient supplements on postpartum depression in rural Malawi: a randomised-controlled trial. <i>Maternal and Child Nutrition</i> , 2017, 13, .	3.0	12
38	Ethical standards for mental health and psychosocial support research in emergencies: review of literature and current debates. <i>Globalization and Health</i> , 2017, 13, 8.	4.9	27
39	Mother-to-mother therapy in India and Pakistan: adaptation and feasibility evaluation of the peer-delivered Thinking Healthy Programme. <i>BMC Psychiatry</i> , 2017, 17, 79.	2.6	56
40	Behaviour change interventions to reduce second-hand smoke exposure at home in pregnant women – a systematic review and intervention appraisal. <i>BMC Pregnancy and Childbirth</i> , 2017, 17, 378.	2.4	22
41	Prioritizing research for integrated implementation of early childhood development and maternal, newborn, child and adolescent health and nutrition platforms. <i>Journal of Global Health</i> , 2017, 7, 011002.	2.7	23
42	“He Doesn’t Listen to My Words at All, So I Don’t Tell Him Anything” A Qualitative Investigation on Exposure to Second Hand Smoke among Pregnant Women, Their Husbands and Family Members from Rural Bangladesh and Urban India. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 1098.	2.6	13
43	Preventing infant and child morbidity and mortality due to maternal depression. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2016, 36, 156-168.	2.8	39
44	The impact of perinatal depression on exclusive breastfeeding: a cohort study. <i>Maternal and Child Nutrition</i> , 2016, 12, 452-462.	3.0	52
45	The effectiveness of the peer delivered Thinking Healthy Plus (THPP+) Programme for maternal depression and child socio-emotional development in Pakistan: study protocol for a three-year cluster randomized controlled trial. <i>Trials</i> , 2016, 17, 442.	1.6	48
46	Barefoot therapists: barriers and facilitators to delivering maternal mental health care through peer volunteers in Pakistan: a qualitative study. <i>International Journal of Mental Health Systems</i> , 2016, 10, 24.	2.7	53
47	The effectiveness of Technology-assisted Cascade Training and Supervision of community health workers in delivering the Thinking Healthy Program for perinatal depression in a post-conflict area of Pakistan – study protocol for a randomized controlled trial. <i>Trials</i> , 2016, 17, 188.	1.6	21
48	Effectiveness of the parent-mediated intervention for children with autism spectrum disorder in south Asia in India and Pakistan (PASS): a randomised controlled trial. <i>Lancet Psychiatry</i> , 2016, 3, 128-136.	7.4	147
49	Integrating Children’s Mental Health into Primary Care. <i>Pediatric Clinics of North America</i> , 2016, 63, 97-113.	1.8	67
50	Adapting an evidence-based intervention for autism spectrum disorder for scaling up in resource-constrained settings: the development of the PASS intervention in South Asia. <i>Global Health Action</i> , 2015, 8, 27278.	1.9	70
51	The effectiveness and cost-effectiveness of the peer-delivered Thinking Healthy Programme for perinatal depression in Pakistan and India: the SHARE study protocol for randomised controlled trials. <i>Trials</i> , 2015, 16, 534.	1.6	63
52	Group psychological intervention for postnatal depression: a nested qualitative study with British South Asian women. <i>BMC Women’s Health</i> , 2015, 15, 109.	2.0	22
53	Psychological distress and its associations with past events in pregnant women affected by armed conflict in Swat, Pakistan: a cross sectional study. <i>Conflict and Health</i> , 2015, 9, 37.	2.7	18
54	Highlighting the evidence gap: how cost-effective are interventions to improve early childhood nutrition and development?. <i>Health Policy and Planning</i> , 2015, 30, 813-821.	2.7	22

#	ARTICLE	IF	CITATIONS
55	Maternal mental health: The missing link in the global maternal and child health agenda. <i>Seminars in Perinatology</i> , 2015, 39, 345-352.	2.5	89
56	Cognitive-Behavioral Counseling for Exclusive Breastfeeding in Rural Pediatrics: A Cluster RCT. <i>Pediatrics</i> , 2015, 135, e424-e431.	2.1	34
57	Effect of an early perinatal depression intervention on long-term child development outcomes: follow-up of the Thinking Healthy Programme randomised controlled trial. <i>Lancet Psychiatry</i> , 2015, 2, 609-617.	7.4	79
58	Underage drinking in the UK: Changing trends, impact and interventions. A rapid evidence synthesis. <i>International Journal of Drug Policy</i> , 2014, 25, 124-132.	3.3	56
59	Effects of perinatal mental disorders on the fetus and child. <i>Lancet</i> , 2014, 384, 1800-1819.	13.7	1,562
60	Someone like us: Delivering maternal mental health through peers in two South Asian contexts. <i>Journal of Affective Disorders</i> , 2014, 168, 452-458.	4.1	51
61	Using consumer perspectives to inform the cultural adaptation of psychological treatments for depression: A mixed methods study from South Asia. <i>Journal of Affective Disorders</i> , 2014, 163, 88-101.	4.1	40
62	The content and delivery of psychological interventions for perinatal depression by non-specialist health workers in low and middle income countries: A systematic review. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2014, 28, 113-133.	2.8	117
63	Grand Challenges: Integrating Maternal Mental Health into Maternal and Child Health Programmes. <i>PLoS Medicine</i> , 2013, 10, e1001442.	8.4	263
64	Interventions for common perinatal mental disorders in women in low- and middle-income countries: a systematic review and meta-analysis. <i>Bulletin of the World Health Organization</i> , 2013, 91, 593-601.	3.3	285
65	Effective treatment of perinatal depression for women in debt and lacking financial empowerment in a low-income country. <i>British Journal of Psychiatry</i> , 2012, 201, 451-457.	2.8	35
66	Using cognitive-behavioural techniques to improve exclusive breastfeeding in a low-literacy disadvantaged population. <i>Maternal and Child Nutrition</i> , 2012, 8, 57-71.	3.0	29
67	Cognitive behaviour therapy-based intervention by community health workers for mothers with depression and their infants in rural Pakistan: a cluster-randomised controlled trial. <i>Lancet</i> , 2008, 372, 902-909.	13.7	753