

Xianfu Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3385208/publications.pdf>

Version: 2024-02-01

102
papers

11,590
citations

31949

53
h-index

28275

105
g-index

105
all docs

105
docs citations

105
times ranked

13748
citing authors

#	ARTICLE	IF	CITATIONS
1	Ni ₃ S ₂ @Ni ₅ P ₄ nanosheets as highly productive catalyst for electrocatalytic oxygen evolution. <i>Chemical Engineering Science</i> , 2022, 247, 117020.	1.9	12
2	Low-Energy Oxygen Plasma Injection of 2D Bi ₂ Se ₃ Realizes Highly Controllable Resistive Random Access Memory. <i>Advanced Functional Materials</i> , 2022, 32, 2108455.	7.8	27
3	Eliminating anion depletion region and promoting Li ⁺ solvation via anionphilic metal organic framework for dendrite-free lithium deposition. <i>Nano Energy</i> , 2022, 92, 106708.	8.2	14
4	Electronic and Photoelectronic Memristors Based on 2D Materials. <i>Advanced Electronic Materials</i> , 2022, 8, 2101099.	2.6	28
5	In-Situ/Operando Raman Techniques in Lithium-Sulfur Batteries. <i>Small Structures</i> , 2022, 3, .	6.9	44
6	On-chip high-energy interdigital micro-supercapacitors with 3D nanotubular array electrodes. <i>Journal of Materials Chemistry A</i> , 2022, 10, 14051-14059.	5.2	13
7	Facile and Rapid Synthesis of Porous Hydrated V ₂ O ₅ Nanoflakes for High-Performance Zinc Ion Battery Applications. <i>Nanomaterials</i> , 2022, 12, 2400.	1.9	4
8	Ferroelectric polarization accelerates lithium-ion diffusion for dendrite-free and highly-practical lithium-metal batteries. <i>Nano Energy</i> , 2021, 79, 105481.	8.2	32
9	2D Polarized Materials: Ferromagnetic, Ferrovalley, Ferroelectric Materials, and Related Heterostructures. <i>Advanced Materials</i> , 2021, 33, e2004469.	11.1	45
10	In-situ phase transition induced nanoheterostructure for overall water splitting. <i>Chemical Engineering Journal</i> , 2021, 409, 128156.	6.6	19
11	In-situ tracking of phase conversion reaction induced metal/metal oxides for efficient oxygen evolution. <i>Science China Materials</i> , 2021, 64, 362-373.	3.5	19
12	An artificial hybrid interphase for an ultrahigh-rate and practical lithium metal anode. <i>Energy and Environmental Science</i> , 2021, 14, 4115-4124.	15.6	376
13	Strong intermolecular polarization to boost polysulfide conversion kinetics for high-performance lithium-sulfur batteries. <i>Journal of Materials Chemistry A</i> , 2021, 9, 9771-9779.	5.2	21
14	Low Field Gradient and Highly Enhanced Plasmonic Nanocavity Array for Supersensitive Determination of Multiple Hazardous Chemical Residues. <i>Journal of Physical Chemistry C</i> , 2021, 125, 4710-4719.	1.5	6
15	Recent Advances in 2D Superconductors. <i>Advanced Materials</i> , 2021, 33, e2006124.	11.1	68
16	3D Printed Li-S Batteries with In Situ Decorated Li ₂ S/C Cathode: Interface Engineering Induced Loading-Insensitivity for Scaled Areal Performance. <i>Advanced Energy Materials</i> , 2021, 11, 2100420.	10.2	37
17	Synergistic performance of nitrogen and sulfur co-doped Ti ₃ C ₂ TX for electrohydrogenation of N ₂ to NH ₃ . <i>Journal of Alloys and Compounds</i> , 2021, 869, 159335.	2.8	16
18	Ion-Inserted Metal-Organic Frameworks Accelerate the Mass Transfer Kinetics in Lithium-Sulfur Batteries. <i>Small</i> , 2021, 17, e2104367.	5.2	13

#	ARTICLE	IF	CITATIONS
19	Coupling enhancement mechanisms, materials, and strategies for surface-enhanced Raman scattering devices. <i>Analyst</i> , The, 2021, 146, 5008-5032.	1.7	15
20	Genetic engineering of porous sulfur species with molecular target prevents host passivation in lithium sulfur batteries. <i>Energy Storage Materials</i> , 2020, 26, 65-72.	9.5	31
21	Adsorption-Catalysis Design in the Lithium-Sulfur Battery. <i>Advanced Energy Materials</i> , 2020, 10, 1903008.	10.2	275
22	Boron-Modified Electron Transfer in Metallic 1T MoSe ₂ for Enhanced Inherent Activity on Peracetic Catalytic Site toward Hydrogen Evolution. <i>Advanced Materials Interfaces</i> , 2020, 7, 1901560.	1.9	22
23	Atomic Structure Modification for Electrochemical Nitrogen Reduction to Ammonia. <i>Advanced Energy Materials</i> , 2020, 10, 1903172.	10.2	110
24	Graphene quantum dots as the nucleation sites and interfacial regulator to suppress lithium dendrites for high-loading lithium-sulfur battery. <i>Nano Energy</i> , 2020, 68, 104373.	8.2	95
25	Optimizing Redox Reactions in Aprotic Lithium-Sulfur Batteries. <i>Advanced Energy Materials</i> , 2020, 10, 2002180.	10.2	112
26	Record-Low Subthreshold-Swing Negative-Capacitance 2D Field-Effect Transistors. <i>Advanced Materials</i> , 2020, 32, e2005353.	11.1	31
27	Enhanced water oxidation activity of 3D porous carbon by incorporation of heterogeneous Ni/NiO nanoparticles. <i>Applied Surface Science</i> , 2020, 530, 147192.	3.1	24
28	Ultrabroadband Photodetectors up to 10.6 Åm Based on 2D Fe ₃ O ₄ Nanosheets. <i>Advanced Materials</i> , 2020, 32, e2002237.	11.1	57
29	Strategies toward High-Loading Lithium-Sulfur Battery. <i>Advanced Energy Materials</i> , 2020, 10, 2000082.	10.2	272
30	Bimetal Schottky Heterojunction Boosting Energy-Saving Hydrogen Production from Alkaline Water via Urea Electrocatalysis. <i>Advanced Functional Materials</i> , 2020, 30, 2000556.	7.8	216
31	Heterostructured NiS ₂ /ZnIn ₂ S ₄ Realizing Toroid-like Li ₂ O ₂ Deposition in Lithium-Oxygen Batteries with Low-Donor-Number Solvents. <i>ACS Nano</i> , 2020, 14, 3490-3499.	7.3	113
32	Large-Scale Ultrathin 2D Wide-Bandgap BiOBr Nanoflakes for Gate-Controlled Deep-Ultraviolet Phototransistors. <i>Advanced Materials</i> , 2020, 32, e1908242.	11.1	100
33	In Situ Formed Gradient Bandgap Tunable Perovskite for Ultrahigh-Speed Color/Spectrum-Sensitive Photodetectors via Electron Donor Control. <i>Advanced Materials</i> , 2020, 32, e1908108.	11.1	55
34	Interfacial Capillary-Force-Driven Self-Assembly of Monolayer Colloidal Crystals for Supersensitive Plasmonic Sensors. <i>Small</i> , 2020, 16, e1905480.	5.2	17
35	Atom removal on the basal plane of layered MoS ₂ leading to extraordinarily enhanced electrocatalytic performance. <i>Electrochimica Acta</i> , 2020, 336, 135740.	2.6	16
36	In situ evolved NiMo/NiMoO ₄ nanorods as a bifunctional catalyst for overall water splitting. <i>Nanotechnology</i> , 2020, 31, 495404.	1.3	14

#	ARTICLE	IF	CITATIONS
37	Identification of Key Reversible Intermediates in Self-Reconstructed Nickel-Based Hybrid Electrocatalysts for Oxygen Evolution. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 17458-17464.	7.2	255
38	Identification of Key Reversible Intermediates in Self-Reconstructed Nickel-Based Hybrid Electrocatalysts for Oxygen Evolution. <i>Angewandte Chemie</i> , 2019, 131, 17619-17625.	1.6	45
39	Aluminum-Tailored Energy Level and Morphology of $\text{Co}_3\text{O}_4/\text{Al}_2\text{O}_3$ Porous Nanosheets toward Highly Efficient Electrocatalysts for Water Oxidation. <i>Small</i> , 2019, 15, e1804886.	5.2	30
40	Lithiophilic montmorillonite serves as lithium ion reservoir to facilitate uniform lithium deposition. <i>Nature Communications</i> , 2019, 10, 4973.	5.8	144
41	Recent Progress on Molybdenum Oxides for Rechargeable Batteries. <i>ChemSusChem</i> , 2019, 12, 755-771.	3.6	37
42	SnS_2 quantum dots growth on MoS_2 : Atomic-level heterostructure for electrocatalytic hydrogen evolution. <i>Electrochimica Acta</i> , 2019, 300, 45-52.	2.6	42
43	Blending Fe_3O_4 into a Ni/NiO composite for efficient and stable bifunctional electrocatalyst. <i>Electrochimica Acta</i> , 2018, 264, 225-232.	2.6	42
44	High Edge Selectivity of In Situ Electrochemical Pt Deposition on Edge-Rich Layered WS_2 Nanosheets. <i>Advanced Materials</i> , 2018, 30, 1704779.	11.1	84
45	Single-Nanostructured Electrochemical Detection for Intrinsic Mechanism of Energy Storage: Progress and Prospect. <i>Small</i> , 2018, 14, e1803482.	5.2	4
46	Redox Chemistry of Molybdenum Trioxide for Ultrafast Hydrogen-Ion Storage. <i>Angewandte Chemie</i> , 2018, 130, 11743-11747.	1.6	20
47	Highly Stretchable Waterproof Fiber Asymmetric Supercapacitors in an Integrated Structure. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 19820-19827.	4.0	31
48	Redox Chemistry of Molybdenum Trioxide for Ultrafast Hydrogen-Ion Storage. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 11569-11573.	7.2	116
49	Nitrogen-Doped Carbon Coated WS_2 Nanosheets as Anode for High-Performance Sodium-Ion Batteries. <i>Frontiers in Chemistry</i> , 2018, 6, 236.	1.8	22
50	Flexible high-energy asymmetric supercapacitors based on $\text{MnO}@C$ composite nanosheet electrodes. <i>Journal of Materials Chemistry A</i> , 2017, 5, 804-813.	5.2	49
51	Ni/Fe Ratio Dependence of Catalytic Activity in Monodisperse Ternary Nickel Iron Phosphide for Efficient Water Oxidation. <i>ChemElectroChem</i> , 2017, 4, 2150-2157.	1.7	44
52	TiO_2 Feather Duster as Effective Polysulfides Restrictor for Enhanced Electrochemical Kinetics in Lithium-Sulfur Batteries. <i>Small</i> , 2017, 13, 1701013.	5.2	147
53	Electronic Modulation of Electrocatalytically Active Center of Cu_7S_4 Nanodisks by Cobalt-Doping for Highly Efficient Oxygen Evolution Reaction. <i>ACS Nano</i> , 2017, 11, 12230-12239.	7.3	139
54	Self-Roll-Up Technology for Micro-Energy Storage Devices. <i>Wuli Huaxue Xuebao/ Acta Physico-Chimica Sinica</i> , 2017, 33, 18-27.	2.2	2

#	ARTICLE	IF	CITATIONS
55	Engineered nanomembranes for smart energy storage devices. <i>Chemical Society Reviews</i> , 2016, 45, 1308-1330.	18.7	167
56	Optimised synthesis of close packed ZnO cloth and its applications in Li-ion batteries and dye-sensitized solar cells. <i>Frontiers of Optoelectronics</i> , 2015, 8, 220-228.	1.9	1
57	Flexible fiber energy storage and integrated devices: recent progress and perspectives. <i>Materials Today</i> , 2015, 18, 265-272.	8.3	146
58	Intercalation pseudo-capacitive TiNb ₂ O ₇ @carbon electrode for high-performance lithium ion hybrid electrochemical supercapacitors with ultrahigh energy density. <i>Nano Energy</i> , 2015, 15, 104-115.	8.2	263
59	Tin Microspheres Grown on Carbon Cloth as Binder-Free Integrated Anode for High Capacity Lithium Storage. <i>Energy Technology</i> , 2014, 2, 370-375.	1.8	10
60	Spray-Coated Binder-Free SnSe Electrodes for High-Performance Energy Storage Devices. <i>ChemSusChem</i> , 2014, 7, 308-313.	3.6	81
61	Fiber-Based Flexible All-Solid-State Asymmetric Supercapacitors for Integrated Photodetecting System. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 1849-1853.	7.2	387
62	Core-Shell CuCo ₂ O ₄ @MnO ₂ Nanowires on Carbon Fabrics as High-Performance Materials for Flexible, All-Solid-State, Electrochemical Capacitors. <i>ChemElectroChem</i> , 2014, 1, 559-564.	1.7	149
63	Three-Dimensional Structural Engineering for Energy Storage Devices: From Microscope to Macroscope. <i>ChemElectroChem</i> , 2014, 1, 975-1002.	1.7	53
64	Memristor-Integrated Voltage-Stabilizing Supercapacitor System. <i>Advanced Materials</i> , 2014, 26, 4999-5004.	11.1	26
65	Constructing optimized wire electrodes for fiber supercapacitors. <i>Nano Energy</i> , 2014, 10, 99-107.	8.2	59
66	Flexible TiO ₂ /cellulose acetate hybrid film as a recyclable photocatalyst. <i>RSC Advances</i> , 2014, 4, 12640.	1.7	51
67	SnO ₂ @TiO ₂ Heterojunction Nanostructures for Lithium-Ion Batteries and Self-Powered UV Photodetectors with Improved Performances. <i>ChemElectroChem</i> , 2014, 1, 108-115.	1.7	104
68	Ultralong-life and high-rate web-like Li ₄ Ti ₅ O ₁₂ anode for high-performance flexible lithium-ion batteries. <i>Nano Research</i> , 2014, 7, 1073-1082.	5.8	100
69	Flexible Energy Storage Devices: Design Consideration and Recent Progress. <i>Advanced Materials</i> , 2014, 26, 4763-4782.	11.1	1,153
70	Hierarchical MnCo ₂ O ₄ nanosheet arrays/carbon cloths as integrated anodes for lithium-ion batteries with improved performance. <i>Nanoscale</i> , 2014, 6, 8858-8864.	2.8	121
71	Flexible coaxial-type fiber supercapacitor based on NiCo ₂ O ₄ nanosheets electrodes. <i>Nano Energy</i> , 2014, 8, 44-51.	8.2	248
72	Rechargeable Mg-Ion Batteries Based on WSe ₂ Nanowire Cathodes. <i>ACS Nano</i> , 2013, 7, 8051-8058.	7.3	244

#	ARTICLE	IF	CITATIONS
73	Advanced rechargeable lithium-ion batteries based on bendable ZnCo ₂ O ₄ -urchins-on-carbon-fibers electrodes. Nano Research, 2013, 6, 525-534.	5.8	109
74	SnO ₂ -microtube-assembled cloth for fully flexible self-powered photodetector nanosystems. Nanoscale, 2013, 5, 7831.	2.8	91
75	Highly Reversible Lithium Storage in Hierarchical Ca ₂ Ge ₇ O ₁₆ Nanowire Arrays/Carbon Textile Anodes. Chemistry - A European Journal, 2013, 19, 8650-8656.	1.7	50
76	Single-crystalline metal germanate nanowire-carbon textiles as binder-free, self-supported anodes for high-performance lithium storage. Nanoscale, 2013, 5, 10291.	2.8	53
77	New Energy Storage Option: Toward ZnCo ₂ O ₄ Nanorods/Nickel Foam Architectures for High-Performance Supercapacitors. ACS Applied Materials & Interfaces, 2013, 5, 10011-10017.	4.0	362
78	TiO ₂ modified FeS Nanostructures with Enhanced Electrochemical Performance for Lithium-Ion Batteries. Scientific Reports, 2013, 3, 2007.	1.6	133
79	Flexible, Planar-Integrated, All-Solid-State Fiber Supercapacitors with an Enhanced Distributed-Capacitance Effect. Small, 2013, 9, 1998-2004.	5.2	133
80	High-performance energy-storage devices based on WO ₃ nanowire arrays/carbon cloth integrated electrodes. Journal of Materials Chemistry A, 2013, 1, 7167.	5.2	203
81	Hierarchical silicon nanowires-carbon textiles matrix as a binder-free anode for high-performance advanced lithium-ion batteries. Scientific Reports, 2013, 3, 1622.	1.6	136
82	NiCo ₂ O ₄ nanowire arrays supported on Ni foam for high-performance flexible all-solid-state supercapacitors. Journal of Materials Chemistry A, 2013, 1, 2468.	5.2	344
83	ZnS Nanostructures: Synthesis, Properties, and Applications. Critical Reviews in Solid State and Materials Sciences, 2013, 38, 57-90.	6.8	104
84	Three-Dimensional Hierarchical GeSe ₂ Nanostructures for High Performance Flexible All-Solid-State Supercapacitors. Advanced Materials, 2013, 25, 1479-1486.	11.1	236
85	High-Performance Organic-Inorganic Hybrid Photodetectors Based on P3HT:CdSe Nanowire Heterojunctions on Rigid and Flexible Substrates. Advanced Functional Materials, 2013, 23, 1202-1209.	7.8	213
86	Single-Crystalline p-Type Zn ₃ As ₂ Nanowires for Field-Effect Transistors and Visible-Light Photodetectors on Rigid and Flexible Substrates. Advanced Functional Materials, 2013, 23, 2681-2690.	7.8	79
87	Zn ₂ GeO ₄ and In ₂ Ge ₂ O ₇ nanowire mats based ultraviolet photodetectors on rigid and flexible substrates. Optics Express, 2012, 20, 2982.	1.7	96
88	Morphology evolution of urchin-like NiCo ₂ O ₄ nanostructures and their applications as pseudocapacitors and photoelectrochemical cells. Journal of Materials Chemistry, 2012, 22, 21647.	6.7	310
89	Shape evolution and applications in water purification: the case of CVD-grown Zn ₂ SiO ₄ straw-bundles. Journal of Materials Chemistry, 2012, 22, 5330.	6.7	33
90	Gas sensors, thermistor and photodetector based on ZnS nanowires. Journal of Materials Chemistry, 2012, 22, 6845.	6.7	140

#	ARTICLE	IF	CITATIONS
91	Metal oxide nanowire transistors. <i>Journal of Materials Chemistry</i> , 2012, 22, 13428.	6.7	45
92	Nanorod-assembled Co ₃ O ₄ hexapods with enhanced electrochemical performance for lithium-ion batteries. <i>Journal of Materials Chemistry</i> , 2012, 22, 23541.	6.7	132
93	Fast fabrication of a WO ₃ ·2H ₂ O thin film with improved electrochromic properties. <i>Journal of Materials Chemistry</i> , 2012, 22, 19904.	6.7	73
94	Transparent metal oxide nanowire transistors. <i>Nanoscale</i> , 2012, 4, 3001.	2.8	44
95	Porous SnO ₂ nanoflowers derived from tin sulfide precursors as high performance gas sensors. <i>CrystEngComm</i> , 2012, 14, 6654.	1.3	31
96	Hierarchical Three-Dimensional ZnCo ₂ O ₄ Nanowire Arrays/Carbon Cloth Anodes for a Novel Class of High-Performance Flexible Lithium-Ion Batteries. <i>Nano Letters</i> , 2012, 12, 3005-3011.	4.5	967
97	Electric transport, reversible wettability and chemical sensing of single-crystalline zigzag Zn ₂ SnO ₄ nanowires. <i>Journal of Materials Chemistry</i> , 2011, 21, 17236.	6.7	39
98	Self-organized hierarchical zinc phosphide nanoribbon/zinc sulfide nanowire heterostructures. <i>CrystEngComm</i> , 2011, 13, 7305.	1.3	7
99	Synthesis, characterizations and improved gas-sensing performance of SnO ₂ nanospire arrays. <i>Journal of Materials Chemistry</i> , 2011, 21, 19086.	6.7	54
100	Ultrathin In ₂ O ₃ Nanowires with Diameters below 4 nm: Synthesis, Reversible Wettability Switching Behavior, and Transparent Thin-Film Transistor Applications. <i>ACS Nano</i> , 2011, 5, 6148-6155.	7.3	98
101	Indium Oxide Nanospirals Made of Kinked Nanowires. <i>ACS Nano</i> , 2011, 5, 2155-2161.	7.3	55
102	Growth of Directly Transferable In ₂ O ₃ Nanowire Mats for Transparent Thin-Film Transistor Applications. <i>Advanced Materials</i> , 2011, 23, 771-775.	11.1	96