

Adilson Fransozo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3385607/publications.pdf>

Version: 2024-02-01

106
papers

2,000
citations

236925

25
h-index

315739

38
g-index

106
all docs

106
docs citations

106
times ranked

710
citing authors

#	ARTICLE	IF	CITATIONS
1	Fecundity of the Crab <i>Callinectes Ornatus</i> Ordway, 1863 (Decapoda, Brachyura, Portunidae) From the Ubatuba Region, SÃ£o Paulo, Brazil. <i>Crustaceana</i> , 1997, 70, 214-226.	0.3	94
2	REPRODUCTIVE BIOLOGY AND MOULTING CYCLE OF THE CRAB <i>CALLINECTES ORNATUS</i> (DECAPODA,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.3	88
3	Latitudinal Variation in Population Structure and Reproductive Pattern of the Endemic South American Shrimp <i>Artemesia Longinaris</i> (Decapoda: Penaeoidea). <i>Journal of Crustacean Biology</i> , 2007, 27, 548-552.	0.8	82
4	Sexual Maturity of the Speckled Swimming Crab <i>Arenaeus Cribrarius</i> (Lamarck, 1818) (Decapoda,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.3	81
5	The relationship between environmental variation and species abundance in shrimp community (Crustacea: Decapoda: Penaeoidea) in south-eastern Brazil. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2007, 88, 119-123.	0.8	66
6	Abundance and Ecological Distribution of the "Sete-Barbas" Shrimp <i>Xiphopenaeus kroyeri</i> (Heller, 1862) (Decapoda: Penaeoidea) in Three Bays of the Ubatuba Region, Southeastern Brazil. <i>Gulf and Caribbean Research</i> , 0, 19, .	0.7	61
7	Reproduction of the Speckled Swimming Crab <i>Arenaeus Cribrarius</i> (Brachyura: Portunidae) on the Brazilian Coast near 23Â°30â€™S. <i>Journal of Crustacean Biology</i> , 2002, 22, 416-428.	0.8	56
8	Relative Growth of the Speckled Swimming Crab <i>Arenaeus Cribrarius</i> (Lamarck, 1818) (Brachyura,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.3	54
9	REPRODUCTION OF THE SPECKLED SWIMMING CRAB <i>ARENAELIS CRIBRARIUS</i> (BRACHYURA: PORTUNIDAE) ON THE BRAZILIAN COAST NEAR 23Â°30â€™S. <i>Journal of Crustacean Biology</i> , 2002, 22, 416-428.	0.8	54
10	Reproductive Biology of the Shrimp <i>Rimapenaeus Constrictus</i> (Decapoda, Penaeidae) in the Ubatuba Region of Brazil. <i>Journal of Crustacean Biology</i> , 2004, 24, 274-281.	0.8	54
11	Reproductive Cycle and Recruitment Period of <i>Ocypode Quadrata</i> (Decapoda, Ocypodidae) at a Sandy Beach in Southeastern Brazil. <i>Journal of Crustacean Biology</i> , 2002, 22, 157-161.	0.8	52
12	Annual, seasonal and spatial variation of abundance of the shrimp <i>Artemesia longinaris</i> (Decapoda:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 Kingdom, 2005, 85, 107-112.	0.8	52
13	Biodiversity of brachyuran crabs (Crustacea: Decapoda) from non-consolidated sublittoral bottom on the northern coast of SÃ£o Paulo State, Brazil. <i>Biodiversity and Conservation</i> , 2004, 13, 2185-2207.	2.6	47
14	Lifespan and reproductive dynamics of the commercially important sea bob shrimp <i>Xiphopenaeus kroyeri</i> (Penaeoidea): synthesis of a 5-year study. <i>Journal of Crustacean Biology</i> , 2015, 35, 30-40.	0.8	46
15	Morphological Evidence for Protandric Simultaneous Hermaphroditism in the Caridean <i>Exhippolysmata Oplophoroides</i> . <i>Journal of Crustacean Biology</i> , 2009, 29, 34-41.	0.8	41
16	Reproduction and recruitment of the South American red shrimp, <i>Pleoticus muelleri</i> (Crustacea:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.7	40
17	POPULATION STRUCTURE AND BREEDING SEASON OF THE SOUTH ATLANTIC HERMIT CRAB, <i>LOXOPAGURUS LOXOCHELIS</i> (ANOMURA, DIOGENIDAE) FROM THE UBATUBA REGION, BRAZIL. <i>Crustaceana</i> , 2002, 75, 791-802.	0.3	33
18	ComposiÃ§Ã£o e distribuiÃ§Ã£o de crustÃ¡ceos decÃ¡podes associados ÃÃ pesca do camarÃ£o-sete-barbas <i>Xiphopenaeus kroyeri</i> (Heller, 1862) no litoral norte do Estado de SÃ£o Paulo. <i>Boletim Do Instituto De Pesca</i> , 2016, 42, 307-326.	0.5	33

#	ARTICLE	IF	CITATIONS
19	Diel variation in abundance and size of the seabob shrimp <i>Xiphopenaeus kroyeri</i> (Crustacea,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 1000 82, 369-378.	0.8	32
20	Abundance and distribution of juvenile pink shrimps <i>Farfantepenaeus</i> spp. in a mangrove estuary and adjacent bay on the northern shore of So Paulo State, southeastern Brazil. Invertebrate Reproduction and Development, 2008, 52, 51-58.	0.8	31
21	Brachyuran soft-bottom assemblage from marine shallow waters in the southeastern Brazilian littoral. Marine Biodiversity, 2010, 40, 277-291.	1.0	31
22	The Megalopa and Juvenile Development of <i>Pachygrapsus Transversus</i> (Gibbes, 1850) (Decapoda,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 1000	0.3	30
23	Composio e abundncia dos caranguejos (Decapoda, Brachyura) nas regies de Ubatuba e Caraguatatuba, litoral norte paulista, Brasil. Biota Neotropica, 2005, 5, 45-78.	1.0	30
24	External factors determining breeding season in the red mangrove crab <i>Goniopsis cruentata</i> (Latreille) (Crustacea, Brachyura, Grapsidae) on the So Paulo State northern coast, Brazil. Revista Brasileira De Zoologia, 2003, 20, 213-217.	0.5	29
25	CARACTERIZAO FSICA E QUMICA DA ENSEADA DE FORTALEZA, UBATUBA, SP. Revista Brasileira De Geocincias, 1991, 21, 114-120.	0.1	29
26	Physiological maturity and relationships of growth and reproduction in the red mangrove crab <i>Goniopsis cruentata</i> (Latreille) (Brachyura, Grapsidae) on the coast of So Paulo, Brazil. Revista Brasileira De Zoologia, 2005, 22, 219-223.	0.5	25
27	Sex ratio, growth and recruitment of the pelagic shrimp <i>Acetes americanus</i> on the southeastern coast of Brazil. Journal of Crustacean Biology, 2013, 33, 1-9.	0.8	25
28	Crustceos decpodes capturados na pesca do camaro-sete-barbas no sublitoral no consolidado do litoral norte do Estado de So Paulo, Brasil. Boletim Do Instituto De Pesca, 2016, 42, 369-386.	0.5	24
29	The influence of upwelling on the diversity and distribution of marine shrimp (Penaeoidea and) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 1000	2.0	23
30	Temporal-spatial distribution of the hermit crab <i>Loxopagurus loxochelis</i> (Decapoda:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 1000	0.4	23
31	Composition and Abundance of Shrimp Species (Penaeidea and Caridea) in Fortaleza Bay, Ubatuba, So Paulo, Brazil. , 2002, , 117-123.		22
32	Relative growth and sexual maturity of the stone crab <i>Menippe nodifrons</i> Stimpson, 1859 (Brachyura,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 1000	0.5	21
33	Checklist of the brachyuran crabs (Crustacea: Decapoda) in the rocky subtidal of Vitria Archipelago, southeast coast of Brazil. Check List, 2012, 8, 940.	0.4	20
34	Population dynamics of the freshwater crab <i>Dilocarcinus pagei</i> in tropical waters in southeastern Brazil. Journal of Crustacean Biology, 2013, 33, 235-243.	0.8	19
35	Dimensionamento e sobreposio de nichos dos portundeos (Decapoda, Brachyura), na Enseada da Fortaleza, Ubatuba, So Paulo, Brasil. Revista Brasileira De Zoologia, 1997, 14, 371-378.	0.5	18
36	Temporal and spatial distribution of the commercial shrimp <i>Litopenaeus schmitti</i> (Dendrobranchiata:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 1000 United Kingdom, 2014, 94, 1001-1008.	0.8	18

#	ARTICLE	IF	CITATIONS
37	Reproductive period and size at the onset of sexual maturity of mottled purse crab, <i>Persephona mediterranea</i> (Herbst, 1794) (Brachyura, Leucosioidea) on the southeastern Brazilian coast. <i>Invertebrate Reproduction and Development</i> , 2010, 54, 7-17.	0.8	17
38	Bathymetric distribution of the shrimp <i>Rimapenaeus constrictus</i> (Stimpson, 1874) (Decapoda, Tj ETQq0 0 0 rgBT /Overlock 10 Tf 176-185.	0.7	17
39	Larval Development of <i>Persephona Mediterranea</i> (Herbst, 1794) (Brachyura, Leucosiidae) Under Laboratory Conditions. <i>Crustaceana</i> , 1989, 57, 177-193.	0.3	16
40	Larval Stages of <i>Epialtus Brasiliensis</i> Dana, 1852 (Decapoda, Brachyura, Majidae) Reared in the Laboratory, With Notes On Characters of the Majid Subfamilies. <i>Crustaceana</i> , 1991, 60, 200-212.	0.3	16
41	Ecological aspects of hermit crabs (Crustacea, Anomura, Paguroidea) off the northern coast of São Paulo State, Brazil. <i>Aquatic Ecology</i> , 2008, 42, 437-448.	1.5	16
42	PATTERNS OF SHELL UTILIZATION IN <i>PETROCHIRUS DIOGENES</i> (DECAPODA, ANOMURA, DIOGENIDAE) IN THE UBATUBA REGION, SÃO PAULO, BRAZIL. <i>Journal of Crustacean Biology</i> , 2000, 20, 468-473.	0.8	15
43	Population structure and reproductive period of whitebelly prawn <i>Nematopalaemon schmitti</i> (Holthuis 1950) (Decapoda: Caridea: Palaemonidae) on the southeastern coast of Brazil. <i>Invertebrate Reproduction and Development</i> , 2011, 55, 30-39.	0.8	15
44	Desenvolvimento larval de <i>Eriphia gonagra</i> (Fabricius, 1781) (Decapoda, Xanthidae), em laboratório. <i>Revista Brasileira De Zoologia</i> , 1987, 4, 165-179.	0.5	15
45	Patterns of Shell Utilization in <i>Petrochirus Diogenes</i> (Decapoda, Anomura, Diogenidae) in the Ubatuba Region, São Paulo, Brazil. <i>Journal of Crustacean Biology</i> , 2000, 20, 468-473.	0.8	14
46	Distribution and population structure of the flecked box crab <i>Hepatus pudibundus</i> (Decapoda, Tj ETQq0 0 0 rgBT /Overlock 10 Tf 0,7 14	0.7	14
47	The population structure of two sympatric hermit-crab species on a subtidal rocky shore of an island in southeastern Brazil. <i>Anais Da Academia Brasileira De Ciencias</i> , 2014, 86, 1769-1782.	0.8	13
48	How marine upwelling influences the distribution of <i>Artemesia longinaris</i> (Decapoda: Penaeoidea)? <i>Latin American Journal of Aquatic Research</i> , 2014, 42, 322-331.	0.6	13
49	Distribution pattern of juveniles of the pink shrimps <i>Farfantepenaeus brasiliensis</i> (Latreille, 1817) and <i>F. paulensis</i> (Párez-Farfante, 1967) on the southeastern Brazilian coast. <i>Nauplius</i> , 2016, 24, .	0.3	13
50	The <i>Triplaris</i> tree (<i>Triplaris</i> spp) and <i>Pseudomyrmex</i> ants: a symbiotic relationship with risks of attack for humans. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2009, 42, 727-729.	0.9	12
51	Feeding Behaviour and Ecosystem Role of the Red Mangrove Crab <i>Goniopsis Cruentata</i> (Latreille, 1803) (Decapoda, Grapsoidea) in a Subtropical Estuary on the Brazilian Coast. <i>Crustaceana</i> , 2011, 84, 735-747.	0.3	12
52	Long-term patterns of spatial and temporal distribution in the seabob shrimp <i>Xiphopenaeus kroyeri</i> (Decapoda: Penaeidae) population in southeastern Brazil. <i>Journal of Crustacean Biology</i> , 2014, 34, 326-333.	0.8	12
53	Differential occupation of habitat as a reproductive strategy of the blue crab <i>Callinectes ornatus</i> Ordway, 1968 (Crustacea: Decapoda). <i>Marine Biodiversity</i> , 2014, 44, 27-36.	1.0	12
54	Vertical distribution by demographic groups of ghost crab <i>Ocypode quadrata</i> (Crustacea: Brachyura). <i>Biologia (Poland)</i> , 2014, 69, 905-915.	1.5	12

#	ARTICLE	IF	CITATIONS
55	Larval development of <i>Hexapanopeus paulensis</i> Rathbun, 1930 (Crustacea, Brachyura, Xanthidae) under laboratory conditions. <i>Revista Brasileira De Zoologia</i> , 1990, 7, 31-45.	0.5	12
56	Feeding habits of the spider crab <i>Libinia spinosa</i> H. Milne Edwards, 1834 (Decapoda, Brachyura) in Ubatuba bay, São Paulo, Brazil. <i>Brazilian Archives of Biology and Technology</i> , 2008, 51, 413-417.	0.5	12
57	Larval Development of the Spider Crab <i>Acanthonyx Petiverii</i> H. Milne Edwards, 1834 (Decapoda, Majidae) in the Laboratory. <i>Crustaceana</i> , 1994, 66, 53-66.	0.3	11
58	Population structure and breeding period of <i>Pachycheles monilifer</i> (Dana) (Anomura, Porcellanidae) inhabiting sabellariid sand reefs from the littoral coast of São Paulo State, Brazil. <i>Revista Brasileira De Zoologia</i> , 2001, 18, 197-203.	0.5	11
59	Marine Anomurans (Decapoda) from the Non-Consolidated Sublittoral Bottom at the Southeastern Coast of Brazil. <i>Crustaceana</i> , 2011, 84, 435-450.	0.3	11
60	Juvenile development of <i>Callinectes ornatus</i> Ordway, 1863 (Crustacea: Decapoda: Portunidae), from megalopae obtained in the neuston. <i>Zootaxa</i> , 2008, 1788, 1.	0.5	9
61	The megalopa and early juvenile development of <i>Hepatus pudibundus</i> (Crustacea: Brachyura:) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 T</i>	0.5	9
62	First Zoel Stage and Megalopa of <i>Uca</i> (<i>Uca</i>) <i>Maracoani</i> (Decapoda: Brachyura), with Comments on the Larval Morphology of South-American Species of <i>Ocypodidae</i> . <i>Journal of Crustacean Biology</i> , 2009, 29, 364-372.	0.8	9
63	Larval Stages of <i>Pyromaia Tuberculata</i> (Lockington, 1877) (Decapoda, Majidae, Inachinae) Reared in the Laboratory. <i>Crustaceana</i> , 1997, 70, 304-323.	0.3	8
64	Can the pattern of juvenile recruitment and population structure of the speckled swimming crab <i>Libinia renaeus</i> (<i>Libinia</i>) (<i>Decapoda: Brachyura</i>) be determined by geographical variations?. <i>Marine Ecology</i> , 2015, 36, 950-958.	1.1	8
65	Population dynamics of <i>Rimapenaeus constrictus</i> (Stimpson, 1874) (Penaeoidea) on the southeastern Brazilian coast: implications for shrimp fishing management from a 5-year study on a bycatch species. <i>Anais Da Academia Brasileira De Ciencias</i> , 2017, 89, 1013-1025.	0.8	8
66	Relative growth and population dynamics of <i>Macrobrachium iheringi</i> (Decapoda, Palaemonidae). <i>Papeis Avulsos De Zoologia</i> , 0, 59, e20195908.	0.4	8
67	Feeding ecology and niche segregation of the spider crab <i>Libinia ferreirae</i> (Decapoda, Brachyura,) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 T</i> 2020, 847, 1013-1025.	2.0	8
68	Growth rate of the crab <i>Dissodactylus crinitichelis</i> Moreira, 1901 (Crustacea: Decapoda:) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 227 Td (</i> 2006, 119, 395-403.	0.3	7
69	Larval development of <i>Notolopas brasiliensis</i> Miers, 1886 (Brachyura: Majoidea: Pisidae) described from laboratory reared material and a reappraisal of the characters of Pisidae. <i>Papeis Avulsos De Zoologia</i> , 2006, 46, 219-232.	0.4	7
70	Life-history traits of the red brocade hermit crab <i>Dardanus insignis</i> on the subtropical Brazilian coast. <i>Marine Biology Research</i> , 2015, 11, 283-293.	0.7	7
71	Reproductive strategy of the shrimp <i>Nematopalaemon schmitti</i> (Decapoda, Caridea, Palaemonoidea) on the southeastern coast of Brazil. <i>Nauplius</i> , 2017, 25, .	0.3	7
72	Biodiversity, distribution and abundance of shrimps Penaeoidea and Caridea communities in a region the vicinity of upwelling in Southeastern of Brazil. <i>Nauplius</i> , 2014, 22, 1-11.	0.3	7

#	ARTICLE	IF	CITATIONS
73	Distribuição do caranguejo <i>Hepatus pudibundus</i> (Herbst, 1785) (Crustacea, Decapoda, Brachyura) na Enseada da Fortaleza, Ubatuba (SP), Brasil. <i>Boletim Do Instituto Oceanográfico</i> , 1995, 43, 59-69.	0.2	7
74	Reproductive and population traits of the swimming crab <i>Achelous spinimanus</i> (Crustacea: Decapoda) in an upwelling region in southeastern Brazil. <i>Nauplius</i> , 2017, 25, .	0.3	6
75	Population parameters and distribution of <i>Arenaeus Cribrarius</i> (Crustacea, Portunoidea), in southeastern Brazilian coast. <i>Boletim Do Instituto De Pesca</i> , 2018, 44, 1-9.	0.5	6
76	Morphological and morphometric comparisons of the first zoea of four species of purse crabs (Decapoda: Brachyura: Leucosiidae) from the Brazilian South Atlantic. <i>Zootaxa</i> , 2012, 3167, 17.	0.5	5
77	Abundance and distribution of the swimming crab <i>Callinectes danae</i> Smith, 1869 (Crustacea,) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 147</i> 920-932.	0.7	5
78	Influence of environmental factors on the bathymetric distribution of the flecked box crab <i>Hepatus pudibundus</i> (Herbst, 1785) (Crustacea: Aethroidea) in the Southeastern Brazilian coast. <i>Biota Neotropica</i> , 2019, 19, .	0.5	5
79	Responses of pink shrimp <i>Farfantepenaeus brasiliensis</i> (Latreille, 1817) (Penaeoidea) to physico-chemical parameters in a marine protected area: changes in abundance and distribution after 20 years. <i>Journal of Natural History</i> , 2020, 54, 419-433.	0.5	5
80	A 20-year gap evaluation of the population biology of the crab <i>Hepatus pudibundus</i> in an area overexploited by fisheries. <i>Biologia (Poland)</i> , 2021, 76, 147-158.	1.5	5
81	Population structure of the swimming crab <i>Achelous spinicarpus</i> (Crustacea, Portunoidea) in São Paulo northern coast, Brazil. <i>Neotropical Biology and Conservation</i> , 2017, 12, .	0.9	5
82	Distribuição do caranguejo <i>Hepatus pudibundus</i> (Herbst, 1785) (Crustacea, Decapoda, Brachyura) na Enseada da Fortaleza, Ubatuba (SP), Brasil. <i>Brazilian Journal of Oceanography</i> , 1995, 43, 59-69.	0.6	4
83	Diel comparison of the catch and size of the shrimp <i>Artemesia longinaris</i> (Dendrobranchiata,) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 147</i> 1179-1191.	0.3	4
84	Spatial-temporal variation of <i>Paralonchurus brasiliensis</i> (Actinopterygii: Sciaenidae) density in relation to some environmental factors on the inner shelf of south-eastern Brazilian coast. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2012, 92, 413-420.	0.8	4
85	Lifespan and population dynamics of the endemic South American shrimp <i>Artemesia longinaris</i> (Crustacea: Penaeidae) in southeastern Brazil. <i>Anais Da Academia Brasileira De Ciencias</i> , 2015, 87, 2123-2138.	0.8	4
86	Modulating factors of the abundance and distribution of <i>Achelous spinimanus</i> (Latreille, 1819) (Decapoda, Portunoidea), a fishery resource, in Southeastern Brazil. <i>PeerJ</i> , 2018, 6, e5720.	2.0	4
87	Early juvenile development of <i>Armases rubripes</i> (Rathbun 1897) (Crustacea, Brachyura,) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 147</i> <i>Reproduction and Development</i> , 2011, 55, 53-64.	0.8	3
88	Assessment of reproductive capacity in females of <i>Callinectes danae</i> Smith, 1869 (Brachyura,) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 147</i> <i>Development</i> , 2015, 59, 9-16.	0.8	3
89	Morphometric differences between two exotic invasive freshwater caridean species (genus) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 147</i>	0.8	3
90	Population dynamics of shrimp <i>Pleoticus muelleri</i> in an upwelling region and new implications for latitudinal gradient theories. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2019, 99, 1807-1815.	0.8	3

#	ARTICLE	IF	CITATIONS
91	Comparison of the spatio-temporal distribution of the roughneck shrimp <i>Rimapenaeus constrictus</i> (Stimpson, 1874) (Crustacea, Penaeoidea) from monthly samples collected 20 years apart: Effects of a marine protected area in southeastern Brazil. <i>Marine Ecology</i> , 2020, 41, e12605.	1.1	3
92	Evaluation of the stomach contents of <i>Eriphia gonagra</i> from a rocky shore in the southeastern Brazilian coast. <i>Iheringia - Serie Zoologia</i> , 0, 110, .	0.5	3
93	Diel Variation in Abundance and Size of the South American Red Shrimp <i>Pleoticus Muelleri</i> (Spence) Tj ETQq1 1 0.784314 rgBT /Overl <i>Oceanography</i> , 2014, 62, 225-234.	0.6	2
94	Environmental factors modulating the abundance and distribution of <i>Callinectes danae</i> (Decapoda:) Tj ETQq0 0 0 rgBT /Overl lock 10 Tf 5	1.5	2
95	Abundance and spatio-temporal distribution of two Southwest Atlantic endemic shrimps: changes after 20 years. <i>Biologia (Poland)</i> , 2018, 73, 589-598.	1.5	2
96	The different depths gradients may affect the reproductive dynamics of <i>Hepatus pudibundus</i> (Herbst,) Tj ETQq0 0 0 rgBT /Overl lock 10 Tf 5	1.5	2
97	Reproduction and population structure of <i>Achelous spinimanus</i> (Crustacea: Portunoidea) in the northern coast of São Paulo, Brazil, and influence of environmental factors. <i>Biologia (Poland)</i> , 2020, 75, 1373-1383.	1.5	2
98	Ecological distribution of the hermit crab <i>Dardanus insignis</i> in shallow waters of the tropical-subtropical transition zone on the Brazilian coast. <i>Marine Biodiversity</i> , 2016, 46, 389-397.	1.0	1
99	The first zoeal stage morphology of <i>Achelous spinimanus</i> (Latreille), <i>A. gibbesii</i> (Stimpson), and <i>Portunus sayi</i> (Gibbes) (Decapoda, Brachyura) provides support for molecular phylogeny. <i>Zootaxa</i> , 2018, 4378, 71.	0.5	1
100	Diversity of decapod crabs (Crustacea: Brachyura) in two islands of Ubatuba, southeast of Brazil. <i>Biologia (Poland)</i> , 2021, 76, 159-168.	1.5	1
101	Evaluation of caridean ecological distribution in the Ubatuba region, southeastern Brazilian coast using unsupervised machine learning technique. <i>Marine Ecology</i> , 2021, 42, e12673.	1.1	1
102	Unveiling the dynamics of the spider crab <i>Libinia ferreirae</i> , through reproductive and population characteristics on the south-eastern coast of Brazil. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2020, 100, 1311-1319.	0.8	1
103	Reproductive biology of the swimming crab <i>Achelous spinimanus</i> (Decapoda, Portunoidea): a potential fishing resource. <i>Iheringia - Serie Zoologia</i> , 0, 110, .	0.5	1
104	Assessing the factors driving the changes in the spatio-temporal distribution of <i>Hepatus pudibundus</i> (Decapoda, Brachyura) over a 20-year interval in a region under the influence of El Niño (ENSO). <i>Marine Ecology</i> , 2020, 41, e12617.	1.1	0
105	Bathymetric distribution of brachyuran crabs: Alpha and beta diversity variation in an upwelling area. <i>Marine Ecology</i> , 2021, 42, e12650.	1.1	0
106	Spatio-temporal dynamics of the commercial seabob shrimp <i>Xiphopenaeus kroyeri</i> (Heller, 1862) and physico-chemical parameters in a marine protected area: Changes in abundance and distribution after 20 years. <i>Regional Studies in Marine Science</i> , 2022, 52, 102241.	0.7	0