

# Adilson Fransozo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3385607/publications.pdf>

Version: 2024-02-01

106  
papers

2,000  
citations

236925

25  
h-index

315739

38  
g-index

106  
all docs

106  
docs citations

106  
times ranked

710  
citing authors

#	ARTICLE	IF	CITATIONS
1	Spatio-temporal dynamics of the commercial seabob shrimp <i>Xiphopenaeus kroyeri</i> (Heller, 1862) and physico-chemical parameters in a marine protected area: Changes in abundance and distribution after 20 years. <i>Regional Studies in Marine Science</i> , 2022, 52, 102241.	0.7	0
2	A 20-year gap evaluation of the population biology of the crab <i>Hepatus pudibundus</i> in an area overexploited by fisheries. <i>Biologia (Poland)</i> , 2021, 76, 147-158.	1.5	5
3	Diversity of decapod crabs (Crustacea: Brachyura) in two islands of Ubatuba, southeast of Brazil. <i>Biologia (Poland)</i> , 2021, 76, 159-168.	1.5	1
4	Bathymetric distribution of brachyuran crabs: Alpha and beta diversity variation in an upwelling area. <i>Marine Ecology</i> , 2021, 42, e12650.	1.1	0
5	Evaluation of caridean ecological distribution in the Ubatuba region, southeastern Brazilian coast using unsupervised machine learning technique. <i>Marine Ecology</i> , 2021, 42, e12673.	1.1	1
6	Feeding ecology and niche segregation of the spider crab <i>Libinia ferreirae</i> (Decapoda, Brachyura,) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 5</i> 2020, 847, 1013-1025.	2.0	8
7	Reproduction and population structure of <i>Achelous spinimanus</i> (Crustacea: Portunoidea) in the northern coast of São Paulo, Brazil, and influence of environmental factors. <i>Biologia (Poland)</i> , 2020, 75, 1373-1383.	1.5	2
8	Assessing the factors driving the changes in the spatio-temporal distribution of <i>Hepatus pudibundus</i> (Decapoda, Brachyura) over a 20-year interval in a region under the influence of El Niño (ENSO). <i>Marine Ecology</i> , 2020, 41, e12617.	1.1	0
9	Responses of pink shrimp <i>Farfantepenaeus brasiliensis</i> (Latreille, 1817) (Penaeoidea) to physico-chemical parameters in a marine protected area: changes in abundance and distribution after 20 years. <i>Journal of Natural History</i> , 2020, 54, 419-433.	0.5	5
10	Comparison of the spatio-temporal distribution of the roughneck shrimp <i>Rimapenaeus constrictus</i> (Stimpson, 1874) (Crustacea, Penaeoidea) from monthly samples collected 20 years apart: Effects of a marine protected area in southeastern Brazil. <i>Marine Ecology</i> , 2020, 41, e12605.	1.1	3
11	Unveiling the dynamics of the spider crab <i>Libinia ferreirae</i> , through reproductive and population characteristics on the south-eastern coast of Brazil. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2020, 100, 1311-1319.	0.8	1
12	Population dynamics of shrimp <i>Pleoticus muelleri</i> in an upwelling region and new implications for latitudinal gradient theories. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2019, 99, 1807-1815.	0.8	3
13	Influence of environmental factors on the bathymetric distribution of the flecked box crab <i>Hepatus pudibundus</i> (Herbst, 1785) (Crustacea: Aethroidea) in the Southeastern Brazilian coast. <i>Biota Neotropica</i> , 2019, 19, .	0.5	5
14	The different depths gradients may affect the reproductive dynamics of <i>Hepatus pudibundus</i> (Herbst,) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 5</i>	1.5	2
15	Morphometric differences between two exotic invasive freshwater caridean species (genus) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 5</i>	0.8	3
16	The first zoal stage morphology of <i>Achelous spinimanus</i> (Latreille), <i>A. gibbesii</i> (Stimpson), and <i>Portunus sayi</i> (Gibbes) (Decapoda, Brachyura) provides support for molecular phylogeny. <i>Zootaxa</i> , 2018, 4378, 71.	0.5	1
17	Abundance and spatio-temporal distribution of two Southwest Atlantic endemic shrimps: changes after 20 years. <i>Biologia (Poland)</i> , 2018, 73, 589-598.	1.5	2
18	Population parameters and distribution of <i>Arenaeus Cribrarius</i> (Crustacea, Portunoidea), in southeastern Brazilian coast. <i>Boletim Do Instituto De Pesca</i> , 2018, 44, 1-9.	0.5	6

#	ARTICLE	IF	CITATIONS
19	Modulating factors of the abundance and distribution of <i>Achelous spinimanus</i> (Latreille, 1819) (Decapoda, Portunoidea), a fishery resource, in Southeastern Brazil. <i>PeerJ</i> , 2018, 6, e5720.	2.0	4
20	Population dynamics of <i>Rimapenaeus constrictus</i> (Stimpson, 1874) (Penaeoidea) on the southeastern Brazilian coast: implications for shrimp fishing management from a 5-year study on a bycatch species. <i>Anais Da Academia Brasileira De Ciencias</i> , 2017, 89, 1013-1025.	0.8	8
21	Reproductive and population traits of the swimming crab <i>Achelous spinimanus</i> (Crustacea: Decapoda) in an upwelling region in southeastern Brazil. <i>Nauplius</i> , 2017, 25, .	0.3	6
22	Reproductive strategy of the shrimp <i>Nematopalaemon schmitti</i> (Decapoda, Caridea, Palaemonoidea) on the southeastern coast of Brazil. <i>Nauplius</i> , 2017, 25, .	0.3	7
23	Population structure of the swimming crab <i>Achelous spinicarpus</i> (Crustacea, Portunoidea) in São Paulo northern coast, Brazil. <i>Neotropical Biology and Conservation</i> , 2017, 12, .	0.9	5
24	Distribution pattern of juveniles of the pink shrimps <i>Farfantepenaeus brasiliensis</i> (Latreille, 1817) and <i>F. paulensis</i> (Párez-Farfante, 1967) on the southeastern Brazilian coast. <i>Nauplius</i> , 2016, 24, .	0.3	13
25	Ecological distribution of the hermit crab <i>Dardanus insignis</i> in shallow waters of the tropical-subtropical transition zone on the Brazilian coast. <i>Marine Biodiversity</i> , 2016, 46, 389-397.	1.0	1
26	The influence of upwelling on the diversity and distribution of marine shrimp (Penaeoidea and) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 227</i>	2.0	23
27	ComposiÃ§Ã£o e distribuiÃ§Ã£o de crustÃ¡ceos decÃ¡podes associados ÃÃ pesca do camarÃ£o-sete-barbas <i>Xiphopenaeus kroyeri</i> (Heller, 1862) no litoral norte do Estado de SÃ£o Paulo. <i>Boletim Do Instituto De Pesca</i> , 2016, 42, 307-326.	0.5	33
28	CrustÃ¡ceos decÃ¡podes capturados na pesca do camarÃ£o-sete-barbas no sublitoral nÃ£o consolidado do litoral norte do Estado de SÃ£o Paulo, Brasil. <i>Boletim Do Instituto De Pesca</i> , 2016, 42, 369-386.	0.5	24
29	Can the pattern of juvenile recruitment and population structure of the speckled swimming crab <i>renaeus cribrarius</i> (Decapoda: Brachyura) be determined by geographical variations?. <i>Marine Ecology</i> , 2015, 36, 950-958.	1.1	8
30	Lifespan and population dynamics of the endemic South American shrimp <i>Artemesia longinaris</i> (Crustacea: Penaeidae) in southeastern Brazil. <i>Anais Da Academia Brasileira De Ciencias</i> , 2015, 87, 2123-2138.	0.8	4
31	Lifespan and reproductive dynamics of the commercially important sea bob shrimp <i>Xiphopenaeus kroyeri</i> (Penaeoidea): synthesis of a 5-year study. <i>Journal of Crustacean Biology</i> , 2015, 35, 30-40.	0.8	46
32	Assessment of reproductive capacity in females of <i>Callinectes danae</i> Smith, 1869 (Brachyura,) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 227</i> Development, 2015, 59, 9-16.	0.8	3
33	Abundance and distribution of the swimming crab <i>Callinectes danae</i> Smith, 1869 (Crustacea,) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 227</i> 920-932.	0.7	5
34	Life-history traits of the red brocade hermit crab <i>Dardanus insignis</i> on the subtropical Brazilian coast. <i>Marine Biology Research</i> , 2015, 11, 283-293.	0.7	7
35	Diel Variation in Abundance and Size of the South American Red Shrimp <i>Pleoticus Muelleri</i> (Spence) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 227</i> <i>Oceanography</i> , 2014, 62, 225-234.	0.6	2
36	The population structure of two sympatric hermit-crab species on a subtidal rocky shore of an island in southeastern Brazil. <i>Anais Da Academia Brasileira De Ciencias</i> , 2014, 86, 1769-1782.	0.8	13

#	ARTICLE	IF	CITATIONS
37	How marine upwelling influences the distribution of <i>Artemesia longinaris</i> (Decapoda: Penaeoidea)?. Latin American Journal of Aquatic Research, 2014, 42, 322-331.	0.6	13
38	Long-term patterns of spatial and temporal distribution in the seabob shrimp <i>Xiphopenaeus kroyeri</i> (Decapoda: Penaeidae) population in southeastern Brazil. Journal of Crustacean Biology, 2014, 34, 326-333.	0.8	12
39	Temporal and spatial distribution of the commercial shrimp <i>Litopenaeus schmitti</i> (Dendrobranchiata: Tj ETQq1 1 0.784314 rgBT /Over United Kingdom, 2014, 94, 1001-1008.	0.8	18
40	Differential occupation of habitat as a reproductive strategy of the blue crab <i>Callinectes ornatus</i> Ordway, 1968 (Crustacea: Decapoda). Marine Biodiversity, 2014, 44, 27-36.	1.0	12
41	Environmental factors modulating the abundance and distribution of <i>Callinectes danae</i> (Decapoda: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 307	1.5	2
42	Distribution and population structure of the flecked box crab <i>Hepatus pudibundus</i> (Decapoda, Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 307	0.7	14
43	Vertical distribution by demographic groups of ghost crab <i>Ocypode quadrata</i> (Crustacea: Brachyura). Biologia (Poland), 2014, 69, 905-915.	1.5	12
44	Temporal-spatial distribution of the hermit crab <i>Loxopagurus loxochelis</i> (Decapoda: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 307	0.4	23
45	Biodiversity, distribution and abundance of shrimps Penaeoidea and Caridea communities in a region the vicinity of upwelling in Southeastern of Brazil. Nauplius, 2014, 22, 1-11.	0.3	7
46	Sex ratio, growth and recruitment of the pelagic shrimp <i>Acetes americanus</i> on the southeastern coast of Brazil. Journal of Crustacean Biology, 2013, 33, 1-9.	0.8	25
47	Population dynamics of the freshwater crab <i>Dilocarcinus pagei</i> in tropical waters in southeastern Brazil. Journal of Crustacean Biology, 2013, 33, 235-243.	0.8	19
48	Diel comparison of the catch and size of the shrimp <i>Artemesia longinaris</i> (Dendrobranchiata, Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 307	0.3	4
49	Spatial-temporal variation of <i>Paralanchurus brasiliensis</i> (Actinopterygii: Sciaenidae) density in relation to some environmental factors on the inner shelf of south-eastern Brazilian coast. Journal of the Marine Biological Association of the United Kingdom, 2012, 92, 413-420.	0.8	4
50	Checklist of the brachyuran crabs (Crustacea: Decapoda) in the rocky subtidal of Vitória Archipelago, southeast coast of Brazil. Check List, 2012, 8, 940.	0.4	20
51	Morphological and morphometric comparisons of the first zoea of four species of purse crabs (Decapoda: Brachyura: Leucosiidae) from the Brazilian South Atlantic. Zootaxa, 2012, 3167, 17.	0.5	5
52	Bathymetric distribution of the shrimp <i>Rimapenaeus constrictus</i> (Stimpson, 1874) (Decapoda, Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 307	0.7	17
53	Population structure and reproductive period of whitebelly prawn <i>Nematopalaemon schmitti</i> (Holthuis 1950) (Decapoda: Caridea: Palaemonidae) on the southeastern coast of Brazil. Invertebrate Reproduction and Development, 2011, 55, 30-39.	0.8	15
54	Early juvenile development of <i>Armases rubripes</i> (Rathbun 1897) (Crustacea, Brachyura, Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 67 1	0.8	3

#	ARTICLE	IF	CITATIONS
55	Feeding Behaviour and Ecosystem Role of the Red Mangrove Crab <i>Goniopsis Cruentata</i> (Latreille, 1803) (Decapoda, Grapsoidea) in a Subtropical Estuary on the Brazilian Coast. <i>Crustaceana</i> , 2011, 84, 735-747.	0.3	12
56	Marine Anomurans (Decapoda) from the Non-Consolidated Sublittoral Bottom at the Southeastern Coast of Brazil. <i>Crustaceana</i> , 2011, 84, 435-450.	0.3	11
57	Brachyuran soft-bottom assemblage from marine shallow waters in the southeastern Brazilian littoral. <i>Marine Biodiversity</i> , 2010, 40, 277-291.	1.0	31
58	Diel variation in abundance and size of the seabob shrimp <i>Xiphopenaeus kroyeri</i> (Crustacea,) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 627</i> 82, 369-378.	0.8	32
59	Reproductive period and size at the onset of sexual maturity of mottled purse crab, <i>Persephona mediterranea</i> (Herbst, 1794) (Brachyura, Leucosioidea) on the southeastern Brazilian coast. <i>Invertebrate Reproduction and Development</i> , 2010, 54, 7-17.	0.8	17
60	The <i>Triplaris</i> tree ( <i>Triplaris</i> spp) and <i>Pseudomyrmex</i> ants: a symbiotic relationship with risks of attack for humans. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2009, 42, 727-729.	0.9	12
61	First Zoal Stage and Megalopa of <i>Uca</i> ( <i>Uca</i> ) <i>Maracoani</i> (Decapoda: Brachyura), with Comments on the Larval Morphology of South-American Species of <i>Ocypodidae</i> . <i>Journal of Crustacean Biology</i> , 2009, 29, 364-372.	0.8	9
62	Morphological Evidence for Protandric Simultaneous Hermaphroditism in the Caridean <i>Exhippolysmata Oplophoroides</i> . <i>Journal of Crustacean Biology</i> , 2009, 29, 34-41.	0.8	41
63	Ecological aspects of hermit crabs (Crustacea, Anomura, Paguroidea) off the northern coast of São Paulo State, Brazil. <i>Aquatic Ecology</i> , 2008, 42, 437-448.	1.5	16
64	Reproduction and recruitment of the South American red shrimp, <i>Pleoticus muelleri</i> (Crustacea:) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 627</i> 40	0.7	40
65	Abundance and distribution of juvenile pink shrimps <i>Farfantepenaeus</i> spp. in a mangrove estuary and adjacent bay on the northern shore of São Paulo State, southeastern Brazil. <i>Invertebrate Reproduction and Development</i> , 2008, 52, 51-58.	0.8	31
66	Juvenile development of <i>Callinectes ornatus</i> Ordway, 1863 (Crustacea: Decapoda: Portunidae), from megalopae obtained in the neuston. <i>Zootaxa</i> , 2008, 1788, 1.	0.5	9
67	The megalopa and early juvenile development of <i>Hepatus pudibundus</i> (Crustacea: Brachyura:) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 627</i> 9	0.5	9
68	Feeding habits of the spider crab <i>Libinia spinosa</i> H. Milne Edwards, 1834 (Decapoda, Brachyura) in Ubatuba bay, São Paulo, Brazil. <i>Brazilian Archives of Biology and Technology</i> , 2008, 51, 413-417.	0.5	12
69	The relationship between environmental variation and species abundance in shrimp community (Crustacea: Decapoda: Penaeoidea) in south-eastern Brazil. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2007, 88, 119-123.	0.8	66
70	Latitudinal Variation in Population Structure and Reproductive Pattern of the Endemic South American Shrimp <i>Artemesia Longinaris</i> (Decapoda: Penaeoidea). <i>Journal of Crustacean Biology</i> , 2007, 27, 548-552.	0.8	82
71	Relative growth and sexual maturity of the stone crab <i>Menippe nodifrons</i> Stimpson, 1859 (Brachyura,) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 627</i> 21	0.5	21
72	Growth rate of the crab <i>Dissodactylus crinitichelis</i> Moreira, 1901 (Crustacea: Decapoda:) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 67 Td (PI</i> 2006, 119, 395-403.	0.3	7

#	ARTICLE	IF	CITATIONS
73	Larval development of <i>Notolopas brasiliensis</i> Miers, 1886 (Brachyura: Majoidea: Pisidae) described from laboratory reared material and a reappraisal of the characters of Pisidae. <i>Papeis Avulsos De Zoologia</i> , 2006, 46, 219-232.	0.4	7
74	Physiological maturity and relationships of growth and reproduction in the red mangrove crab <i>Goniopsis cruentata</i> (Latreille) (Brachyura, Grapsidae) on the coast of São Paulo, Brazil. <i>Revista Brasileira De Zoologia</i> , 2005, 22, 219-223.	0.5	25
75	Annual, seasonal and spatial variation of abundance of the shrimp <i>Artemesia longinaris</i> (Decapoda: Tj ETQq1 1 0.784314 rgBT /Overl Kingdom, 2005, 85, 107-112.	0.8	52
76	Composição e abundância dos caranguejos (Decapoda, Brachyura) nas regiões de Ubatuba e Caraguatatuba, litoral norte paulista, Brasil. <i>Biota Neotropica</i> , 2005, 5, 45-78.	1.0	30
77	Biodiversity of brachyuran crabs (Crustacea: Decapoda) from non-consolidated sublittoral bottom on the northern coast of São Paulo State, Brazil. <i>Biodiversity and Conservation</i> , 2004, 13, 2185-2207.	2.6	47
78	Reproductive Biology of the Shrimp <i>Rimapenaeus Constrictus</i> (Decapoda, Penaeidae) in the Ubatuba Region of Brazil. <i>Journal of Crustacean Biology</i> , 2004, 24, 274-281.	0.8	54
79	External factors determining breeding season in the red mangrove crab <i>Goniopsis cruentata</i> (Latreille) (Crustacea, Brachyura, Grapsidae) on the São Paulo State northern coast, Brazil. <i>Revista Brasileira De Zoologia</i> , 2003, 20, 213-217.	0.5	29
80	Reproductive Cycle and Recruitment Period of <i>Ocypode Quadrata</i> (Decapoda, Ocypodidae) at a Sandy Beach in Southeastern Brazil. <i>Journal of Crustacean Biology</i> , 2002, 22, 157-161.	0.8	52
81	Reproduction of the Speckled Swimming Crab <i>Arenaeus Cribrarius</i> (Brachyura: Portunidae) on the Brazilian Coast near 23°30'S. <i>Journal of Crustacean Biology</i> , 2002, 22, 416-428.	0.8	56
82	POPULATION STRUCTURE AND BREEDING SEASON OF THE SOUTH ATLANTIC HERMIT CRAB, <i>LOXOPAGURUS LOXOCHELIS</i> (ANOMURA, DIOGENIDAE) FROM THE UBATUBA REGION, BRAZIL. <i>Crustaceana</i> , 2002, 75, 791-802.	0.3	33
83	REPRODUCTION OF THE SPECKLED SWIMMING CRAB <i>ARENAEUS CRIBRARIUS</i> (BRACHYURA: PORTUNIDAE) ON THE BRAZILIAN COAST NEAR 23°30'S. <i>Journal of Crustacean Biology</i> , 2002, 22, 416-428.	0.8	54
84	Composition and Abundance of Shrimp Species (Penaeidea and Caridea) in Fortaleza Bay, Ubatuba, São Paulo, Brazil. , 2002, , 117-123.		22
85	Population structure and breeding period of <i>Pachycheles monilifer</i> (Dana) (Anomura, Porcellanidae) inhabiting sabellariid sand reefs from the littoral coast of São Paulo State, Brazil. <i>Revista Brasileira De Zoologia</i> , 2001, 18, 197-203.	0.5	11
86	Patterns of Shell Utilization in <i>Petrochirus Diogenes</i> (Decapoda, Anomura, Diogenidae) in the Ubatuba Region, São Paulo, Brazil. <i>Journal of Crustacean Biology</i> , 2000, 20, 468-473.	0.8	14
87	PATTERNS OF SHELL UTILIZATION IN <i>PETROCHIRUS DIOGENES</i> (DECAPODA, ANOMURA, DIOGENIDAE) IN THE UBATUBA REGION, SÃO PAULO, BRAZIL. <i>Journal of Crustacean Biology</i> , 2000, 20, 468-473.	0.8	15
88	REPRODUCTIVE BIOLOGY AND MOULTING CYCLE OF THE CRAB <i>CALLINECTES ORNATUS</i> (DECAPODA,) Tj ETQq0 0 0 rgBT /Overl 10 88	0.3	88
89	The Megalopa and Juvenile Development of <i>Pachygrapsus Transversus</i> (Gibbes, 1850) (Decapoda,) Tj ETQq1 1 0.784314 rgBT /Overl 0.3 30	0.3	30
90	Sexual Maturity of the Speckled Swimming Crab <i>Arenaeus Cribrarius</i> (Lamarck, 1818) (Decapoda,) Tj ETQq0 0 0 rgBT /Overl 10 Tf 50	0.3	81

#	ARTICLE	IF	CITATIONS
91	Larval Stages of <i>Pyromaia Tuberculata</i> (Lockington, 1877) (Decapoda, Majidae, Inachinae) Reared in the Laboratory. <i>Crustaceana</i> , 1997, 70, 304-323.	0.3	8
92	Fecundity of the Crab <i>Callinectes Ornatus</i> Ordway, 1863 (Decapoda, Brachyura, Portunidae) From the Ubatuba Region, SÃ£o Paulo, Brazil. <i>Crustaceana</i> , 1997, 70, 214-226.	0.3	94
93	Dimensionamento e sobreposiÃ£o de nichos dos portunÃdeos (Decapoda, Brachyura), na Enseada da Fortaleza, Ubatuba, SÃ£o Paulo, Brasil. <i>Revista Brasileira De Zoologia</i> , 1997, 14, 371-378.	0.5	18
94	DistribuiÃ£o do caranguejo <i>Hepatus pudibundus</i> (Herbst, 1785) (CrustÃcea, Decapoda, Brachyura) na Enseada da Fortaleza, Ubatuba (SP), Brasil. <i>Brazilian Journal of Oceanography</i> , 1995, 43, 59-69.	0.6	4
95	DistribuiÃ£o do caranguejo <i>Hepatus pudibundus</i> (Herbst, 1785) (Crustacea, Decapoda, Brachyura) na Enseada da Fortaleza, Ubatuba (SP), Brasil. <i>Boletim Do Instituto OceanogrÃfico</i> , 1995, 43, 59-69.	0.2	7
96	Larval Development of the Spider Crab <i>Acanthonyx Petiverii</i> H. Milne Edwards, 1834 (Decapoda, Majidae) in the Laboratory. <i>Crustaceana</i> , 1994, 66, 53-66.	0.3	11
97	Relative Growth of the Speckled Swimming Crab <i>Arenaeus Cribrarius</i> (Lamarck, 1818) (Brachyura,) Tj ETQq1 1 0.784314 rgBT /Overlook	0.3	54
98	Larval Stages of <i>Epialtus Brasiliensis</i> Dana, 1852 (Decapoda, Brachyura, Majidae) Reared in the Laboratory, With Notes On Characters of the Majid Subfamilies. <i>Crustaceana</i> , 1991, 60, 200-212.	0.3	16
99	CARACTERIZAÃFO FÃSICA E QUÃMICA DA ENSEADA DE FORTALEZA, UBATUBA, SP. <i>Revista Brasileira De GeociÃncias</i> , 1991, 21, 114-120.	0.1	29
100	Larval development of <i>Hexapanopeus paulensis</i> Rathbun, 1930 (Crustacea, Brachyura, Xanthidae) under laboratory conditions. <i>Revista Brasileira De Zoologia</i> , 1990, 7, 31-45.	0.5	12
101	Larval Development of <i>Persephona Mediterranea</i> (Herbst, 1794) (Brachyura, Leucosiidae) Under Laboratory Conditions. <i>Crustaceana</i> , 1989, 57, 177-193.	0.3	16
102	Desenvolvimento larval de <i>Eriphia gonagra</i> (Fabricius, 1781) (Decapoda, Xanthidae), em laboratÃrio. <i>Revista Brasileira De Zoologia</i> , 1987, 4, 165-179.	0.5	15
103	Relative growth and population dynamics of <i>Macrobrachium iheringi</i> (Decapoda, Palaemonidae). <i>Papeis Avulsos De Zoologia</i> , 0, 59, e20195908.	0.4	8
104	Abundance and Ecological Distribution of the "Sete-Barbas" Shrimp <i>Xiphopenaeus kroyeri</i> (Heller, 1862) (Decapoda: Penaeoidea) in Three Bays of the Ubatuba Region, Southeastern Brazil. <i>Gulf and Caribbean Research</i> , 0, 19, .	0.7	61
105	Reproductive biology of the swimming crab <i>Achelous spinimanus</i> (Decapoda, Portunoidea): a potential fishing resource. <i>Iheringia - Serie Zoologia</i> , 0, 110, .	0.5	1
106	Evaluation of the stomach contents of <i>Eriphia gonagra</i> from a rocky shore in the southeastern Brazilian coast. <i>Iheringia - Serie Zoologia</i> , 0, 110, .	0.5	3