

Maria-Luisa Alegre

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/338586/maria-luisa-alegre-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

117
papers

10,405
citations

44
h-index

101
g-index

126
ext. papers

12,370
ext. citations

9.2
avg, IF

6.04
L-index

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 117 | Restored TDCA and valine levels imitate the effects of bariatric surgery. <i>ELife</i> , 2021 , 10, | 8.9 | 2 |
| 116 | Regulation of Alloantibody Responses. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 706171 | 5.7 | 0 |
| 115 | Pregnancy-induced humoral sensitization overrides T cell tolerance to fetus-matched allografts in mice. <i>Journal of Clinical Investigation</i> , 2021 , 131, | 15.9 | 8 |
| 114 | Influence of the microbiome on solid organ transplant survival. <i>Journal of Heart and Lung Transplantation</i> , 2021 , 40, 745-753 | 5.8 | 4 |
| 113 | Exploiting immunometabolism and T cell function for solid organ transplantation. <i>Cellular Immunology</i> , 2020 , 351, 104068 | 4.4 | 3 |
| 112 | Inhibition of protective immunity against infection by MHC-restricted immunodominance is overcome by vaccination. <i>Science Advances</i> , 2020 , 6, eaaw7713 | 14.3 | 8 |
| 111 | Transplantation tolerance modifies donor-specific B cell fate to suppress de novo alloreactive B cells. <i>Journal of Clinical Investigation</i> , 2020 , 130, 3453-3466 | 15.9 | 5 |
| 110 | The First ITS Meeting. <i>Transplantation</i> , 2020 , 104, 1114-1116 | 1.8 | 0 |
| 109 | The COVID-19 pandemic: A community approach. <i>Clinical Transplantation</i> , 2020 , 34, e14059 | 3.8 | 7 |
| 108 | Pathogenic Bhlhe40+ GM-CSF+ CD4+ T cells promote indirect alloantigen presentation in the GI tract during GVHD. <i>Blood</i> , 2020 , 135, 568-581 | 2.2 | 14 |
| 107 | Exercise increases skin graft resistance to rejection. <i>American Journal of Transplantation</i> , 2019 , 19, 1560-1567 | 8.57 | 3 |
| 106 | Mouse microbiomes: overlooked culprits of experimental variability. <i>Genome Biology</i> , 2019 , 20, 108 | 18.3 | 12 |
| 105 | Retrospective Identification of a Broad IgG Repertoire Differentiating Patients With Skin and Soft Tissue Infections From Controls. <i>Frontiers in Immunology</i> , 2019 , 10, 114 | 8.4 | 8 |
| 104 | The pursuit of transplantation tolerance: new mechanistic insights. <i>Cellular and Molecular Immunology</i> , 2019 , 16, 324-333 | 15.4 | 7 |
| 103 | Skin-restricted commensal colonization accelerates skin graft rejection. <i>JCI Insight</i> , 2019 , 5, | 9.9 | 10 |
| 102 | Resilience of T cell-intrinsic dysfunction in transplantation tolerance. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 23682-23690 | 11.5 | 6 |
| 101 | Impact of the microbiota on solid organ transplant rejection. <i>Current Opinion in Organ Transplantation</i> , 2019 , 24, 679-686 | 2.5 | 12 |

| | | | |
|-----|---|------|------|
| 100 | Gut Microbiota Can Impact Chronic Murine Lung Allograft Rejection. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2019 , 60, 131-134 | 5.7 | 12 |
| 99 | B cells, CMV, and stem cell transplant. <i>Science</i> , 2019 , 363, 232-233 | 33.3 | 1 |
| 98 | Thymic regulatory T cells arise via two distinct developmental programs. <i>Nature Immunology</i> , 2019 , 20, 195-205 | 19.1 | 87 |
| 97 | T Cell Receptor-Regulated TGF- β Type I Receptor Expression Determines T Cell Quiescence and Activation. <i>Immunity</i> , 2018 , 48, 745-759.e6 | 32.3 | 38 |
| 96 | The commensal microbiome is associated with anti-PD-1 efficacy in metastatic melanoma patients. <i>Science</i> , 2018 , 359, 104-108 | 33.3 | 1227 |
| 95 | Gut microbes contribute to variation in solid organ transplant outcomes in mice. <i>Microbiome</i> , 2018 , 6, 96 | 16.6 | 29 |
| 94 | Equal Expansion of Endogenous Transplant-Specific Regulatory T Cell and Recruitment Into the Allograft During Rejection and Tolerance. <i>Frontiers in Immunology</i> , 2018 , 9, 1385 | 8.4 | 6 |
| 93 | Distinct Graft-Specific TCR Avidity Profiles during Acute Rejection and Tolerance. <i>Cell Reports</i> , 2018 , 24, 2112-2126 | 10.6 | 10 |
| 92 | Urinary microbiome associated with chronic allograft dysfunction in kidney transplant recipients. <i>Clinical Transplantation</i> , 2018 , 32, e13436 | 3.8 | 15 |
| 91 | Fifty Shades of Tolerance: Beyond a Binary Tolerant/Non-Tolerant Paradigm. <i>Current Transplantation Reports</i> , 2017 , 4, 262-269 | 1.5 | 4 |
| 90 | Successful Treatment of T Cell-Mediated Acute Rejection with Delayed CTLA4-Ig in Mice. <i>Frontiers in Immunology</i> , 2017 , 8, 1169 | 8.4 | 7 |
| 89 | CTLA4-Ig in combination with FTY720 promotes allograft survival in sensitized recipients. <i>JCI Insight</i> , 2017 , 2, | 9.9 | 8 |
| 88 | Impact of environmental factors on alloimmunity and transplant fate. <i>Journal of Clinical Investigation</i> , 2017 , 127, 2482-2491 | 15.9 | 4 |
| 87 | Impact of Staphylococcus aureus USA300 Colonization and Skin Infections on Systemic Immune Responses in Humans. <i>Journal of Immunology</i> , 2016 , 197, 1118-26 | 5.3 | 15 |
| 86 | Antigen Presentation in Transplantation. <i>Trends in Immunology</i> , 2016 , 37, 831-843 | 14.4 | 40 |
| 85 | Tumor-associated fibroblasts predominantly come from local and not circulating precursors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 7551-6 | 11.5 | 77 |
| 84 | Cutting Edge: Engineering Active IKK β in T Cells Drives Tumor Rejection. <i>Journal of Immunology</i> , 2016 , 196, 2933-8 | 5.3 | 15 |
| 83 | The composition of the microbiota modulates allograft rejection. <i>Journal of Clinical Investigation</i> , 2016 , 126, 2736-44 | 15.9 | 55 |

| | | | |
|----|--|------|------|
| 82 | High-Fat Diet-Induced Obesity Enhances Allograft Rejection. <i>Transplantation</i> , 2016 , 100, 1015-21 | 1.8 | 19 |
| 81 | Spontaneous restoration of transplantation tolerance after acute rejection. <i>Nature Communications</i> , 2015 , 6, 7566 | 17.4 | 32 |
| 80 | I spy alloreactive T cells. <i>Science Translational Medicine</i> , 2015 , 7, 272fs3 | 17.5 | 1 |
| 79 | T cell-NF- κ B activation is required for tumor control in vivo 2015 , 3, 1 | | 39 |
| 78 | The influence of the microbiota on the immune response to transplantation. <i>Current Opinion in Organ Transplantation</i> , 2015 , 20, 1-7 | 2.5 | 22 |
| 77 | Commensal Bifidobacterium promotes antitumor immunity and facilitates anti-PD-L1 efficacy. <i>Science</i> , 2015 , 350, 1084-9 | 33.3 | 1852 |
| 76 | The interplay between the intestinal microbiota and the immune system. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2015 , 39, 9-19 | 2.4 | 47 |
| 75 | Costimulatory molecules 2015 , 65-84 | | |
| 74 | Analysis of GzmbCre as a Model System for Gene Deletion in the Natural Killer Cell Lineage. <i>PLoS ONE</i> , 2015 , 10, e0125211 | 3.7 | 4 |
| 73 | Proteomic Identification of saeRS-Dependent Targets Critical for Protective Humoral Immunity against Staphylococcus aureus Skin Infection. <i>Infection and Immunity</i> , 2015 , 83, 3712-21 | 3.7 | 8 |
| 72 | Long-term Maintenance of Sterility Following Skin Transplantation in Germ-free Mice. <i>Transplantation Direct</i> , 2015 , 1, | 2.3 | 10 |
| 71 | Basal NF- κ B controls IL-7 responsiveness of quiescent naive T cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 7397-402 | 11.5 | 21 |
| 70 | STING-dependent cytosolic DNA sensing mediates innate immune recognition of immunogenic tumors. <i>Immunity</i> , 2014 , 41, 830-42 | 32.3 | 876 |
| 69 | Protective immunity against recurrent Staphylococcus aureus skin infection requires antibody and interleukin-17A. <i>Infection and Immunity</i> , 2014 , 82, 2125-34 | 3.7 | 82 |
| 68 | The microbiota, the immune system and the allograft. <i>American Journal of Transplantation</i> , 2014 , 14, 1236-48 | 8.7 | 45 |
| 67 | Transplantation tolerance and its outcome during infections and inflammation. <i>Immunological Reviews</i> , 2014 , 258, 80-101 | 11.3 | 23 |
| 66 | Microbes and allogeneic transplantation. <i>Transplantation</i> , 2014 , 97, 5-11 | 1.8 | 15 |
| 65 | Cellular Mechanisms of Adaptive Immunity 2014 , 50-59 | | |

| | | | |
|----|--|------|-----|
| 64 | Lessons and limits of mouse models. <i>Cold Spring Harbor Perspectives in Medicine</i> , 2013 , 3, a015495 | 5.4 | 32 |
| 63 | Commensal microbiota determine intestinal iTreg. <i>American Journal of Transplantation</i> , 2012 , 12, 1967 | 8.7 | 3 |
| 62 | T cell receptor/CARMA1/NF- κ B signaling controls T-helper (Th) 17 differentiation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 18529-34 | 11.5 | 43 |
| 61 | The impact of infection and tissue damage in solid-organ transplantation. <i>Nature Reviews Immunology</i> , 2012 , 12, 459-71 | 36.5 | 106 |
| 60 | Role of T-cell-specific nuclear factor κ B in islet allograft rejection. <i>Transplantation</i> , 2012 , 93, 976-82 | 1.8 | 9 |
| 59 | Attenuation by targeting the B- and T-cell attenuator. <i>Transplantation</i> , 2011 , 92, 1075-6 | 1.8 | 1 |
| 58 | High TCR stimuli prevent induced regulatory T cell differentiation in a NF- κ B-dependent manner. <i>Journal of Immunology</i> , 2011 , 186, 4609-17 | 5.3 | 66 |
| 57 | Significant CD4, CD8, and CD19 lymphopenia in peripheral blood of sarcoidosis patients correlates with severe disease manifestations. <i>PLoS ONE</i> , 2010 , 5, e9088 | 3.7 | 76 |
| 56 | Polymorphisms in CD1d affect antigen presentation and the activation of CD1d-restricted T cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 1909-14 | 11.5 | 27 |
| 55 | CARMA1 controls an early checkpoint in the thymic development of FoxP3+ regulatory T cells. <i>Journal of Immunology</i> , 2009 , 182, 6736-43 | 5.3 | 89 |
| 54 | Endocytic sequestration of the B cell antigen receptor and toll-like receptor 9 in anergic cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 6262-7 | 11.5 | 38 |
| 53 | TLR signals promote IL-6/IL-17-dependent transplant rejection. <i>Journal of Immunology</i> , 2009 , 182, 6217-25 | 3.5 | 91 |
| 52 | Fas mediates cardiac allograft acceptance in mice with impaired T-cell-intrinsic NF- κ B signaling. <i>Transplant International</i> , 2009 , 22, 845-52 | 3 | 3 |
| 51 | Antagonistic effect of toll-like receptor signaling and bacterial infections on transplantation tolerance. <i>Transplantation</i> , 2009 , 87, S77-9 | 1.8 | 16 |
| 50 | Toll-like receptors (TLRs) in transplantation. <i>Frontiers in Bioscience - Elite</i> , 2009 , 1, 36-43 | 1.6 | 10 |
| 49 | Prevention of allograft tolerance by bacterial infection with <i>Listeria monocytogenes</i> . <i>Journal of Immunology</i> , 2008 , 180, 5991-9 | 5.3 | 73 |
| 48 | Role of bacterial infections in allograft rejection. <i>Expert Review of Clinical Immunology</i> , 2008 , 4, 281-93 | 5.1 | 14 |
| 47 | T-cell receptor-induced NF- κ B activation is negatively regulated by E3 ubiquitin ligase Cbl-b. <i>Molecular and Cellular Biology</i> , 2008 , 28, 2470-80 | 4.8 | 72 |

| | | | |
|----|---|------|-----|
| 46 | Toll-like receptor signaling in transplantation. <i>Current Opinion in Organ Transplantation</i> , 2008 , 13, 358-65. | 5 | 35 |
| 45 | The multiple facets of toll-like receptors in transplantation biology. <i>Transplantation</i> , 2008 , 86, 1-9 | 1.8 | 59 |
| 44 | Overexpression of program death-1 in T cells has mild impact on allograft survival. <i>Transplant International</i> , 2008 , 21, 21-9 | 3 | 2 |
| 43 | Targeting the NF-kappaB signaling pathway in Notch1-induced T-cell leukemia. <i>Nature Medicine</i> , 2007 , 13, 70-7 | 50.5 | 276 |
| 42 | Cellular mechanisms underlying acute graft rejection: time for reassessment. <i>Current Opinion in Immunology</i> , 2007 , 19, 563-8 | 7.8 | 52 |
| 41 | Natural killer cell subsets in allograft rejection and tolerance. <i>Current Opinion in Organ Transplantation</i> , 2007 , 12, 10-16 | 2.5 | |
| 40 | Role of natural killer cell subsets in cardiac allograft rejection. <i>American Journal of Transplantation</i> , 2006 , 6, 505-13 | 8.7 | 96 |
| 39 | Costimulatory molecules as targets for the induction of transplantation tolerance. <i>Current Molecular Medicine</i> , 2006 , 6, 843-57 | 2.5 | 21 |
| 38 | Mechanisms of CTLA-4-Ig in tolerance induction. <i>Current Pharmaceutical Design</i> , 2006 , 12, 149-60 | 3.3 | 58 |
| 37 | Coordination between NF-kappaB family members p50 and p52 is essential for mediating LTbetaR signals in the development and organization of secondary lymphoid tissues. <i>Blood</i> , 2006 , 107, 1048-55 | 2.2 | 84 |
| 36 | The balance of immune responses: costimulation verse coinhibition. <i>Journal of Molecular Medicine</i> , 2005 , 83, 193-202 | 5.5 | 59 |
| 35 | Transplantation tolerance in NF-kappaB-impaired mice is not due to regulation but is prevented by transgenic expression of Bcl-xL. <i>Journal of Immunology</i> , 2005 , 174, 3447-53 | 5.3 | 19 |
| 34 | Actin cytoskeleton regulates calcium dynamics and NFAT nuclear duration. <i>Molecular and Cellular Biology</i> , 2004 , 24, 1628-39 | 4.8 | 60 |
| 33 | Cutting edge: Cbl-b: one of the key molecules tuning CD28- and CTLA-4-mediated T cell costimulation. <i>Journal of Immunology</i> , 2004 , 173, 7135-9 | 5.3 | 88 |
| 32 | Formation of a central supramolecular activation cluster is not required for activation of naive CD8+ T cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 9351-6 | 11.5 | 59 |
| 31 | Transgenic expression of CTLA-4 controls lymphoproliferation in IL-2-deficient mice. <i>Journal of Immunology</i> , 2004 , 173, 5415-24 | 5.3 | 18 |
| 30 | Costimulatory pathways of T-cell activation. <i>Kidney International</i> , 2004 , 65, 1539 | 9.9 | 1 |
| 29 | Targeting NF-??B in the immune system to prevent acute allograft rejection. <i>Current Opinion in Organ Transplantation</i> , 2004 , 9, 252-257 | 2.5 | 3 |

| | | | |
|----|---|------|------|
| 28 | Local expression of B7-H1 promotes organ-specific autoimmunity and transplant rejection. <i>Journal of Clinical Investigation</i> , 2004 , 113, 694-700 | 15.9 | 131 |
| 27 | CD28/B7 regulation of anti-CD3-mediated immunosuppression in vivo. <i>Journal of Immunology</i> , 2003 , 170, 1510-6 | 5.3 | 31 |
| 26 | Impaired NF-kappaB activation in T cells permits tolerance to primary heart allografts and to secondary donor skin grafts. <i>American Journal of Transplantation</i> , 2003 , 3, 139-47 | 8.7 | 29 |
| 25 | Secondary lymphoid organs are important but not absolutely required for allograft responses. <i>American Journal of Transplantation</i> , 2003 , 3, 259-66 | 8.7 | 47 |
| 24 | Modulation of tryptophan catabolism by regulatory T cells. <i>Nature Immunology</i> , 2003 , 4, 1206-12 | 19.1 | 1026 |
| 23 | GATA-3: an unexpected regulator of cell lineage determination in skin. <i>Genes and Development</i> , 2003 , 17, 2108-22 | 12.6 | 264 |
| 22 | CTLA-4 engagement regulates NF-kappaB activation in vivo. <i>European Journal of Immunology</i> , 2002 , 32, 2095-104 | 6.1 | 17 |
| 21 | TCR-independent CD30 signaling selectively induces IL-13 production via a TNF receptor-associated factor/p38 mitogen-activated protein kinase-dependent mechanism. <i>Journal of Immunology</i> , 2002 , 169, 2451-9 | 5.3 | 55 |
| 20 | Cutting edge: targeted ligation of CTLA-4 in vivo by membrane-bound anti-CTLA-4 antibody prevents rejection of allogeneic cells. <i>Journal of Immunology</i> , 2002 , 169, 633-7 | 5.3 | 44 |
| 19 | Modified anti-CD3 therapy in psoriatic arthritis: a phase I/II clinical trial. <i>Journal of Rheumatology</i> , 2002 , 29, 1907-13 | 4.1 | 91 |
| 18 | Confounding factors complicate conclusions in aly model. <i>Nature Medicine</i> , 2001 , 7, 1165-6 | 50.5 | 13 |
| 17 | T-cell regulation by CD28 and CTLA-4. <i>Nature Reviews Immunology</i> , 2001 , 1, 220-8 | 36.5 | 643 |
| 16 | Different mechanisms of cardiac allograft rejection in wildtype and CD28-deficient mice. <i>American Journal of Transplantation</i> , 2001 , 1, 38-46 | 8.7 | 49 |
| 15 | CTLA-4 is not required for induction of CD8(+) T cell anergy in vivo. <i>Journal of Immunology</i> , 2001 , 167, 4936-41 | 5.3 | 41 |
| 14 | Cutting edge: membrane lymphotoxin regulates CD8(+) T cell-mediated intestinal allograft rejection. <i>Journal of Immunology</i> , 2001 , 167, 4796-800 | 5.3 | 46 |
| 13 | Absence of CTLA-4 lowers the activation threshold of primed CD8+ TCR-transgenic T cells: lack of correlation with Src homology domain 2-containing protein tyrosine phosphatase. <i>Journal of Immunology</i> , 2001 , 166, 3900-7 | 5.3 | 45 |
| 12 | Transplantation and the CD28/CTLA4/B7 pathway. <i>Transplantation Proceedings</i> , 2001 , 33, 209-11 | 1.1 | 14 |
| 11 | CD8 T cell-mediated rejection of intestinal allografts is resistant to inhibition of the CD40/CD154 costimulatory pathway. <i>Transplantation</i> , 2001 , 71, 1351-4 | 1.8 | 45 |

| | | | |
|----|--|------|-----|
| 10 | In vitro characterization of five humanized OKT3 effector function variant antibodies. <i>Cellular Immunology</i> , 2000 , 200, 16-26 | 4.4 | 171 |
| 9 | CTLA-4 gene polymorphism at position 49 in exon 1 reduces the inhibitory function of CTLA-4 and contributes to the pathogenesis of Graves Disease. <i>Journal of Immunology</i> , 2000 , 165, 6606-11 | 5.3 | 428 |
| 8 | Role of STAT4 and STAT6 signaling in allograft rejection and CTLA4-Ig-mediated tolerance. <i>Journal of Immunology</i> , 2000 , 165, 5580-7 | 5.3 | 37 |
| 7 | Induction of T cell anergy in the absence of CTLA-4/B7 interaction. <i>Journal of Immunology</i> , 2000 , 164, 2987-93 | 5.3 | 49 |
| 6 | Impaired negative selection in CD28-deficient mice. <i>Cellular Immunology</i> , 1998 , 187, 131-8 | 4.4 | 42 |
| 5 | Tissue distribution, regulation and intracellular localization of murine CD1 molecules. <i>Molecular Immunology</i> , 1998 , 35, 525-36 | 4.3 | 80 |
| 4 | Cytotoxic T lymphocyte antigen 4 (CTLA4) blockade accelerates the acute rejection of cardiac allografts in CD28-deficient mice: CTLA4 can function independently of CD28. <i>Journal of Experimental Medicine</i> , 1998 , 188, 199-204 | 16.6 | 170 |
| 3 | Expression and function of CTLA-4 in Th1 and Th2 cells. <i>Journal of Immunology</i> , 1998 , 161, 3347-56 | 5.3 | 111 |
| 2 | Immunomodulation of transplant rejection using monoclonal antibodies and soluble receptors. <i>Digestive Diseases and Sciences</i> , 1995 , 40, 58-64 | 4 | 11 |
| 1 | Evidence that pentoxifylline reduces anti-CD3 monoclonal antibody-induced cytokine release syndrome. <i>Transplantation</i> , 1991 , 52, 674-9 | 1.8 | 56 |