Guolong Cui

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/338592/guolong-cui-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

2,508 26 43 g-index

259 3,547 avg, IF 5.83

L-index

#	Paper	IF	Citations
190	A Multi-Domain Fusion Human Motion Recognition Method Based on Lightweight Network. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2022 , 19, 1-5	4.1	1
189	Multi-Spectrally Constrained Transceiver Design against Signal-Dependent Interference. <i>IEEE Transactions on Signal Processing</i> , 2022 , 1-1	4.8	4
188	Computational Efficient Segmented Integration Method for High-speed Maneuvering Target Detection. Signal Processing, 2022, 108475	4.4	O
187	Multi-Spectrally Constrained MIMO Radar Beampattern Design via Sequential Convex Approximation. <i>IEEE Transactions on Aerospace and Electronic Systems</i> , 2022 , 1-1	3.7	8
186	Multipath False Target Removal for Indoor Localization. <i>Lecture Notes in Electrical Engineering</i> , 2022 , 1367-1378	0.2	
185	Human Target Localization in the U-Shaped Structure via UWB Radar. <i>Lecture Notes in Electrical Engineering</i> , 2022 , 3103-3112	0.2	
184	Cognitive Waveform Design with Desired Spectrum-Autocorrelation Properties. <i>Signal Processing</i> , 2022 , 108576	4.4	
183	Fast Single-Snapshot DOA Estimation of Coherent Sources for Distributed mmWave Radar System. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2022 , 1-1	3.5	
182	Constant modulus sequence set design with low weighted integrated sidelobe level in spectrally crowded environments. <i>Science China Information Sciences</i> , 2022 , 65, 1	3.4	
181	Integrated Waveform Design for MIMO Radar and Communication via Spatio-Spectral Modulation. <i>IEEE Transactions on Signal Processing</i> , 2022 , 1-1	4.8	6
180	Joint Estimation of Target Range and Velocity for Radar System via Complex-Valued Kernel Quasi-Newton Method. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2022 , 1-1	5.2	
179	First Sidelobe Analysis of Spatial Spectrum for Distributed Dual mmWave Radars. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2022 , 21, 948-952	3.8	
178	GCN-Enhanced Multidomain Fusion Network for Through-Wall Human Activity Recognition. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2022 , 19, 1-5	4.1	
177	Graph Matching Based Image Registration for Multi-View Through-the-Wall Imaging Radar. <i>IEEE Sensors Journal</i> , 2021 , 1-1	4	1
176	Extreme Eigenvalues-Based Detectors for Spectrum Sensing in Cognitive Radio Networks. <i>IEEE Transactions on Communications</i> , 2021 , 1-1	6.9	4
175	Wideband Beampattern Synthesis using Single Digital Beamformer with Integer Time Delay Filters. <i>IEEE Transactions on Antennas and Propagation</i> , 2021 , 1-1	4.9	2
174	Transmit-Receive Beamforming for Distributed Phased-MIMO Radar System. <i>IEEE Transactions on Vehicular Technology</i> , 2021 , 1-1	6.8	

(2021-2021)

173	Multipath Imaging for NLOS Targets Behind an L-Shaped Corner With Single-Channel UWB Radar. <i>IEEE Sensors Journal</i> , 2021 , 1-1	4	3	
172	Fusion Test Statistics Based Mixture Detector for Spectrum Sensing. <i>IEEE Transactions on Vehicular Technology</i> , 2021 , 1-1	6.8	Ο	
171	Eigenvalues-Based Detector Design for Radar Small Floating Target Detection in Sea Clutter. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2021 , 1-5	4.1	О	
170	Continuous Human Activity Recognition through Parallelism LSTM with Multi-Frequency Spectrograms. <i>Remote Sensing</i> , 2021 , 13, 4264	5	2	
169	Multiple Targets Localization Behind L-Shaped Corner via UWB Radar. <i>IEEE Transactions on Vehicular Technology</i> , 2021 , 70, 3087-3100	6.8	9	
168	Multi-Frame Integration Method for Radar Detection of Weak Moving Target. <i>IEEE Transactions on Vehicular Technology</i> , 2021 , 70, 3609-3624	6.8	5	
167	MIMO Radar Beampattern Formation with Spectral Coexistence Via Sequential Convex Approximation 2021 ,		3	
166	ResNet-Based Counting Algorithm for Moving Targets in Through-the-Wall Radar. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2021 , 18, 1034-1038	4.1	3	
165	Beampattern Synthesis via the Constrained Subarray Layout Optimization. <i>IEEE Transactions on Antennas and Propagation</i> , 2021 , 69, 182-194	4.9	4	
164	Human Target Detection Based on FCN for Through-the-Wall Radar Imaging. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2021 , 18, 1565-1569	4.1	9	
163	Wideband frequency-invariant beamforming with dynamic range ratio constraints. <i>Signal Processing</i> , 2021 , 181, 107908	4.4	1	
162	A Fast Approach for Detection and Parameter Estimation of Maneuvering Target With Complex Motions in Coherent Radar System. <i>IEEE Transactions on Vehicular Technology</i> , 2021 , 1-1	6.8	1	
161	Ultrawideband Tomographic Imaging in Multipath-Rich Environment. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2021 , 1-5	4.1	1	
160	A Joint Iterative Tomographic Imaging Approach With Dual-Band Signals. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2021 , 1-1	3.8		
159	Building Layout Tomographic Reconstruction via Commercial WiFi Signals. <i>IEEE Internet of Things Journal</i> , 2021 , 1-1	10.7	4	
158	Multi-frequency and multi-domain human activity recognition based on SFCW radar using deep learning. <i>Neurocomputing</i> , 2021 , 444, 274-287	5.4	8	
157	Beampattern Synthesis via First-Order Iterative Convex Approximation. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2021 , 20, 1493-1497	3.8	2	
156	Joint cognitive optimization of transmit waveform and receive filter against deceptive interference. Signal Processing, 2021, 185, 108084	4.4	2	

155	Multi-View Real-Time Human Motion Recognition Based on Ensemble Learning. <i>IEEE Sensors Journal</i> , 2021 , 21, 20335-20347	4	3
154	A new approach for design of constant modulus discrete phase radar waveform with low WISL. <i>Signal Processing</i> , 2021 , 187, 108145	4.4	5
153	Nonline-of-Sight 3-D Imaging Using Millimeter-Wave Radar. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2021 , 1-18	8.1	1
152	Through-Wall Human Motion Recognition Based on Transfer Learning and Ensemble Learning. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2021 , 1-5	4.1	4
151	Design of Constant Modulus Discrete Phase Radar Waveforms Subject to Multi-Spectral Constraints. <i>IEEE Signal Processing Letters</i> , 2020 , 27, 875-879	3.2	20
150	Main lobe jamming suppression via blind source separation sparse signal recovery with subarray configuration. <i>IET Radar, Sonar and Navigation</i> , 2020 , 14, 431-438	1.4	5
149	Hidden Convexity in Robust Waveform and Receive Filter Bank Optimization Under Range Unambiguous Clutter. <i>IEEE Signal Processing Letters</i> , 2020 , 27, 885-889	3.2	9
148	Quadratic Optimization for Unimodular Sequence Design via an ADPM Framework. <i>IEEE Transactions on Signal Processing</i> , 2020 , 68, 3619-3634	4.8	18
147	Phased array beamforming with practical constraints. Signal Processing, 2020, 176, 107698	4.4	4
146	Hidden Convexity in Robust Waveform and Receive Filter Bank Optimization for Range Unambiguous Clutter 2020 ,		1
145	MIMO Radar Waveform Design in the Presence of Multiple Targets and Practical Constraints. <i>IEEE Transactions on Signal Processing</i> , 2020 , 68, 1974-1989	4.8	38
144	Behind Corner Targets Location Using Small Aperture Millimeter Wave Radar in NLOS Urban Environment. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2020 , 13, 460-470	4.7	10
143	On the Electromagnetic Diffraction Propagation Model and Applications. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2020 , 13, 884-895	4.7	7
142	Dual-Use Signal Design for Radar and Communication via Ambiguity Function Sidelobe Control. <i>IEEE Transactions on Vehicular Technology</i> , 2020 , 69, 9781-9794	6.8	10
141	NLOS Target Localization Behind an L-Shaped Corner With an L-Band UWB Radar. <i>IEEE Access</i> , 2020 , 8, 31270-31286	3.5	7
140	Scale-Adaptive Human Target Tracking for Through-Wall Imaging Radar. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2020 , 17, 1348-1352	4.1	11
139	Hypersonic Target Detection and Velocity Estimation in Coherent Radar System Based on Scaled Radon Fourier Transform. <i>IEEE Transactions on Vehicular Technology</i> , 2020 , 69, 6525-6540	6.8	16
138	Toeplitz Structured Covariance Matrix Estimation for Radar Applications. <i>IEEE Signal Processing Letters</i> , 2020 , 27, 595-599	3.2	8

137	Iterative Sequential Estimation for Multiple Structured Signals. <i>IEEE Access</i> , 2020 , 8, 44452-44458	3.5	
136	Cognitive Wideband Beamforming for Sparse Array 2020 ,		1
135	Finite Alphabet Unimodular Sequence Design With Low WISL Via An Inexact ADPM Framework 2020 ,		1
134	Target Tracking and Ghost Mitigation Based on Multi-view Through-the-wall Radar Imaging 2020,		2
133	Three-Dimensional Down-View Imaging Based on MIMO Through-Wall-Radar 2020 ,		1
132	A Real-time Human Activity Recognition Method for Through-the-Wall Radar 2020 ,		1
131	MIMO Radar Transmit R eceive Design for Moving Target Detection in Signal-Dependent Clutter. <i>IEEE Transactions on Vehicular Technology</i> , 2020 , 69, 522-536	6.8	54
130	Coherent Radar Detection Framework With Non-Uniform Pulse Repetition Intervals. <i>IEEE Access</i> , 2020 , 8, 18645-18657	3.5	1
129	Beampattern Synthesis With Sidelobe Control and Applications. <i>IEEE Transactions on Antennas and Propagation</i> , 2020 , 68, 297-310	4.9	16
128	MIMO Radar Localization of Targets Behind L-shaped Corners 2020 ,		3
127	OQAM-OFDM Radar Approximated IRCI-Free Pulse Compression. <i>IEEE Transactions on Vehicular Technology</i> , 2020 , 69, 10009-10018	6.8	4
126	Toeplitz Structured Covariance Matrix Estimation for Radar Applications 2020,		1
125	. IEEE Transactions on Aerospace and Electronic Systems, 2020 , 56, 4749-4766	3.7	11
124	Human Motion Serialization Recognition With Through-the-Wall Radar. <i>IEEE Access</i> , 2020 , 8, 186879-186	<u>8,8</u> 9	7
123	Transmit-Receive Design for Non-Uniform Pulse Repetition Interval Airborne Radar in the Presence of Signal-Dependent Clutter 2020 ,		O
122	Transceiver Design in Signal-Dependent Interference and Spectrally Dense Environments 2020,		1
121	WRFRFT-based coherent detection and parameter estimation of radar moving target with unknown	4.4	18
	entry/departure time. Signal Processing, 2020 , 166, 107228	4.4	

119	Wideband MIMO Radar Waveform Design. <i>IEEE Transactions on Signal Processing</i> , 2019 , 67, 3487-3501	4.8	41
118	STGRFT for Detection of Maneuvering Weak Target With Multiple Motion Models. <i>IEEE Transactions on Signal Processing</i> , 2019 , 67, 1902-1917	4.8	37
117	Robust Human Targets Tracking for MIMO Through-Wall Radar via Multi-Algorithm Fusion. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2019 , 12, 1154-1164	4.7	17
116	Wideband MIMO radar beampattern shaping with space-frequency nulling. <i>Signal Processing</i> , 2019 , 160, 80-87	4.4	23
115	. IEEE Transactions on Aerospace and Electronic Systems, 2019 , 55, 356-370	3.7	67
114	Detection and Localization for Multiple Stationary Human Targets Based on Cross-Correlation of Dual-Station SFCW Radars. <i>Remote Sensing</i> , 2019 , 11, 1428	5	9
113	Human Target Tracking for Small Aperture Through-wall Imaging Radar 2019,		1
112	Mutual Information based Partial Band Coexistence for Joint Radar and Communication System 2019 ,		6
111	Performance of Localization Estimation Rate for Radar-Communication system 2019,		3
110	Moving Target Localization Behind L-shaped Corner With a UWB Radar 2019,		5
109	OQAM-OFDM Signal based Radar IRCI Free Range Reconstruction 2019,		1
108	Constant Modulus Waveform Design for Wideband MIMO Radar Beampattern 2019,		2
107	Multipath Ghost and Side/Grating Lobe Suppression Based on Stacked Generative Adversarial Nets in MIMO Through-Wall Radar Imaging. <i>IEEE Access</i> , 2019 , 7, 143367-143380	3.5	4
106	Corner target positioning with unknown walls' positions. <i>Journal of Engineering</i> , 2019 , 2019, 6143-6146	5 0.7	5
105	Coherent detection method for maneuvering target with complex motions. <i>Journal of Engineering</i> , 2019 , 2019, 8032-8036	0.7	0
104	NLOS Targets Imaging with UWB Radar 2019 ,		1
103	Mainlobe jamming suppression for distributed radar via joint blind source separation. <i>IET Radar, Sonar and Navigation</i> , 2019 , 13, 1189-1199	1.4	9
102	A suppression method against range deception jamming based on homologous localisation test. <i>Journal of Engineering</i> , 2019 , 2019, 6961-6965	0.7	O

(2018-2019)

101	Particle-filter-based human target tracking in image domain for through-wall imaging radar. <i>Journal of Engineering</i> , 2019 , 2019, 6549-6553	0.7	О
100	Prediction-based PSO algorithm for MIMO radar antenna deployment in dynamic environment. <i>Journal of Engineering</i> , 2019 , 2019, 6646-6650	0.7	1
99	Multipath Ghost Suppression Based on Generative Adversarial Nets in Through-Wall Radar Imaging. <i>Electronics (Switzerland)</i> , 2019 , 8, 626	2.6	3
98	Joint rangeNelocity deception jamming suppression for SIMO radar. <i>IET Radar, Sonar and Navigation</i> , 2019 , 13, 113-122	1.4	10
97	Radar Detection and Parameter Estimation of High-Speed Target Based on MART-LVT. <i>IEEE Sensors Journal</i> , 2019 , 19, 1478-1486	4	20
96	Computationally efficient coherent detection and parameter estimation algorithm for maneuvering target. <i>Signal Processing</i> , 2019 , 155, 130-142	4.4	36
95	. IEEE Transactions on Aerospace and Electronic Systems, 2018 , 54, 1871-1882	3.7	12
94	Multipath Ghost Suppression for Through-the-Wall Imaging Radar via Array Rotating. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2018 , 15, 868-872	4.1	19
93	. IEEE Transactions on Aerospace and Electronic Systems, 2018 , 54, 269-283	3.7	28
92	Range jamming suppression with a coupled sequential estimation algorithm. <i>IET Radar, Sonar and Navigation</i> , 2018 , 12, 341-347	1.4	10
91	Antenna deployment method for multistatic radar under the situation of multiple regions for interference. <i>Signal Processing</i> , 2018 , 143, 292-297	4.4	21
90	A Coherent Detection and Velocity Estimation Algorithm for the High-Speed Target Based on the Modified Location Rotation Transform. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2018 , 11, 2346-2361	4.7	30
89	First-Order Rear-Wall Multipath Positioning and Suppression for Through-Wall Imaging Radar. <i>IEEE Sensors Journal</i> , 2018 , 1-1	4	6
88	Multipath model and ghosts localization for MIMO through-wall radar 2018,		3
87	Mainlobe jamming suppression via blind source separation 2018,		4
86	Constrained transmit beampattern design for colocated MIMO radar. Signal Processing, 2018, 144, 145	-154	43
85	Dual-Use Unimodular Sequence Design via Frequency Nulling Modulation. <i>IEEE Access</i> , 2018 , 6, 62470-6	52 3 1 § 1	7
84	Cognitive Local Ambiguity Function Shaping With Spectral Coexistence. <i>IEEE Access</i> , 2018 , 6, 50077-500	0865	16

83	Narrow-Band Through-Wall Imaging with Received Signal Strength Data 2018,		1
82	Multipath Analysis and Exploitation for MIMO Through-the-Wall Imaging Radar. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2018 , 11, 3721-3731	4.7	9
81	Human body and limb motion recognition via stacked gated recurrent units network. <i>IET Radar, Sonar and Navigation</i> , 2018 , 12, 1046-1051	1.4	25
80	Adaptive Detection of Distributed Targets in Gaussian Clutter Based on Multiple A-Priori Spectral Models. <i>Circuits, Systems, and Signal Processing</i> , 2017 , 36, 420-434	2.2	2
79	Robust constrained waveform design for MIMO radar with uncertain steering vectors. <i>Eurasip Journal on Advances in Signal Processing</i> , 2017 , 2017,	1.9	5
78	. IEEE Transactions on Aerospace and Electronic Systems, 2017 , 53, 1573-1580	3.7	37
77	Constant modulus sequence set design with good correlation properties. <i>Signal Processing</i> , 2017 , 139, 75-85	4.4	35
76	Constrained radar waveform design algorithm for spectral coexistence. <i>Electronics Letters</i> , 2017 , 53, 558-560	1.1	6
<i>75</i>	Detection of weak maneuvering target based on keystone transform and matched filtering process. <i>Signal Processing</i> , 2017 , 140, 127-138	4.4	41
74	Local Ambiguity Function Shaping via Unimodular Sequence Design. <i>IEEE Signal Processing Letters</i> , 2017 , 24, 977-981	3.2	35
73	Cognitive radar sequence design under the spectral compatibility requirements. <i>IET Radar, Sonar and Navigation</i> , 2017 , 11, 759-767	1.4	4
72	Radar waveform design against signal-dependent jamming 2017 ,		3
71	A novel noncoherent localization approach for through-the-wall radar 2017,		5
70	Range walk correction and velocity estimation for high-speed target detection 2017,		6
69	Detection of weak maneuvering target based on KT-MFP 2017 ,		2
68	Quadratic Optimization With Similarity Constraint for Unimodular Sequence Synthesis. <i>IEEE Transactions on Signal Processing</i> , 2017 , 65, 4756-4769	4.8	43
67	Space-Time Transmit Code and Receive Filter Design for Colocated MIMO Radar. <i>IEEE Transactions</i>	. 0	94
Ĺ	on Signal Processing, 2017 , 65, 1116-1129	4.8	9 4

(2016-2017)

65	Detection and RM correction approach for manoeuvring target with complex motions. <i>IET Signal Processing</i> , 2017 , 11, 378-386	1.7	6	
64	. IEEE Transactions on Aerospace and Electronic Systems, 2017 , 53, 2924-2935	3.7	24	
63	Similarity-based multipath suppression algorithm for through-wall imaging radar. <i>IET Radar, Sonar and Navigation</i> , 2017 , 11, 1041-1050	1.4	8	
62	Radar maneuvering target detection and motion parameter estimation based on TRT-SGRFT. <i>Signal Processing</i> , 2017 , 133, 107-116	4.4	29	
61	Geometric barycenters for covariance estimation in compound-Gaussian clutter. <i>IET Radar, Sonar and Navigation</i> , 2017 , 11, 404-409	1.4	26	
60	Coherent unambiguous transmit for sparse linear array with geography constraint. <i>IET Radar, Sonar and Navigation</i> , 2017 , 11, 386-393	1.4	4	
59	Constant false alarm rate performance prediction for non-independent and non-identically distributed gamma fluctuating targets. <i>IET Radar, Sonar and Navigation</i> , 2016 , 10, 992-1000	1.4	1	
58	Coupled sequential detection and estimation procedure for track-before-detect. <i>IET Radar, Sonar and Navigation</i> , 2016 , 10, 1168-1177	1.4	1	
57	Manoeuvring target detection based on keystone transform and Lv's distribution. <i>IET Radar, Sonar and Navigation</i> , 2016 , 10, 1234-1242	1.4	34	
56	Tasks scheduling for multistatic radar network 2016 ,		1	
55	A template fitting approach for cognitive unimodular sequence design. <i>Signal Processing</i> , 2016 , 128, 360-368	4.4	21	
54	Fast Non-Searching Method for Maneuvering Target Detection and Motion Parameters Estimation. <i>IEEE Transactions on Signal Processing</i> , 2016 , 64, 2232-2244	4.8	111	
53	Preferential optimal antenna placement for MIMO radar under the situation of multiple surveillance regions 2016 ,		1	
52	Multipath ghosts location and sub-aperture based suppression algorithm for TWIR 2016,		5	
51	CLEAN-based coherent integration method for high-speed multi-targets detection. <i>IET Radar, Sonar and Navigation</i> , 2016 , 10, 1671-1682	1.4	39	
50	Fast implementation for modified adaptive multi-pulse compression. Eurasip Journal on Advances in Signal Processing, 2016, 2016,	1.9	2	
49	. IEEE Transactions on Aerospace and Electronic Systems, 2016 , 52, 2803-2814	3.7	36	
48	Knowledge-Based Track-Before-Detect Strategies for Fluctuating Targets in \$K\$ -Distributed Clutter. <i>IEEE Sensors Journal</i> , 2016 , 16, 7124-7132	4	17	

47	Exact Distribution for the Product of Two Correlated Gaussian Random Variables. <i>IEEE Signal Processing Letters</i> , 2016 , 23, 1662-1666	3.2	22
46	Coherent Integration Algorithm for a Maneuvering Target With High-Order Range Migration. <i>IEEE Transactions on Signal Processing</i> , 2015 , 63, 4474-4486	4.8	81
45	Sidewall Detection Using Multipath in Through-Wall Radar Moving Target Tracking. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2015 , 12, 1372-1376	4.1	11
44	A fast implementation of Dynamic Programming based Track-Before-Detect for radar system 2015 ,		5
43	A modified adaptive multi-pulse compression algorithm for fast implementation 2015,		3
42	Integrated radar and communication system based on stepped frequency continuous waveform 2015 ,		1
41	. IEEE Sensors Journal, 2015 , 15, 6722-6729	4	25
40	Coherent Integration for Maneuvering Target Detection Based on Radon-Lv® Distribution. <i>IEEE Signal Processing Letters</i> , 2015 , 22, 1467-1471	3.2	113
39	Range migration correction for maneuvering target based on generalized keystone transform 2015 ,		8
38	Multiple moving targets tracking for through-wall imaging radar 2015,		6
37	Track-before-detect for fluctuating targets using phase information 2015,		1
36	Optimized phase-coded waveforms design against range repeat jamming 2015 ,		2
35	Optimized phase-coded waveform design against velocity deception 2015,		4
34	Particle filtering for target tracking using plot-sequences of multi-frame track before detect 2015 ,		3
33	A Fast Maneuvering Target Motion Parameters Estimation Algorithm Based on ACCF. <i>IEEE Signal Processing Letters</i> , 2015 , 22, 270-274	3.2	85
32	MIMO Radar Moving Target Detection Against Compound-Gaussian Clutter. <i>Circuits, Systems, and Signal Processing</i> , 2014 , 33, 1819-1839	2.2	13
31	High speed maneuvering target detection based on joint keystone transform and CP function 2014,		8
30	MIMO radar detection in compound-Gaussian clutter with inverse Gaussian texture 2014 ,		1

29	Track-before-detect for fluctuating targets in heterogeneous clutter 2014,		7
28	Multiple sensor Multi-Bernoulli filter based track-before-detect for polarimetric MIMO radars 2014,		1
27	Distributed MIMO radar detection with channel evaluation and selection strategy 2014,		3
26	Multi-target localization for noncoherent MIMO radar with widely separated antennas 2014,		3
25	Adaptive Bayesian detection using polarimetric MIMO radar in spatially heterogeneous clutter 2014 ,		1
24	Waveform design for MIMO radar with constant modulus and similarity constraints 2014,		8
23	Multichannel and Multiview Imaging Approach to Building Layout Determination of Through-Wall Radar. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2014 , 11, 970-974	4.1	26
22	MIMO Radar Waveform Design With Constant Modulus and Similarity Constraints. <i>IEEE Transactions on Signal Processing</i> , 2014 , 62, 343-353	4.8	231
21	Adaptive Transmit and Receive Beamforming for Interference Mitigation. <i>IEEE Signal Processing Letters</i> , 2014 , 21, 235-239	3.2	33
20	Wall compensation algorithm for through-wall-radar building layout imaging 2014,		3
19	Efficient phase-modulated waveform design for active sensing systems 2014,		7
18	MIMO radar moving target detection in compound-Gaussian clutter 2014 ,		1
17	A correlation-based signal detection algorithm in passive radar with DVB-T2 emitter 2014,		3
16	Phase-Modulated Waveform Evaluation and Selection Strategy in Compound-Gaussian Clutter. <i>IEEE Transactions on Signal Processing</i> , 2013 , 61, 1143-1148	4.8	7
15	Adaptive Bayesian Detection Using MIMO Radar in Spatially Heterogeneous Clutter. <i>IEEE Signal Processing Letters</i> , 2013 , 20, 547-550	3.2	23
14	Theoretical analysis of the sequential lobing technique for correlated targets. <i>IET Radar, Sonar and Navigation</i> , 2013 , 7, 443-450	1.4	1
13	The Rao and Wald Tests Designed for Distributed Targets with Polarization MIMO Radar in Compound-Gaussian Clutter. <i>Circuits, Systems, and Signal Processing</i> , 2012 , 31, 237-254	2.2	16
12	Signal detection with compressive measurements in correlated noise 2012,		1

11	GLRT-based Detection Algorithm for Polarimetric MIMO Radar Against SIRV Clutter. <i>Circuits, Systems, and Signal Processing,</i> 2012 , 31, 1033-1048	2.2	17
10	Performance Analysis of Colocated MIMO Radars with Randomly Distributed Arrays in Compound-Gaussian Clutter. <i>Circuits, Systems, and Signal Processing</i> , 2012 , 31, 1407-1422	2.2	13
9	Performance prediction of the incoherent radar detector for Generalized Swerling-Chi fluctuating targets 2012 ,		2
8	Reconstruction Filter Design for Stepped-Frequency Continuous Wave. <i>IEEE Transactions on Signal Processing</i> , 2012 , 60, 4421-4426	4.8	16
7	Closed Summation Expressions for PD and PFA of Adaptive Sidelobe Blanker Detection Algorithm. <i>IEICE Transactions on Communications</i> , 2012 , E95-B, 676-679	0.5	2
6	Method of Passive MMW Image Detection and Identification for Close Target. <i>Journal of Infrared, Millimeter, and Terahertz Waves</i> , 2011 , 32, 102-115	2.2	11
5	GLRT design for polarimetric MIMO radar in non-Gaussian clutter 2011,		3
4	UMPI Test in SIRV Distribution for the Multi-Rank Signal Model. <i>IEICE Transactions on Communications</i> , 2011 , E94-B, 368-371	0.5	2
3	Reiterative MSMIL-Based Interference Suppression Algorithm Combined with Two-Dimensional Adaptive Beamforming. <i>IEICE Transactions on Communications</i> , 2011 , E94-B, 1519-1521	0.5	
2	Two-step GLRT design of MIMO radar in compound-Gaussian clutter 2010 ,		6

Micro-motion target sensing by stepped-frequency continuous-wave radar. *Journal of Electronics*, **2009**, 26, 782-787