

# Huang Luqi

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3386973/huang-luqi-publications-by-year.pdf>

**Version:** 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

29  
papers

1,775  
citations

17  
h-index

33  
g-index

33  
ext. papers

2,364  
ext. citations

7.9  
avg, IF

4.27  
L-index

#	Paper	IF	Citations
29	ImageGP: An easy-to-use data visualization web server for scientific researchers <b>2022</b> , 1,		10
28	Functional characterization of (S)-N-methylcoclaurine 3 $\beta$ -hydroxylase (NMCH) involved in the biosynthesis of benzylisoquinoline alkaloids in <i>Corydalis yanhusuo</i> . <i>Plant Physiology and Biochemistry</i> , <b>2021</b> , 168, 507-515	5.4	1
27	Recent progress and new perspectives for diterpenoid biosynthesis in medicinal plants. <i>Medicinal Research Reviews</i> , <b>2021</b> , 41, 2971-2997	14.4	2
26	The ERF-VII transcription factor SmERF73 coordinately regulates tanshinone biosynthesis in response to stress elicitors in <i>Salvia miltiorrhiza</i> . <i>New Phytologist</i> , <b>2021</b> , 231, 1940-1955	9.8	1
25	Melatonin functions in priming of stomatal immunity in <i>Panax notoginseng</i> and <i>Arabidopsis thaliana</i> . <i>Plant Physiology</i> , <b>2021</b> , 187, 2837-2851	6.6	10
24	Expansion within the CYP71D subfamily drives the heterocyclization of tanshinones synthesis in <i>Salvia miltiorrhiza</i> . <i>Nature Communications</i> , <b>2021</b> , 12, 685	17.4	23
23	Integrated Transcriptomics and Proteomics to Reveal Regulation Mechanism and Evolution of on Tanshinone Biosynthesis in and .. <i>Frontiers in Plant Science</i> , <b>2021</b> , 12, 820582	6.2	0
22	Functional Integration of Two CYP450 Genes Involved in Biosynthesis of Tanshinones for Improved Diterpenoid Production by Synthetic Biology. <i>ACS Synthetic Biology</i> , <b>2020</b> , 9, 1763-1770	5.7	11
21	Genome of <i>Tripterygium wilfordii</i> and identification of cytochrome P450 involved in triptolide biosynthesis. <i>Nature Communications</i> , <b>2020</b> , 11, 971	17.4	43
20	Engineering chimeric diterpene synthases and isoprenoid biosynthetic pathways enables high-level production of miltiradiene in yeast. <i>Metabolic Engineering</i> , <b>2020</b> , 60, 87-96	9.7	30
19	FAD-dependent enzyme-catalysed intermolecular [4+2] cycloaddition in natural product biosynthesis. <i>Nature Chemistry</i> , <b>2020</b> , 12, 620-628	17.6	47
18	Current state and future perspective of cardiovascular medicines derived from natural products. <i>Pharmacology &amp; Therapeutics</i> , <b>2020</b> , 216, 107698	13.9	14
17	Crystal structure of CYP76AH1 in 4-PI-bound state from <i>Salvia miltiorrhiza</i> . <i>Biochemical and Biophysical Research Communications</i> , <b>2019</b> , 511, 813-819	3.4	17
16	CYP76B74 Catalyzes the 3 $\beta$ -Hydroxylation of Geranylhydroquinone in Shikonin Biosynthesis. <i>Plant Physiology</i> , <b>2019</b> , 179, 402-414	6.6	15
15	Identification and functional characterization of diterpene synthases for triptolide biosynthesis from <i>Tripterygium wilfordii</i> . <i>Plant Journal</i> , <b>2018</b> , 93, 50-65	6.9	36
14	Functional characterization of NES and GES responsible for the biosynthesis of (E)-nerolidol and (E,E)-geranylinalool in <i>Tripterygium wilfordii</i> . <i>Scientific Reports</i> , <b>2017</b> , 7, 40851	4.9	11
13	Targeted mutagenesis in the medicinal plant <i>Salvia miltiorrhiza</i> . <i>Scientific Reports</i> , <b>2017</b> , 7, 43320	4.9	91

12	Functional Diversification of Kaurene Synthase-Like Genes in. <i>Plant Physiology</i> , <b>2017</b> , 174, 943-955	6.6	23
11	Production of 3-geranyl-4-hydroxybenzoate acid in yeast, an important intermediate of shikonin biosynthesis pathway. <i>FEMS Yeast Research</i> , <b>2017</b> , 17,	3.1	7
10	Cytochrome P450 promiscuity leads to a bifurcating biosynthetic pathway for tanshinones. <i>New Phytologist</i> , <b>2016</b> , 210, 525-34	9.8	107
9	Functional Divergence of Diterpene Syntheses in the Medicinal Plant <i>Salvia miltiorrhiza</i> . <i>Plant Physiology</i> , <b>2015</b> , 169, 1607-18	6.6	84
8	Combining metabolomics and transcriptomics to characterize tanshinone biosynthesis in <i>Salvia miltiorrhiza</i> . <i>BMC Genomics</i> , <b>2014</b> , 15, 73	4.5	131
7	RNA interference-mediated repression of SmCPS (copalylidiphosphate synthase) expression in hairy roots of <i>Salvia miltiorrhiza</i> causes a decrease of tanshinones and sheds light on the functional role of SmCPS. <i>Biotechnology Letters</i> , <b>2014</b> , 36, 363-9	3	44
6	Metabolic engineering of <i>Saccharomyces cerevisiae</i> for production of ginsenosides. <i>Metabolic Engineering</i> , <b>2013</b> , 20, 146-56	9.7	160
5	CYP76AH1 catalyzes turnover of miltiradiene in tanshinones biosynthesis and enables heterologous production of ferruginol in yeasts. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2013</b> , 110, 12108-13	11.5	238
4	Modular pathway engineering of diterpenoid synthases and the mevalonic acid pathway for miltiradiene production. <i>Journal of the American Chemical Society</i> , <b>2012</b> , 134, 3234-41	16.4	259
3	Production of miltiradiene by metabolically engineered <i>Saccharomyces cerevisiae</i> . <i>Biotechnology and Bioengineering</i> , <b>2012</b> , 109, 2845-53	4.9	110
2	Domain loss has independently occurred multiple times in plant terpene synthase evolution. <i>Plant Journal</i> , <b>2011</b> , 68, 1051-60	6.9	58
1	A functional genomics approach to tanshinone biosynthesis provides stereochemical insights. <i>Organic Letters</i> , <b>2009</b> , 11, 5170-3	6.2	191