

Cristina da Silva Meira-Strejevitch

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3387160/publications.pdf>

Version: 2024-02-01

24
papers

476
citations

623734

14
h-index

677142

22
g-index

24
all docs

24
docs citations

24
times ranked

549
citing authors

#	ARTICLE	IF	CITATIONS
1	Duffy blood group system and ocular toxoplasmosis. <i>Infection, Genetics and Evolution</i> , 2020, 85, 104430.	2.3	1
2	Human extracellular vesicles and correlation with two clinical forms of toxoplasmosis. <i>PLoS ONE</i> , 2020, 15, e0229602.	2.5	18
3	Plasma extracellular microRNAs are related to AIDS/cerebral toxoplasmosis co-infection. <i>Parasite Immunology</i> , 2020, 42, e12696.	1.5	14
4	Ocular toxoplasmosis associated with up-regulation of miR-155-5p/miR-29c-3p and down-regulation of miR-21-5p/miR-125b-5p. <i>Cytokine</i> , 2020, 127, 154990.	3.2	20
5	FUT3 and FUT2 genotyping and glycoconjugate profile Lewisb as a protective factor to <i>Toxoplasma gondii</i> infection. <i>Acta Tropica</i> , 2019, 193, 92-98.	2.0	6
6	Gastrointestinal, skin and blood parasites in <i>Didelphis</i> spp. from urban and sylvatic areas in São Paulo state, Brazil. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2019, 16, 100286.	0.5	6
7	Gene expression profile of cytokines produced in biopsies from patients with American cutaneous leishmaniasis. <i>Acta Tropica</i> , 2019, 189, 69-75.	2.0	6
8	Evaluation of Serological and Molecular Tests Used for the Identification of <i>Toxoplasma gondii</i> Infection in Patients Treated in an Ophthalmology Clinic of a Public Health Service in São Paulo State, Brazil. <i>Frontiers in Cellular and Infection Microbiology</i> , 2019, 9, 472.	3.9	6
9	Molecular detection of <i>Leishmania (Leishmania) infantum</i> in phlebotomine sandflies from a visceral leishmaniasis endemic area in northwestern of São Paulo State, Brazil. <i>Acta Tropica</i> , 2018, 181, 1-5.	2.0	9
10	Reference genes for studies in infectious parasitic diseases in five types of human tissues. <i>Gene Reports</i> , 2017, 7, 98-105.	0.8	4
11	Evaluation of serological and molecular tests used to identify <i>Toxoplasma gondii</i> infection in pregnant women attended in a public health service in São Paulo state, Brazil. <i>Diagnostic Microbiology and Infectious Disease</i> , 2017, 89, 13-19.	1.8	7
12	Molecular diagnosis of symptomatic toxoplasmosis: a 9-year retrospective and prospective study in a referral laboratory in São Paulo, Brazil. <i>Brazilian Journal of Infectious Diseases</i> , 2017, 21, 638-647.	0.6	21
13	Molecular detection of <i>Trypanosoma cruzi</i> in acai pulp and sugarcane juice. <i>Acta Tropica</i> , 2017, 176, 311-315.	2.0	24
14	Evolution of cytokine profile during the treatment of cerebral toxoplasmosis in HIV-infected patients. <i>Journal of Immunological Methods</i> , 2015, 426, 14-18.	1.4	5
15	Performance of a real time PCR for leishmaniasis diagnosis using a <i>L. (L.) infantum</i> hypothetical protein as target in canine samples. <i>Experimental Parasitology</i> , 2015, 157, 156-162.	1.2	16
16	Cerebral and ocular toxoplasmosis related with IFN- γ , TNF- α , and IL-10 levels. <i>Frontiers in Microbiology</i> , 2014, 5, 492.	3.5	45
17	Risk factors for ocular toxoplasmosis in Brazil. <i>Epidemiology and Infection</i> , 2014, 142, 142-148.	2.1	46
18	IgG4 specific to <i>Toxoplasma gondii</i> excretory/secretory antigens in serum and/or cerebrospinal fluid support the cerebral toxoplasmosis diagnosis in HIV-infected patients. <i>Journal of Immunological Methods</i> , 2013, 395, 21-28.	1.4	16

#	ARTICLE	IF	CITATIONS
19	Toxoplasma gondii antigens: Recovery analysis of tachyzoites cultivated in Vero cell maintained in serum free medium. <i>Experimental Parasitology</i> , 2012, 130, 463-469.	1.2	25
20	Contribution of laboratory methods in diagnosing clinically suspected ocular toxoplasmosis in Brazilian patients. <i>Diagnostic Microbiology and Infectious Disease</i> , 2011, 70, 362-366.	1.8	39
21	Immunodiagnosis in cerebrospinal fluid of cerebral toxoplasmosis and HIV-infected patients using Toxoplasma gondii excreted/secreted antigens. <i>Diagnostic Microbiology and Infectious Disease</i> , 2011, 71, 279-285.	1.8	25
22	Toxoplasma gondii: Genotyping of strains from Brazilian AIDS patients with cerebral toxoplasmosis by multilocus PCR-RFLP markers. <i>Experimental Parasitology</i> , 2008, 118, 221-227.	1.2	50
23	Evaluation of immunization with tachyzoite excreted-secreted proteins in a novel susceptible mouse model (A/Sn) for Toxoplasma gondii. <i>Experimental Parasitology</i> , 2008, 120, 227-234.	1.2	29
24	Use of the serum reactivity against Toxoplasma gondii excreted-secreted antigens in cerebral toxoplasmosis diagnosis in human immunodeficiency virus-infected patients. <i>Journal of Medical Microbiology</i> , 2008, 57, 845-850.	1.8	38