

Lorenzo Franchi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3387940/lorenzo-franchi-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

260
papers

7,908
citations

44
h-index

78
g-index

273
ext. papers

9,147
ext. citations

2.4
avg, IF

6.06
L-index

#	Paper	IF	Citations
260	Evaluation of Skeletal, Dentoalveolar, and Sagittal Airway Changes Induced by the Mandibular Anterior Repositioning Appliance (MARA) in Class II Malocclusion: A Retrospective Controlled Study on Lateral Cephalograms. <i>Applied Sciences (Switzerland)</i> , 2022 , 12, 1484	2.6	
259	Skeletal and Dentoalveolar Effects Induced by the Paolone-Kaitsas Appliance in the Treatment of Class II Malocclusion: A Controlled Retrospective Study on Lateral Cephalograms. <i>Applied Sciences (Switzerland)</i> , 2022 , 12, 1165	2.6	
258	3D Printed Customized Facemask for Maxillary Protraction in the Early Treatment of a Class III Malocclusion: Proof-of-Concept Clinical Case. <i>Materials</i> , 2022 , 15, 3747	3.5	3
257	Predicting mandibular growth based on CVM stage and gender and with chronological age as a curvilinear variable. <i>Orthodontics and Craniofacial Research</i> , 2021 , 24, 414-420	3	2
256	Comparison between two screws for maxillary expansion: a multicenter randomized controlled trial on patient-reported outcome measures. <i>European Journal of Orthodontics</i> , 2021 , 43, 293-300	3.3	4
255	Cephalometric effects of Pushing Splints 3 compared with rapid maxillary expansion and facemask therapy in Class III malocclusion children: a randomized controlled trial. <i>European Journal of Orthodontics</i> , 2021 , 43, 274-282	3.3	2
254	Comparison of two protocols for early treatment of dentoskeletal Class III malocclusion: Modified SEC III versus RME/FM. <i>Orthodontics and Craniofacial Research</i> , 2021 , 24, 344-350	3	5
253	Regenerative Endodontic Therapy using a New Antibacterial Root Canal Cleanser in necrotic immature permanent teeth: Report of two cases treated in a single appointment. <i>Clinical Case Reports (discontinued)</i> , 2021 , 9, 1870-1875	0.7	3
252	Three-dimensional evaluation of maxillary second molar position in untreated patients with normal occlusion : Implications for preadjusted appliance prescriptions. <i>Journal of Orofacial Orthopedics</i> , 2021 , 1	2.9	0
251	Dento-skeletal effects produced by rapid versus slow maxillary expansion using fixed jackscrew expanders: a systematic review and meta-analysis. <i>European Journal of Orthodontics</i> , 2021 , 43, 301-312	3.3	0
250	Treatment of mild Class II malocclusion in growing patients with clear aligners versus fixed multibracket therapy: A retrospective study. <i>Orthodontics and Craniofacial Research</i> , 2021 ,	3	8
249	Machine learning in the prognostic appraisal of Class III growth. <i>Seminars in Orthodontics</i> , 2021 , 27, 96-108		0
248	Modified SEC III protocol: vertical control related to patients' compliance with the chin cup. <i>European Journal of Orthodontics</i> , 2021 , 43, 80-85	3.3	3
247	Predicting the mandibular growth spurt. <i>Angle Orthodontist</i> , 2021 , 91, 307-312	2.6	1
246	Is Panoramic Radiography Really a Key Examination before Chemo-Radiotherapy Treatment for Oropharyngeal Cancer?. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 7965	2.6	
245	Postpubertal Effects of the Rapid Maxillary Expansion and Facial Mask versus the Removable Mandibular Retractor for the Early Treatment of Class III Malocclusion: A Study on Lateral Cephalograms. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 8393	2.6	
244	Evaluation of adolescent and adult patients treated with the Carriere Motion Class III appliance followed by fixed appliances. <i>Angle Orthodontist</i> , 2021 , 91, 149-156	2.6	3

243	A retrospective long-term comparison of early RME-facemask versus late Hybrid-Hyrax, alt-RAMEC and miniscrew-supported intraoral elastics in growing Class III patients.. <i>International Orthodontics</i> , 2021 , 100603	0.9	0
242	Three-dimensional evaluation of skeletal and dental effects of treatment with maxillary skeletal expansion.. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2021 ,	2.1	1
241	Dentoskeletal effects of early class III treatment protocol based on timing of intervention in children.. <i>Progress in Orthodontics</i> , 2021 , 22, 49	3.4	1
240	Comparison of treatment outcomes with crowned and banded mandibular anterior repositioning appliance (MARA) in Class II pubertal subjects: A retrospective cohort study. <i>International Orthodontics</i> , 2020 , 18, 297-307	0.9	
239	AuthorsResponse. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2020 , 158, 6-7	2.1	
238	Development of a Prediction Model for Short-Term Success of Functional Treatment of Class II Malocclusion. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	2
237	Efficacy of a U-Shaped Automatic Electric Toothbrush in Dental Plaque Removal: A Cross-Over Randomized Controlled Trial. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	3
236	Changes of Occlusal Plane in Growing Patients With Increased Vertical Dimension During Class II Correction by Using Cervical Headgear. <i>Journal of Craniofacial Surgery</i> , 2020 , 31, 172-177	1.2	4
235	Three-dimensional changes of the upper airway in patients with Class II malocclusion treated with the Herbst appliance: A cone-beam computed tomography study. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2020 , 157, 205-211	2.1	10
234	Imaging of mandibular fractures: a pictorial review. <i>Insights Into Imaging</i> , 2020 , 11, 30	5.6	10
233	Development and validation of a prediction model for long-term unsuccess of early treatment of Class III malocclusion. <i>European Journal of Orthodontics</i> , 2020 , 42, 200-205	3.3	9
232	Dentoskeletal effects of the maxillary splint headgear in the early correction of Class II malocclusion. <i>Progress in Orthodontics</i> , 2020 , 21, 11	3.4	1
231	A multilevel analysis of craniofacial growth in subjects with untreated Class III malocclusion. <i>Orthodontics and Craniofacial Research</i> , 2020 , 23, 181-191	3	3
230	Three-dimensional comparison of the skeletal and dentoalveolar effects of the Herbst and Pendulum appliances followed by fixed appliances: A CBCT study. <i>Orthodontics and Craniofacial Research</i> , 2020 , 23, 72-81	3	5
229	Evaluation of sagittal airway dimensions after face mask therapy with rapid maxillary expansion in Class III growing patients. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2020 , 130, 109794	1.7	4
228	Computer-aided heuristics in orthodontics. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2020 , 158, 856-867	2.1	1
227	The fence technique: Autogenous bone graft versus 50% deproteinized bovine bone matrix / 50% autogenous bone graft-A clinical double-blind randomized controlled trial. <i>Clinical Oral Implants Research</i> , 2020 , 31, 1223-1231	4.8	1
226	Cephalometric outcomes of a new orthopaedic appliance for Class III malocclusion treatment. <i>European Journal of Orthodontics</i> , 2020 , 42, 187-192	3.3	5

225	Treatment effects of the Carriere Motion 3D [®] appliance for the correction of Class II malocclusion in adolescents. <i>Angle Orthodontist</i> , 2019 , 89, 839-846	2.6	10
224	Exploiting the interplay between cross-sectional and longitudinal data in Class III malocclusion patients. <i>Scientific Reports</i> , 2019 , 9, 6189	4.9	2
223	Soft tissue facial profile in Class III malocclusion: long-term post-pubertal effects produced by the Face Mask Protocol. <i>European Journal of Orthodontics</i> , 2019 , 41, 531-536	3.3	5
222	Orthodontic and orthopedic expansion of the transverse dimension: A four decade perspective. <i>Seminars in Orthodontics</i> , 2019 , 25, 3-15	1.2	6
221	Geometric morphometric analysis of the palatal morphology in growing subjects with skeletal open bite. <i>European Journal of Orthodontics</i> , 2019 , 41, 258-263	3.3	8
220	Condyle-glenoid fossa relationship after Herbst appliance treatment during two stages of craniofacial skeletal maturation: A retrospective study. <i>Orthodontics and Craniofacial Research</i> , 2019 , 22, 345-353	3	3
219	A New Appliance for Class III Treatment in Growing Patients: Pushing Splints 3. <i>Case Reports in Dentistry</i> , 2019 , 2019, 9597024	0.6	3
218	Bracket bonding to polymethylmethacrylate-based materials for computer-aided design/manufacture of temporary restorations: Influence of mechanical treatment and chemical treatment with universal adhesives. <i>Korean Journal of Orthodontics</i> , 2019 , 49, 404-412	1.4	3
217	Distribution of the Condylion-Gonion-Menton (CoGoMe [^]) Angle in a Population of Patients from Southern Italy. <i>Dentistry Journal</i> , 2019 , 7,	3.1	2
216	Evolution of the Leaf Expander: A Maxillary Self Expander. <i>Journal of Clinical Orthodontics: JCO</i> , 2019 , 53, 260-266	0.2	3
215	The cervical vertebral maturation method: A user's guide. <i>Angle Orthodontist</i> , 2018 , 88, 133-143	2.6	63
214	Proteomic analysis of gingival crevicular fluid for novel biomarkers of pubertal growth peak. <i>European Journal of Orthodontics</i> , 2018 , 40, 414-422	3.3	7
213	Treatment timing for functional jaw orthopaedics followed by fixed appliances: a controlled long-term study. <i>European Journal of Orthodontics</i> , 2018 , 40, 430-436	3.3	12
212	Long-term evaluation of rapid maxillary expansion and bite-block therapy in open bite growing subjects. <i>Angle Orthodontist</i> , 2018 , 88, 523-529	2.6	4
211	Three-dimensional mandibular regional superimposition in growing patients. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2018 , 153, 747-754	2.1	20
210	Staging hand-wrist and cervical vertebrae images: a comparison of reproducibility. <i>Dentomaxillofacial Radiology</i> , 2018 , 47, 20170301	3.9	11
209	A cephalometric study of the skeletal and dento-alveolar effects of the modified Louisiana State University activator in Class II malocclusion. <i>European Journal of Orthodontics</i> , 2018 , 40, 164-175	3.3	
208	Post-orthodontic lower incisor inclination and gingival recession-a systematic review. <i>Progress in Orthodontics</i> , 2018 , 19, 17	3.4	16

207	Diagnostic reliability of the objective cervical vertebral maturation method for the mandibular growth peak. <i>European Journal of Orthodontics</i> , 2018 , 40, 452-453	3.3	
206	Three-dimensional evaluation of the maxillary effects of two orthopaedic protocols for the treatment of Class III malocclusion: A prospective study. <i>Orthodontics and Craniofacial Research</i> , 2018 , 21, 248-257	3	7
205	Three-dimensional assessment of the middle cranial fossa and central skull base following Herbst appliance treatment. <i>Angle Orthodontist</i> , 2018 , 88, 757-764	2.6	2
204	3D Comparison of Mandibular Response to Functional Appliances: Balters Bionator versus Sander Bite Jumping. <i>BioMed Research International</i> , 2018 , 2018, 2568235	3	5
203	Correction of maxillary transverse deficiency in growing patients with permanent dentitions. <i>Journal of Clinical Orthodontics: JCO</i> , 2018 , 52, 148-156	0.2	1
202	Understanding interactions among cephalometrics variables during growth in untreated Class III subjects. <i>European Journal of Orthodontics</i> , 2017 , 39, 395-401	3.3	8
201	Transverse relationship of permanent molars after crossbite correction in deciduous dentition. <i>European Journal of Orthodontics</i> , 2017 , 39, 560-566	3.3	4
200	Morphometric covariation between palatal shape and skeletal pattern in Class II growing subjects. <i>European Journal of Orthodontics</i> , 2017 , 39, 371-376	3.3	13
199	Three-dimensional analysis of upper airway morphology in skeletal Class III patients with and without mandibular asymmetry. <i>Angle Orthodontist</i> , 2017 , 87, 526-533	2.6	6
198	Cervical vertebral maturation: An objective and transparent code staging system applied to a 6-year longitudinal investigation. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2017 , 151, 898-906	2.1	13
197	Cephalometric changes in growing patients with increased vertical dimension treated with cervical headgear. <i>Journal of Orofacial Orthopedics</i> , 2017 , 78, 312-320	2.9	13
196	Evaluation of masseter muscles in relation to treatment with removable bite-blocks in dolichofacial growing subjects: A prospective controlled study. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2017 , 151, 1058-1064	2.1	6
195	Prediction of Class II improvement after rapid maxillary expansion in early mixed dentition. <i>Progress in Orthodontics</i> , 2017 , 18, 9	3.4	24
194	Mandibular response after rapid maxillary expansion in class II growing patients: a pilot randomized controlled trial. <i>Progress in Orthodontics</i> , 2017 , 18, 36	3.4	8
193	Measuring 3D shape in orthodontics through geometric morphometrics. <i>Progress in Orthodontics</i> , 2017 , 18, 38	3.4	18
192	Determination of timing of functional and interceptive orthodontic treatment: A critical approach to growth indicators. <i>Journal of the World Federation of Orthodontists</i> , 2017 , 6, 93-97	1.2	2
191	Cone beam computed tomography evaluation of midpalatal suture maturation in adults. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2017 , 46, 1557-1561	2.9	22
190	Treatment and post-treatment effects of functional therapy on the sagittal pharyngeal dimensions in Class II subjects. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2017 , 101, 47-50	1.7	12

189	Bayesian Networks Analysis of Malocclusion Data. <i>Scientific Reports</i> , 2017 , 7, 15236	4.9	15
188	Enamel defects and aphthous stomatitis in celiac and healthy subjects: Systematic review and meta-analysis of controlled studies. <i>Journal of Dentistry</i> , 2017 , 65, 1-10	4.8	22
187	Qualitative Description of the Effects of Rapid Maxillary Expansion: A Three-Dimensional Perspective. <i>Iranian Journal of Orthodontics</i> , 2017 , In Press,	0.5	1
186	Comparisons of two protocols for early treatment of anterior open bite. <i>European Journal of Orthodontics</i> , 2017 , 39, 270-276	3.3	2
185	Bonded versus banded rapid palatal expander followed by facial mask therapy: analysis on digital dental casts. <i>European Journal of Orthodontics</i> , 2016 , 38, 217-22	3.3	7
184	Thin-plate spline analysis of mandibular shape changes induced by functional appliances in Class II malocclusion : A long-term evaluation. <i>Journal of Orofacial Orthopedics</i> , 2016 , 77, 325-33	2.9	9
183	Letters From Our Readers. <i>Angle Orthodontist</i> , 2016 , 86, 1062	2.6	
182	Diagnostic reliability of the cervical vertebral maturation method and standing height in the identification of the mandibular growth spurt. <i>Angle Orthodontist</i> , 2016 , 86, 599-609	2.6	21
181	Comparisons of two protocols for the early treatment of Class III dentoskeletal disharmony. <i>European Journal of Orthodontics</i> , 2016 , 38, 51-56	3.3	17
180	Evaluation of maxillary arch morphology in children with unilaterally impacted incisors via three-dimensional analysis of digital dental casts: a controlled study. <i>Journal of Orofacial Orthopedics</i> , 2016 , 77, 16-21	2.9	1
179	Comparison and reproducibility of 2 regions of reference for maxillary regional registration with cone-beam computed tomography. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2016 , 149, 533-42	2.1	37
178	Three-dimensional digital cast analysis of the effects produced by a passive self-ligating system. <i>European Journal of Orthodontics</i> , 2016 , 38, 609-614	3.3	5
177	Cervical vertebral maturation method: growth timing versus growth amount. <i>European Journal of Orthodontics</i> , 2016 , 38, 111-112	3.3	6
176	Accuracy, reliability, and efficiency of intraoral scanners for full-arch impressions: a systematic review of the clinical evidence. <i>European Journal of Orthodontics</i> , 2016 , 38, 422-8	3.3	85
175	3D Mandibular Superimposition: Comparison of Regions of Reference for Voxel-Based Registration. <i>PLoS ONE</i> , 2016 , 11, e0157625	3.7	48
174	Displacement of the Mandibular Condyles Immediately after Herbst Appliance Insertion - 3D Assessment. <i>Turkish Journal of Orthodontics</i> , 2016 , 29, 31-37	0.9	1
173	Prediction of rapid maxillary expansion by assessing the maturation of the midpalatal suture on cone beam CT. <i>Dental Press Journal of Orthodontics</i> , 2016 , 21, 115-125	1.3	22
172	Re: Response to: Giutini V, Vangelisti A, Masucci C, Efisio Defraia C, McNamara J, Franchi L. Treatment effects produced by the Twin-block appliance vs the Forsus Fatigue Resistant Device in growing Class II patients. <i>The Angle Orthodontist</i> . 2015;85: 784-789. <i>Angle Orthodontist</i> , 2016 , 86, 345	2.6	1

171	Ceramic brackets and low friction : A possible synergy in patients requiring multiple MRI scanning. <i>Journal of Orofacial Orthopedics</i> , 2016 , 77, 214-23	2.9	2
170	Validity of the CVM method to determine mandibular length. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2016 , 150, 6-7	2.1	1
169	Dentoskeletal effects produced by a Jasper Jumper with an anterior bite plane. <i>Angle Orthodontist</i> , 2016 , 86, 775-81	2.6	3
168	Maxillary dentoskeletal changes 1-year after adenotonsillectomy. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2016 , 86, 135-41	1.7	4
167	The Leaf Expander for Non-Compliance Treatment in the Mixed Dentition. <i>Journal of Clinical Orthodontics: JCO</i> , 2016 , 50, 552-560	0.2	4
166	Effects of cervical headgear and pendulum appliance on vertical dimension in growing subjects: a retrospective controlled clinical trial. <i>European Journal of Orthodontics</i> , 2015 , 37, 338-44	3.3	9
165	Osteogenesis imperfecta and rapid maxillary expansion: Report of 3 patients. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2015 , 148, 130-7	2.1	10
164	Short-term effects produced by rapid maxillary expansion and facemask therapy in Class III patients with different vertical skeletal relationships. <i>Angle Orthodontist</i> , 2015 , 85, 927-33	2.6	12
163	Treatment effects produced by the Twin-block appliance vs the Forsus Fatigue Resistant Device in growing Class II patients. <i>Angle Orthodontist</i> , 2015 , 85, 784-9	2.6	34
162	Morphometric analysis of long-term dentoskeletal effects induced by treatment with Balters bionator. <i>Angle Orthodontist</i> , 2015 , 85, 790-8	2.6	8
161	Effectiveness of maxillary protraction using a hybrid hyrax-facemask combination: a controlled clinical study. <i>Angle Orthodontist</i> , 2015 , 85, 764-70	2.6	29
160	Treatment effects of fixed functional appliances alone or in combination with multibracket appliances: A systematic review and meta-analysis. <i>Angle Orthodontist</i> , 2015 , 85, 480-92	2.6	53
159	Palatal surface and volume in mouth-breathing subjects evaluated with three-dimensional analysis of digital dental casts-a controlled study. <i>European Journal of Orthodontics</i> , 2015 , 37, 101-4	3.3	27
158	Prediction of Class III treatment outcomes through orthodontic data mining. <i>European Journal of Orthodontics</i> , 2015 , 37, 257-67	3.3	15
157	The role of rapid maxillary expansion in the promotion of oral and general health. <i>Progress in Orthodontics</i> , 2015 , 16, 33	3.4	45
156	Class II functional orthopaedic treatment: a systematic review of systematic reviews. <i>Journal of Oral Rehabilitation</i> , 2015 , 42, 624-42	3.4	38
155	Treatment Effects of Removable Functional Appliances in Pre-Pubertal and Pubertal Class II Patients: A Systematic Review and Meta-Analysis of Controlled Studies. <i>PLoS ONE</i> , 2015 , 10, e0141198	3.7	59
154	Diagnostic performance of skeletal maturity for the assessment of midpalatal suture maturation. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2015 , 148, 1010-6	2.1	30

153	Do orthodontists recommend Class II treatment according to evidence-based knowledge?. <i>Universidade Estadual Paulista Revista De Odontologia</i> , 2015 , 44, 305-312	1.3	0
152	Longitudinal growth changes in subjects with open-bite tendency: a retrospective study. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2014 , 145, 28-35	2.1	17
151	Short-term effects of a modified Alt-RAMEC protocol for early treatment of Class III malocclusion: a controlled study. <i>Orthodontics and Craniofacial Research</i> , 2014 , 17, 259-69	3	35
150	Thin-plate spline analysis of mandibular morphological changes induced by early class III treatment: a long-term evaluation. <i>European Journal of Orthodontics</i> , 2014 , 36, 425-30	3.3	8
149	Active-treatment effects of the Forsus fatigue resistant device during comprehensive Class II correction in growing patients. <i>Korean Journal of Orthodontics</i> , 2014 , 44, 136-42	1.4	32
148	Complex networks for data-driven medicine: the case of Class III dentoskeletal disharmony. <i>New Journal of Physics</i> , 2014 , 16, 115017	2.9	7
147	Long-term treatment effects of the FR-2 appliance: a prospective evaluation 7 years post-treatment. <i>European Journal of Orthodontics</i> , 2014 , 36, 192-9	3.3	13
146	Forecasting craniofacial growth in individuals with class III malocclusion by computational modelling. <i>European Journal of Orthodontics</i> , 2014 , 36, 207-16	3.3	10
145	Treatment and posttreatment effects induced by the Forsus appliance: A controlled clinical study. <i>Angle Orthodontist</i> , 2014 , 84, 1010-7	2.6	37
144	Evaluation of maxillary arch dimensions and palatal morphology in mouth-breathing children by using digital dental casts. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2014 , 78, 91-5	1.7	34
143	Early class III facemask treatment with the hybrid hyrax and Alt-RAMEC protocol. <i>Journal of Clinical Orthodontics: JCO</i> , 2014 , 48, 84-93	0.2	14
142	Three-dimensional evaluation of masseter muscle in different vertical facial patterns: a cross-sectional study in growing children. <i>Ultrasonic Imaging</i> , 2013 , 35, 307-17	1.9	15
141	Three-dimensional analysis of maxillary changes associated with facemask and rapid maxillary expansion compared with bone anchored maxillary protraction. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2013 , 144, 705-14	2.1	55
140	Midpalatal suture maturation: classification method for individual assessment before rapid maxillary expansion. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2013 , 144, 759-69	2.1	119
139	Comparison of three methods to assess individual skeletal maturity. <i>Journal of Orofacial Orthopedics</i> , 2013 , 74, 397-408	2.9	15
138	Radiographic assessment of maxillary incisor position after rapid maxillary expansion in children with clinical signs of eruption disorder. <i>Journal of Orofacial Orthopedics</i> , 2013 , 74, 468-79	2.9	5
137	Evaluation of mechanical properties of three different screws for rapid maxillary expansion. <i>BioMedical Engineering OnLine</i> , 2013 , 12, 128	4.1	10
136	Treatment timing of MARA and fixed appliance therapy of Class II malocclusion. <i>European Journal of Orthodontics</i> , 2013 , 35, 394-400	3.3	19

135	Stability of quad-helix/crib therapy in dentoskeletal open bite: a long-term controlled study. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2013 , 143, 695-703	2.1	18
134	Does rapid maxillary expansion induce adverse effects in growing subjects?. <i>Angle Orthodontist</i> , 2013 , 83, 172-82	2.6	35
133	Three-dimensional densitometric analysis of maxillary sutural changes induced by rapid maxillary expansion. <i>Dentomaxillofacial Radiology</i> , 2013 , 42, 71798010	3.9	17
132	Morphometric analysis of treatment effects of the Balters bionator in growing Class II patients. <i>Angle Orthodontist</i> , 2013 , 83, 455-9	2.6	6
131	Re: response to: Long-term skeletal and dental effects and treatment timing for functional appliances in Class II malocclusion. The Angle Orthodontist 2013(2) 334-340. <i>Angle Orthodontist</i> , 2013 , 83, 933	2.6	3
130	Influence of sucking habits and breathing pattern on palatal constriction in unilateral posterior crossbite--a controlled study. <i>European Journal of Orthodontics</i> , 2013 , 35, 706-12	3.3	8
129	Three-dimensional assessment of palatal change in a controlled study of unilateral posterior crossbite correction in the primary dentition. <i>European Journal of Orthodontics</i> , 2013 , 35, 199-204	3.3	20
128	Long-term skeletal and dental effects and treatment timing for functional appliances in Class II malocclusion. <i>Angle Orthodontist</i> , 2013 , 83, 334-40	2.6	53
127	Management of impacted incisors following surgery to remove obstacles to eruption: a prospective clinical trial. <i>Pediatric Dentistry (discontinued)</i> , 2013 , 35, 364-8	1.2	9
126	Dental anomalies in the primary dentition and their repetition in the permanent dentition: a diagnostic performance study. <i>Odontology / the Society of the Nippon Dental University</i> , 2012 , 100, 22-7	3.6	13
125	Using networks to understand medical data: the case of Class III malocclusions. <i>PLoS ONE</i> , 2012 , 7, e44521	3.7	11
124	Periodontal plastic surgery to improve aesthetics in patients with altered passive eruption/gummy smile: a case series study. <i>International Journal of Dentistry</i> , 2012 , 2012, 837658	1.9	23
123	Effects of rapid maxillary expansion in hyperdivergent patients. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2012 , 142, 60-9	2.1	17
122	Early vs late orthodontic treatment of deepbite: a prospective clinical trial in growing subjects. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2012 , 142, 75-82	2.1	15
121	Surface corrosion and fracture resistance of two nickel-titanium-based archwires induced by fluoride, pH, and thermocycling. An in vitro comparative study. <i>European Journal of Orthodontics</i> , 2012 , 34, 1-9	3.3	6
120	Retrognathic maxilla in "Habsburg jaw". Skeletofacial analysis of Joanna of Austria (1547-1578). <i>Angle Orthodontist</i> , 2012 , 82, 387-95	2.6	8
119	Gingival crevicular fluid protein content and alkaline phosphatase activity in relation to pubertal growth phase. <i>Angle Orthodontist</i> , 2012 , 82, 1047-52	2.6	19
118	Mesial rotation of upper first molars in Class II division 1 malocclusion in the mixed dentition: a controlled blind study. <i>Progress in Orthodontics</i> , 2011 , 12, 107-13	3.4	12

117	Craniofacial features of subjects with adenoid, tonsillar, or adenotonsillar hypertrophy. <i>Progress in Orthodontics</i> , 2011 , 12, 38-44	3.4	16
116	Thin-plate spline analysis of craniofacial morphology in subjects with adenoid or tonsillar hypertrophy. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2011 , 75, 518-22	1.7	2
115	Effectiveness of comprehensive fixed appliance treatment used with the Forsus Fatigue Resistant Device in Class II patients. <i>Angle Orthodontist</i> , 2011 , 81, 678-83	2.6	97
114	Stability of rapid maxillary expansion and facemask therapy: a long-term controlled study. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2011 , 140, 493-500	2.1	61
113	Longitudinal growth changes in subjects with deepbite. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2011 , 140, 202-9	2.1	22
112	Treatment and posttreatment outcomes induced by the Mandibular Advancement Repositioning Appliance; a controlled clinical study. <i>Angle Orthodontist</i> , 2011 , 81, 684-91	2.6	33
111	Meta-analysis of skeletal mandibular changes during Frankel appliance treatment. <i>European Journal of Orthodontics</i> , 2011 , 33, 84-92	3.3	38
110	Morphometric analysis of craniofacial features in mono- and dizygotic twins discordant for unilateral cleft lip and palate. <i>Angle Orthodontist</i> , 2011 , 81, 878-83	2.6	3
109	Prediction of the outcome of orthodontic treatment of Class III malocclusion. <i>European Journal of Orthodontics</i> , 2011 , 33, 332; author reply 332-3	3.3	3
108	Orthodontic forces released by low-friction versus conventional systems during alignment of apically or buccally malposed teeth. <i>European Journal of Orthodontics</i> , 2011 , 33, 50-4	3.3	9
107	Morphometric analysis of treatment effects of bone-anchored maxillary protraction in growing Class III patients. <i>European Journal of Orthodontics</i> , 2011 , 33, 121-5	3.3	36
106	Outcomes of two-phase orthodontic treatment of deepbite malocclusions. <i>Angle Orthodontist</i> , 2011 , 81, 945-52	2.6	8
105	Early Alt-RAMEC and facial mask protocol in class III malocclusion. <i>Journal of Clinical Orthodontics: JCO</i> , 2011 , 45, 601-9	0.2	8
104	Treatment and post-treatment effects of facemask therapy on the sagittal pharyngeal dimensions in Class III subjects. <i>European Journal of Orthodontics</i> , 2010 , 32, 346-50	3.3	29
103	Long-term dentoskeletal effects and facial profile changes induced by bionator therapy. <i>Angle Orthodontist</i> , 2010 , 80, 10-7	2.6	38
102	Clinical photography vs digital video clips for the assessment of smile esthetics. <i>Angle Orthodontist</i> , 2010 , 80, 490-6	2.6	27
101	Changes in occlusal relationships in mixed dentition patients treated with rapid maxillary expansion. A prospective clinical study. <i>Angle Orthodontist</i> , 2010 , 80, 230-8	2.6	30
100	Orthodontic treatment of periodontal defects. A systematic review. <i>Progress in Orthodontics</i> , 2010 , 11, 41-4	3.4	10

99	Diagnostic performance of increased overjet in Class II division 1 malocclusion and incisor trauma. <i>Progress in Orthodontics</i> , 2010 , 11, 145-50	3.4	4
98	Comparison of two protocols for maxillary protraction: bone anchors versus face mask with rapid maxillary expansion. <i>Angle Orthodontist</i> , 2010 , 80, 799-806	2.6	123
97	Treatment and posttreatment skeletal effects of rapid maxillary expansion investigated with low-dose computed tomography in growing subjects. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2010 , 138, 311-7	2.1	41
96	Improving Class II malocclusion as a side-effect of rapid maxillary expansion: a prospective clinical study. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2010 , 138, 582-91	2.1	41
95	Modifications of midpalatal sutural density induced by rapid maxillary expansion: A low-dose computed-tomography evaluation. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2010 , 137, 486-8; discussion 12A-13A	2.1	25
94	Reproducibility of the CVM method: a reply. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2010 , 137, 446-7; author reply 447	2.1	5
93	Treatment and posttreatment effects of a facial mask combined with a bite-block appliance in Class III malocclusion. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2010 , 138, 300-10	2.1	38
92	A simplified lingual technique. <i>Journal of Clinical Orthodontics: JCO</i> , 2010 , 44, 183-9	0.2	
91	Transverse dentoskeletal features of anterior open bite in the mixed dentition. <i>Angle Orthodontist</i> , 2009 , 79, 615-20	2.6	9
90	Forces produced by different nonconventional bracket or ligature systems during alignment of apically displaced teeth. <i>Angle Orthodontist</i> , 2009 , 79, 533-9	2.6	31
89	Immediate and post-retention effects of rapid maxillary expansion investigated by computed tomography in growing patients. <i>Angle Orthodontist</i> , 2009 , 79, 24-9	2.6	71
88	Dentofacial features of Class II malocclusion associated with maxillary skeletal protrusion: a longitudinal study at the circumpubertal growth period. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2009 , 135, 568.e1-7; discussion 568-9	2.1	17
87	Q-sort assessment vs visual analog scale in the evaluation of smile esthetics. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2009 , 135, S61-71	2.1	67
86	Effect of timing on the outcomes of 1-phase nonextraction therapy of Class II malocclusion. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2009 , 136, 501-9	2.1	30
85	Subjective vs objective evaluations of smile esthetics. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2009 , 135, S72-9	2.1	41
84	Long-term treatment effects of the FR-2 appliance of Frinkel. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2009 , 135, 570.e1-6; discussion 570-1	2.1	21
83	Comparison of 2 comprehensive Class II treatment protocols including the bonded Herbst and headgear appliances: a double-blind study of consecutively treated patients at puberty. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2009 , 135, 698.e1-10; discussion 698-9	2.1	48
82	Semilongitudinal cephalometric study of craniofacial growth in untreated Class III malocclusion. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2009 , 135, 700.e1-14; discussion 700-1	2.1	30

81	Effects of maxillary protraction with or without expansion on the sagittal pharyngeal dimensions in Class III subjects. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2009 , 135, 777-81	2.1	32
80	Editor@ Summary, Q & A, Reviewer@ Critique. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2009 , 135, 570-571	2.1	11
79	Editor@ Summary and Q&A. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2009 , 135, 700-701	2.1	25
78	Editor@ Summary and Q&A. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2009 , 135, 698-699	2.1	37
77	Forces released by nonconventional bracket or ligature systems during alignment of buccally displaced teeth. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2009 , 136, 316.e1-6; discussion 316-7	2.1	16
76	Editor@ Summary and Q&A. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2009 , 136, 316-317	2.1	17
75	The effects of facial mask/bite block therapy with or without rapid palatal expansion. <i>Progress in Orthodontics</i> , 2009 , 10, 20-8	3.4	10
74	Orthopedic treatment outcomes in Class III malocclusion. A systematic review. <i>Angle Orthodontist</i> , 2008 , 78, 561-73	2.6	99
73	Glenoid fossa position in Class II malocclusion associated with mandibular retrusion. <i>Angle Orthodontist</i> , 2008 , 78, 808-12	2.6	15
72	Stability factors after double-jaw surgery in Class III malocclusion. A systematic review. <i>Angle Orthodontist</i> , 2008 , 78, 1141-52	2.6	40
71	A nonsurgical approach to treatment of high-angle Class II malocclusion. <i>Angle Orthodontist</i> , 2008 , 78, 553-60	2.6	7
70	In vitro frictional forces generated by three different ligation methods. <i>Angle Orthodontist</i> , 2008 , 78, 917-21	2.6	43
69	Forces in the presence of ceramic versus stainless steel brackets with unconventional vs conventional ligatures. <i>Angle Orthodontist</i> , 2008 , 78, 120-4	2.6	11
68	Aging in the craniofacial complex. <i>Angle Orthodontist</i> , 2008 , 78, 440-4	2.6	28
67	The relationship between posttreatment smile esthetics and the ABO Objective Grading System. <i>Angle Orthodontist</i> , 2008 , 78, 579-84	2.6	20
66	Treatment timing for an orthopedic approach to patients with increased vertical dimension. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2008 , 133, 58-64	2.1	14
65	Phases of the dentition for the assessment of skeletal maturity: a diagnostic performance study. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2008 , 133, 395-400; quiz 476.e1-2	2.1	59
64	Longitudinal growth changes in untreated subjects with Class II Division 1 malocclusion. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2008 , 134, 125-37	2.1	108

63	Effect of the transpalatal arch during extraction treatment. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2008 , 133, 852-60	2.1	47
62	Short-term and long-term treatment outcomes with the FR-3 appliance of Frkel. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2008 , 134, 513-24	2.1	27
61	Dentoskeletal changes associated with fixed and removable appliances with a crib in open-bite patients in the mixed dentition. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2008 , 133, 77-80	2.1	27
60	Forces released during sliding mechanics with passive self-ligating brackets or nonconventional elastomeric ligatures. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2008 , 133, 87-90	2.1	44
59	Eruption of the maxillary canines in relation to skeletal maturity. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2008 , 133, 748-51	2.1	19
58	Treatment and posttreatment skeletal effects of rapid maxillary expansion studied with low-dose computed tomography in growing subjects. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2008 , 134, 389-92	2.1	61
57	Orthodontic treatment with preadjusted appliances and low-friction ligatures: experimental evidence and clinical observations. <i>World Journal of Orthodontics</i> , 2008 , 9, 7-13		3
56	Differential friction in treatment with preadjusted fixed appliances. <i>Journal of Clinical Orthodontics: JCO</i> , 2008 , 42, 504-7	0.2	
55	Growth in the Untreated Class III Subject. <i>Seminars in Orthodontics</i> , 2007 , 13, 130-142	1.2	47
54	Treatment effects of the bionator and high-pull facebow combination followed by fixed appliances in patients with increased vertical dimensions. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2007 , 131, 184-95	2.1	19
53	Comparison of 2 early treatment protocols for open-bite malocclusions. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2007 , 132, 743-7	2.1	22
52	Early orthodontic treatment of skeletal open-bite malocclusion with the open-bite bionator: a cephalometric study. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2007 , 132, 595-8	2.1	12
51	Diagnostic performance study on the relationship between the exfoliation of the deciduous second molars and the pubertal growth spurt. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2007 , 131, 769-71	2.1	5
50	Forces released by esthetic preadjusted appliances with low-friction and conventional elastomeric ligatures. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2007 , 131, 772-5	2.1	16
49	Transverse features of subjects with sucking habits and facial hyperdivergency in the mixed dentition. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2007 , 132, 226-9	2.1	21
48	Treatment and posttreatment effects of quad-helix/crib therapy of dentoskeletal open bite. <i>Angle Orthodontist</i> , 2007 , 77, 640-5	2.6	19
47	Thin-plate spline analysis of craniofacial growth in Class I and Class II subjects. <i>Angle Orthodontist</i> , 2007 , 77, 595-601	2.6	21
46	An experimental study on the forces released by ceramic preadjusted brackets with low friction vs. conventional elastomeric ligatures. <i>Progress in Orthodontics</i> , 2007 , 8, 294-9	3.4	1

45	Thin-plate spline analysis of arch form in a Southern European population with an ideal natural occlusion. <i>European Journal of Orthodontics</i> , 2006 , 28, 135-40	3.3	22
44	The First Class Appliance 2006 , 309-329		
43	Prediction of individual mandibular changes induced by functional jaw orthopedics followed by fixed appliances in Class II patients. <i>Angle Orthodontist</i> , 2006 , 76, 950-4	2.6	44
42	A long-term evaluation of the mandibular Schwarz appliance and the acrylic splint expander in early mixed dentition patients. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2006 , 130, 202-13 ¹	2.1	37
41	A prospective long-term study on the effects of rapid maxillary expansion in the early mixed dentition. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2006 , 129, 631-40	2.1	65
40	Mandibular changes produced by functional appliances in Class II malocclusion: a systematic review. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2006 , 129, 599.e1-12; discussion e1-6	2.1	223
39	Forces released during alignment with a preadjusted appliance with different types of elastomeric ligatures. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2006 , 129, 687-90	2.1	27
38	Maxillary arch changes during leveling and aligning with fixed appliances and low-friction ligatures. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2006 , 130, 88-91	2.1	23
37	Treatment effects of a modified quad-helix in patients with dentoskeletal open bites. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2006 , 129, 734-9	2.1	31
36	The diagnostic performance of chronologic age in the assessment of skeletal maturity. <i>Progress in Orthodontics</i> , 2006 , 7, 176-88	3.4	30
35	Friction produced by types of elastomeric ligatures in treatment mechanics with the preadjusted appliance. <i>Angle Orthodontist</i> , 2006 , 76, 211-6	2.6	31
34	The Cervical Vertebral Maturation (CVM) Method for the Assessment of Optimal Treatment Timing in Dentofacial Orthopedics. <i>Seminars in Orthodontics</i> , 2005 , 11, 119-129	1.2	596
33	Treatment effects of bonded RME and vertical-pull chin cup followed by fixed appliance in patients with increased vertical dimension. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2005 , 128, 326-36	2.1	22
32	A comparison of two intraoral molar distalization appliances: distal jet versus pendulum. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2005 , 128, 353-65	2.1	86
31	Sucking habits and facial hyperdivergency as risk factors for anterior open bite in the mixed dentition. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2005 , 128, 517-9	2.1	75
30	Early orthodontic treatment of skeletal open-bite malocclusion: a systematic review. <i>Angle Orthodontist</i> , 2005 , 75, 707-13	2.6	36
29	A prospective study of the short-term treatment effects of the acrylic-splint rapid maxillary expander combined with the lower Schwarz appliance. <i>Angle Orthodontist</i> , 2005 , 75, 7-14	2.6	22
28	Dentoskeletal effects induced by rapid molar distalization with the first class appliance. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2004 , 125, 697-704; discussion 704-5	2.1	42

27	Cephalometric variables predicting the long-term success or failure of combined rapid maxillary expansion and facial mask therapy. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2004 , 126, 16-22	2.1	80
26	A cephalometric comparison of treatment with the Twin-block and stainless steel crown Herbst appliances followed by fixed appliance therapy. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2004 , 126, 7-15	2.1	46
25	Postpubertal assessment of treatment timing for maxillary expansion and protraction therapy followed by fixed appliances. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2004 , 126, 555-68	2.1	130
24	Two interceptive approaches to palatally displaced canines: a prospective longitudinal study. <i>Angle Orthodontist</i> , 2004 , 74, 581-6	2.6	82
23	Long-term effects of Class III treatment with rapid maxillary expansion and facemask therapy followed by fixed appliances. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2003 , 123, 306-20	2.1	191
22	The cervical vertebral maturation method: some need for clarification. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2003 , 123, 19A-20A	2.1	28
21	Rapid maxillary expansion followed by fixed appliances: a long-term evaluation of changes in arch dimensions. <i>Angle Orthodontist</i> , 2003 , 73, 344-53	2.6	95
20	Morphometric analysis of the transverse dentoskeletal features of class II malocclusion in the mixed dentition. <i>Angle Orthodontist</i> , 2003 , 73, 21-5	2.6	18
19	Long-term effectiveness and treatment timing for Bionator therapy. <i>Angle Orthodontist</i> , 2003 , 73, 221-30.6	2.6	71
18	Long-term effects of rapid maxillary expansion: a posteroanterior cephalometric evaluation. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2002 , 121, 129-35; quiz 193	2.1	81
17	Thin-plate spline analysis of the short- and long-term effects of rapid maxillary expansion. <i>European Journal of Orthodontics</i> , 2002 , 24, 143-50	3.3	15
16	An improved version of the cervical vertebral maturation (CVM) method for the assessment of mandibular growth. <i>Angle Orthodontist</i> , 2002 , 72, 316-23	2.6	302
15	Dr Franchi and Dr Baccetti respond. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2001 , 119, 13A	2.1	
14	Treatment timing for Twin-block therapy. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2000 , 118, 159-70	2.1	190
13	Mandibular growth as related to cervical vertebral maturation and body height. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2000 , 118, 335-40	2.1	242
12	Treatment and posttreatment craniofacial changes after rapid maxillary expansion and facemask therapy. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2000 , 118, 404-13	2.1	134
11	Thin-plate spline analysis of treatment effects of rapid maxillary expansion and face mask therapy in early Class III malocclusions. <i>European Journal of Orthodontics</i> , 1999 , 21, 275-81	3.3	22
10	Treatment and posttreatment effects of acrylic splint Herbst appliance therapy. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 1999 , 115, 429-38	2.1	88

9	Shape-coordinate analysis of skeletal changes induced by rapid maxillary expansion and facial mask therapy. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 1998 , 114, 418-26	2.1	31
8	Skeletal effects of early treatment of Class III malocclusion with maxillary expansion and face-mask therapy. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 1998 , 113, 333-43	2.1	268
7	Shape-coordinate and tensor analysis of skeletal changes in children with treated Class III malocclusions. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 1997 , 112, 622-33	2.1	8
6	Predictive variables for the outcome of early functional treatment of Class III malocclusion. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 1997 , 112, 80-6	2.1	40
5	Early dentofacial features of Class II malocclusion: a longitudinal study from the deciduous through the mixed dentition. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 1997 , 111, 502-9	2.1	131
4	Role of posterior transverse interarch discrepancy in Class II, Division 1 malocclusion during the mixed dentition phase. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 1996 , 110, 417-22	2.1	85
3	Craniofacial changes induced by early functional treatment of Class III malocclusion. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 1996 , 109, 310-8	2.1	51
2	Mandibular skeletal changes induced by early functional treatment of Class III malocclusion: a superimposition study. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 1995 , 108, 525-32	2.1	51
1	Class III malocclusion in the deciduous dentition: a morphological and correlation study. <i>European Journal of Orthodontics</i> , 1994 , 16, 401-8	3.3	41