
## Li Liang

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3389029/publications.pdf Version: 2024-02-01



LILIANC

#	Article	IF	CITATIONS
1	Growth Curves of Chinese Children with Androgen Insensitivity Syndrome: A Multicenter Registry Study. Journal of Personalized Medicine, 2022, 12, 771.	1.1	0
2	Compound hemizygous variants in <i>SERPINA7</i> gene cause thyroxineâ€binding globulin deficiency. Molecular Genetics & Genomic Medicine, 2021, 9, e1571.	0.6	4
3	Early Growth Hormone Intervention Improves Glucose Metabolism in Adult Rats Born Small for Gestational Age. Experimental and Clinical Endocrinology and Diabetes, 2020, 128, 125-132.	0.6	4
4	High prevalence of elevated serum liver enzymes in Chinese children suggests metabolic syndrome as a common risk factor. Journal of Paediatrics and Child Health, 2020, 56, 1590-1596.	0.4	1
5	Novel deletion mutation in Bruton's tyrosine kinase results in X-linked agammaglobulinemia: A case report. World Journal of Clinical Cases, 2020, 8, 3859-3866.	0.3	1
6	Parental Perceptions of Obesity in School Children and Subsequent Action. Childhood Obesity, 2019, 15, 459-467.	0.8	12
7	U-shaped relationship between birth weight and childhood blood pressure in China. BMC Pediatrics, 2019, 19, 264.	0.7	19
8	A Novel Compound Heterozygous CYP17A1 Variant Causes 17α-Hydroxylase/17, 20-Lyase Deficiency. Frontiers in Genetics, 2019, 10, 996.	1.1	10
9	Digenetic inheritance of SLC12A3 and CLCNKB genes in a Chinese girl with Gitelman syndrome. BMC Pediatrics, 2019, 19, 114.	0.7	21
10	Associations between maternal age at menarche and anthropometric and metabolic parameters in the adolescent offspring. Clinical Endocrinology, 2019, 90, 702-710.	1.2	5
11	Pathogenesis of non-alcoholic fatty liver disease in children and adolescence: From "two hit theory― to "multiple hit model― World Journal of Gastroenterology, 2018, 24, 2974-2983.	1.4	237
12	Dopamine receptor D2 polymorphism is associated with alleviation of obesity after 8-year follow-up: a retrospective cohort study in obese Chinese children and adolescents. Journal of Zhejiang University: Science B, 2018, 19, 807-814.	1.3	5
13	Growth hormone reverses dyslipidemia in adult offspring after maternal undernutrition. Scientific Reports, 2017, 7, 6038.	1.6	8
14	Long-acting PEGylated recombinant human growth hormone (Jintrolong) for children with growth hormone deficiency: phase II and phase III multicenter, randomized studies. European Journal of Endocrinology, 2017, 177, 195-205.	1.9	60
15	Relationship between birth weight and total cholesterol concentration in adulthood: A meta-analysis. Journal of the Chinese Medical Association, 2017, 80, 44-49.	0.6	11
16	Fish oil improves lipid profile in juvenile rats with intrauterine growth retardation by altering the transcriptional expression of lipid-related hepatic genes. Journal of Maternal-Fetal and Neonatal Medicine, 2016, 29, 1-7.	0.7	7
17	Maternal undernutrition leads to elevated hepatic triglycerides in male rat offspring due to increased expression of lipoprotein lipase. Molecular Medicine Reports, 2016, 13, 4487-4493.	1.1	9
18	Dysregulation of calcium channels decreases parasecretion in pancreatic β-cells in rats born small for gestational age. Growth Factors, 2016, 34, 159-165.	0.5	1

Li Liang

#	Article	IF	CITATIONS
19	Neonatal presentation of familial glucocorticoid deficiency with a MRAP mutation: A case report. Molecular Genetics and Metabolism Reports, 2016, 9, 15-17.	0.4	4
20	Interactions between Obesity-Related Copy Number Variants and Dietary Behaviors in Childhood Obesity. Nutrients, 2015, 7, 3054-3066.	1.7	26
21	Genetic variations in SEC16B, MC4R, MAP2K5 and KCTD15 were associated with childhood obesity and interacted with dietary behaviors in Chinese school-age population. Gene, 2015, 560, 149-155.	1.0	35
22	Possible role of birth weight on general and central obesity in Chinese children and adolescents: a cross-sectional study. Annals of Epidemiology, 2015, 25, 748-752.	0.9	42
23	The impact of insulin on chemotherapeutic sensitivity to 5-fluorouracil in gastric cancer cell lines SGC7901, MKN45 and MKN28. Journal of Experimental and Clinical Cancer Research, 2015, 34, 64.	3.5	10
24	The Effects of Genetic Variation in FTO rs9939609 on Obesity and Dietary Preferences in Chinese Han Children and Adolescents. PLoS ONE, 2014, 9, e104574.	1.1	23
25	Waist-to-Height Ratio: A simple, effective and practical screening tool for childhood obesity and metabolic syndrome. Preventive Medicine, 2014, 67, 35-40.	1.6	53
26	Triglyceride-raising APOA5 genetic variants are associated with obesity and non-HDL-C in Chinese children and adolescents. Lipids in Health and Disease, 2014, 13, 93.	1.2	30
27	Association between <i>UCP3</i> gene polymorphisms and nonalcoholic fatty liver disease in Chinese children. World Journal of Gastroenterology, 2013, 19, 5897.	1.4	29
28	Non-alcoholic fatty liver disease: An early mediator predicting metabolic syndrome in obese children?. World Journal of Gastroenterology, 2011, 17, 735.	1.4	81
29	A rabbit model of pediatric nonalcoholic steatohepatitis: The role of adiponectin. World Journal of Gastroenterology, 2009, 15, 912.	1.4	24
30	Effect of lifestyle intervention on non-alcoholic fatty liver disease in Chinese obese children. World Journal of Gastroenterology, 2008, 14, 1598.	1.4	120
31	Changes of ghrelin following oral glucose tolerance test in obese children with insulin resistance. World Journal of Gastroenterology, 2008, 14, 1919.	1.4	17
32	Factors associated with fasting plasma ghrelin levels in children and adolescents. World Journal of Gastroenterology, 2008, 14, 790.	1.4	16
33	Induction of cytotoxic T-lymphocyte responses using dendritic cells transfected with hepatocellular carcinoma mRNA. British Journal of Biomedical Science, 2006, 63, 123-128.	1.2	5
34	Serum Adiponectin, Resistin Levels and Non-alcoholic Fatty Liver Disease in Obese Children. Endocrine Journal, 2005, 52, 519-524.	0.7	112